

### OFFICE OF THE EXECUTIVE ENGINEER, HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG

PH: 01907-222229 Fax: 222229, e-mail: ee-kar-hp@nic.in

No.PW-KSG-E-Tenders/2021-22-1929-35

To

Dated:- 16 33

The Executive Engineer (IT), Cell HP PWD , Nirman Bhawan, Nigam Vihar Shimla-2.

Subject :-

Regarding publication of the tender on departmental site.

Enclosed please find herewith the copies of Notice Inviting Tender for the up loading on department web-site before 18-06-23 as per notification issued by the Pr. Secy.(PW) to the Govt. of HP vide letter No. PBW(B)A(3)1/2020 dated 16<sup>th</sup> July, 2021. As the works mentioned in the Tender Notice are urgent in nature.

Encls:- As above.

Executive Engineer, B&R Division, HP PWD Karsog



### OFFICE OF THE EXECUTIVE ENGINEER, HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT KARSOG PH: 01907-222229 Fax: 222229, E-mail: ee-kar-hp@nic.in

### NOTICE INVITING TENDER

Sealed item rates tender on form 6 & 8 are hereby invited by the Executive Engineer, B&R Division HPPWD Karsog on behalf of Governor of Himachal Pradesh from the approved/eligible contractors enlisted in HP,PWD for the following works so as to reach in this office on or before 26-06-2023 upto 11.00 AM and shall be opened on the same day at 12.00 AM in presence of the contractor or their authorized representatives who may like to be present. The tender form can be obtained from this office against cash payment (Non refundable) upto 4.00 PM on 24-06-2023 for which the application should reach in this office upto 1.00 PM 24-06-2023.

The earnest money in shape of National saving certificate/time deposit account/saving account in any Nationalized Bank in H.P duly pledged in favour of the Executive Engineer Karsog Division HPPWD Karsog will be received alongwith application for obtaining tenders form. The conditional tenders will summarily be rejected. The offer of the tenders shall be kept open for 51 days from the date of opening of tender. The Executive Engineer, HP PWD, Karsog reserves the right to reject any or all tenders without assigning any reason. The contractors should append their enlistment/renewed certificates/sale Tax registration Numbers with the application for issue of tender form. If any of the date mentioned above happens to be holiday the same shall be processed on next working day.

Sr. No.	Name of work	Estimated cost	Earnest	Time allowed	Cost of
1	Construction of Chouridhar to Kotlu road Km. 0/000 to 7/880 in GP Chauridhar Tehsil Karsog Distt. Mandi (HP) (SH: Preparation of Detailed Project Report (DPR) under NABARD.	2,29,120/-	4,600/-	One Month	350/-
2	C/O road cutting from Chera Parlog Km. 0/000 to 6/275 Tehsil Karsog DIstt. Mandi HP. (SH: Preparation of Detailed Project Report (DPR) under NABARD.	1,83,100/-	3,700/-	One Month	350/-
3	R/R damages on Seri Shout road Km. 0/000 to 16/000 (SH: C/O R/wall at RD 4/140 to 4/155).	4,48,848/-	9,000/-	One Month	350/-
4	C/O Dhumari Mod to Sanarli road km. 0/000 to 0/130 (SH: C/O R/wall at RD 0/035 to 0/046).	1,93,605/-	3,900/-	One Month	350/-

5	Construction of link road from Barthuna to Presso Km. 0/000 to 05/000 (SH: P/L Kharanja Stone soling from RD 0/350 to 0/440 & R/wall at RD 0/460 to 0/464)	1,85,524/-	3,800/-	One Month	350/-
6	Construction of road from Trimbli to Parlog via Tihani Godhar Shahot (Ropra to Tihani) (SH: Widening of road Km. 1/540 to 1/675). DC Deposit BSP/2023/129.	3,52,532/-	7,100/-	One Month	350/-
7	Construction of road from Nainj to Shout via Gannu Baldhar Mamla to Galu (SH: Widening of road Km. 0/360 to 5/40). DC Deposit BSP/2023/128.	3,50,636/-	7,100/-	One Month	350/-

### **TERMS & CONDITIONS:-**

- 1. No tender form will be issued to those contractors who are not registered under HPGST Act.
- 2. The Contractor/firm should be registered as or dealer GST NO.
- If any of the date mentioned above happened to be Gazetted holidays the same shall be processed on next working day.
- 4. The Executive Engineer reserves the right to accept/reject any tender/ application or all tenders without assigning any reason.
- 5. No tender form will be issued to those contractors who are not registered under EPF Act
- 6. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
- 7. The earnest money for the above work should be attached with the application.
- 8. The intending contractors/firms shall have to produce the copy of latest enlistment and renewal enlisted in HP,PWD.
- As per Govt. Notification PW/CTR/32-20Genl Inst-CPWD/2020-37996-38095 dated 13-03-2023 the tenders above 5% will be summarily rejected and tenders amounts below 30% of amount put to tender will also be accepted.

Executive Engineer B&R Division HPPWD Karsog

- 1. Copy to the Chief Engineer (MZ), HP PWD Mandi for information please.
- 2. Copy to the Superintending Engineer, 1st Circle, HP, PWD, Mandi for information please.
- 3. The Sub-Divisional Officer (Civil) Karsog, tehsil Karsog Distt. Mandi HP.
- 4. The Block Development Officer Karsog , tehsil Karsog Distt. Mandi HP.
- 5. All the Assistant Engineers, working under this Division.
- 6. Copy to Drawing & Account Branch.
- 7. Notice board of this office.

Executive Engineer, B&R Division, HP PWD Karsog

## Schedule of Quantity

Time:-	Earnest Money	Estimated Cost Rs.
One Month	4600	229120

Name of work:- C/O Chauridhar to Kotlu road Km. 0/0 to 7/880 in GP. Chauridhar in District of Mandi (H.P.)(SH:- Preparation of Detailed Project

2 CBI		Prepared Pre	Sr. No.	Report.) und
	CBR test including gain size analysis, atterberbs limit, proctor compaction and CBR value upto the entire satisfaction of Engineer-In-Charge including all type of incidental	Preparation of Detailed Project Report which includes following provision as mentioned below:  i) Topography survey by digital total station with two second accuracy showing all features on survey plan like trees, culverts, bridges, electric poles, telephone poles, hand pumps, school, Habitants villages etc.  ii) Draw cross-sections at 15m intervals, L-sections and calculate the quantity of earthwork in standard format of autocad showing all layers of pavement components as applicable.  iii) Preparation of survey plan showing all details as per MORD guidelines and specifications. If any correction/amendment will be desired by the office the same may be corrected as desired and directed by the Engineer-In-Charge complete in all respect. After approval of the same from the head office the same should be submitted in four fair copies and soft copy as per the requirement of this office and upto entire satisfaction of Engineer-In-Charge including all type of incidental charges.	Sub-fread and nems of recessor	Report.) under NABARD
	16.00	7.880		Oty.
	ŏ		In Fig	
			In Words	
	Sample	Per Kilometer		Unit.
				Amount



### Schedule of Quantity

Estimated Cost Rs.	183100
Earnest Money	3700
Time:-	One Month

NABARD Name of work:-C/O road cutting from Chera to Parlog 0/0 to 6/275 in District of Mandi (H.P.)(SH:- Preparation of Detailed Project Report.) under

# SCHEDULE OF QUANTITY

Estimated Cost Earnest Money Time One Month 448848 9000

Name of Work:- R/R Damages on Seri Shout road Km 0/00 to 16/00 (SH:- C/O R/Wall at RD 4/140 to 4/155).

	4	C	اد	N	_	No.
Total:-	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	wing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall, return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	2.0	305.1 including setting out construction for shoring and bracing removal of stamps and other deleterious materials and desposal up to a lead of 50 mtrs dressing of side and bottom and back filling in trenches with excavated suitable materials ordinary soil upto any depth as per direction of engineer in charge with in all lead and lifts and other incidentals.	Earth work in excavation for etructure as por describe and the control of the con	Sub-Head and items of works.
	26.85	24.00	71.37	26.17		Otv.
					in Figure	
					in words	Rate
	Per Cubic Meter	Each	Per Cubic Meter	Per Cubic meter	OIIIC	
					Amount	





Estimated Cost
Earnest Money 193605 3900 One Month

Time

Dro		2 Pro agg wa witt	fou (te 1.5 sur inc		Sr. No.	Name of W
Providing weepholes in bricks masonry/stone masonry plain /reinforced concrete abutment wing wall, return wall with 100mm dia PVC pipe extending through the full with the structure with slope of 1(V): 20(H) towards drewing face complete as per drawing and technical specification clause 614,709,1204.3.7 As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	Providing and laying cement concrete 1:5:10 (one cement: five sand: 10 graded stone aggregate 40 mm nominal size) curing complete including cost of form work in retaining walls/breast walls as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	Earth work in excavation by mechanical means(hydraulic excavator)/manual means in foundation trenches of drain (not exceeding 1.5 (one point five) meter in width or 10 sqm (ten square meter) on plan including dressing of sides and ramming of bottoms, life upto 1.5 (one point five) meter including getting out the exacavated soil and disposal of surplus exacavated soil as directed, within any lead as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	CASTIGAT SITE ISTITS OF WOINS.	Sub-Head and items of works	Name of Work:- C/O Dhumari mod to Sanarli road km 0/00 to 0/130 (SH:- C/O R/Wall at RD 0/035 to
15.00	14.74	31.35	26.29	wiy.	2	
				in Figure		0/046 ).
				in words	Rate	
Each	Per Cubic Meter	Per Cubic Meter	Per Cubic meter	Unit.		
				Amount	2	

### Schedule of Quantity

		ļ.	Estimated Cost Earnest Money Time		185524 3800 Two Months	
Name o	Name of Work:-C/O link road from Barthuna to Presso road 0/00 to 05/00 (SH:- P/L Kharanja stone soling from RD 0/350 to	ng from RE	0/350 to 0/440 &	0/440 & R/Wall at RD 0/460 to 0/464)	0 0/464)	
Sr. No.	Sub-Head and items of works.	Qty.	in Figure	Rate in words	Unit	Amount.
	Preparation of sub grade by dressing to camber (earth work for cutting involved for sub grade to be paid for separately) depanding upon the classification of soil completed as per HPPWD specifications or as per direction of Engineer-in-Charge including carriage of material within all leads. lifts and other incidentals	351.75			Per Square Meter	
2	Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade complete as per HP.PWD specifications or as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	351.75			Per Square Meter	
ω	Stone soling properly hand packed filling interstices with kharanja stone and consolidating with power road roller to the required gradient and camber including spreading watering and rolling and binding materials moorum of earth etc. complete as per HP.PWD specification. 150 mm (one hundred fifty millimeter) spread thickness (finished work including materials and labour) or as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	52.76			Per Cubic Meter	
4	Excavation in soil in hilly area by mechanical mean including cutting and trimming of side slope and disposing of excavated earth with any lift and any lead as per techanical specification clause 1603.1 as per direction of engineer in charge with in all lead and lift As per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	7.32			Per Cubic Meter	
On	Providing and laying concrete for pain/reinforced concrete 1.5:10 (one cement: five sand: ten graded stone aggregte) in open foundations complete as per drawing and technical specification clauses 802,803.1202 and 1203 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	15.16			Per Cubic Meter	
0	Providing weep holes in brick masonary/stone masonary/plain reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of structures with slope of 1(v):20 (H) towads drawing face complete as per direction of Engineer-in- Charge including carriage of materials within all leads and lifts and other incidentals.	6.00			Each	
7	Back filling behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 as per direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals.	2.72			Per Cubic Meter	
	Total:					

M.P.P.W.D. Karsog Executive Engineer, ////201 Retadg Division

## SCHEDULE OF QUANTITY

Estimated Cost 352532 Earnest Money 7100.00

Name of Work:- C/O road fromTrimbli to Parlog via Tihani Godhar Shahot (Ropra to Tihani)(SH:- Widening of road Km 1/540 to 1/675).D.C Deposit BSP/2023/129.

No.			To see the second side of the second
		cavation in earth work in hilly area by mechanical means all heights and doubte	Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and technical specification for Rural Roads August 2004 and Clause 16.2 of general exception for technical specification for Rural Roads August 2004 and Clause 16.2 of general exception at suitable sites and safe disposal of unsuitable cut materials in specified interest to achieve designed formation width including hauling and stacking of material transfer in charge for smooth riding. The recovery of 114.27 cubic metre @ Rs. The recovery of 114.27 cubic metre @ Rs. The recovery of 114.27 cubic metre @ Rs. The recovery of 114.27 cubic metre with the should responsibility of the contractor, which shall have to be duly the transfer of the public and private property during the course of contractor.
wiy.			1804.34
	in Figure		
Nate	in words		**
Unit.			Per Cubic Meter
Amount.			

# SCHEDULE OF QUANTITY

Estimated Cost
Earnest Money

350636 7100.00 One Month

Time
One M
Name of Work:- C/O road from Nainj to Shout via Gannu Bhadaidhar Mamla to Galu (SH:- Widening of road Km 0/360 to /540).D.C Deposit BSP/2023/128.

Sr.	NO.	1	by the side and exc. leve required conn. as d 3000/0 cuttiling.
Sub-Head and items of works.			Excavation in earth work in hilly area by mechanical means all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and level as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification for Rural Roads August 2004 and Clause 16.2 of general condition for contract to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, trimming, filling of unevenness, blindage and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. The recovery of 145.86 cubic metre @ Rs. 300/- per cubic metre amounting to Rs. 43,758/- only, shall be done on prorata basis for the quantity of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases.
Qty.			1683.00
	in Figure		
Rate	in words		
Unit			Per Cubic Meter
Amount.			