

Himachal Pradesh
Public Works Department
NOTICE INVITING TENDER

Sealed tenders on item rates on PWD form 6&7 are hereby invited by the Executive Engineer, Tauni Devi Division, and HPPWD Tauni Devi for the following works. The tender shall be received in this office on or before 08.06.2023 up to 11:00 AM and the same shall be opened on the same day at 11:30 AM in the presence of the contractor /firms. The application for the issue of tender document shall be received on dated 07.06.2023 up to 1:30 PM and the tender form will be sold on cash payment (Non refundable) on dated 07.06.2023 from 2.30 PM to 5.00 PM.

| Sr. No. | Name of Work | Estimated Cost (Rs.) | Earnest Money | Time limit | Cost of form |
|---------|--|----------------------|---------------|------------|--------------|
| 1. | Balance work for C/o Mini Secretariat Building at Sujanpur Thira (SH:- Structural steel work , Aluminum wire gauge shutter , chamber, handrail and polycarbonate sheet etc) (Deposit work) | 497271/- | 10000/- | Two months | 350/- |
| 2. | Balance work for C/O Mini Sectarait building at Sujanpur Tihra (SH:- P/L paver tiles, Cement concrete 1:2:4 & P/F collapsible door etc) (Deposit work) | 452895/- | 9100/- | Two months | 350/- |
| 3. | C/o link road from Kalkhar bridge to Baharu Jhatour km 0/0 to 2/0 (SH:- P/L WMM & 2cm thick premix carpet with seal coat at RD 1/275 to 1/545) (Under OTMNP) | 476923/- | 9500/- | Two months | 350/- |
| 4. | A/R & M/O various road under Tauni Devi Division HP:PWD , Tauni Devi (SH:- Supplying and fixing retro-refectories cautionary mandatory board etc) Job No.2 | 496000/- | 10000/- | Two months | 350/- |
| 5. | A/R & M/O various road under Tauni Devi Division HP:PWD , Tauni Devi (SH:- Supplying and fixing retro-refectories cautionary mandatory board etc) Job No.1 | 496000/-- | 10000/- | Two months | 350/- |
| 6. | A/R & M/O various road under Tauni Devi Division HP:PWD , Tauni Devi (SH:- Supplying and fixing retro-refectories cautionary mandatory board etc) Job No.2 | 499200/- | 10000/- | Two months | 350/- |
| 7. | A/R & M/O various road under Tauni Devi Division HP:PWD , Tauni Devi (SH:- Supplying and stacking of dual direction delineators) Job No.1 | 499200/- | 10000/- | Two months | 350/- |
| 8. | A/R & M/O various road under Tauni Devi Division HP:PWD , Tauni Devi (SH:- P/F plastic speed brekers in various RD,s) | 496100/- | 10000/- | Two months | 350/- |
| 9 | Special Repair to toilet block in Sainik School Hostel Sujanpur Thira (SH:- P/F aluminum doors etc)(Deposit work) | 497603/- | 9900/- | Two months | 350/- |
| 10 | Special Repair to toilet block in Sainik School Hostel Sujanpur Thira (SH:- Wood paneling etc) (Deposit work) | 194313/- | 3900/- | Two months | 350/- |
| 11 | A/R & M/O on various road under Kakkar Sub-Division (SH:- Hiring of JCB /fornt end Loader for removal of slips/clearing of drain due to heavy rains) | 499200/- | 10000/- | Two months | 350/- |
| 12 | C/o link road from Banalag to Ranger G.P .Pohanj km 0/0 to 5/00 (SH:- F/C 5/7 mtr .wide at RD 0/20 to 0/092) (Under OTMNP) | 495421/- | 10000/- | Two months | 350/- |

| | | | | | |
|----|---|----------|---------|------------|-------|
| 13 | C/o link road from Banalag to Ranger G.P. Pohanj km 0/0 to 5/00 (SH:- F/C 5/7 mtr .wide at RD 0/092 to 0/166) (Under OTMNP) | 492751/- | 10000/- | Two months | 350/- |
| 14 | C/O science Lab in Govt Senior Secondary School at Uhal Distt Hamirpur (HP) (SH:- C /O Site development at RD 0/015 to 0/024) (Deposit work) | 319183/- | 6400/- | Two months | 350/- |
| 15 | C/O science Lab in Govt Senior Secondary School at Uhal Distt Hamirpur (HP) (SH:- C /O Site development at RD 0/000 to 0/015) (Deposit work) | 468445/- | 9500/- | Two months | 350/- |
| 16 | R/R damages link road Naughin to Johru km 0/ to 0/600 (SH:- C/O R/wall at RD 0/009 to 0/021 | 203690/- | 4000/- | Two months | 350/- |

The tender documents shall be issued only to those contractors/firms who fulfill the following criteria and submit documents with the application. The valid enlistment/ registration of contractor in appropriate class. Permanent Account Number (PAN). Earnest money in the shape of National saving certificate/ Time deposit Account in any of the Post office in H.P. / F.D.R. from any Nationalized Bank (i/c Kangra Central Cooperative Bank) duly pledged in favour of the Executive Engineer. Other special terms and condition can be seen/obtain in this office on any working day. Any ambiguous /telegraphic conditional tenders by fax shall not be entertained /considered in any case. It is also certified that tenders are urgent work and required early completion.

Executive Engineer,
Tauni Devi Division,
HP:PWD., Tauni Devi

No.PW/TDD/GA/N.I.T./2023-24

Dated:- 02.06.2023


Copy forwarded for information & necessary action

1. The Engineer-in-Chief, HP:PWD, Shimla.
2. The Chief Engineer (HZ), HP:PWD, Hamirpur.
3. The Superintending Engineer, 8th Circle, HP:PWD, Hamirpur.
4. All the Superintending Engineers/ Executive Engineers in HP:PWD.
5. The Deputy Commissioner, Hamirpur.
6. ☒ The Director, Information and Public Relations, Suchna Avam Jan Sampark Bhawan, HP Shimla -2 for information and necessary action.
7. The Tehsildar, Tauni Devi.
8. The B. D. O. Tauni Devi.
9. The Municipal Committee, Hamirpur.
10. All the Assistant Engineers working under this Division.
11. Accounts Branch/ Drawing Branch/ Notice Board.
12. Lok Mitra, Tauni Devi.
13. Various Contractors/ Firms.

Executive Engineer,
Tauni Devi Division,
HP: PWD, Tauni Devi

CERTIFICATE

Certified that the tender for job No. 1 to 16 are called vide this office letter No. PW/TDD/GA/2023-24-2968-3000 dated 02.06.2023 are an urgent nature and in public interest.



Executive Engineer,
Tauni Devi Division,
HP:PWD., Tauni Devi.

Schedule of Quantity

NAME OF WORK:- Balance work for Construction of Mini Secretariat Building at Sujapur Tihra.(SH:- Structural steel work, Aluminium wire gauge shutter , chamber, Handrail and polycarbonate sheet etc)(Deposit Work)

Estimated Cost:- Rs.497271.00

Earnest Money:- Rs.10000.00

Time:- Two Months

| Sr. No. | Description of Items | Qty. | Rate | | Unit | Amount |
|---------|---|--------|---------|----------|-------------------|--------|
| | | | In Fig. | In Words | | |
| 1.00 | Structural steel work in single section, fixed with or without connecting plate,including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 946.28 | | | Per kilogram | |
| 2.00 | Providing and fixing 75mm x 60mm (seventy five millimetre into sixty millimetre) hand rails in 1st Indian teak wood straight lenght complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 35.00 | | | Per running metre | |
| 3.00 | For shutters of doors windows & ventilators including providing and fixing hinges/pivots and making provisions for fixing of fittings where ever required including the cost of PVC/neoprene gaskets as required (fittings and glazing / panelling shall be paid for separately) detail of cost for a door 2.35 x 0.75(two point or 20.21kg as per the direction of Engineer-in-Charge including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 147.49 | | | Per kilogram | |
| 4.00 | Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm(one point four millimetre) in both directions with wire of dia 0.63 mm(zero point sixty three millimetre) all complete with 12 mm (twelve millimetre) mild steel U beading as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 11.52 | | | Per square metre | |
| 5.00 | Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm(seven hundred millimetre), with necessary accessories and screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 8.00 | | | Each | |
| 6.00 | Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete 300x16 mm (three hundred into sixteen millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 8.00 | | | Each | |

| | | | | | | |
|-------|--|-------|--|--|------------------|--|
| 7.00 | Providing and fixing 250x10 mm(two hundred fifty into ten millimetre) aluminium tower bolts, ISI marked,anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 8.00 | | | Each | |
| 8.00 | Providing and fixing 125 mm(one hundred twenty five millimetre) aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 16.00 | | | Each | |
| 9.00 | Constructing masonry Chamber 60x60x75 cm(sixty into sixty into seventy five centimetre) inside, in brick work in cement mortar 1:4 (one cement : four coarse sand) for sluice valve, with C.I. surface box 100mm(one hundred millimetre) top diameter, 160 mm(one hundred sixty millimetre) bottom diameter and 180 mm(one hundred eighty millimetre) deep (inside) with chained lid and RCC top slab 1:2:4 mix (one cement : two coarse sand : four graded stone aggregate 20mm(twenty millimetre) nominal size) , including necessary excavation, foundation concrete 1:5:10 (one cement : five fine sand : ten graded stone aggregate 40 mm(forty millimetre) nominal size) and inside plastering with cement mortar 1:3 (one cement : three coarse sand) 12 mm(twelve millimetre)thick, finished with a floating coat of neat cement complete as per standard design With common burnt clay F.P.S.(non modular) bricks of class designation 7.5(seven point five) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 7.00 | | | Each | |
| 10.00 | Providing and fixing polycarbonad transparent sheet 3mm(three millimetre) thick in roofing with galvanised J or L hooks bolts and nuts with G.I. Limpet and bitumen rubber washer complete with all accessories as required as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 11.10 | | | Per square metre | |
| 11.00 | Polishing two coats with malamine polish of required shade on new wood and wood based surfaces to give an even surface including cleaning the surface of all dirt dust and sand papered smooth and including a coat of wood filler as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 7.00 | | | Per square metre | |
| 12.00 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5(seven point five) in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:4 (one cement : four coarse sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 11.91 | | | Per cubic metre | |

| | | | | | | | | |
|----------------------------|---|-------|--|--|--|--|------------------|--|
| 13.00 | Providing plinth protection 50mm(fifty millimetre) thick in cement concrete 1:3:6 (one Cement : three Sand : six Graded stone aggregated 20mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 88.40 | | | | | Per square metre | |
| Terms and Condition | | | | | | | Total | |

1. Work shall be executed as per PWD specification.

Anil Kumar
 Executive Engineer,
 Tauni Devi Division,
 HP PWD, Tauni Devi

Schedule of Quantity

NAME OF WORK:- Balance work for Construction of Mini Secretariat Building at Sujapur Thirua.(SH:-Providing and laying Paver tiles, Cement Concrete 1:2:4 & providing and fixing collapsible door etc)(Deposit Work)


Estimated Cost:- Rs.452895.00
Earnest Money:- Rs.9100.00

Time:- Two Months

| Sr. No. | Description of Items | Qty. | Rate | | Unit | Amount |
|--------------|--|--------|---------|----------|------------------|--------|
| | | | In Fig. | In Words | | |
| 1.00 | Providing and laying factory made chartered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc. of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm(fifty millimetre) thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand 80 mm (eighty millimetre) thick cement concrete paver block of M-30 grade with approved color design and pattern as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 146.75 | | | Per square metre | |
| 2.00 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm(twenty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 9.05 | | | Per cubic metre | |
| 3.00 | Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm(twenty into five millimetre) size, with top and bottom rail of T-iron 40x40x6 mm (forty into forty into six millimetre), with 40 mm(forty millimetre) dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 23.14 | | | Per square metre | |
| Total | | | | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.


Executive Engineer,
Tauni Devi Division,
HPPWD: Tauni Devi

NAME OF WORK:- C/O link road from Kalakhar bridge to Baharu Jhatour km. 0/0 to 2/0. (SH - P/L WMM & 2cm thick premix carpet with seal coat at RD. 1/275 to 1/545). (Under OTMNP)

| NAME OF WORK:- C/O link road from Kalakhar bridge to Baharu Jhatour Km. 0/0 to 2/0.(SH- P/L WMM & 2cm thick premix carpet with seal coat at RD. 1/275 to 1/545).(Under OTMNP) | | | | | | | | | |
|---|--|--------|------------------|---------------|------------------|--------|--|--|--|
| Schedule of Quantity | | | | | | | | | |
| Sr.No. | Description of Items | Qty. | Estimated Cost:- | | Unit | Amount | | | |
| | | | Earnest Money:- | Rs. 476923.00 | | | | | |
| | | | Time:- | Rs. 9500.00 | | | | | |
| | | | Rate | In Words | Two Months | | | | |
| | | | In Fig. | In Words | | | | | |
| 1 | Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN (eighty into hundred)weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc. as per Tables 400.11 & 400.12 and Technical Specification Clause 406 by mechanical means in two layers, and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government. | 82.35 | | | Per cubic metre | | | | |
| 2 | Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer @ 0.70-1.0 kilogram (zero point seven zero to one point zero kilogram per square meter) using mechanical means as per technical specification clause -502 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government. | 823.50 | | | Per Square metre | | | | |
| 3 | Providing and applying tack coat with bitumen emulsion (RS-1) distributor at the rate of 0.25 to 0.30 kg. (zero point two five to zero point three zero kilogram) per sqm on the prepared bitumen surfaces cleaned with Hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government. | 823.50 | | | Per Square metre | | | | |
| 4 | 2 cm (two centimeter) premix carpet surfacing with 1.8 cum(one point eight cubic metre) and 0.90 cum (zero point nine zero cubic metre) of stone chippings of 13.2 mm (thirteen point two millimeter) size and 11.2 mm (eleven point two millimeter) size respectively per 100 sqm (one hundred square metre) and 52 kg (fifty six kilogram) of hot bitumen per cum of stone chippings of 13.2 mm (thirteen point two millimeter) and 11.2 mm (eleven point two millimeter) size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately). With paving Asphalt grade VG - 30 heated and then mixed with solvent at the rate of 70 grams per kg of asphalt as per direction of Engineer- in -Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax,sale tax, GST or other taxes imposed by the Government. | 823.50 | | | Per Square metre | | | | |
| 5 | Providing and laying seal coat of premixed fine aggregate (passing 2.36 mm and retained on 180 micron sieve) with bitumen using 128 kg (one hundred twenty eight kilogram) of bitumen of grade VG - 30 bitumen per cum of fine aggregate and 0.60 cum (zero point six zero only) of fine aggregate per 100 sqm of road surface, including rolling and finishing with road roller all complete, as per direction of Engineer- in -Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 823.50 | | | Per Square metre | | | | |
| Total | | | | | | | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.

Asad Ali
Executive Engineer,
Tauni Devi Division,
HPPWD: Tauni Devi

Draft Schedule of Quantity

NAME OF V. ORK:- A/R & M/O various road under Tauni Devi Division, HP:PWD, Tauni Dev.: (SH:- Supplying and fixing retro-reflectorised cautionary mandatory board etc) Job No. 1

| NAME OF WORK:- A/R & M/O various road under T.Juni Devi Division, HP.PWD., Tauni Dev.:(SH:- Supplying and fixing retro-reflectorised cautionary mandatory board etc) Job No.1 | | | | | | | Estimated Cost:- | Rs. 496000.00 |
|---|---|--------|---------|---------------------------|-------|-----------|------------------|---------------|
| | | | | | | | Earnest Money:- | Rs. 100000.00 |
| | | | | | | | Time:- | Two Months |
| Sr.No. | Description of Items | Qty. | Rate | | Unit | Amount | | |
| | | | In Fig. | In Words | | | | |
| 1 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting wide clause 1701.2.3.fixed over aluminium sheeting, 1.5mm (one point five millimetre) thick supported on RCC post 100mmx100mm (one hundred millimetre into one hundred millimetre) firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450mmx450mmx600mm (four hundred fifty into four hundred fifty into six hundred millimetre) 600mm (six hundred millimetre) below ground level as per approved drawing clause 1701 including carriage of material all labour equipment and materials to be various location through all leads and lifts of transportation in all leads, and directions of Engineer-in-Charge. including entire carriage of material within all leads and lifts and other incidentals. | | | | | | | |
| (a) | 600mm (six hundred millimetre) equilateral triangle. | 124.00 | 4000.00 | Rupees four thousand only | Each | 496000.00 | | |
| | | | | | Total | 496000.00 | | |

Terms and Condition

1. Work shall be executed as per PWD specification.

DNT No. 39 for the year 2023-24 duly approved for Rs. 4,96,000/- (Four lac. ninety six thousand) Only.

Executive Engineer,
Tauni Devi Division
HPPWD: Tauni Dev.

Draft Schedule of Quantity

NAME OF WORK:- A/R & M/O various road under Tauni Devi Division, HP:PWL., Tauni Devi.(SH:- Providing and fixing plastic speed breakers in various RD's)

| Part Schedule of Quantity | | | | | | | NAME OF WORK:- A/R & M/O various road under Tauni Devi Division, HP:PW., Tauni Devi,(SH:- Providing and fixing plastic speed breakers in various RD's) | | Estimated Cost:- | | Rs. 496100.00 | |
|---------------------------|--|--------|---------|--|---------------------------------------|--------|--|--------|------------------|--|---------------|--|
| Sr.No. | Description of Items | Qty. | In Fig. | | Rate | | Unit | Amount | Earnest Money:- | | Rs. 100000.00 | |
| | | | | | In Words | Time:- | | | Two Months | | | |
| | | | | | | | | | | | | |
| 1 | Providing and fixing mode of sturdy plastic, speed breakers AL-1006, Dimension 350mmx250mmx50mm (three hundred fifty millimetre into two hundred fifty millimetre), 500x425x75mm(five hundred into four hundred twenty five into seventy five millimetre) reflectors PMMA in Amber colour and HP moulded in ABS PC alloy are highly resistant to severe impacts and harsh weather condition. Its dovetail interlocking subunits make it bind perfectly into a one firm bump. The per colour materials (Black/Yellow) and UV Stabilizer keep them perpetually colorful. Scudded with reflectors on either side, they are clearly visible to the motorists during night hours. These breakers are ideal for private colonies, hospitals, School, Colleges, Universities, Security check posts, parking area, loading sites etc. in cities, Easily removable, these breakers can easily be relocated as designed within all leads and lifts of material and as per direction of Engineer-in-Charge. | 121.00 | 4100.00 | | Rupees four thousand one hundred only | Rmt. | 496100.00 | | | | | |
| Total | | | | | | | | | 496100.00 | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.

DNIT No. 38 for the year 2023-24 duly approved for Rs. 4,96,100/- (Four lac. ninety six thousand one hundred) Only.

Executive Engineer,
Tauni Devi Division
HP:PWD, Tauni Devi

Draft Schedule of Quantity

and fixing retro-

| | |
|------------------|---------------|
| Estimated Cost:- | Rs. 496000.00 |
| Earnest Money:- | Rs. 10000.00 |
| Time:- | Two Months |
| Unit | Amount |

NAME OF WORK:- A/R & M/O various road under Tauni Devi Division, HP:PWD., Tauni Devi (SH:- Supplying and fixing retro-

reflectorised cautionary mandatory board etc.) Job No.1.

| Sr.No. | Description of Items | Qty. | In Fig. | | In Words | | Unit | Amount |
|--------|--|--------|---------|--|---------------------------|-------|------|-----------|
| | | | | | | | | |
| 1 | Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide clause 1701.2.3 fixed over aluminium sheeting, 1.5mm (one point five millimetre) thick supported on RCC post 100mmx100mm (one hundred millimetre into one hundred millimetre) firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450mmx450mmx600mm (four hundred fifty into four hundred fifty into six hundred millimetre) 600mm (six hundred millimetre) below ground level as per approved drawing clause 1701 including carriage of material all labour equipment and materials to be various location through all leads and lifts of transportation in all leads, and directions of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. | 124.00 | 4000.00 | | Rupees four thousand only | Each | | 496000.00 |
| (a) | 600mm (six hundred millimetre) equilateral triangle. | | | | | Total | | 496000.00 |

Terms and Condition

1. Work shall be executed as per PWD specification.

DNT No. 44 for the year 2023-24 duly approved for Rs. 4,96,000/- (Four lac ninety six thousand) Only.

Executive Engineer,
Tauni Devi Division,
HP:PWD: Tauni Devi

NAME OF WORK:- A/R & M/O various road under Tauni Devi Division, HP.,PWD, Tauni Devi,(SH:- Supplying and stacking of dual direction delineators),Job No.2.

| Sr.No. | Description of Items | Qty. | Estimated Cost:- | | Rs. 499 :00.00 | |
|----------------------------|---|--------|------------------|---|-----------------|------------------|
| | | | Earnest Money:- | | Rs. 10000.00 | |
| | | | Time:- | | Two Months | |
| | | | In Fig. | In Words | Unit | Amount |
| 1 | Supplying and stacking of dual direction delineator made of dia 18 gauge rectangular pipe of size 25x63mm (twenty five into sixty three millimetre) and of length 600mm (six hundred millimetre) pipe stove enameled and baket to 120c/power coated head made of ABC plastic rounded moulded with flat face provided with high intensity prismatic reflectors of colour (white/Red) of size100x125 (one hundred into one hundred twenty five) with additional to reflective strips of 20mm(twenty millimetre) wide make green light and directions of Engineer-In-Charge. Including entire carriage of material within all leads and lifts and other incidentals. | 384.00 | 1300.00 | Rupees one thousand three hundred only. | Per cubic metre | 499200.00 |
| Terms and Condition | | | | | Total | 499200.00 |

1. Work shall be executed as per PWD specification.

DNIT No. 37 for the year 2023-24 duly approved for Rs. 4,99,200/- (Four lac. ninety nine thousand two hundred) Only.

Executive Engineer,
Tauni Devi Division,
HP/PWD: Tauni Devi

NAME OF WORK:- A/R & M/O various road under Tarni Devi Division, HP:PWD, Tauni Devi, CH:- Supplying and stacking of dual direction delineators). JOB No. 1.

Estimate No. Lost:- Rs. 499200.00
Earnest Money:- Rs. 10000.00
Time:- Two Months

| Sr.No. | Description of Items | Qty. | Rate | | Unit | Amount |
|--------|---|--------|---------|---|-----------------|-----------|
| | | | In Fig. | In Words | | |
| 1 | Supplying and stacking of dual direction delineator made of dia 18 gauge rectangular pipe of size 25x63mm (twenty five into sixty three millimetre) and of length 600mm (six hundred millimetre) pipe stove enameled and baked to 120c/power coated head made of ABC plastic rounded moulded with flat face provided with high intensity prismatic reflectors of colour (white/Red) of size100x125 (one hundred into one hundred twenty five) with additional to reflective strips of 20mm(twenty millimetre) wide make green light and directions of Engineer-in-Charge. including entire carriage of material within all leads and lifts and other incidentals. | 384.00 | 1300.00 | Rupees one thousand three hundred only. | Per cubic metre | 499200.00 |
| | | | | | Total | 499200.00 |

Terms and Condition

1. Work shall be executed as per PWD specification.

DNT No. 36 for the year 2023-24 duly approved for Rs. 4,99,200/- (Four lac. ninety nine thousand two hundred) Only.


Arvind Kumar
Executive Engineer,
Tarni Devi Division,
HP:PWD, Tauni Devi

Schedule of Quantity

| NAME OF WORK:- Special Repair to Toilet Block in Sainik School Hostel Sujapur Tihra. (SH:- Providing and fixing aluminium doors etc) (Deposit Work) | | | | | | |
|---|---|--------|------------------|----------|--------------|--------|
| Sr. No. | Description of Items | Qty. | Estimated Cost:- | | Rs.497603.00 | |
| | | | Earnest Money:- | | Rs.9900.00 | |
| | | | Time:- | | Two Months | |
| | | | Rate | In Words | Unit | Amount |
| 1.01 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50(fifty) metres lead of area beyond 3 sqm (three square metre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 12.00 | | | Each | |
| 2.01 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle. Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 332.25 | | | Per kilogram | |
| 3.01 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle. Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC15) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 473.73 | | | Per kilogram | |

| | | | | | | | | |
|----------------------------|--|-------|--|--|--|--|------------------|--|
| 4.01 | Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete 250x16 mm(two hundred fifty into sixteen millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 12.00 | | | | | Each | |
| 5.01 | Providing and fixing 250x10 mm(two hundred fifty into ten millimetre) ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 12.00 | | | | | Each | |
| 6.01 | Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete Door 125 mm(one hundred twenty five millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 24.00 | | | | | Each | |
| 7.01 | Repairs to plaster of thickness 12 mm(twelve millimetre) to 20 mm(twenty millimetre) in patches of area 2.5 sqm(two point five square metre) and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete With cement mortar 1:4 (one cement : four fine sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 17.10 | | | | | Per square metre | |
| 8.01 | Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade (two or more coats) over and including water thinnable priming coat with cement primer as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 17.10 | | | | | Per square metre | |
| Terms and Condition | | | | | | | Total | |

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HRPWD, Tauni Devi

Schedule of Quantity

NAME OF WORK:- Special Repair to Principal room at Sainik School Sujampur Tihra Dist. Hamirpur (HP) (SH:- Wood Panelling etc)(Deposit Work)


Estimated Cost:- Rs.194313.00
Earnest Money:- Rs.3900.00

Time:- Two Months

| Sr. No. | Description of Items | Qty. | Rate | | Unit | Amount |
|---------|--|-------|---------|----------|-------------------|--------|
| | | | In Fig. | In Words | | |
| 1.01 | Providing wood work in frames of false ceiling, partitions etc. sawn and fixed in position with necessary stainless steel screws etc Sal wood as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 0.81 | | | Per cubic metre | |
| 2.01 | Providing and fixing 18 mm(eighteen millimetre) thick flat pressed 3(three) layer particle board medium density exterior grade (Grade I) or graded wood particle board IS : 3087 marked, to frame, backing or studding with screws etc. complete (Frames, backing or studding to be paid separately): as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 68.82 | | | Per square metre | |
| 3.01 | Providing and fixing ply wood lining with butt jointing and nails (frame work and cover fillers to be measured an paid for separately 4mm(four millimetre) thick as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 68.82 | | | Per square metre | |
| 4.01 | Providing and fixing wooden moulded corner beading of triangular shape to the junction of panelling etc. with iron screws, plugs and priming coat on unexposed surface etc. complete 2nd class teak wood 50x50 mm (fifty into fifty millimetre) (base and height) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 44.00 | | | Per running metre | |
| 5.01 | Providing and fixing 2nd class teak wood lipping/ moulded beading or taj beading of size 18 x 5 mm (Eighteen into five millimetre) fixed with wooden adhesive of approved quality and screws/nails on the edges of the Pre-laminated particle board as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 35.35 | | | Per running metre | |
| 6.01 | French spirit polishing Two or more coats on new works including a coat of wood filler as per direction of Engineer in charge including entire carriage of material within all leads, lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 75.25 | | | Per square metre | |

| | | | | | | | |
|-------|--|-------|--|--|--|------------------|--|
| 7.01 | Providing and fixing 50 mm (fifty millimetre) bright finished brass cup board or wardrobe knob of approved quality with necessary screws as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 10.00 | | | | Each | |
| 8.01 | Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete triple strip vertical type as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 15.00 | | | | Each | |
| 9.01 | Providing and fixing powder coated telescopic drawer channels 300 mm(three hundred millimetre) long with necessary screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 6.00 | | | | One set | |
| 10.01 | Providing and fixing sliding arrangement in racks/ cupboards/cabinets shutter by with stainless steel rollers to run inside C or E aluminium channel section (The payment of C or E channel shall be made separately) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 6.00 | | | | Each | |
| 11.01 | Providing M.S. Plano hinges ISI marked IS : 3818 finished with nickel plating and fixing with necessary screws etc., complete Overall width 35 mm(thirty five millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 9.60 | | | | Per square metre | |
| 12.01 | Providing and fixing 100 mm(one hundred millimetre) bright finished brass handles with screws etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 20.00 | | | | Each | |
| 13.01 | Providing and fixing special quality bright finished brass cupboard or ward robe locks with four levers of approved quality including necessary screws etc. complete 65 mm (sixty five millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government. | 10.00 | | | | Each | |

| | | | | | | | | |
|---|--|------|--|--|--|--|------------------|--|
| 14.01 | Providing and fixing panelling or paneling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm(twenty five millimetre) to 40 mm(forty millimetre) thick Float glass panes 5.0 mm(five point zero millimetre) thick glass panes (weight not less than 12.5 kg per sqm(twelve point five kilogram per square metre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana toll tax, GST or other taxes imposed by the Government. | 5.40 | | | | | Per square metre | |
| Terms and Condition | | | | | | | | |
| 1. Work shall be executed as per PWD specification. | | | | | | | Total | |



 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni Devi

Schedule of Quantity

NAME OF WORK:- A/R & M/O on various road under Kakkar Sub-Division. (SH:- Hiring of JCB/Front end Loader for removal of slips/clearing of drain due to heavy rains).

| Sr.No. | Description of Items | Qty. | Estimated Cost:- | | Rs. 499200.00 | |
|----------------------------|--|--------|------------------|----------|---------------|--------|
| | | | Earnest Money:- | | Rs. 10000.00 | |
| | | | Time:- | | Two Months | |
| | | | Rate | | Unit | Amount |
| | | | In Fig. | In Words | | |
| 1 | Hiring of J.C.B. (front end loader 1 cum capacity with breaker) for widening of road, repair of berms, removal of slips and clearance of drains in all kinds of soil including breaking and chiselling with breaker of soft and hard rock as per direction of Engineer in charge. The JCB or breaker should be made available by the contractor as and when required even on Sunday and other holiday. JCB should be worked minimum 8.00 hours from 9.00AM to 5.00 PM daily and any loss to the public/private property or any accident etc. happened during the course of hiring period shall be the absolute responsibility of the JCB owner which shall have fully compensated by the contractor in all cases. The log book will be maintained at site which should be duly verified by the Engineer-in-charge. | 384.00 | | | Per hour | |
| Terms and Condition | | | | | Total | |

- 1 The contractor shall be responsible for any kind of breakage in the machinery and accident happens during working hours.
- 2 Nothing shall be paid for idle hours
- 3 All bear and tear and POL charges are to be born by the contractor.


 Executive Engineer,
 Tauni Devi Division,
 HRPWD: Tauni Devi

| Schedule of Quantity | | | | | | |
|--|--|---------|---------|---------------|-----------------|--------|
| NAME OF WORK:- C/O link road from Banalag to Ranger G.P. Pohanj km. 0/0 to 5/00.(SH:- formation cutting 5/7mtr. Wide at RD. 0/020 to 0/092). (Under OTMNP) | | | | | | |
| Estimated Cost:- | | | | Rs. 495421.00 | | |
| Earnest Money:- | | | | Rs.10000.00 | | |
| Time:- | | | | Two Months | | |
| Sr.No. | Description of Items | Qty. | Rate | | Unit | Amount |
| | | | In Fig. | In Words | | |
| 1 | Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302,1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts.(Recovery of useful stone i.e.127 33/-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs.38,199/-only. | 1067.09 | | | Per cubic metre | |
| Terms and Condition | | | | | | Total |

1. Work shall be executed as per PWD specification.

A. D. G. M.
Executive Engineer,
Tauni Devi Division,
HPPWD: Tauni Devi

Schedule of Quantity


NAME OF WORK:- C/O link road from Banalag to Ranger G.P. Pohanj km. 0/0 to 5/00 (SH:- formation cutting 5/7 mtr. Wide at RD. 0/092 to 0/166). (Under OTMNP)

| | | | | | | | | |
|--|---|---------|---------|----------|------|-----------------|------------------|---------------|
| NAME OF WORK:- C/O link road from Banalag to Ranger G.P. Pohanj km. 0/0 to 5/00.(SH:- formation cutting 5/7mtr. Wide at RD. 0/092 to 0/166). (Under OTMNP) | | | | | | | Estimated Cost:- | Rs. 492751.00 |
| | | | | | | | Earnest Money:- | Rs.10000.00 |
| | | | | | | | Time:- | Two Months |
| Sr.No. | Description of Items | Qty. | In Fig. | In Words | Rate | Unit | Amount | |
| 1 | Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 127.18/-cubic metre shall be made from the contractor @ Rs. 300/-(three hundred only per cubic metre) amounting to Rs.38.154/-only. | 1095.83 | | | | Per cubic metre | | |
| Total | | | | | | | | |

Terms and Condition

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division
 HPPWD: Tauni Devi

Schedule of Quantity

NAME OF WORK:- C/O Science Lab. In Govt. Senior Secondary School at Uhal Distr. Hamirpur (HP). (SH:- C/O site development at RD. 0/015 to 0/024). (Deposit work).

Estimated Cost:- RS.319183.00
Earnest Money:- RS.6400.00
Time:- Two Months

| Sr.No. | Description of Items | Qty. | Rate | | Unit | Amount |
|--------------|---|--------|---------|----------|-----------------|--------|
| | | | In Fig. | In Words | | |
| 1 | Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302,1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 83.17/-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 24,951/- only. | 860.40 | | | Per cubic metre | |
| Total | | | | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.

Andhra
Executive Engineer,
Tauni Devi Division,
HRPWD: Tauni Devi


Schedule of Quantity

NAME OF WORK:- C/O Science Lab. In Govt. Senior Secondary School at Uhal Distt. Hamirpur (HP). (SH:- C/O site development at RD. 0/000 to 0/015). (Deposit work).

| Schedule of Quantity | | | | | | | | | |
|--|---|---------|------------------|----------|-----------------|----------|-----------------|------|--------|
| NAME OF WORK:-C/O Science Lab. In Govt. Senior Secondary School at Uhal Distt. Hamirpur (HP). (SH:- C/O site development at RD. 0/000 to 0/015). (Deposit work). | | | | | | | | | |
| Sr.No. | Description of Items | Qty. | Estimated Cost:- | | Earnest Money:- | | Time:- | | Amount |
| | | | In Fig. | In Words | Rate | In Words | Two Months | | |
| | | | | | | | | Unit | |
| 1 | Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302,1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts.(Recovery of useful stone i.e. 122.06/-cubic metre shall be made from the contractor @ Rs. 300/-(three hundred only per cubic metre) amounting to Rs. 36,618/-only. | 1261.50 | | | | | Per cubic metre | | |
| Total | | | | | | | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HP PWD: Tauni Devi

Schedule of Quantity


NAME OF WORK:- Restoration of rain damages link road Naughin to Johru Km 0/0 to 0/600. (SH:- C/O R/Wall at RD 0/009 to 0/021)

Estimated Cost:- Rs.203690.00
Earnest Money:- Rs.4000.00
Time:- Two Months

| Sr. No. | Description of Items | Qty. | Rate | | Unit | Amount |
|---------|--|-------|---------|----------|-----------------|--------|
| | | | In Fig. | In Words | | |
| 1.00 | Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m(fifty metre) Ordinary rock as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 12.96 | | | Per cubic metre | |
| 2.00 | Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 42.16 | | | Per cubic metre | |
| 3.00 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimeter) dia PVC pipe De plast /finolex/vectus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of 1(V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7.as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 20.00 | | | Each | |
| 4.00 | Backfilling Granular material behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8 (granular Material) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government. | 17.28 | | | Per cubic metre | |
| | Total | | | | | |

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HRPWD: Tauni Devi