HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

HP.PWD Division Ghumarwin, Distt. Bilaspur(H.P)-174021 Tel:- 01978-255281, e-mail id;- ee-ghu-hp@nic.in

NOTICE INVITING TENDERS

Sealed item rates tenders on PWD form 6 & 7/8 are hereby invited by the Executive Engineer H.P.P.W.D. Division Ghumarwin on behalf of Governor of Himachal Pradesh from the eligible contractors/firms of appropriate class for the following works as per detail given below. The important dates of tenders are as under:-

14. Date of receipt of application for the tenders =18-7-2023

15. Date of issue/sale of tender forms 19-7-2023

The tender which will received on 20-7-2023 up to 11.00 AM shall be opened on the same day at 11.30 A.M. in the presence of intending contractors or their authorized representatives who may like to be present. The tender form can be had from this office against cash payment as shown below (Non-refundable) during the working hours on 19-7-2023. The Earnest Money in the shape of NSC/Deposit at call/Time Deposit/Account in any of the Post Office/Nationalized Bank in H.P. duly pledged in favour of undersigned must accompany with each application. The conditional tenders and tenders received without earnest money will be rejected. The office of the tender will be kept open for 45 days. The undersigned reserved the right to accept or reject the tenders without assigning any reason.

| Sr | Name of Work | Estimated | Earnest | Time | Cost |
|---------|---|------------|---------|---------|--------|
| N. | | Cost | Money | Period | of |
| О. | | | | | Tender |
| <u></u> | | | | | Form. |
| 1 | C/o Link road Kullaru Bag Sogi Km. 0/0 to | 1,08,731/- | 2200/- | One | 350/- |
| | 5/00(SH:-C/o Hume pipe culvert at R.D. | | | month | } |
| | 0/250(Deposit work) | | | | |
| 2 | C/o Link road frofm NH-103 Naswal to Village | 1,15,841/- | 2400/- | One | 350/- |
| | Kassaru Km. 0/0 to 1/050(C/o Hume Pipe | | | Month | |
| | Culvert at R.D. 0/250)(Deposit) | | | | |
| 3 | Restoration of rain damages on link road to | 1,14,165/- | 2300/- | One | 350/- |
| | village Galyana Km. 0/0 to 1/00(C/o R/Wall at | | | month | |
| | R.D. 0/225 to 0/234.50) | | | | |
| 4 | C/o Pancharani to Bhadwin Km. 0/0 to | 1,85,191/- | 3800 | 20 days | 350/- |
| | 1/500(SH;-P/L Cement Concrete Interlocking | | | | |
| | pavement block at R.D. 0/740 to 0/772)(| | | | |
| | Deposit Work) | | | | |
| 5 | C/o Additional accomoadtion (12 rooms with | 4,99,854/- | 10000/- | Two | 350/- |
| | Varandah i/c Staircase in Govt. Sr. Secondary | | | months | |
| | (Girls) at Ghumarwin(H:-P/I C.C. 1:4:8, | | | | |
| | interlock paver block, Puty, Painting work | | | | |
| | etc.)(Deposit) | | | | |
| 6 | C/o Badminton Court and Basket Ball Court at | 4,99,588/- | 10000/- | Three | 350/- |
| | Govt. Sr. Secondary School Kaphara in Tehsil | - | | Months | |
| | Ghumarwin Distt. Bilaspur H.P. (Deposit work) | | | | |
| 7 | C/o Link rod Rana Basti Barota Domehar road | 4,84,341/- | 9700/- | Two | 350/- |
| | Km. 0/0 to 1/0(SH;- P/L C.C. pavement at R.D. | . , | | months |] |
| | 0/550 to 0/620 and 0/720 to 0/780) Deposit | | | | |
| | work. | | | } | 1 1 |

- 1. The undersigned reserves the right to accept or reject the tenders without assigning any reasons.
- 2. The tender form will not be issued to those contractors whose performance is not found satisfactory.
- 3. G.S.T, EPF, Earnest Money, Cost of Tender & copy of enlistment should be accompanied with the application.
- 4. Application without documents will not be entertained.
- 5. Proxy application will not be entertained.
- 6. The Contractors should have executed two similar types of works 1/3 of each amount put to tender.

7. Tender form shall not be issued to those Contractors who have two or more works in hand.

Executive Engineer, Ghumarwin Division, H.P.P.W.D. Ghumarwin. Dated- 07 [27] 23

No/PW/GHD//CB/EA-I/Tender/2023- 3537-42 Copy is forwarded to:-

8. The Engineer-in-chief HPPWD Shimla-2. for information please.

9. The Chief Engineer (HZ) HPPWD Hamirpur for information please.

- 10. The Superintending Engineer, 10th Circle, HPPWD Bilaspur H.P. for information please
- 11. All the Assistant Engineers working under this Division for information
- 12. Drawing Branch.
- 13. Account Branch.
- 14. Notice Board.

Executive Engineer, Ghumarwin Division, H.P.P.W.D. Ghumarwin.

Estimated Cost:- Rs. 1,08,731.00

Earnest Money:- Rs. 2,200.00

Time :- One Month

Name of Work: R/R on link road Kullaru Bag Sogi km 0/00 to 5/00.(SH:-C/o Hume pipe culvert at RD 0/250) (Deposit work)

| 5 | 4 | ω | . 2 | _ | No. | Sr. |
|--|---|---|---|--|-----------------|------------------|
| Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size) with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (one cement: two sand) but excluding excavation, protection work, back filling, concrete and masonary work in head walls and parapets clause 1108. 600mm (six hundred millimetre) dia as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Providing and laying cement concrete 1:3:6 (one cement: three sand: six graded stone aggregate 40mm (forty millimetre) nominal size) excluding cost of centring and shuttering in Foundations and plinth as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to all level 1:4:8 (one Cement: four coarse sand: eight graded stone aggregate 40 mm nominal size)The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within any lead. All kinds of soil as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same | pescription tem | Description Item |
| 3.15 | 7.50 | 10.58 | 1.70 | 27.30 | Quantity | Ougntit |
| Per Cubic metre | Per Running Metre | Per Cubic metre | Per cubic metre | Per cubic metre | | Unit |
| | | | | | In figure | |
| | | | | | In words | Rates |
| | | | | | | Amount |

| | - 100 | | * | 1 | - | - | 6 |
|---------|-------|---|---|---|--|---|--|
| Total:- | | respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in | of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, | 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction | wall with 100 mm (one hundred millimetre). dia PVC pipe extending through the full with of the structures with slop | Providing weep holes in brick masonary /stone masonary / plain reinforced concrete abutment, wing wall, return |
| | | | | | | | 2.00 |
| | | | | | | | Each |
| | | | _ | | | | |
| | | | | | _ | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



Estimated Cost:- Rs. 1,15,841.00
Earnest Money:- Rs. 2,400.00

Name of Work: R/R on link road from NH-103 Naswal to village Kassaru km 0/00 to 1/050.(SH:- C/o Hume pipe culvert at RD 0/250) (Deposit) One Month

| contract shall be payable by the contractor and Government shall not entertain any che same 2 Providing and laying in position cement concrete of specified grade excluding the cowwork up to all level 1:4:8 (one Cement : four coarse sand : eight graded stone aggreg includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other comroyalty or any other tax, levy or cess in respect of input for or output by this contract and Government shall not entertain any claim whatsoever in this respect of the same. 3 Centering and shuttering including strutting, propping etc. and removal of form work walls (any thickness) including attached pilasters, buttresses, plinth and string course per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The cess in respect of input for or output by this contract shall be payable by the contract on tentertain any claim whatsoever in this respect of the same. 4 Providing and laying cement concrete 1:3:6 (one cement: three sand: six graded stone millimetre) nominal size) excluding cost of centring and shuttering in Foundations an Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, coods and Service Tax, building and other constricution worker, welfare cess royalty or respect of input for or output by this contract shall be payable by the contractor and Godos and Service Tax, building and other constricution worker, welfare cess royalty or respect of input for or output by this contract shall be payable by the contractor and Godos and Service Tax, building and other constricution worker, welfare cess royalty or respect of input for or output by this contract shall be payable by the contractor and Godos and Service Tax, building and other constrictions and Godos and Service Tax, building and other constracts and lifts and other constracts a | | 1 Earth work in excavation by me | Sr. | |
|--|---|--|------------------|-------|
| contract shall be payable by the contractor and Government shall not enterta the same Providing and laying in position cement concrete of specified grade excluding work up to all level 1:4:8 (one Cement: four coarse sand: eight graded stone includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other oyalty or any other tax, levy or cess in respect of input for or output by this coand Government shall not entertain any claim whatsoever in this respect of the walls (any thickness) including strutting, propping etc. and removal of for walls (any thickness) including attached pilasters, buttresses, plinth and string per direction of Engineer-In-Charge with in all leads and lifts and other incident. Toll tax, Goods and Service Tax, building and other construction worker, welf cess in respect of input for or output by this contract shall be payable by the coentertain any claim whatsoever in this respect of the same. Providing and laying cement concrete 1:3:6 (one cement: three sand: six gradee millimetre) nominal size) excluding cost of centring and shuttering in Foundat Engineer-In-Charge with in all leads and lifts and other incidentals. The rate inc Goods and Service Tax, building and other construction worker, welfare cess rorespect of input for or output by this contract shall be payable by the contractor claim whatsoever in this respect of the same. Providing and laying reinforced cement concrete pipe NP2 for culverts on first c single row including fixing collar with cement mortar 1:2 (one cement: two same work, back filling, concrete and masonary work in head walls and parapets claumillimetre) dia as per direction of Engineer-In-Charge with in all leads and lifts, octroi. Malkhana, Toll tax, Goods and Service Tax, building and other construit of or output by this contract shall be payable. | not exceeding 1.5 m (one point five m and ramming of bottoms, lift upto 1.5 surplus excavated soil as directed, wi leads and lifts and other incidentals. | Earth work in excavation by me | | |
| contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work up to all level 1:4:8 (one Gement: four coarse sand: eight graded stone aggregate 40 mm nominal size)The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. Centering and shuttering including structing, propping etc. and removal of form work for Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. Providing and laying cement concrete 1:3:6 (one cement: three sand: six graded stone aggregate 40mm (forty millimetre) nominal size) excluding cost of centring and shuttering in Foundations and plinth as per direction of Engineer-In-Charge with in all leads and lifts and other construction worker, welfare cess royalty or any other tax, levy or cess in cespect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of pipe worker, welfare cess royalty or any other tax, levy or cess in case to shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respec | not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within any lead .All kinds of soil.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker welfare cass royalty or any other tax, leavy or cass in respect of input for or output by this | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains | Description Item | |
| 2.46 45.50 6.26 | | 10.20 | Quantity | |
| Per cubic metre Per square metre Cubic metre Each | cubic | Per | Unit | 1 |
| | | | In figure | |
| | , | | In words | 32400 |

| | | 7 | 0) |
|---------|--|--|------|
| | 8 P P P P P P P P P P P P P P P P P P P | work and li const shall Back 1204 Serv inpu | |
| Total:- | Providing weep holes in brick masonary /stone masonary / plain reinforced concrete abutment, wing wall, return wall with 100 mm (one hundred millimetre). dia PVC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | work up to plinth level1:5:10 (1 cement: 5 fine sand: 10 graded stone aggregate 40 mm nominal size) with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. Backfilling behind abutment wing wall and return wall complete as per drawings & technical specification clause 1204.3.8 with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | |
| | 8.00 | 1.81 | 4.70 |
| | Each | Cubic metre Per cubic metre | Per |
| | | | |
| | | | |

Especiative Education Schule Control

| Time :- | Earnest Money:- Rs. 2,300.00 | Estimated Cost:- Rs. 1,14,165.00 |
|-----------|------------------------------|----------------------------------|
| One Month | 2,300.00 | 1,14,165.00 |

| | | The state of the s | | | | |
|--------|---|--|-----------------------|-----------|--|--|
| | | _ | | | Total:- | H |
| | | | Each | 20.00 | Providing weep holes in brick masonary / stone masonary / plain reinforced concrete abutment, wing wall, return wall with 100 mm (one hundred millimetre). dia PVC pipe extending through the full with of the structures with slop of 1(V): 20(H) towards drawing face complete as per HPPWD specification clauses 614,709,1204.3.7 as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | 4 in the contract of the contr |
| | | | Cum | 5.70 | Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification clause 1204.3.8 with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | 3 1 0 1 |
| | | | Per cubic metre | 22.42 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement: five coarse sand): ten graded stone aggregate 40 mm (forty millimetre) nominal size as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | 2 |
| | | | Per cubic metre | 11.11 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m (one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within any lead .All kinds of soil.as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same | |
| Amount | Rates In words | In figure | y Unit | Quantity | Description Item | Sr. |
| | Construction of R/wall at RD 0/225 to 0/234.50) | vall at RD 0 | n of R/v | nstructio | Name of Work:- Restoration of rain damages on link road to village Galyana km 0/00 to 1/00(SH:- C | Nan |

HEPWD Chun-

| | Name of Work:- C/O Pachraani to Bhadwin road km 0/00 to 1/500.(SH:-P/L cement concrete interlocking block at RD 0/740 to 0/772). | | Schedule of Quantity | |
|--------|--|-----------------|------------------------------|----------------------------------|
| | ment concrete interlocking block at RD $0/740$ to $0/772$). | | | |
| Datas | | Time: Two Month | Earnest Money:- Rs. 3,800.00 | Estimated Cost:- Rs. 1,85,191.00 |
| Amount | | | | |

| | | | , | | | | |
|-----|-----------|--|----------|------------------------|-----------|----------|--------|
| ST. | | Description Item | Quantity | Unit | | Rates | Amount |
| 75. | | | | | In figure | In words | |
| | | Construction of grangular sub- base by providing close graded material confirming to specifications, mixing in amechanical mix plant at OMC, carriage of mixed material by tippers to work site for all leads & lifts spreading in uniform layers of specified thicknesss with motor grader on prepared surface and compacting with vibratory power roller to achieve the desireddensity complete to (size range 75 mm to 0.075 mm) as per direction of Engineer-In-Charge with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | 12.24 | Per Square metre | | | |
| 2 | | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by tablevibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of | 81.60 | per square mtr | | - | |
| | 0 4 = 0 9 | paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in Charge 80 mm thick C.C. paver block of M-30 grade with approved color design and pattern.with in all leads and lifts and other incidentals. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other construction worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | | | | | |
| ω | | P/L cement concrete - all works upto plinth level :1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and | 8.16 | Per cubic metre | | | |
| 4 | | P/L cement concrete - all works upto plinth level 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal P/L cement concrete - all works upto plinth level 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and | 4.32 | Per cubic metre | | | |
| Г | 4 | Over Hillich Shan how Show with the same of the same o | | | | | |



Name of Work

·ands atral

Estimated Cost:- Rs. 4,99,854.00 Earnest Money:- Rs. 10,000.00

C/O Additional Acommudation (12 rooms with varandah i/c staircase in Govt. Sen. Sec. School Girls Ghumarwin (SH:- C/O C.Concrete 1:4:8, interlock paver block, Putty, Painting Two Month

No. w 4 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to all level 5 output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or 1:4:8 (one Cement : four coarse sand : eight graded stone aggregate 40 mm nominal size)The rate includes, octroi, Malkhana , Toll tax , o mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper or light traffic parking etc, of required strength, thickness & size/ shape, made by tablevibratory method using PU embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using sweeping extra sand. complete all as per direction of Engineer-in - Charge 80 mm thick C.C. paver block of M-30 grade |plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other with approved color design and pattern with in all leads and lifts and other incidentals. The rate includes, octroi, shall not entertain any claim whatsoever in this respect of the same. tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All nominal size)The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other constrcution work up to plinth level :1:1½:3 (one Cement: 1½ one and half coarse sand) : three graded stone aggregate 20 mm Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, $|{
m payable}$ by the contractor and Government shall not entertain any claim whatsoever in this respect of the same worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be over the plastered wall surface to prepare the surface even and smooth complete.The rate includes, octroi, Malkhana, entertain any claim whatsoever in this respect of the same Toll tax , Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or Removing white wash or colour wash by steel wire brushing and/or scrapping sand papering and preparing the wall surface cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall smooth including necessary repairs to scratches complete as per direction of Engineer-In-Charge with in all leads and lifts and other not entertain any claim whatsoever in this respect of the same. incidentals. The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, welfare cess sqm.The rate includes, octroi, Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, Finishing walls with textured exterior paint of requiredshade :0ld work (One or more coats) applied @ $1.82\,\mathrm{ltr}/10$ the contractor and Government shall not entertain any claim whatsoever in this respect of the same. welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other over an under coat of primer applied @0.75 ltr/10 sqm of approved brand and manufacture.The rate includes, octroi, tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. Description Item Quantity 139.82 1739.75 13.97 1.20 278.50 278.50 75.97 Per cubic Unit square metre square square mtr per square square Per metre Per square Per Per In figure Rates In words Amount

locate 00 Vicovernment shall not entertain any claim whatsoever in this respect of the same. Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and "" undins (not exceeds: " undins (not exceeds: " undins Total:-33.96 square Per Hreculive En ļ.

Thumerwin L

Schedul

| ule of Quantity | Estimated Cost:- Rs. 4,99,588.00 Earnest Money:- Rs. 10,000.00 Time:- Three Money:- Rs. 10,000.00 | 10,000.00 Three Month |
|--|---|------------------------------|
| n court and Basket ball court at Sen. Sec. School Kapahra tehsil Ghumarwin District Bilaspur (HP). | ahra tehsil Ghuma | rwin District Bilaspur (HP). |

| | rame of Work:- Construction of Bedmenton court and Basket ball court at Sen. Sec. Sc | hool Ka | pahra tehsi | l Ghumar | School Kapahra tehsil Ghumarwin District Bilaspur (HP). | ispur (HP). |
|-----|---|----------|--------------------|-----------|---|-------------|
| j | | | | | | |
| Sr. | Description Item | Quantity | Unit | In figure | In words . | Amount |
| 2 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kind of soil The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. Boulder filling under flooring dry hand packed tightly as in wire crate apron bund (wire crates to be measured separately).hand packed tightly in wire crates vertical | 154.36 | Per cubic metre | | | |
| N | Boulder filling under flooring dry hand packed tightly as in wire crate apron bund (wire crates to be measured separately).hand packed tightly in wire crates vertical bunds with slopping face (wire crates to be measured separately) Detail of cost for 1 Cum. The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same | | Per cubic metre | • | | |
| ω | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to all level 1:4:8 (one Cement: four coarse sand: eight graded stone aggregate 40 mm nominal size)The rate includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | 6.78 | Per cubic metre | | | |

| г | | | | | | | | | | | | | | | 1 | | 6 | i k | | Jack Market | , |
|---------|---|---|--|---|-------|---|---|--|--|--|---|--|---|---|------------|---|--|---|--|--|---|
| | | | 7 | | | თ | | | | | | | | ഗ | | | | 4 | 9 | í | |
| IOGA!:- | this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect of the same. | Malkhana, Toll tax, Goods and Service Tax, building and other constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of input for or output by | in this respect of the same. Providing and fixing hedmenton court node (market Pate) The rate is all all whatsoever | other tax, levy or cess in respect of input for or output by this contract shall be | | Providing and fixing glass strips in joints of terrazo / cement concrete floors 40 mm | any claim whatsoever in this respect of the | welfare cess royalty or any other tax, levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain | Malkhana , Toll tax , Goods and Service Tax, building and other constrcution worker, | or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete The rate includes, octroi. | nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement | consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm | aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener | 52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1.7.4 [1 cement : 2 coarse sand : 4 graded stone | | input for or output by this contract shall be payable by the conduction and same. Government shall not entertain any claim whatsoever in this respect of the same. | constrcution worker, welfare cess royalty or any other tax, levy or cess in respect of | includes, octroi, Malkhana, Toll tax, Goods and Service Tax, building and other | with in all leads and lifts as per the direction of Engineer-in-Charge. The rate | cost of centernig and shutring All work up to plinth level 1:3:6 (1 ceriletic 3 course | Providing and laying in position cement concrete of specified grade excluding the |
| | | 1.00 | | | (| 148 00 | | | | | | | | 90.45 | | | | | | | 46.23 |
| | | Pair | | | Metre | Per Running | | | | | | | | Metre | Dor Course | | | | - | | ורפן כמטוב ווזכם כ |
| | | | | | | | | | , | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | |

| ESTIMATED COST: Rs. 484241/ONLY EARNEST MONELY: Rs 9700/- Only EARNEST MONELY: Rs 9700/- Only EARNEST MONELY: Rs 9700/- Only TIME ALLOWED: TWO N/2NTH: | | a e adama | Totai= |
|--|---|---------------------------|---|
| ISINA CORKC/O link ross. Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/520 and 0/720 to 0/780) Deposit 5 00/4kh Sr.No. Sub-Head and item of work. Figures Work. Figures Work. Figures Work. Figures Work. Per cubic metre. Per cubic metre. Per cubic metre. Sub-Head and item of work. Sub-Head and item of 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/550 to 0/780) Deposit 5 00/48th India Cuantity India All Cuantity In | • | | and finishing: 1:1½:3 ze).including carriago |
| Schedule: Of AJARK-C/O link ross, Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/620 and 6/720 to 0/780) Deposit 5 00lakh Sr.No. Store soling proerly hand packed filling intersities with kharanja stone and consolidating with power road roller to the required gradient and camber including spreading watering and rolling of binding, material and labour including carriage of material within all leads and lifts as directed by the Engineer-in-charge. 2 Providing and shuttering - All work up to plimb level: 1:3:6 (1 Cement: 3 coarse sand): 6 graded stone aggregate 40 mm nominal size) including carriage of material within all leads and directed by the Engineer-in-charge. Stone aggregate 40 mm nominal size) including carriage of material within all leads and directed by the Engineer-in-charge. | Per cubic ; | 39.65 | en ing |
| ESTIMATED COST: Rs. 484341/-ONLY EARNEST MONELY: Rs. 9760/- Only TIME ALLOWED: TVO N/SNTH: NAME: OF NORK-C/O link rose Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/620 and 6/720 to 0/780) Deposit 5 00lakh Sr.No. Sub-Head and ilem of work. 1 Stone soling proerly hand packed filling intersties with kharanja stone and consolidating with power road roller to the required gradient and camber including spreading watering and rolling of binding, material moorm or earth etc. complete as per HPPWD specification 100mm spread thikness (fin ished work i/c material and labour including carriage of material within all leads and lifts as directed by the Engineer-in-charge. | Percubic | 29.74 | 2) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand): 6 graded stone aggregate 40 mm nominal size) including carriage of material within all leads and lifts as directed by the Engineer-in-charge. |
| Schedule of Quantity ESTIMATED COST: Rs. 484341/-ONLY EARNEST MONELY: Rs. 9760/- Only TIME ALLOWED: TWO MONTH: TIME ALLOWED: TWO MONTH: Sc.No. Sub-Head and item of work: Sub-Head and item of work: Ouantity Figures Figures Words: Per cubic metre. | | The state of the state of | |
| Schedule of Quantity ESTIMATED COST: Rs. 484341/-ONLY. EARNEST MONELY: Rs. 9700/- Only. TIME ALLOWED: TV/O N/ONTH: TIME ALLOWED: TV/O N/ONTH: Ouantity Figures Words: Ouantity Ouantity Figures Words: Ouantity Ouantit | metre metre | 59.48 | 1 Stone soling proorly hand packed filling intersties with kharanja stone and consolidating with power road roller to the required gradient and camber including spreading watering and rolling of |
| NAME OF NORK -C/O link ross. Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/620 and 6/720 to 0/780) Deposit 5 00lakh Stub-Head and item of work Stub-Head and item of work Or Quantity Or Quantity Or Quantity Father of work Or Amage of Wo | Words | | |
| SCHEDULE: OF QUANTITY ESTIMATED COST:: Rs. 484341/-ONLY EARNEST MONELY:- Rs. 9760/- Only TIME ALLOWED:- TV/O M2NTH: NAME OF NORK:-C/O link ross Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavement at RD. 0/550 to 0/620 and 0/720 to 0/780) Deposit 5.00/akh | ·] Unit | Quantity | |
| | to 0/620 and 6/720 to 0/780) Deposit 5.00lakh | nt at RD. 0/550 | NAME OF NORK -C/O link ross Rana Basti Barota Domehar road km 0/0 to 1/0 (SH:-P/L C.C. pavemi |
| | ALLOWED:- TWO MONTH. | TIME | |
| | EST MONELY: Rs.9760/- Only | EARN | |
| SCHEDULE OF QUANTITY | NATED COST:- Rs.484341/-ONLY | ESTIM | |
| | | | SCHEDULE OF QUANTITY |

