

#### Office of Executive Engineer B&R Division HP.PWD. Joginder Nagar Himachal Pradesh Public Works Department, Mandi-175015 Phone & Fax No. 01908-222033 E-Mail:- ee-jog-hp@nic.in

#### "NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on 26/08/2023 up to 11:30 A.M. and will be opened on the same day at (12:00 noon) in the presence of intending contractors. The tender application will be received in this office on 24/08/2023 up to 10.00 A.M. to 12:30 P.M. and tender form can be had from this office on 25/08/2023 from 2.00 P.M. to 5.00 Pm. The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

	Name of work	Amount put to tender/ Estimated cost	Earnest Money	Cost of tender form	Eligible Class of Contractor	Time
1	Fixing of interlocking tile in civil Hospital Joginder Nagar under Deposit (Sub Head:-Providing and laying wearing G-II, cement concrete 1:4:8 reinforcement cement concrete 1:2:4 in approach road and open portion).	Rs. 1,86,660/-	3,700/-	Rs. 350/-	Class "D"	Three Months
2	Special repair to 100 bedded Hospital at Joginder Nagar (Sub Head:- Dismantling old tiles cement concrete flooring repair of plaster and WS & SI in Block "C").	Rs. 2,68,887/-	5,400/-	Rs. 350/-	Class "D"	Three Months
3	Restoration of rain Damages on Machhyal Bhararu Bihun road Km. 0/0 to 12/0 (Sub Head:- Construction of B/wall for portion of Exaction House at Km. 7/950 to 7/958).	Rs. 4,64,138/-	9,300/-	Rs. 350/-	Class "D"	Three Months
4	Fixing of interlocking tile in civil Hospital Joginder Nagar under Deposit (Sub Head: - Providing and laying interlocking Concrete pavement in approach road and open portion).	Rs. 3,17,337/-	6,300/-	Rs. 350/-	Class "D"	Three Months
5	Construction of Joginder Nagar Kupper Harizan Basti link road Km. 0/0 to 2/0 under SCSP (Sub Head:- Providing and laying cement concrete pavement at Km. 0/050 to 0/100)	Rs. 1,32,555/-	2,700/-	Rs. 350/-	Class "D"	Three Months
6	Construction & M/T on Nagan Jarl Bhajhera road (Sub Head;- Re-Grading in Km. 0/0 to 0/090).	Rs. 2,42,198/-	4,800/-	Rs. 350/-	Class "D"	Three Months
7	Restoration of rain Damages on Chakka Jhamehar road in G.P. Dhar Langna (Sub Head:- Construction of breast wall at Km. 0/165 to 0/180).	Rs. 1,92,802/-	3,900/-	Rs. 350/-	Class "D"	Three Months
8	Construction of link road from Panjalatar Nallah to Magharoo link road Km. 0/0 to 0/370 (Shub Head:- Construction of breast wall at Km. 0/340 to 0/355).	Rs. 1,93,108/-	3,900/-	Rs. 350/-	Class "D"	Three Months

#### 1. Certified that tender of above works are being called of emergent nature in exigency of public interest

#### Terms and conditions:-

- The contractor should produce a copy of enlistment / renewal letter at time of application.
- Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
- The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.
- 4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
- No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.

6. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage. The tender shall be issued to those contractors who have not more than two works in hand. 7. Executive Engineer, **B&R Division HP PWD.**,

No. PW-JND-B&R-EA-I/NIT/Press/2023-24- 15 140 - 8 9

District Mandi (HP) on behalf of Governor of Himachal Pradesh Ph. 01908-222033

Joginder Nagar.

28-7-8025 Dated:-

1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information

The Engineer-in-Chief, HPPWD, Shimla.

The Chief Engineer (MZ), HPPWD, Mandi.

The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.

All the Assistant Engineer working under this Division.

All the Contractor working under this Division.

Drawing Branch in this office.

Notice Board.

The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer, B&R Division HP PWD., Joginder Nagar.

Z	ma of Whale . Fining of Interlanding tile in Cital II it I are					
(SI	(SH: Providing and Laving Wearing G-II. Cement Concrete 1.4.8 Reinfreement Concrete 1.4.9 Reinfreement Concrete 1.	1.3.4	Concrete 1:2:4 in Approach		Estimate Cost:	1,86,660
Ro	Road and open Portion)				Time Limit:	Three Mon
Sr.	Description of work	No. or	Unit		Rate	AMOUNT
No.		Qty.		Figures	Words	Rs. P
	Providing, laying, spreading and compacting stone aggregates by manual means of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (eighty-hundred kilo newton) static roller in stages to proper grade and camber applying and brooming, stone screening/ binding materials to fillup the interstics of course aggregate watering and compacting to the required density Grading-2 (two) as per technical specification clause 405 complete within all leads, lifts, carriage of material and other incidentials charges. The rate is inclusive all taxes levy by the government time to time excluding GST.	5.18	5.18 Per cubic metre			
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand : eight graded stone aggregate 40mm (forty millimetre) nominal size) complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.	24.50	Per cubic metre			
ω	Providing and laying reinforced cement concrete in open foundation as per drawing and technical specifications clauses 800, 1205.4 & 1205.5 cement concrete M-20 (1:2:4) (one cement : two sand : four graded stone aggregate 20mm (twenty millimetre) nominal size) upto any height complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.	3.32	Per cubic metre			
4	Providing and laying reinforced cement concrete in open foundation as per drawing and technical specifications clauses 800, 1205.4 & 1205.5. Reinforced cement concrete M-20 (1:2:4) (one cement: two sand: four graded stone aggregate 20mm (twenty millimetre) nominal size) upto any height complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.	0.89	Per cubic metre			
5	Supplying, fitting and placing HYSD bar reinforcement in sub structure complete as per drawing and technical specifications clauses 1002, 1010 and 1202 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.	133.65	Per Kilogramme			
	Total					

S	4	ω	2	-	Sr.	Name (S.H.	
Repair to plaster of thickness 12mm to 20 mm (tweleve to twenty milimeter) in patches of area 2.5 sqm (two point five square meter) and under, including cutting the patch in proper shape, raking out joints and preparing plastering the wall surface with white cement based polymer modified self curing mortar, including disposal of rubbish, all complete as per the direction of EngineerIn-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	White glazed tiles 6 mm (six milimeter) thick in flooring, treads of steps and landing laid on a bed of 12 mm (tweleve milimeter) thick cement mortar 1:3(one cement isto three sand) finished with flush pointing in white cement complete with all accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Precast terrazzo tiles hydraulic compressed 20 mm (twenty milimeter) thick (with marble chips of specified sizes) fixed on wall on 10 mm (ten milimeter) thick cement plaster 1:3 (one cement isto three sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (wherever required) including rubbing and polishing complete with tiles of following shades. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Cement concrete flooring 1:2:4 (one cement isto two coarse sand isto four graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregate. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Dismantling tiled floors laid in mortar upto floor two level including stacking of serviceable materials and disposal of un-serviceable materials within 20 (twenty) metres lead (wooden/concrete joists to be measured and paid for separately) for thickness of tiles upto 25mm (twenty five milimeter). The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Description of work	Name of Work : Special Repair to 100 bedded Hospital at Joginder Nagrar (S.H. : Dismentling old tiles, providing New Tiles, Cement Concrete flooring Repair of Plaster and WS & SI in Block "C")	SCHEDOLD OF COMMITTEE
8.10	3.25	91.89	91.89	9.23	No. or Qty.	WS & SW E	
Per square metre	Per square metre	Per square metre	Per square metre	Per square metre	Unit	I in Block	
					Rate Figures Words	Estimate Cost: Earnest Money: Time Limit:	
					AMOUN Rs. I	2,68,8 5,4 Three M	

	9				
-	Sr.	Description of work	No. or	Unit	
-	No.		Qty.		Figures
	_	Providing separately, and fixing vitreous China wash down, water closet squatting pan (Indian type W.C pan Prrissa Pattern) size 580mm (five hundred eighty milimeter) (Earth work, bed concrete, foot rest and trap to	6.00	Each	
-		be measured and paid for separately). The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
	7	Providing and fixing G.I. Inlet connection for flush pipe with W.C. Pan complete with all accessories as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The	8.00	Each	
		rate is inclusive all taxes levy by the government time to time excluding GST.			
	00	Providing and fixing PVC 32mm (thirty milimeter) dia., lead waste pipes for wash basin or sink including brass check nuts complete with all accesoriees as required as per the direction of Engineer-In-Charge. The	8.00	Each	
		rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
	9	Providing and fixing 15mm (fifteen milimeter) diameter C.P Brass pillar tap with capstan head complete with all accessorices as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage	8.00	Each	
		In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
	10	Providing and fixing C.P.stop cocks 15mm (fifteen milimeter) diameter complete with all accessoriees as	4.00	Each	
		in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
	11	Providing and fixing PVC connection pipe with brass unions 45cm (fourty five centimeter) long 15mm (fifteen millimeter) nominal bore complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the	12.00	Each	
		direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
	12	Providing and fixing to wall ceiling and floor galavanized mild steel tubes (heavy grade) tobe fitting and clamps including making good the wall, ceiling and floor 15mm (fifteen milimeter) nominal size complete with all accesorices as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage	40.00	Per Running Meter	
		of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			

1				
Sr.	Description of work	Otv.	Unit	Figures
	thing and	2000	Day Dunning	a
13	Providing and fixing to wall ceiling and floor galavanized mild steel tubes (heavy grade) tobe fitting and ceiling and floor 20mm (twenty milimeter) nominal size complete with all accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	20.00	Per Running Meter	
4	Providing and fixing brass full way valve with wheel 15mm (fifteen milimeter) nominal bore complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	4.00	Each	1
15	Providing and fixing brass full way valve with wheel 20mm (twenty milimeter) nominal bore complete with all	4.00	Each	
	accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			
16	Providing and fixing ferrule including bearing and taping the main 15mm (fifteen milimeter) nominal bore size complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive	1.00	Each	
	cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time		ı	
17	Providing and fixing M.I. union for wash basin or sink 15mm (fifteen milimeter) diameter complete with all accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	30.00	Each	
17	Providing and fixing M.I. union for wash basin or sink 20mm (twenty milimeter) diameter complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	20.00	Each	
18	Providing and fixing sand cast iron/cast iron spun fittings and accessaries Bends of required diegree of	6.00	Each	
	approved specification With oval access door in sertion rubber washer 2mm thick bolts and nuts complete 75mm (Seventy five milimeter) nominal size complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			

1	ľ					
7.70	Sr.	Description of work	No. or	Unit	Rate	AMOUN
. [	10	Providing and fiving sand past invalent in	Qty.		Figures Words	s Rs. I
		Spproved specification With oval access door in sertion rubber washer 2mm thick bolts and nuts complete 100mm (hundred milimeter) nominal size complete with all accessoriees as required as per the direction of incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	6.00	Each		
		Providing and fixing sand cast iron/cast iron spun fittings and accessaries Plain bends of required degree any radius plain 75mm (Seventy five millimeter) nominal size complete with all accessories as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	6.00	Each		
2.7	21	Providing and fixing sand cast iron/cast iron spun fittings and accessaries Plain bends of required degree any radius plain 100mm (hundred millimeter) nominal size complete with all accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts	6.00	Each		
,	3	all taxes levy by the government time to time excluding GST.				
-		degree of approved specification with oval access door insertion rubber washer 3mm (three milimeter) thick bolts and nuts complete 100mm (hundred milimeter) nominal size complete with all accessoriees as required as	6.00	Each		
	23	per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.				
1		degree of approved specification with oval access door insertion rubber washer 3mm (three milimeter) thick bolts and nuts complete 75mm (Seventy five milimeter) nominal size complete with all accessoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	6.00	Each		
N	24	Providing and fixing sand cast iron/cast iron spun fittings and accessaries Double equal branch of required degree of approved specification with oval access door insertion rubber washer 3mm (three milimeter) thick bolts and nuts complete 100mm (hundred milimeter) nominal size complete with all accesoriees as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	6.00	Each		
			-			

Г					1
	· ·	36	-	25	No.
Total	with the pan and PVC pipe with approved adhesive etc. complete 110 mm (one hundred ten milimeter) diameter complete with all accessories as required as per the direction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	degree of approved specification with oval access door insertion rubber washer 3mm (three milimeter) thick doolts and nuts complete 75mm (Seventy five milimeter) nominal size complete with all accessoriees as required	Providing and fixing cand cast iron/cast iron can fixing and	Description of work
	8.00		6.00	Qty.	No. or
	Each		Each		Unit
				Figures	
				Words	Rate
				Rs. I	AMOUN

2	~ No. %	2 Za	
Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost . The rate is inclusive all taxes levy by the government time to time excluding GST.	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	Name of Work: Restoration of Rain Damages on Machhyal Bhararu Bihun road km 0/00 to 12/00 (SH: Construction of Breast wall for protection of Existing House at km 7/950 to 7/958)	SCHEDULE OF QUANTITY
54.36	No. or Qty. 28.65	00	(
metre	Unit  Per cubic metre		
	Figures	E	
	Rate Words	Estimate Cost: Earnest Money: Time Limit:	
	AMOUNT Rs. P	4,64,138.0 9,300.0 Three Mont	

0.3	1	-			1,000		
Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water (dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 80, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge includin	S	7	Description of work	No. or		Unit	Unit
Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R. D. technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer	Z	0,		Qty.			Figures
dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding CST.  Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.  Total	160	7 2 1	ng and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone te 40 mm (forty milimeters) nominal size ) plums and curing complete including the cost of form Retaining walls Breast walls, in or under water complete including, pumping or bailing out water	33.18		Per cubic metre	Per cubic metre
within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including CST.  Total		-	ring removal of slush as required at site which may arisen at the time of laying under water complete heights/depths including cost of form work as per drawings and MORD technical specifications				
Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D. technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge including carriage of material within all taxes levy by the government time to time excluding GST.	-		neights/depths including cost of form work as per drawings and MOKD technical specifications 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to cluding GST.				
time excluding GST.  Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.			ng concrete for plain/reinforced concrete in open foundations complete as per drawings and technical ations clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, riage of material and other incidentials. The rate is inclusive all taxes levy by the government time to	40.50		Per cubic metre	
structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.			ng weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the	57.00		Each	
of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in- Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.		10	es with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical ation clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage				
			rial within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in- The rate is inclusive all taxes levy by the government time to time excluding GST				
			Total		_		

(SH	Name of Work: Fixing of Interlocking tile in Civil Hospital Joginder Nagar under Deposit (SH: Providing and laying Interlocking Concrete Block pavement in approach road and open portion)	ion)		H	Earnest Money: Time Limit:	6,3 Three Mo
2	Description of work	No. or	Unit	F	Rate	AMOUN
Sr.	,	Oty.		Figures	Words	Rs. P
NO.		245 01	Par Saliare			
-	Providing and Laying Interlocking Concrete Block Pavements having thickness 60 mm (sixty milimeter) as per drawings and Technical Specification Clause 1504. and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is inclusive all taxes levy by the government time to time excluding GST.	245.01	metre			

(0)

### SCHEDULE OF QUANTITY

					Total	
					excluding GST.	
					direction of Engineer-in-charge. The rate is inclusive all taxes levy by the government time to time	
					channels and plates and entire carriage of material with in all leads and lifts complete as per the	
					mixer of not less than 0.2 cum (zero point two cubic metre) capacity including form work with steel	
					maximum size of coarse aggregate not exceeding 25 mm (twenty five milimetre) mixed in a concrete	
					clause and specifications M-20 (twenty) grade course and fine aggregate conforming to IS:383,	
			metre		and construction joints, over a prepared sub base, with 43 (forty three) grade cement as per technical	
			19.69 Per Cubic	19.69	Construction of un-reinforced cement concrete pavement as per design and drawing with expension	1
Rs. P	Words	Figures		Qty.		No.
AMOUN	Rate	H	Unit	No. or	Description of work	Sr.
Three M	Time Limit:					
2,7	Earnest Money:	H			(S.H.: Providing and laying Cement Concrete pavement at km 0/050 to 0/100)	(S.H
1,32,5	<b>Estimate Cost:</b>		CSP	0 Under St	Name of Work: Construction of Joginder Nagar Kupper Harijan Basti link road km 0/00 to 2/00 Under SCSP	Nan
				3		

Executive Engineer

B & R Division HP.PWD,

Josinder Nagar

N	Name of Work: Construction & M/T on Nagan Jarl Bhajhera Road				<b>Estimate Cost:</b>	2,42,198.0
2	(SH: Re-Grading in km 0/00 to 0/090)			E.	Earnest Money:	4,800.0
1					Time Limit:	Three Montl
20	Description of work	No. or	Unit	R	Rate	AMOUNT
No.		Qty.		Figures	Words	Rs. P
_	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means	1132.35	Per cubic			
	including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out		metre			
	of rock (where blasting is prohibited) and their intermediate classification of soil, setting out					
	true to the required line, grades, width cutting and trimming of side slopes and level as shown on					
	the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical					
	specification section 1000 & 300 and sorting out useful materials and stacking the same in all					
	leads and lifts in acquired width of the road and transportation of useful material for filling in road					
	ways, camber, embankments for grade improvements and disposal of all surplus material at					
	approved dumping sites through all modes of transporation including head load or animals					
	transport or mechanical means along with its leveling fine dressing and hauling /carriage of					
	machineries, materials, tools equipments and safety measures. Recovery for useful stone of 67.94					
	cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of					
	cutting in earth work executed. Any loss to the public / private property during the course of					
	execution shall be the absolute responsibility of the contractor which shall have to be duly					
	compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to					
	time excluding GST.					

B & R Division HP.PWD,
Joginder Nagar

Total

70%-7

Z	amo	Name of Work: Restoration of Rain Damages on Chakka Jhamehar road in G.P. Dhar Langna			Est	Estimate Cost:	1,92,80
_	SH:	(SH: Construction of Breast wall at km 0/165 to 0/180)			Earı T	Earnest Money: Time Limit:	3,90 Three Mo
100	Sr.	Description of work	No. or	Unit	Rate		AMOUNT
15			Κ.ς.		E a in Sec.	SPICA	IVO. I
	SE	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock ( where	14.25	Per cubic metre			
	(to o	blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the					
	0 111	Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and					
	0, 1	transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head					
	= =	load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during					
	o et	the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time				c	
	0	excluding GST.					
	2 E	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other	11.25	Per cubic			
	0	deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by					
	(A) C	taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is					
	mm (to 177	grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe					
	10 0	specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an					
	m. 63	area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or					
	~ ~	be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost					
		Section 19 mission 19 day of the Boundary of the section 19 days					

_			-		7
	4			Sr.	
Total	4 Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.		Description of work	
	11.00	35.40	Qty.	No. or	
	Each	Per cubic metre		Unit	
			Figures Words	Rate	
			Rs. P	AMOUNT	

2 -40C

The second					
Zan	Name of Work: Construction of link road from Panjaltar Nallah to Magharoo link road km 0/0	km 0/00 to 0/370	0	Estimate Cost:	1,93,108.
(SH	(SH: Construction of Breast wall at km 0/340 to 0/355)			Earnest Money:	3,900.
1				Time Limit.	THI OF TATORI
No.	Description of work	No. or Qty.	Unit	Rate Figures Words	AMOUNT Rs. P
_	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock ( where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line,	16.13	Per cubic metre		
	grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways camber, embankments for orade improvements and				
	disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of execution shall be the absolute responsibility of the course of executions are shall be the absolute responsibility of the course of executions.				
	compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.				
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated. Suitable materials, All work of rock cutting by blasting shall be carried out by	11.25	Per cubic metre		
	taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines or addes side slones width camber super elevation and level as shown on the drawings or as directed by the				
	Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an				
	area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost				
	. The rate is inclusive all taxes levy by the government time to time excluding GST.				

	4	, w	Z.	Sr.	۲
			9	7	-
Total	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty milimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.		Description of work	
	11.00	35.40	Qty.	No. or	
	Each	Per cubic metre		Unit	
			Figures		
			Words	Rate	
			Rs. P	AMOUNT	