# HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No:-PW-NCD-E-Tender-NIT/2023:- 3126-3175

Dated: 12-07-2023

To

The Executive Engineer (IT Cell), Nirman Bhawan, Nigam Vihar, Shimla-2

Subject: -

Publishing of tender Notice.

Dear Sir,

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting Tender for uploading on Department website as per Notification No. Prncipal Secretary (PW), to the Govt. of H.P. letter No.PBW(B) A(3)1/2020 dated Shimla-2 the 16<sup>th</sup> July, 2021 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA: - Notice Inviting Tender.

(80 Nos. Works)

Executive Engineer, HP.PWD., Division, Nerchowk,

Copy forwarded to for information:-

Copy forwarded to the Superintending Engineer, 1st Circle, formation please

HP.PWD., Mandi for information please.

Copy to all the Assistant Engineers, working under this Division. Copy to Account Branch in this office.

Copy to Drawing Branch in this office.

Notice Board.

Executive Engineer, HP.PWD., Division, Nerchowk.

# HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

#### "NOTICE INVITING TENDER"

Sealed <u>Prcantage rate</u> tender on form <u>"68.8"</u> are invited by the Executive Engineer, Nerchowk,H.P.PWD.Nerchowk for the following work from the approved and eligible contractors enlisted in H.P.PWD. so as to reach in this office on or before 26.07.2023 upto 11.30 A.M. and will be opened on the same day at 3.00 P.M. in the presence of interesting contractors or their authorized representatives who may like to be present. If it happen to be holiday on the tender will be open on next working day. The application for obtaining the tender form will be received up to 11:00 A.M. on 24.07.2023 and tender form will be issued on dated 25.06.2023 at 4:00 PM. The EMD should be attached during the submission of application for obtaining the tender form, without Earnest Money & Cost of tender form, application will not be accepted.

The earnest money in the shape of FDR National Saving Certificate/Time deposit accounts/Saving account in any of the Post Office and Banks of Himachal Pradesh duly pledged in favour of the Xen must accompany with each tender. Conditional tender and the tender received without earnest money will summarily be rejected. The earnest money should be attached with application. The offer of the tender shall be kept open for <u>90 days</u>. The Executive Engineer reserves the right to reject the tender without assigning any reason:-

Sr. No	Name of work	Estimated Cost (Rs.)	Earnest Money (Rs.)	Cost of Tender From (Rs.)	Time limit	Eligible Class of Contractor
	A/R & M/O Rain Shelter on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag at RD. 7/330. (SH:- Construction of Rain Shelter at Bhadyal)	330156	6700	350	Three Months	"D"
	A/R & M/O of various roads under Chakkar Sub Division (Nerchowk section) (SH:- Hiring of JCB clearing of debris, drains and dressing of berms etc).	149100	3000	350	Two Months	"D"
	Restoration of road damages caused due to laying of optical cable on Bagla Barsu Kathlag road km. 0/0 to 5/300. (SH:- C/O R/Wall at RD. 1/340 to 1/365) Deposit work	472742	9500	350	Two Months	"D"
	A/R & M/O of various roads under Chakkar Sub Division (SH- supply and stacking dual directional rectangular delinators for road side with plastic head unbreakable at neck) Job no -I	239800	4800	350	One Month	"D"
	Restoration of road damages caused due to laying of optical fiber cable on Sidhyani Balt via Dahanoo road km. 0/0 to 9/700. (SH- C/O PCC R/wail at RD 2/010 to 2/030) Deposit work	250196	5100	350	Two Months	"D"
	Restoration of road damages caused due to laying of optical fiber cable on Bagla Barsu road km. 0/0 to 5/350. (SH- C/O PCC R/wall at RD 5/305 to 5/310)	140435	2800	350	One Month	*D"
	Restoration of road damages caused due to laying of optical fiber cable on Ratti Kalkhar road km. 0/0 to 10/0. (SH- C/O PCC R/wall at RD 8/270 to 8/284)Deposit work	378454	7600	350	Two Months	"D"
	Restoration of rain damage caused due to laying of optical fiber cable on Sidhyani Balt via Dhanoo km 0/0 to 9/700, (SH- C/O unlined drain in km 0/0 to 5/0) in various reaches.	380700	7650	350	One Month	"D"
	Restoration of road damages caused due to laying of optical fiber cable on Ratti Meramasit Leda road km 0/0 to 14/580.(SH- C/O Breast wall at RD 1/0 TO 1/030) Deposit work	420356	8500	350	Two Months	"D"
0	A/R & M/O old NH-21 Chandigarh Mandi Manali road km 184/650 to 198/145.(SH- Repair of potholes in km 184/650 to 190/0 and 191/190 to 198/145)	284947	5700	350	One Month	*D"
1	C/O road from Village Bhiura to Rajgarh via Satoh km 0/0 to 1/700. (SH- P/L WBM Grade-I at RD 0/800 to 1/250)	249480	5000	350	One Month	"D"
2	C/O link road from Damka Samloun Galma Pargi pul Bag Sidhkothi Beri Samlehar Bhadhkari Tarwai km 0/0 to 2/660. Under OTMNP (SH- P/L Kharnja stone soling at RD 0/260 to 0/840)	432634	8700	350	Two Months	*Da
3	C/O Khandla via Gadrour road km 0/0 to 5/0. (SH- P/L Cement concrete pavement at RD 2/510 to 2/690)	498874	10000	350	One Month	"D"
4	C/O 6.00 meter RCC span culvert at RD 2/135 on Galma Nalwari road km 0/0 to 3/0. Under SCSP (SH- C/O approaches Galma side at RD 0/0 to 0/04 downstream and 0/0 to 0/05 downstream) Job no –II	460261	9300	350	Two Months	*D"
5	C/O link road from Damka Samloun Galma Pargi pul Bag Sidhkothi Beri Samlehar Badhkari Tarwai km 0/0 to 2/660. Under OTMNP (SH- C/O 900mm dia RCC hume pipe culvert at RD 0/440 and bothside wingwall)	340590	6900	350	Two Months	"D"
6	RRD on various roads under Chakkar Sub Division (Gagal section) (SH- Hiring of JCB clearing of debris, drains and dressing of berms etc)	220500	4400	350	One Month	"D"
7	C/O Link road from Grencha to Ratti via Dharwahan road km 0/0 to 6/0. (SH- P/L WBM G-III and tarring at RD km 3/125 to 3/405)	486858	9800	350	Two Months	"D"
8	Improvement and widening of curve on Kalkhar Galu to Noundhar upper Dibhri lower Dibhri Bhout Sidhyani road Km. 0/0 to 5/0. (SH:- C/O Retaining wall at RD 2/535 to 2/550).	283607	5700	350	Two Months	"D"

19	C/O Khakryana to Kapahra via Kufri Bhanedi road Km. 0/0 to 2/700. (SH:- P/L soling (WBM G-I) in Km. 0/0 to 0/500). Under OTMNP	356423	7100	350	Two Months	"D"
20	Restoration of rain damages on Sundernagar Palahi Beena road in Km. 5/500 to 8/200.(SH:- C/O Breast wall at RD 7/570 to 7/585.)	185656	3700	350	One Month	"D"
21	C/O GP Halyatar to Timla Mukam Galoo road Km. 0/0 to 8/0.(SH:- C/O Breast wall at RD 5/180 to 5/190) Under OTMNP	138243	2800	350	Two Months	"D"
22	RRD on Ratti Kalkhar road Km. 10/0 to 13/300.(SH:- C/O Retaining wall at RD 10/330 to 10/345.)	264556	5300	350	Two Months	"D
23	C/O link road from Oddi Nallah Upper Sarua (Shahid Deep Chand) Km. 0/0 to 1/0.(SH;- C/O 900mm dia Hume pipe culvert with wing wall at RD 0/700.) Under OTMNP	147293	3000	350	Two Months	"D"
24	Restoration of road damages caused due to laying of optical fibre cable on Ratti Kalkhar road Km. 10/0 to 13/300.(SH:- Removal of formation deficiencies at RD 11/570 to 12/700.) Deposit work.	420033	8500	350	One Month	"D"
25	A/R & M/O various roads under Rewalsar Sub-Division HPPWD Rewalsar.(Leda Section) (SH:- Hiring of Tipper for carriage of muck & Patch work materials).	148960	3000	350	Two Months	"D"
26	A/R & M/O various roads under Chakkar Sub-Division HPPWD Chakkar. (SH:- Supplying and stacking at sie of work crushed stone aggregate 13.2 mm to 5.6 mm and sand for Gagal section)	198600	4000	350	One Month	"D"
27	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka bag Nagan road km 0/0 to 16/190.(SH- Dressing of berms and maintenance of earthen shoulder at various RD's)	195024	3900	350	Two Months	"D"
85	Restoration of road damages caused due to laying of optical fiber cable on Ratti Meramsit leda road km 0/0 to 14/580.(SH- C/O PCC R/wall at RD 2/760 TO 2/775)	202910	4100	350	Two Months	"D"
29	A/R & M/O various roads under Rewalsar Sub-Division HPPWD Rewalsar (Sardhwar Section) (SH:- Hiring of Tipper for carriage of muck & Patch work materials).	148960	3000	350	Two Months	"D"
30	Restoration of road damages caused due to laying of optical fiber cable on various roads under Ratti section. (SH- P/L WMB G-I,G-II, Tarring, V-shape drain in various reaches.) Deposit work Job no.1	415590	8400	350	Two Months	"D"
31	RRD on Tawan kummi Bhiura kehar sakroha Gagal road km 0/0 to 10/300. (SH-C/O PCC R/wall at RD 5/750 to 5/800)	497547	10000	350	Two Months	"D"
32	A/R & M/O Sidhyani balt via Dahnoo road km 0/0 to 9/700. (SH- Dressing of berms and clearing of drain etc. portion km 0/0 to 9/700) Ratti section	158358	3200	350	One Month	"D"
33	RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Gagal section) (SH- Hiring of JCB clearing of debris, drains and dressing of berms etc).	220500	4400	350	One Month	"D"
34	A/R & M/O various roads under Rewalsar Sub-Division HPPWD Rewalsar.(Rewalsar Section) (SH:- Hiring of Tipper for carriage of muck & Patch work materials).	148960	3000	350	Two Months	"D"
35	A/R & M/O various roads under Chakkar Sub-Division HPPWD Nerchowk. (SH:- Preparation of DPR of Nerchowk Pandoh i.c. Pandoh by pass section of NH-21 Km 184/600 to 190/00 and 191/190 to 198/145 under NHDP on hybrid mode in state of HP (Total length 12.355 km)	247100	5000	350	One Month	"D"
36	C/O Samloun Panyali Patha via Chalehar Safru road km 0/0 to 9/945.(SH- C/O R/wall in stone masonry at RD 0/580 to 0/592) under OTMNP	264655	5300	350	Two Months	"D"
37	<ul> <li>"A/R &amp; M/O various roads under Chakkar Sub-Division HPPWD Nerchowk.</li> <li>1. Prepration of Contour Site plan for Executive Engineer office building at Nerchowk.</li> <li>2. Prepration of Contour site plan for sub centre building Lohara"</li> </ul>	45000	900	350	One Month	"D"
38	Restoration of road damages caused due to laying of optical fiber cable on Ratti Randhara road km 0/0 to 9/0. (SH- Repair of Troh side abutment existing RCC slab culvert at RD 0/365) Deposit work	82140	1700	350	Two Months	"D"
9	C/O link road from Reur to Jalpa Mata Mandir Hawani Galu. (SH:- C/O PCC R/wall at RD. 0/150 to 0/170).	476890	9500	350	Two Months	"D"
10	RRD on Manjhyali Ghour Sardhwar Batahan road km. 0/0 to 13/0. (SH: Repair of 4.00 mtr. span RCC culvert at RD. 1/480)	141207	3000	350	Two Months	"D"
11	C/O Manjhyali Samloun Patha via Chalehar Safru road km. 0/0 to 9/945. Under OTMNP (SH:- C/O 900 mm dia RCC Hume pipe Culvert at RD. 6/750 & both side wing wall)	236025	4800	350	Two Months	"D"
12	Construction of link road from village Sambal Kapadhi (Batahan) in G.P. Kothigehri road km. 0/0 to 3/0. (SH:- C/O R/Wall in Wire Crate at RD. 0/745 to 0/764 with Toe Wall in PCC 1:5:10 at RD. 0/745 to 0/753) Under SCSP	488234	9800	350	Two Months	"D"

43	RRD on Dulag Dhar Luhardi Banoun Kothi Balnidhar road km. 0/0 to 4/0. (SH:- C/O Retaining wall at RD. 0/150 to 0/170)	464092	9300	350	Two Months	"D"
44	Construction of Kalkhar Galu Sadehra Dibbri and Sidhyani Patha Dhiundhar Rewalsar Khakhriyana road. (SH:-Construction of 900mm dia Hume Pipe Culvert with wing wall at RD. 0/015 and both side wing wall) Under OTMNP	183076	3700	350	Two Months	"D"
45	Balance work of combined office building at Nerchowk. (SH: Providing and fixing GI Oreo Metal suspended false ceiling in third floor toilets) Job No.1	448643	9000	350	One Month	"D"
46	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag Nagan road km. 0/0 to 16/190. (SH:- Construction of Sub grade, P/L GSB and WBM Grading-II at RD. 8/030 to 8/220)	494471	9900	350	Two Months	"D"
7	Restoration of road damages caused due to laying of optical fibre cable on Ratti Kalkhar road km. 0/0 to 10/0. (SH:- Construction of RCC cover block for existing deep-U-shape drain main bazar near CHC hospital at Ratti in km. 1/100 to 1/220) (LHS) Deposit work	190102	3900	350	One Month	"D"
8	Balance work of combined office building at Nerchowk. (SH: Providing and fixing prefoarted suspended false ceiling in third floor hall) Job No.2	492749	9900	350	One Month	"D"
19	A/R & M/O of various roads under Chakkar Sub Division (Ratti section). (SH- Hiring of Tipper for carriage of muck and patch work material)	199500	3990	350	Three Months	"D"
50	Annual Repair and Maintenance of Non-Residential Buildings in SLBSMC and Hospital Nerchowk (SH:- Supply and Stacking Accessories Items for Repair and Maintenance Work.) Job-1	498137	10000	350	One Month	"D"
1	Balance work of combined office building at Nerchowk. (SH: Providing and fixing prefoarted suspended false ceiling in third floor hall) Job No.3	403484	8100	350	One Month	"D"
52	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag Nagan road km. 0/00 to 16/190. (SH:- Construction of Sub grade, P/L GSB and WBM Grading-II at RD. 8/220 to 8/280)	156149	3200	350	Two Months	"D"
3	Balance work of combined office building at Nerchowk. (SH: Providing and laying Cubble stone flooring for ramps) Job No.4	445950	9000	350	One Month	"D"
54	Annual Repair and Maintenance of Non-Residential Buildings in SLBSMC and Hospital Nerchowk (SH:- Supply and Stacking Accessories Items for Repair and Maintenance Work.) Job-2	490320	9800	350	One Month	"D"
55	RRD on various roads under Chakkar Sub Division (Gagal section). (SH- Hiring of JCB clearing of debris, drains and dressing of berms etc)	220500	4400	350	One Month	"D"
56	Restoration of road damages caused due to laying of optical fiber cable on Ratti Meramasit Leda road km 0/0 to 14/580. (SH- C/O U-shape drain in km 0/620 to 0/840 RHS) Deposit work	400332	8100	350	One Month	"D"
57	Blackspot on Ratti kalkhar road km 0/0 to 10/0. (SH:- Improvement of blind curve in km 6/810 to 7/120)	498562	10000	350	One Month	"D"
58	RRD on various roads under Chakkar Sub Division (Nerchowk section). (SH- Hiring of JCB clearing of debris, drain and dressing of berms etc)	220500	4400	350	One Month	"D"
59	C/O Additional Accommodation to Police station building Balh at Ratti.(SH:- C/O Retaining wall at Police Station building Rattl). Deposit work	190205	3900	350	Two Months	"D"
30	A/R & M/O of various roads under Chakkar Sub Division (SH- Providing and fixing dual directional rectangular delinators for road side with plastic head unbreakable at neck) (Nerchowk Section) Job No. I	239800	4800	350	One Month	"D"
31	Annual Repair and Maintenance of Residential Buildings in SLBSMC and Hospital Nerchowk (SH:- Supply and Stacking Accessories Items for Repair and Maintenance Work in residential quarter in SLBSGMC & Hospital.)	100780	2020	350	One Month	"D"
52	A/R & M/O of various roads under Chakkar Sub Division (SH- Providing and fixing dual directional rectangular delinators for road side with plastic head unbreakable at neck) (Gagal Section) Job No. II	239800	4800	350	One Month	"D"
63	Restoration of Rain damages on Malthehar by pass km 0/0 to 1/045. (SH:- C/O Breast wall at RD 0/545 to 0/560).	141854	2900	350	One Month	"D"
34	A/R & M/O various roads under Chakkar Sub-Division HPPWD Chakkar. (SH:- P/F road stud with lens reflector) .(Ratti section)	207000	4200	350	One Month	"D"
65	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag Nagan road km. 0/00 to 16/190. (SH:- Providing and laying 1:2:4 from RD 8/030 to 8/113)	445038	9000	350	One Month	"D"
36	RRD on various roads under Chakkar Sub Division (Ratti section). (SH- Hiring of JCB clearing of debris drains and dressing of berms etc) Job No-III	220500	4400	350	One Month	"D"

67	RRD on Mandi Gagal Chailchowk Janjenli Chattri Rana ka Bag Nagan road km. 0/00 to 16/190. (SH:- Providing and laying 1:2:4 from RD 8/113 to 8/196)	445038	9000	350	One Month	"D"
68	C/O Toilet block at ITI Balh. (SH:- P/F aluminium frame work plastering CC 1:5:10 etc)	496925	9950	350	One Month	"D"
69	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag Nagan road km. 0/00 to 16/190. (SH:- Providing and laying 1:2:4 from RD 8/196 to 8/280)	445038	9000	350	One Month	"D"
70	C/O Toilet block at ITI Balh. (SH:- P/F structural steel, prepainted sheet, brickwork and tile flooring etc)	488957	9800	350	One Month	"D"
71	Restoration of road damages caused due to laying of optical cable on Sidhyani balt via Dahnoo road km 0/0 to 9/700. (SH- Repair of pot holes in km 0/00 to 4/00) Deposit work	494512	10000	350	Two Months	"D"
72	Restoration of road damages caused due to laying of optical fiber cable on Ratti meramasit Leda road km 0/0 to 14/580. (SH- Repair of pot holes in km 0/0 to 2/300) Deposit work	495929	10000	350	One Month	"D"
73	RRD on various roads under Chakkar Sub Division (Gagal section). (SH- Hiring of JCB clearing of debris, drains and dressing of berms etc)	220500	4400	350	One Month	"D"
4	RRD on Ratti Kalkhar road km. 0/0 to 10/00. (SH:- Removal of slips in various reaches, Dresssing of berm & cleaning of drains in km. 0/0 to 10/0)	495952	10000	350	Two Month	"D"
5	A/R & M/O various roads under Chakkar Sub Division HPPWD. Nerchowk. (SH: - Trimming of grass and weeds from various roads under Nerchowk section).	199932	4000	350	One Month	"D"
6	C/O link road from Damka Samloun Galma Pargi pul Bag Sidhkothi Beri Samlehar Badhkari Tarwai km 0/0 to 2/660. Under OTMNP (SH- C/O 900mm dia RCC hume pipe culvert at RD 2/620)	115664	2400	350	Two Months	"D"
7	A/R & M/O of various roads under Chakkar Sub Division (SH- supply and stacking dual directional rectangular delinators for road side with plastic head unbreakable at neck) Job no –II	246340	5000	350	One Month	"D"
8	Restoration of road damages caused due to laying of optical fiber cable on Ratti Kalkhar road km. 0/0 to 10/0. (SH- C/O PCC R/wall at RD 6/795 to 6/812)Deposit work	459365	9800	350	Two Months	"D"
9	C/O link road from Khakryana to Kapahra via Kufri Bhanedi road Km. 0/0 to 2/700. (SH:- C/O 900mm dia R.C.C. Hume Pipe culvert at RD 0/720 along with both side wing walls). Under OTMNP	236163	4700	350	Two Months	"D"
30	A/R & M/O various roads under Rewalsar Sub-Division HPPWD Rewalsar.(Leda Section) (SH:- Hiring of JCB clearing of debris drains and dressing of berms etc).	149100	3000	350	Two Months	"D"


It is certified that the above tenders is very "urgent nature", so may be uploaded on

department website in public interest.

#### Note:- The Constractors/Firms should possess the following documents (Photo copy to be attached).

- 1. The Contractor/Firm should be enlisted with the HP.PWD. & Registration/Renewal copy attached.
- 2. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
- 3. The list of similar type of work executed and work done performance certificate issued by the concerned Executive Engineer required to be produced by the contractor along with application.
- 4. Only two tenders shall be issued to each contractor.
- 5. The contractor will not have more than two works in hand at the time of tender and only up to completion of work satisfactory including adherence to quality parameters further work will be awarded to him. All under taking/affidavit alongwith application that he is not having more than two works in hand in HP.PWD for execution failing which the application for issuing the tender forms shall not be accepted.
- 6. The contractor/firm shall be issued tenders on the production of valid GST/income tax clearance certificate.
- 7. As per Govt. Notification No.PBW (B)A(3)1/2020-1 dated 07.10.2021, in case the tendered amount of the lowest bidder comes more than 5% in 1st call the negotiation can be conducted with him but the negotiated amount should remain within 5% of the amount put to tender (on market rate) and tendered amount below 30% of the estimated cost will be summarily accepted.

Executive Engineer, HP,PWD. Division, Nerchowk.



ame	of work:- A/R & M/O Rain Shelter on Mandi Gagal Chailchowk Chattri Rana Ka Bag at RD.	7/330	(\$14:-	Estimated Cost:-	330156.00	
	ruction of Rain Shelter at Bhadyal)	2004211		Earnest Money :-		
				Time :-Three Wont		
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure	In word		2004/1990
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation, trenches, drains (Any width or square metre on plan), including dressing of sides and ramming of bottoms, lift upto any height, including getting out the excavated soil and disposal of surplus excavated soil as directed in all kinds of classification, of soils such as pick work, jumper work, blasting work saturated soils including chiseling or any other mixed variety of soils, dewatering and / or removal of slush and other incidentals within all leads and lifts complete in all respect as per direction and satisfaction of Engineer in-Charge. Any loss to the public or private property during the course of excavation shall be the sole responsibility of the contractor which shall have to be duly compensated by him at his own cost in all cases.	7.84	190.00	Rupees One hundred ninety and paise zero only.	Per Cubic Metre	1490.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6:12 (one cement six sand : twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	0.99	4740.40	Rupees Four thousand seven hundred forty and paise zero only.	Per Cubic Metre	4693.00
3	Random rubble masonry with hard stone in foundation and plinth including levelling up with coment concrete 1:6:12 (one coment : six coarse sand ; twelve graded stone aggregate 20 mm (Twonty millimetre) nominal size) upto plinth level with coment mortar 1:6 (one coment : six coarse sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	4.98	4710.00	Rupees Four thousand seven hundred ten and paise zero only.	Per Cubic Metre	23456.00
4	Course rubble masonry with hard stone in superstructure above plinth level and upto floor all level, including levelling up with cement concrete 1:6:12 (one cement 1:5)x coarse sand : twelve graded stone aggregate 20 mm (Twenty millimetre) nominal size) at window sills, ceiling level and the like with cement mortar 1:6 (one cement 1:5)x coarse sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	9.26	\$620.00	Rupees Five thousand six hundred twenty and paise zero only.	Per Cubic Metre	52041.00
5	Centering and shuttering including strutting, propping etc. and removal of form work for including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge					
5.01	Suspended floors, roofs, landings, balconies and access platform within all leads, lifts and carriage of materials and other incidentals or as per direction and satisfaction of Engineer-in-Charge.	19.88	500.00	Rs. Five hundred and paise zero only.	Per square metre	9940.00
	Lintels, beams, plinth beams, girders, bressumers and cantilevers within all leads, lifts and carriage of materials and other incidentals or as per direction and satisfaction of Engineer-in-Charge.	4.74	420 00	Rs Four hundred twenty and paise zero only	Per square metre	1991.00
	Weather shade. Chajjas, corbets etc., including edges within all leads, lifts and carriage of materials and other incidentals or as per direction and satisfaction of Engineer-in-Charge.	13.34	575,00	Rs Five hundred seventy five and paise zero only	Per Square Metre	7671.00

ß	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° (Fifteen degree) landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor all level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (one cement : one and half coarse sand): three graded stone aggregate 20 mm (Twenty millimetre) nominal size) including carriage of materials within all leads and lifts complete in all respect as per direction.	15.53	7700.00	Rs. Seven thousand seven hundred and paise zero only.	Per Cubic Metre	119581.00
7	and satisfaction of Engineer-in-Charge.  Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in	931.80	92.00	Rs.Ninety two and paise	Per	85726 00
	position and binding all complete including cost of binding wire upto all floor level. Thermo- Mechanically Treated bars of grade Fe-500D or more including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.		0000	zero only.	Kilogram	
8	Boulder filling of selected hard dry stone hand packed tightly under floor as per the direction of Engineer-In-Charge including carriage of materials within all leads and lifts complete in all respect.	1.24	1105.00	Rupees One thousand one hundred five and paise zero only	The second secon	1370.00
9	40 mm (Forty millimetre) thick cement concrete flooring 1.2.4 (One cement two coarse sand, four graded stone aggregate 20mm (Twanty millimetre) nominal size) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	12.44	377.00	Rupes Three hundred severity seven and paise zero only.		4690.00
10	6mm (Six millimetre) cement plaster of mix 1:3 (one cement : three fine sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	28.36	154.00	Rupees one hundred fifty four and paise zero only.	Per square metre	4367 00
11	15 mm (Fifteen millimetre) cement plaster on the rough side of single or half brick wall of mix 1.6 (one cement : six fine sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	53,05	217 00	Rupees Two hundred seventeen and paise zero only.	NOV.	11512.00
12	Three coats of White washing with lime to give an even shade on new work including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	81.41	20.00	Rupees Twenty and paise zero only.	Per square metre	1628.00
	Death as harded at	1	111	11 11	Total	330155.00

souff eshablule of quantity approved for 2 3,30,1561.

Executive Engineer. HPPWD Division HPPWD Nerchowy



## DRAFT SCHEDULE OF QUANTITY

Name of work:- A/R & M/O various roads under Chakkar Sub Division HPPWD Nerchowk New Chowk Section

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs. 149100/ Earnest Money Rs. 3000/-Time: - Two Month.

Sr. No.		Qty.	F	late In	Unit	Amount
	Description of Items		Figure	Words		
Į.	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	142 hours	1050.00	Rupees one Thousand fifty only	Per hours	149100.00
		101			Total:-	149100.00

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk.

Executive Engineer, Nerchowk Division, HPPWD Nerchowk

DRAFT	SCHEDULE	OF QUANTITY

Name of work:- Restoration of road damages caused due to laying of optical fibre cable on Bagla Barsu Kathlag road km. 0/00 to 5/300. (SH:- Construction of Retaining wall at RD. 1/340 to 1/365) Deposit work

Estimated Cost: - 472742.00 Earnest Money :- 9500.00

Time :- Two Months

S.N o	Description of item		Rate with all Rs. P.	ate with all taxes including GST in s. P.		Amount
			In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and boftom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	74.50	287.00	Rupees Two hundred eighty seven and paise zero only,	Per Cubic Metre	21382.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.5:10 (one cement: five sand . Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	116.20	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	424130.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	11480.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	15.00	1050.00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	15750.00
10		and the last	1.1	10	Total	472742.00

Executive Engineer, HPPWD Division, HPPWD Nerobowy

D NITS. NO/04

## DRAFT SCHEDULE OF QUANTITY

**Estimated Cost:** 

Rs. 239800.00

**Earnest Money:** 

Rs. 4800.00

Time:

One Month.

Name of work : A/R & M/O various roads under Chakkar Sub Division HP. PWD Nerchowk. (SH:- Supplying & stacking dual direc rectangular delinators for road side with plastic head unbreakable at neck.) Job No.1

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In figure	in words		
1	2	3	4	5	6	7
	Supplying & stacking F.O.R. at site duel direction delineator made out of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.			Rupees One thousand ninety and paise nil only.	Each.	239800.00
	P Ac	4	0	.//1	Total:-	239800.00

of schoolule of quantity appropried to 22

Executive Engineer, HPPWD Division,

HP,PWD,Nerchowic

	DRAFT SCHEDULE OF QUANTIT					
	ne of work:- Restoration of road damages caused due to laying of optical fibre cable on Sidhyan km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD, 2/010 to 2/030) Deposit work		Dahano	Estimated Cost:- Earnest Money :- Time :-Two Mon	5100.00	00
S.N	Description of item	Quantity	Rate with Rs. P.	all taxes including GST in	Unit	Amount
			In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	38.60	287.00	Rupees Two hundred eighly seven and paise zero only.	Per Cubic Metre	11078.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6:12 (one cement: six sand: twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	8.60	2740 00	Rupees Two thousand seven hundred forty and paise zero only	Per Cubic Metre	23564.00
3	Stone masonary in cement mortal in substructure complete as per drawing & technical specification clause 702,704,1202 and 1203. Random rubble masonary in cement mortar 1:6 (one cement : six sand) with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	27.50	3333.00	Rs Three thousand three hundred thirty three and paise only	Per Cubic Metre	91658.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:4:8 (one cement four sand : eight graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	3.60	4018.00	Rs. Four thousand eighteen and paise zero only	Per Cubic Matre	14465.00
5	Construction of dry rubble stone masonry for rotatining and Breast walls as per drawing & technical specification Clause 704 6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	44.71	2100.00	Rupees Two thousand one hundred and paise zero only.	Per Cubic Metre	93891.00
	Back filling with granular material behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14.80	1050.00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	15540.00

Executive Engineer. HPPWD Division. HPPWD Neychald

DRAFT SCHEDULE OF QUANTITY

Name of work:-Restoration of road damage caused due to laying of optical fibre cable on Bagla Barsu road km 0/00 to 5/350 (SH- C/o PCC R/wall at RD 5/305 to 5/310).

Estimated Cost:- 140435.00 Earnest Money :- 28&0.00 Time :- One Month

S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	in word		including all
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	10.15	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	2913.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	34.95	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	127568,00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.3 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	6.20	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	6510.00
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	12.00	287.00	Rupees Two Hundred EightySeven Only	Each	3444.00
					Total	140435.00

Executive Engineer, HPPWD Division, 44PPWD Nerchowk



	ne of work:- Restoration of road damages caused due to laying of optical fibre cable or 0/00 to 10/00. (SH:- Construction of PCC Retaining wall at RD, 8/270 to 8/284) Deposit		ikhar road	Estimated Cost: - 378454.00 Earnest Money :- 7600.00 Time :- Two Months			
S.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount	
			In figure	In word		2-5 3-	
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	34.86	287.00	Rs. Two hundred eighty seven and paise zero only.	Per Cubic Metre	10005.00	
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement; five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	93,59	3650.00	Rs Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	341604.00	
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with stope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3 7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	50.00	287.00	Rs. Two hundred eighty seven and paise zero only.	Each	14350.00	
4	Back filling behind abutment wing walf and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	11.90	1050.00	Rs. One thousand fifty and paise zero only.	Per Cubic Metre	12495.00	
				0 2 4 4	Total	378454 00	

(8)

	DRAFT SCHEDULE C of work :- Restoration of damage caused by laying of optical fiber on Sidhya 00 to 9/700.(SH- C/o unlined drain km 0/000 to 5/000 in various reaches)			Estimated Cost :- Earnest Money :-		
				Time :- One month	Cong Th	
S.No	Description of Item	Quantity	Rate with al	e with all taxes including GST in Rs. P.		Total amount with all taxes
			In figure	In word		including GST in Rs. P.
1	2	3	4	5	6	7
1	Construction of unlined surface drain of average cross-sectional area 0.4 sqm in ordinary rock to specified lines, grades, levels and dimensions as per approved design and Technical Specification Clause 307. Excavated material to be used in embankment at site complete and as per direction of Engineer-in-charge.		81.00	Rupees EightyOne Only	Prmt	380700.00
					Total	380700.00

Doubt Schodulad divertity approved for bi- 380 Ja

Executive Engineer Nerchowk Division Nerchowk

	ne of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti Mei 0/00 to 14/580. (SH:- Construction of Breast wall at RD. 1/00 to 1/030) Deposit work	ramasit L	eda road	Estimated Cost:- Earnest Money :-		00
				Time :-Two Mon		
S.N	Description of item	Quantity	In figure	Rate In word	Unit	Amount
1	Excavation in soil in hilly area by mechnicial means including cutting and trimming of side slopes and disposing of excavated earth up to any lead and lift as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-Charge.	49.50	172.00	Rupees One hundred seventy two and paise zero only.	Per Cubic Metre	8514.00
2	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	35.10	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	10074.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	107.40	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	392010.0
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287 00	Rupees Two hundred eighty seven and paise zero only.	Each	9758.00
		0 -	,	., 11 -	Total	420356.0

south schedule of quantity approved to

Executive Engineer, HPPWD Division, HPPWD Nerchowk



# DNITS.NO HIO

in Kı	of work:- A/R & M/O old NH -21 Chandigarh- Mandi-Manali road Km. 184/650 to 198/145. (SH m. 184/550 to 44/00 and 191/190 to 198/145).	is tropan c	, poe nous	The second secon	Earnest Money :- 5700.00 Time :- One Month	
S.N	Description of item	Quantity		Rate	Unit	Amount
0	Doorphon of term	Carriery	In figure	In word		7 1110 2111
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 (Rate is Exclusive of cost of Emulsion (RS-1) and will be provided by the Department) including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge	1392.36	4.10	Rupees Four and paise ten only.	Per Square Metre	5709 00
	Providing Laying and rolling of closed graded premix surfacing material of 20mm thickness composed of 11.2mm to 0.9mm(type A) 13.2mm or 0.9mm (type-B) aggregates using bitumen to required line, grade and level to serve as wearing course on previously prepared base including mixing in a suitable plant, laying and rolling with a three wheel roller 8-10KN static roller and finishing to required level and grade as per technical specification clause 509 (Rate is Exclusive of cost of Bitumen (VG-10) and will be provided by the Department) including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in- Charge	1392.36	200.55	Rupees Two hundred and paise fifty five only	Per Square Metre	279238 00
	angineer in orange	0 0	1.1		Total	284947.00
	Don'th Sameellilas	f qua	antity	o approvers	Executive HPPWD D	and the same of th

DMT. SNO/ 123

	DRAFT SCHEDULE OF QUA	ANTITY				
Nam	ne of work:- Construction of road from village Bhiura to Rajgarh via Satoh Km. 0/00 to 1/700.	(SH:- Provi	ding and	Estimated Cost:-	249480.0	0
ayir	ng WBM Grade-I at RD. 0/800 to 1/250)			Earnest Money :-	5000.00	
F				Time :- One Mont	h	
J.N	Description of item	Quantity	- 23	Rate	Unit	Amount
0		TOTAL HOLD	In figure	In word		
1	Consolidation of sub grade with road roller including making good the undulation etc. with earth or quarry soil etc. and rerolling the sub-grade completed as per HP.PWD specifications including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		1.00	Rupees One and paise zero only.	Per Square Metre	1134.00
2	Providing, laying, spreading and compacting stone aggregate of sizes 90-45mm (Ninety to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-I by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	113.40	2190.00	Rupees Two thousand one hundred ninety and paise zero only.	Per Cubic Metre	248346.00
					Total	249480.00
	Dow fl Schedul	le of	quant	ity approved	For Z  Executive HPPWD D	2,49,480



DNIT SNO (44) for the years 2023-24.

	f work:- Construction of link road from Damka-Samloun-Galma-PargiPul-Bag-Sidhkothi-B wai Km. 0/00 to 2/660. Under OTMNP (SH:- Providing and laying Kharanja stone soling at RD. 0			Estimated Cost:  Earnest Money :-  Time :-Two Mont	- 8700.00	)	
S.N	Description of item	Quantity		Rate			
0			In figure	In word		1 10 10 10 10 10 10 10 10 10 10 10 10 10	
1	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidating with power road roller to the required gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD specification. 100 mm (One hundred millimetre) spread thickness (finished work including materials and labour) including carriage of material with in all leads, lifts and other incidentals and as per the direction of the Engineer-in Charge.	292.32	1480.00	Rs.One thousand four hundred eighty and paise zero only.	Per Cubic Metre	432634.00	
					Total	432634.00	

Division

(13)

DN195.No(139)-\$0-the years 2023-24.

	DRAFT SCHEDULE OF QU	JANTITY			1	
vam	ne of work:- Construction of Khandla via Gadrour road km. 0/00 to 5/00. (SH:- Providing and la	ying ceme	nt concrete	Estimated Cost:-	498874.00	
ave	ement at RD. 2/510 to 2/690 )			Earnest Money :-	10000.00	
		CONTRACTOR S		Time :- One Mont	h	
S.N	Description of item	Quantity		Rate	Unit	Amount
0	United the state of the state o		In figure	In word		
	Providing and laying plain cement concrete 1.2.4 (one cement : two sand—four graded crushed stone aggregate 20mm( twenty millimetre) nominal size mechanically mixed, placed in foundation and compacted by vibration including cost of form work and curing complete—including carriage of materials with in all leads, filfts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	86.46	5770.00	Rs. Five thousand seven hundred seventy and paise zero only	Per cubic Metre	498874.00
	Dough Schedul	e of	quan-	lity approve	Executive I	



DNITS.NO | (38) \$0-16 year 2013-24

	DRAFT SCHEDULE OF QUANTITY					
	<ul> <li>of work: Construction of 6.00mfr. Span RCC slab culvert at RD. 2/135 on Galma Natwari road km. 0/00 to 3/00. to Construction of approaches Galma side at RD. 0/00 to 0/04 D/S &amp; 0/00 to 0/05 DS) Job No. 2</li> </ul>	Under \$0	CSP	Estimated Cost;- Earnest Money ;- Time :-Two Months		
S N	Description of item	Quantity	Rate with	all taxes including GST in Rs.	Unit	Amount
Ü			In figure	In word		
1	Farth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49.42	267.00	Rupees Two hundred eighty seven and paise zero only	Per Cubic Metre	14181.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.6:12 (one cement six sand twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9.78	2749.00	Rupees Two thousand soven hundred forty and paise zero only	Per Cubic Metre	26797 00
3	Stone masonary in cement mortar in substructure complete as per drawing & technical specification clause 702,704,1202 and 1203. Random rubble masonary in cement mortar 1.6 (one cement six sand) with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	67 68	3333.00	Rupees Torce thousand three hundred birty three and palso zero only	Per Cubic Metre	225577.00
1	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and termical specification Clause 502,503,1202 and 1203 in cement concrete 1.4:8 (one cement; four sand, eight graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	7 29	4018,00	Rupees Four thousand eghteen and paise zero only	Metre	2925   00
5	Construction of dry nubble stone marcony for retaining and Breast wallsas per drawing 4 technical specification Clause 704 6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		2100.00	Rupees Two thousand one hundred and paise zero only	Per Cubic Metre	10059 00
6	Back filling with granular material behind abutment wing wall and retaining wall complete as per drawing & technical specification clause 1204 3.8 and including carriage of material with in all leads and life and other incidentals and as per the direction of the Engineer-in Charge.	66.00	1060 00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	69300 00
7	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site spreading, grading to required alope and compacted to meet requirement of Table 300.2 as per Technical Specification Clause 303.1, including carriege of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		595 02	Rupers Five hundred ninety five and paise zero two only	Per Cubic Metre	79316 00
8	Providing weep hole in brick masonry/ stone masonry / pain reinforced concrete about mit may will return wall with 100mm dia (one hundred millimetre diametre) PVC pipe and dig through the full width of the structures with slope of 1V 20H (one vertical isto twenty horizontal) towards diaming face complete as per drawing and technical specifications clauses 614,709,1204 3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287 00	Rupees Two hundred eighty seven and paise zero only	Each	6740 00
			1.1	1.	Tota!	460261.00

Don't schoolule of quantity approved to 24,60,26

Executive Empleer. HPPWD division (15)

DMTSNO+143) for the years 2028-24.

lar	ne of work:- Construction of link road from Damka-Samfoun-Galma-PargiPul-Bag-Sidhkothi-Beri-Samlehar-Badhk	ari-Tarwai	Km. 0/00 to	Estimated Cost:	340590.00	
16	80, Under OTMNP (SH:- Construction of 900mm dia RCC Hume Pipe Culvert at RD. 0/440 & both side wing walls)	-		Earnest Money :-	5900,00	
				Time : Two Months		
0	Description of item	Quantity	Rale with a	Il taxes including GST in	Unit	Amount
			In figure	In word		
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	75 02	287.00	Rupees Two hundred eighty seven and paise only	Per Cubic Metre	21531 00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cemeral concrete 1.4.8 (one cement four sand leight graded stone aggregate 40mm nominal size) including carriage of male full with in all leads and lifts and other incidentals and as per the direction of the Engineer Charge.	6 56	4018 00	Rupees Four thousand eighteen and paise zero only	Per Cubic Metre	26358.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,3202 and 1203 in cement concrete 1.6.12 (one cement six sand : Twelve graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	10 79	2740.00	Rupees Two thousand seven hundred forty and palse zero only	Per Cubic Metre	29565 00
4	Sign money in cement mortar for substructure complete a per drawing and technical specification classes 702,704,1202 & 1204 random rubble masonry second sort in coment mortar 1.6 (one cement is x sand) complete within all leads, this carriage of material and other incidentials as per entire satisfaction and direction of Engine and Charge	46.28	3333 00	Rupees Three thousand three hundred thirty three and paise zero only	Per Cubic Metre	154251 00
5	Providing and laying 900 mm (Nine hundred millimetre) diametre reinforced cement concrete pipe NP2 for cultivation first class hedding of granular material in single row including fixing collar with cement mortar 1.2 but excurred protection work, back filling, concrete and masonary work in head walls and paraplets clause 1108 including carriage of materials and as per the entire satisfaction and direction of Engineer-in-Charge	7 00	3550.00	Rupees Three thousand five hundred fifty and pasie zero only	Per Runnung metre	24850 00
6	Construction of dry rubble stone masonry as per drawing & technical specification Clause 704.6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	26 94	2100 00	Rupees Two thousand one hundred and palse zero only	Per Cubic Metre	56574.00
7	Eack filling behind abundant word wall and retaining wall con plate as per drawing & technical specification clause 1204 3 ° and including carriage of material within all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	16 35	1050.00	Rupees One thousand fifty and palse zero only	Per Cubic Metre	17168.00
8	Providing and laying cement concrete 1.5.10 (one comment five sand; ten graded stone aggregate with plain and curing complete including the cost of form work for plain / reinforced concrete in retining walls, breast walls, the size & plum should be 150 to 300 mm (one hundred fifty to three hundred millimetre) as per drawing and HP,PWD, technical specification and within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge	2.82	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	10293 00
_				1 11	Total	340590.00

Donft schoolule of quantity approved to 23,40,590

Executive Engineer IdPPWD Division.
Nerchowk

# DNITS.NO-118 For-the year 2023/24.

## DRAFT SCHEDULE OF QUANTITY

Name of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Gagal section)

[SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.]

Estimated Cost Rs. 220500/-Earnest Money Rs. 4410/-Time: - One Month.

		Qty.	R	late In	Unit	Amount
Sr. No.	Description of Items	200	Figure	Words	1	
	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	10000	1050.00	Rupees one Thousand fifty only	Per hours	220500.00
					Total:-	220500.00

Droft Schedule of quantity approved for R. 22.0500.00

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk. Executive Engineer, Nerchowk Division, HPPWD Nerchowk,



DNITS.NO (148) for heyers 2023/24.

	DRAFT SCHEDULE OF QUANTIT	Y		A STATE OF THE PARTY OF THE PAR		
lam	e of work:- Construction of link road from Grencha to Ratti via Dharwahan road Km. 9/00 to 6/00. (SH:	- Providing	g and	Estimated Cost:-	486858.0	Û
11	g WBM G-III and tarring at RD, 3/125 to 3/405)			Earnest Money :-	9800.00	
				Time :- Two Mo	nths	
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure			
1	Providing, laying, spreading and compacting stone aggregate of sizes 63-22.4mm (fifty three to twenty two point four millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-III by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge	67.25	2290,00	Ruppes Two thousand two hundred ninety and paise zero only.	Per Cubic Metre	154003.00
2	Providing and applying a primer coat with bitumen emulsion (SS-I) on prepared surface of granular base cleaned of dust and extraneous material with hydraulic broom or any other approved equipment and spraying primer at the rate of 0.70-1 00 Kg /Sqm (zero point seven zero to one point zero zero kilogram per square metre) using mechanical means as per technical specification clause 502 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge	896.70	62.00	Ruppes Sixty two and palse zero only.	Per Square Metre	55595.00
3	Providing and applying tack coat with bitumen emulsion (RS-1) on prepared dry and hungry bitumen surface cleaned of dust and extraneous material with Hydraulic brooms or any other approved equipment and spraying priming at the rate of 0.25 to 0.30 kg. (zero point two five to zero point three zero kilogram) per square metre with emulsion pressure distributor equipped for spraying uniformly complete as per technical specification cluase 503 with in all leads tilfts and other incidentials complete and as per the entire satisfaction and direction of Engineer-in-Charge	896.70	17.00	Ruppes Seventeen and paise zero only.	Per Square Metre	15244.00
4	Providing, laying and rolling by mechanical means with bitumen (VG-10/S-90) of open graded premix carpet of 20mm (twenty millimetre) thickness composed of 13.2mm to 5.6mm (thirteen point two millimetre to five point six millimetre) aggregates either using penetration grade bitumen to required line, grade and level to surve as wearing course on a previously prepared base, including mixing in suitable plant, laying and rolling with a three wheel 80-100 kN (eighty-hundred kifo newton) static roller capacity, finished to required level and grades to be followed by seal coat of Type-B as per Technical Sepcification Clause 508 including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	896.70	216 00	Ruppes Two hundred sixteen and paise zero only.	Per Square Metre	193687 00
5	Providing and laying seal coat Type-B by mechanical means sealing the voids in a bituminous surface laid to the sepcified levels, grade and crossfall using Bitumen (VG-10/S-90) as per Technical Specification Clause 510 including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	896.70	76.20	Ruppes Seventy six and paise twenty only.	Per Square Metre	68329.00
	A A A A	15	1	11 . 1	Total	486858.00
	Don't schedule of qu	Lamit	HU a	DEDOVACE TOR	34	86.858

Executive Engineer, HIII-WO Division Nerchowk



including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand : Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  3 Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing 25.00 Rupees Two hundred Each	Amount
Time: Two Months    Composition   Compositio	12312.00
Description of item    Quantity   Rate with all taxes including GST in Rs.   P.   In figure   In word	12312.00
Rs. P.  In figure  In word  1 Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Providing and laying concrete for plant/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  3 Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing 25.00 Rupees Two hundred Each	12312.00
Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand : Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  3 Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing 25.00 Rupees Two hundred Each	
including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and tifts and other incidentals and as per the direction of the Engineer-in Charge.  3 Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing 25.00 287.00 Rupees Two hundred Each	
drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10  (one cement five sand : Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and tifts and other incidentals and as per the direction of the Engineer-in Charge.  3 Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abulment, wing 25:00 287:00 Rupees Two hundred Each	
	254040.0
wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer in Charge	7175.00
4 Back filling behind abutment wing wall and retainling wall complete as per drawing & technical 9 60 Rupees One thousand fifty per specification clause 1204 3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	10080.00
Exaft schedule of quantity approved for Rs (Rupees two lac eighty three thousand six h seven) only.	83607.08

DNIT. 8.NO 36 Few the year 2023/24

36

19

### **Draft Schedule of Quantity**

Estimated Cost:-

356423.00

Earnest Money:-

7100.00

Time:-

Two Months

Name of work:- Construction of Khakryana to Kapahra via Kufri Bhanedi road Km. 0/0 to 2/700. Sub Head:- Providing and laying soling (WBM G-I) in Km. 0/000 to 0/500. (Under OTMNP)

Sr.	Description of item	Qty.		Rate	Unit	Amount
No.			In Figure	In Words		
1	Providing, laying, spreading and compacting stone aggregates by mechanical means of 90mm to 45mm (Ninety millimetre to forty five millimetre) sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (eighty-one hundred kilo newton) static roller in stages to proper grade and camber applying and brooming stone screening/binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading-1 (one) as per Technical Specification clause 405 complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	162.75 Cum.		1,000,000,000,000,000	Per cubic metre	356423.00
		1907		Total:-		356423.00

Exait schedule of quantity approved for Rs 3564 (Rupees three lac fifty six thousand four hum twenty three) only.

Executive Engineer, H.P.P.W.D. Division,

Nerchowk &





Estimated Cost:-

185656.00

Earnest Money:-Rs. Time:-

3700.00

One Month

N.: e of work:- Restoration of rain damages on Sundernagar Palahi Beena road in Km. 5/500 to 8/200. Sr b Head:- Construction of Breast wall at R.D. 7/570 to 7/585.

Sr.	Description of Item	Qty		Rate	Unit	Amount
No.			In Figure	In words		
1	Excavation in soil in hilly area by mechanical means for all kinds of soil including cutting and trimming of side slopes and disposing of excavated earth with in all leads and lifts as per technical specification clause 1603.1 including carriage of material and other incidental charges complete in all respect as per direction of Engineer-in-Charge	24.15 Cum.	172.00	Rupees one hundred seventy two and paise nil only	Per cubic metre	4154.0
2	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge	28.05 Cum.	287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	8050.00
3	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:6:12 (one cement : six sand : twelve graded crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	4.73 Cum,	2740.00	Rupees two thousand seven hundred forty and paise nil only	THE RESERVE THE PARTY OF THE PA	12960.00
4	Stone masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one cement : six sand) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	32.30 Cum.			Per cubic metre	107656.00
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	25.16 Cum.		Rupees two thousand one hundred and paise nil only	Per cubic metre	52836 00
				antity abbreved	Total	185656.00

Brast schedule of quantity approved for Rs. 185656 CRupees one lac eighty the thousand six hundred six) only.

> Executive tinglineer, H.P.P.W.D. Division, Nerchowk



# DNIT S.No!-41 Foothey eas 2023/24.

(41)

	DRAFT SCHEDULE OF QUANTIT	ľΥ				
	ne of work:- Construction of GP Halyatar to Timla Mukam Galoo road km. 0/00 to 8/00 Construction of Breast wall at RD. 5/180 to 5/190) Under (OTMNP)			Estimated Cost:- Earnest Money :-		00
911	- Constitution of Dieast wall at ND. 5100 to 517507 CVAN (C			Time :-Two Mon		
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		
1	Excavation in soil in hilly area by mechnicial means including cutting and trimming of side slopes and disposing of excavated earth up to any lead and lift as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-Charge.		172.00	Rupees One hundred seventy two and paise zero only.	Per Cubic Metre	2804.00
2	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all teads and lifts and other incidentals and as per the direction of the Engineer-in Charge	14.70	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	4219.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6.12 (one cement six sand : twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	3.15	2740.00	Rupees Two thousand seven hundred forty and paise zero only.	Per Cubic Metre	8631,00
4	2nd (second sort) Coursed Rubble Stone masonary in cement mortar in substructure complete as per drawing & technical specification clause 702,704,1202 and 1203 in cement mortar 1:6 (one cement : six sand) with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	23.41	3900 00	Rupees Three thousand nine hundred and paise zero only	Per Cubic Metre	91299.00
5	Construction of dry rubble stone masonry for retaining and Breast wallsas per drawing & technical specification Clause 704.6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14.90	2100.00	Rupees Two thousand one hundred and paise zero only.	Per Cubic Metre	31290.00
			Same And		Total	138243.00

Erroft schedule of quantity approved for Rs 138243.00 (Rupees one lacthirty eight thousand two hundred forty three) only.

Executive Engineer, HPP VD Division, HPP VD Nerchowk



# DN175.No 42 for the years 2023/29.

N	DRAFT SCHEDULE OF C	UANTI	TY			
	ne of work:- RRD on Ratti Kalkhar road km. 10/00 to 13/300. (SH:- Construction of Reta 30 to 10/345)	aining wa	ll at RD.	Estimated Cost: Earnest Money : Time :- Two Mon	5300.00	0
S.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
	4.00		In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	18.82	287.00	Rupees Two hundred eighty seven and paise zero only	Per Cubic Metre	5401.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	69.35	3650 00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	253128.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	21.00	287.00	Rupoes Two hundred eighty seven and paise zero only.	Each	6027.00
					Total	264556.00
		Draft: Ruper: Hyty s	schoolede a s two lac is) only.	y quantity approve sixty four thouse	Executive	Engineer.



dis Hume Pipe Culvert with wing wall at RD. 0/700) Under OTMNP  Description of item  Quantity with wing and bracing removal of stumps and other deleterious material and disposal up to any lead assing of sides and bottom and back filling in trenches with excavated initiable material including carriage of material thin all leads and other incidentals and as per the direction of the Engineer-in Charge  oviding and laying part/reinforced carrier concrete in substructure as per drawing and technical specification thus 802,803,1202 and 1703 P.C.C. normal mix 1.3:6(One cament three same six graded stone aggregate 40mm rity millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.  3 8i original 40mm (forty millimetre) nominal size) including carriage of material with in all leads and infis and other incidentals and as per the direction of the Engineer-in Charge.  3 8i original 40mm (forty millimetre) nominal size) including carriage of material with in all leads and infis and other incidentals and as per the direction of the Engineer-in Charge.  5 3 8i original 40mm (forty millimetre) nominal size) including carriage of material with in all leads and infis and other incidentals and as per the direction of the Engineer-in Charge.  5 3 8i original 40mm (forty millimetre) nominal size) including carriage of material with in all leads and infis and other incidentals and as per the direction of the Engineer-in Charge.  5 3 8i original 40mm (forty millimetre) nominal size) including carriage of material and other incidentals as per drawing and technical specification clauses 2,704,1202 & 1204 Coursed rubble masonary second sort in cement mortar 1.6 (one cement is six sand) complete him all leads, lifts carriage of material and other incidentals as per drawing & technical specification clause 2,704,1202 and 1203 Random rubble masonary in cemen	Reserved Programme Program	-0	Estimated Cost- Earnest Money: Time: Two Months  I taxes including GST in  In word  Rupres Two hundred eighty seven and paise zero only  Rupees Four thousand three hundred eighty and paise zero only  Rupres Two thousand seven hundred forty and paise zero only  Rupres Three thousand nine hundred and paise zero only		Amount 7453 00 8497.00 10576 00
positive work in excavation for structure as per dry and technical specification clause 305.1 including setting out instruction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead essing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material thin all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  19. Oviding and laying pain/reinforced common concrete in substructure as per drawing and technical specification was \$02,803,1202 and 1703 P.C.C. normal mix 1.3:6(One cement, three sums graded stone aggregate 40mm rity millimetre) nominal size) including carriage of material with in all leads and lifts and as per the entire satisfaction of direction of Engineer-in-Charge.  19. Output of Engineer-in-Charge of material with in all leads and lifts and other control of British and as per the direction of the Engineer-in Charge.  20. Output of Engineer-in Charge of material and other clichnical specification clauses are masonry in cement mortar for substructure complete as per drawing and technical specification clauses and provided the engineer-in charge.  21. Output of Engineer-in Charge of material and other incidentials as per drawing and technical specification clauses are per drawing and technical specification clause are per drawing and technical specification cl	94	Rs. P In figure 287.00 4380 00 2740 00	In word  Rupees Two hundred eighty seven and paise zero only  Rupees Four thousand three hundred eighty and paise zero only  Rupees Two thousand seven hundred forty and paise zero only  Rupees Three thousand nine	Per Cubic Metre  Per Cubic Metre  Per Cubic Metre	7453 00 5497.00 10576 00
Instruction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead easing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material th in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  19. Susse 802.803.1202 and 1703 P.C.C. normal mix 1.3:6 (One cement, three samples of graded stone aggregate 40mm rty millimetre) normal size) including carriage of material with in all leads and lifts and as per the entire satisfaction direction of Engineer-in Charge.  3 80 carriage 802.803.1202 and 1703 in coment concrete in pen foundation complete as per drawing and technical specification of the Engineer-in Charge.  3 80 carriage 802.803.1202 and 1703 in coment concrete in \$1.12\$ (one cement is x sand.) Twelve graded stone gregate 40mm (forty millimetre) normal size) including carriage of material with in all leads and lifts and other cidentals and as per the direction of the Engineer-in Charge.  5 3 80 carriage of material and other incidentials as per entire satisfaction and direction of Engineer-incidentials as per entire satisfaction and direction of Engineer-incidentials as per entire satisfaction and direction of Engineer-incidentials and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is si	94	In figure 287.00 4380 00 2740 00	Rupees Two hundred eighty seven and paise zero only  Rupees Four thousand three hundred eighty and paise zero only  Rupees Two thousand seven hundred forty and paise zero only  Rupees Three thousand nine	Per Cubic Metre  Per Cubic Metre	8497.00 10576 00
Instruction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead easing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material th in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  19. Susse 802.803.1202 and 1703 P.C.C. normal mix 1.3:6 (One cement, three samples of graded stone aggregate 40mm rty millimetre) normal size) including carriage of material with in all leads and lifts and as per the entire satisfaction direction of Engineer-in Charge.  3 80 carriage 802.803.1202 and 1703 in coment concrete in pen foundation complete as per drawing and technical specification of the Engineer-in Charge.  3 80 carriage 802.803.1202 and 1703 in coment concrete in \$1.12\$ (one cement is x sand.) Twelve graded stone gregate 40mm (forty millimetre) normal size) including carriage of material with in all leads and lifts and other cidentals and as per the direction of the Engineer-in Charge.  5 3 80 carriage of material and other incidentials as per entire satisfaction and direction of Engineer-incidentials as per entire satisfaction and direction of Engineer-incidentials as per entire satisfaction and direction of Engineer-incidentials and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is six sand) with in all leads and 11.6 (one cement is si	94	4380 00 2740 00	Rupees Four thousand three hundred eighty and paise zero only  Rupees Two thousand seven hundred forty and paise zero only  Rupees Three thousand nine	Per Cubic Metre  Per Cubic Metre	\$497.00 10576.00
ause 802,803,1202 and 1703 P.C.C nominal mix 1.3:5 (One cement, three sunds of graded stone aggregate 40mm rty millimetre) nominal size) including carriage of material with in all leads and lifts and as per the artire satisfaction direction of Engineer in Charge.  3.80 and laying concrete for planning inforced concrete in open foundation complete as per drawing and technical specification. Clause 807, 203, 1202 and 1203 in coment concrete 1,6:12 (one cement, six sand. Twelve graded stone gregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other cidentials and as per the direction of the Engineer-in Charge.  2.704,1202 & 1204 Coursed rubble masonity second sort in cement mortar 1.6 (one cement is six sand) complete thin all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-inlarge.  3.80 and 1203 Random rubble masonary in cement mortar 1.6 (one cement is six sand) and 14.6	8C :	2740 00	nundred eighty and paise zero only  Rupcus Two thousand seven hundred forty and paise zero only  Rupces Three thousand nine	Per Cubic Metre	10576 00
gregate 40mm (forty millimetral) norminal size) including carriage of malerial with in all leads and lifts and other cidentials and as per the direction of the Engineer-in Charge.  The masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 2,704,1202 & 1204 Coursed rubble masonry second sort in cement mortar 1:6 (one cement : six sand) complete hin all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-invarge.  The masonary in cement mortar in substructure complete as per drawing & technical specification clause 2,704,1202 and 1203. Random rubble masonary in cement mortar 1:6 (one cement : six sand) with in all leads and		50207.00	hundred forty and paise zero only  Rupees Three thousand nine	Metre Per Cubic	
2,704,1202 & 1204 Coursed rubble masonry second sort in dement mortar 1:6 (one dement is six sand) complete hin all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-inlarge  one masonary in dement mortar in substructure complete as per drawing & technical specification clause  14.6  2,704,1202 and 1203. Random rubble masonary in dement mortar 1:6 (one dement is a sand) with in all leads and	35	3900.00			20865 00
2,704,1202 and 1203. Random rubble masonary in coment mortar 1:6 (one cement lists sand) with in all leads and					
	68	3333 00	Rupecs Three thousand three hundred thirty three and paise zero only	Per Cubic Metre	48928 00
7.0 oviding and laying 500 mm (M.c. nundred millimetre) diametre reinforced cement concrete p.po NP2 for culvert on sticless bedding of granular material in single row including fixing collar with cement mortar 1.2 but a value protection work back filling, concrete and masonary work in head wells and paraplets clause 1108 during carriage of materials and as per the entire satisfaction and direction of Engineer-in-Charge.	00	3550.00	Rupees Three thousand five hundred fifty and pasie zero only	Per Runnung metre	24850 00
The fruction of dry rubble alone masonry as per drawing & technical specification Clause 704 6 and 1302 5 including 7.9 mage of material within all leads and lifts and other incidentals and as per tine direction of the Engineer-in Charge	94	2100 00	Rupces Two thousand one hundred and paise zero only	Per Cubic Metre	16674.00
ck filling behind abulment wing wall and retainling wall complete as per drawing & technical specification clause  9.0  4.3.8 and including corninge of material with in all leads and lifts and other incidentals and as per the direction of Engineer-in Charge		1050 00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	9450,00
Chan Chan	0	-lula	of quantity approve es one lac folly sev nety three) only.	Total	147293.00

Executive Engil eer. DPPWD Division, Marchowk

# DMTS.No 44 Fox the years 2023/24,

			٠,		
1	:0	3			
1 -	J.	и	r.		
14	Λ.				
١	d				

	e of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti K 3/300. (SH:- Removal of formation deficiencies at RD. 11/570 to 12/700). Deposit work).	Kalkhar roa	d Km. 10/00	Estimated Cost:- Earnest Money :-			
	1000. (OTA- REMOVED OF TOTAL CONTROLLED BETTE BETTE TO TELEVISION, DEPOSIT WORK,			Time :- One Mont			
S.N O	Description of item	Quantity	Quantity Rate with all taxes including GST in Rs. P.		Unit	Amount	
			In figure	In word			
	Excavation in soil in hilly area all heights and depths, in all kind of soil including saturated soil comprising of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of rock (where blasting is prohibited) and their intermediate classification of soil including, dewatering wherever required setting out to the required line grades, side slopes trimming bottom and level as shown on the drawings as directed by Engineer-in-Charge at site according to technical specifications clause 1603.1 & 1603.2 sorting out useful unuseful materials and stacking the same in all leads and lift and transportation of useful materials for filling in road ways, embankments for grades improvements and levelling to the required grade and then disposing of surplus excavated earth in acquired width of roads or on approved dumping sites through all modes of transportation including head load, animal load or mechanical means) along with its levelling fine dressing and all labour, machineries, materials, tools equipments and safety measures and incidentals necessary to complete the work by all means (if required). Recovery of useful stone of 124.50 cum. @ 300/- per cubic metre amounting to Rs.37,349/- only shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all respect including all leads and lift of materials or as per direction of Engineer in-Charge.	1915.16	219 32	Rs. Two hundred nineteen and paise thirty two only.	Per pubic Metre	420033.00	
					Total	420033.0	
		Draft Sc (Rupees	jour lac	f quantity approved twenty thousand	Executive	Emineer,	



### DRAFT SCHEDULE OF QUANTITY

Name of work: - A/R & M/O on various roads under Rewalsar Sub Division H.P.PWD Rewalsar. (Leda section) (SH:- Hiring of Tipper for carriage of muck & Patch work material)

Estimated Cost Rs. 148960/-Earnest Money Rs. 3000/-Time: - Two Months

		Qty.	Rate In		Unit	
Sr. No.	Description of Items		Figure	Words		Amount
1.	Hiring of Tipper 5.5 cum capacity having lift system for carriage of material to different sites of work with in all leads and lifts and to the entire satisfaction of the Engineer-incharge. The tipper should work minimum 6 hours from 9.00 A.M. to 5.00 P.M. daily. Any loss to public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the owner which shall have to be fully compensated by him in all cases. The fuel of the tipper, driver and repair work shall have to be borne by the tipper owner. The daily log book shall be maintained at site which should be duly verified by the Engineer-in charge.	Days	2660.00	Rupees two thousand Six hundred sixty only	Per Days	148960.00
					Total -	148960.00

(Rupees one lac forty eight-thousand nine -

Rewalsar Sub Division
H PPW D Rewalsar

Executive Engineer. Nerchowk Division, HPPWD Nerchowk DN17-92

	DRAFT SCHEDULE OF QUANTITY			Estin	nated Cost	Rs. 198600.00
N.O.W.	A/R & M/O Various Roads under Chakkar Sub-division, HPPWD Chakkar.			Earnest Money Time Limit		Rs. 4000
	stacking at site of work crushed stone aggregate 13.2 mm to 5.6 mm and s section)	sand for G	agal			One Month
		Page 1			Rate	Amount
S.No	Description Of Items	Qty	Unit	In figures	In words	
1	Supplying and stacking at site graded / broken crushed stone aggregate 13.2 mm (Thirteen decimal two millimetres) to 5.6 mm (five decimal two millimetres) nominal size free from disintegrated , deletereous pieces and organic matter, supply is to be made from approved stone crusher including carriage of materials within all leads and lifts and proper stacking in all respects as per the entire satisfaction and direction of engineer in charge.	84.00	per cum	1850	Rupees one thousand eight hundred and fifty only	155400
2	Supplying and stacking clean course sand from approved quarry free from dust, dirt and other organic matter including carriage of materials within all leads and lifts and proper stacking in all respects as per the entire satisfaction and direction of engineer in charge.	24.00	per cum		Rupees one thousand eight hundred only	43200
		-		Total		198600

Doalst Schedule ab quentry approve for

Assistant Engineer, B&R Subdivision, HPPWD Chakkar

Executive Engineer,

Division Nerchowk, HPPWD.



DNITS.Not (162) for the years 2023-24.

weeds from the shoulders/ berms and disposing of the same to suitable locations as per technical specification Clause 1914 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Maintenance of Earthen shoulder (stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	nes	ssing of berms & maintenane of earthen shoulder at various RD.)			Earnest Money :-		
Cutting of branches of trees shrubs and trimming of grass and weeds Trimming of grass and weeds from the shoulders/ berms and disposing of the same to suitable locations as per technical specification Clause 1914 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  In figure  In word  24321.00  3.50  Rupees Three and paise fifty only.  Square Metre  85124.00  Square fifty only.  Rupees Fourteen and paise fourteen and paise for the shoulder paise zero only and lifts and other incidentals and as per the direction of the Engineer-in Charge.	C NI					***	
Cutting of branches of trees shrubs and trimming of grass and weeds from the shoulders/ berms and disposing of the same to suitable locations as per technical specification Clause 1914 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.  2 Maintenance of Earthen shoulder (stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge  24321.00  3.50  Rupees Three and paise fifty only.  Square Metre  85124.00  7850.00  14.00  Rupees Fourteen and paise paise zero only  Square Metre		Description of item	Quantity	In figure		Unit	Amount
surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads and other incidentals and as per the direction of the Engineer-in Charge	1	weeds from the shoulders/ berms and disposing of the same to suitable locations as per technical specification Clause 1914 including carriage of material with in all leads and lifts and other	24321.00		THE RESERVE OF THE PARTY OF THE	Square	85124.00
Doaff schedule of quantity approva to 8 21,95,0	2	surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads	7850.00	14.00		Square	109900.00
		Doaff scheelul	le of g	quant	ity approva	Total	195024,00 71,95,0



DNITS.NO 1 (161) for the year 2018-24.

	DRAFT SCHEDULE OF QUANT					
	ne of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti Me	ramasit Leda road		Estimated Cost:- Earnest Money :-		00
m.	0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 2/760 to 2/775) Deposit work			Time :-Two Mon		
S.N	Description of item	Quantity		Rate	Unit	Amount
0		a, a.a., a.a.,	In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.00	287.00	Rupees Two hundred eighty seven and paise zero only	Per Cubic Metre	6027.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:4:8 (one cement: four sand leight graded stone aggregate 25mm (twenty five millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	43.80	4018.00	Rupers Four thousand eighteen and paise zero only	Per Cubic Metre	175988 00
3	Back filling with granular material behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	11 70	1050.00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	12285.00
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287,00	Rupees Two hundred eighty seven and paise zero only.	Each	8610.00
_	l. —				Total	202940.00

Draft schoolule of quantity approved for 2 2,02,910/.

Executive Engineer, HIPPWD Division, HIPPWD Nerchowk





### DRAFT SCHEDULE OF QUANTITY

Name of work: - A/R & M/O on various roads under Rewalsar Sub Division H.P.PWD Rewalsar. (Sardhwar section) (SH:- Hiring of Tipper for carriage of muck & Patch work material)

Estimated Cost Rs. 148960/-Earnest Money Rs. 3000/-Time: - Two Months

		Qty.		Rate In	Unit	
Sr. No.	Description of Items		Figure	Words		Amount
1.	Hiring of Tipper 5.5 cum capacity having lift system for carriage of material to different sites of work with in all leads and lifts and to the entire satisfaction of the Engineer-incharge. The tipper should work minimum 6 hours from 9.00 A.M. to 5.00 P.M. daily. Any loss to public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the owner which shall have to be fully compensated by him in all cases. The fuel of the tipper, driver and repair work shall have to be borne by the tipper owner. The daily log book shall be maintained at site which should be duly verified by the Engineer-in charge.	Days	2660.00	Rupees two thousand Six hundred sixty only	Per Days	148960.00
					Total -	148960.00

Ofaft schedule of allawhity appleads for RS 1489601 -(Rupees one we forty fight THO GRAND NINE AMORED SIXTY) ONLY.

Assistant Engineer
Rewalsar Sub Division
H PPW D Rewalsar

Executive Engineer, Nerchowk Division, HPPWD Nerchowk



DN17 3. No : (167) for the years 2023-24.

	DRAFT SCHEDULE OF QU	JANTITY			100000000000000000000000000000000000000	1
Name of work:- Restoration of road damages caused due to laying of optical fibre cable on various road under Ratti section. (SH:- Providing and laying WBM G-I, G-II & Tarring, C/O V-shape drain in various reaches) (Deposit work) Job No.1				Estimated Cost:- 415590.00 Earnest Money :- 8400.00 Time :-Two Months		
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		
1	Providing, laying, spreading and compacting stone aggregate of sizes 90-45mm (Ninety to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-I by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	114,78	2190.00	Rupees Two thousand one hundred ninety and paise zero only.	i <sup>3</sup> er Cubic Metre	251368.00
2	Providing, laying, spreading and compacting stone aggregate of sizes 63-45mm (Sixty three to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-II by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction or Engineer in-Charge.	10.94	2240.00	Rupees Two thousand two hundred forty and paise zero only.	Per Cubic Metre	24506,00
3	Providing and applying a primer coat with bitumen emulsion (SS-I) on prepared surface of granular base cleaned of dust and extraneous material with hydraulic broom or any other approved equipment and spraying primer at the rate of 0.70-1.00 Kg./Sqm. (zero point seven zero to one point zero zero kilogram per square metre) using mechanical means as per technical specification clause 502 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		62.00	Rupees Sixty two and paise zero only	Per Square Metre	8705.0
4	Providing and applying tack coat with bituinen emulsion (RS-1) on prepared dry and hungry bitumen surface cleaned of dust and extraneous material with Hydraulic brooms or any other approved equipment and spraying priming at the rate of 0.25 to 0.30 kg. (zero point two five to zero point three zero kilogram) per square metre with emulsion pressure distributor equipped for spraying uniformly complete as per technical specification cluase 503 with in all leads lifts and other incidentials, complete and as per the entire satisfaction and direction of Engineer-in-Charge	140.40	17.00	Rupees Seventeen and paise zero only.	Per Square Metre	2387.00



5	I toviding, laying and rolling by mechanical means with bitumen (VG-10/S-90) of open graded premix carpet of 20mm (twenty millimetre) thickness composed of 13.2mm to 5.6mm (thirteen point two millimetre to five point six millimetre) aggregates either using penetration grade bitumen to required line, grade and level to surve as wearing course on a previously prepared base, including mixing in suitable plant, laying and rolling with a three wheel 80-100 kN (eighty-hundred kilo newton) static roller capacity, finished to required level and grades to be followed by seal coat of Type-B as per Technical Sepcification Clause 508 including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	140.40	216.00	Rupees Two hundred sixteen and paise zero only.	Per Square Metre	30326.00
6	Providing and laying seal coat Type-B by mechanical means sealing the voids in a bituminous surface laid to the sepcified levels, grade and crossfail using Bitumen (VG-10/S-90) as per Technical Specification Clause 510 including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	140.40	76.20	Rupees Seventy six and paise twenty only.	Per Square Metre	10698.00
7	Providing and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6(One cement three sand.six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	20.00	4380.00	Rupees Four thousand three hundred eighty and palse zero only	Per Cubic Metre	87600 00
					Total	415590.00

Executive Engineer, HPPWD Division Nerviews



DMY SNO 147 for the year 2023-24.

	ining wall at RD. 5/750 to 5/800)		on of PCC	Estimated Cost:- Earnest Money :-		
1 6.5		Time :-Two Mon	ths			
N.S	Description of item Quantity		Rate	Unit	Amount	
0		- a-carre	In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49 50	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	14207,00
0	Providing and laying concrete for plain/retriforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement, five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	118 00	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	430700.00
3 1	Back filling with granular material behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204 3.8 and including carnage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	31.00	1050.00	Rupees One thousand fifty and paise zero only	Per Cubic Metre	32550 00
r f	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia,(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V.20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including certiage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only	Each	20090 00

Executive Engineer.
MPPWD Division.
HPPWD Nercholds



DNIT 3.NOT (160) for they our 2023-24

	ne of work:- A/R & M/O Sidhyani Balt via Dahanoo road km. 0/00 to 9/700. (SH:- Dressing of be n etc. Portion km. 0/00 to 9/700) Ratti Section	rms and cle	eaning of	Estimated Cost: Earnest Money :		-
(4)	rece. To shop with brown to arrow many desiren			Time :- One Mon		
S.N	Description of item	Quantity		Rate	Unit	Amount
0		1	In figure	In word		
1	Cutting of branches of trees shrubs and trimming of grass and weeds Trimming of grass and weeds from the shoulders/ berms and disposing of the same to suitable locations as per technical specification Clause 1914 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14025.00	3.50	Rupees Three and paise fifty only.	Per Square Metre	49088 00
2	Maintenance of Earthen shoulder (stripping of excess soil) Stripping excess soil from the shoulder surface to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	6800.00	14.00	Rupees Fourteen and paise zero only.	Per Square Metre	95200.00
	The maintenance of drains include orosion, repair, clearing, cleaning, reshaping, regrading, deepening of side drains as well as catch water drains as per technical specification Clause 1907 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge,	4200.00	3.35	Ruptes Three and paise thirty five only.	Per Running Metre	14070.00
	Don't Schoolule	end.	quan.	they approve	Total	158358.0

Executive Engineer, HPPWD Division, HPPWD Nerchows





ame of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Gagal section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs. 220500/-Earnest Money Rs. 4440/-Time: - One Month.

		Qty.	T	Rate In	Unit	Amount	
Sr. No.	Description of Items		Figure	Words			
1.	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	hours	1050.00	Rupees one Thousand fifty only	Per hours	220500.00	
		A		11	Total:-	220500.00	

suff schoolule of quantity approved for 22.20,500)

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk. Executive Engineer, Nerchowk Division, HPPWD Nerchowk



Name of work: - A/R & M/O on various roads under Rewalsar Sub Division H.P.PWD Rewalsar. (Rewalsar section) (SH:- Hiring of Tipper for carriage of muck & Patch work material)


Estimated Cost Rs. 148960/-Earnest Money Rs. 3000/-Time: - Two Months

		Qty.	Rate In		Unit	
Sr. No-	Description of Items		Figure	Words		Amount
đ.	Hiring of Tipper 5.5 cum capacity having lift system for carriage of material to different sites of work with in all leads and lifts and to the entire satisfaction of the Engineer-incharge. The tipper should work minimum 6 hours from 9.00 A.M. to 5.00 P.M. daily. Any loss to public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the owner which shall have to be fully compensated by him in all cases. The fuel of the tipper, driver and repair work shall have to be borne by the tipper owner. The daily log book shall be maintained at site which should be duly verified by the Engineer-in charge.		2660.00	Rupees two thousand Six hundred sixty only	Per Days	148960,00
				and the same of the	Total -	148960.00
			Rs. 148	t Schoolule of 960/- CRupe Rundred ST	quant es one l orty) on	de justy en

Assistant Engineer Rewalsar Sub Division H PPW D Rewalsas

Executive Engineer, Nerchowk Division, HPPWD Nerchowk.





Name of Work: - A/R & M/O various road under Chakkar Sub Division HPPWD Nerchowk

(SH: Preparation of DPR of Ner-Chowk pandoh i/c Pandoh by pass section of NH-21

(KM 184/600 to 190/00 and 191/190 to 198/145) under NHDP on hybrid mode in the state of HP)

(Total Length 12.355 KM)

Estimated Cost: - 247100/-Earnest Money: - 5000/-

Time: - one month

Sr.	Description of items	Qty.	R	late	Unit	Amount
No.			Figure	Words		
1	2	3	4	5	6	7
1.	Job work for preparing of detailed project report duly supported with analysis of rate for scheduled items and on market rate for non-scheduled items. The job work shall include supplying and approval of estimates in quadruplicate along with soft copy in the shape of CS as per direction of superintending Engineer / Executive Engineer Ner-Chowk division, HPPWD Ner Chowk	1 No. Job	247100.00	Rupees Two Lacs Forty Seven Thousand One Hundred only	Per Job	247100.00
-	Don't och afrile	ofA	Lantil	e allo	Total:-	247100.00

Executive Engineer,
Ner-Chowk Division,

H.P.P.W.D. Nerchox

DNIT S.NO. (51) For the year 2023-24

	DRAFT SCHEDULE OF QUANTIT	TY				1	
lam	e of work:- Construction of Samloun Panyali Patha via Chalehar Safru road Km. 0/00 to 9/945.			Estimated Cost:-		00	
H:	<ul> <li>Construction of Retianing wall in stone masonry at RD. 0/580 to 0/592) Under OTMNP</li> </ul>			Earnest Money :- 5300.00			
				Time :-Two Mos	onths		
o N	Description of item	Quantity	Rate with Rs. P.	all taxes including GST in	Unit	Amount	
			In figure	In word			
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	44 64	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12812.00	
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6:12 (one cement six sand : twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	8.64	2740.00	Rupees Two thousand seven hundred forty and paise zero only.	Per Cubic Metre	23674.00	
3	Stone masonary in cement mortar in substructure complete as per drawing & technical specification clause 702,704,1202 and 1203. Random rubble masonary in cement mortar 1.5 (one cament six sand) with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	34.25	3333 00	Rupoes Three thousand three hundred thirty three and paise office	Per Cubic Metre	114155,00	
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:4:8 (one cement: four sand : eight graded stone aggregate 25mm (twenty five millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	5.28	4018.00	Rupees Four thousand eighteen and paise zero only	Per Cubic Metre	21215.00	
5	Construction of dry rubble stone masonry for retaining and Breast wallsas per drawing & technical specification Clause 704.6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	37 89	2100.00	Rupees Two thousand one hundred and paise zero only.	Per Cubic Metre	79569.00	
6	Back filling with granular material behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in ail leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	12.60	1050.00	Rupees One thousand lifty and paise zero only	Per Cubic Metre	13230.00	
_					Total for Rs	264655.00	

Executive Engineer, HPPWD Division, HPPWD Nerchowk





Estimated Cost: - 45000/-

Earnest Money: - 900/-

Time: - one month

Name of Work: - A/R & M/O various road under Chakkar Sub Division HPPWD Nerchowk

1. Preparation of contour site plan for Executive Engineer Office Building Nerchowk

2. Preparation of contour site plan for Sub-Centre Building Lohara.

Sr.	Description of items	Qty.	Rate		Unit	Amount	
			Figure	Words			
1	2	3	4	5	6	7	
1.	Job work for preparing of countour site plan of whole project as per site for the construction of two nos. buildings at various locations. The job work shall also include supplying of drawings duly supported with all documents. The job work shall include supplying and approval of site plan in quadruplicate along with soft copy in the shape of CD as per direction of superintending Engineer / Executive Engineer Ner-Chowk division, HPPWD Ner Chowk	1 No. Job	45000.00	Rupees Forty-five thousand only	Per Job	45000.00	
	Douff schedul	. 0	1.1	11	Total:-	45000.00	

Executive Enginee HP.PWD Division Nerchowk-17500

[Type text]

(38)

DNIT S.NO (151) forte yaro 2023-24.

	ne of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti Ra to 9/00. (SH:- Repair of Troh side abutment existing RCC Slab Culvert at RD. 0/365) Deposit wo		ad km.	Estimated Cost:- Earnest Money :-		
		Time :-Two Mon	ths			
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	7.50	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	2153.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6:12 (one cement: six sand : twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	0.90	2740.00	Rupees Two thousand seven hundred forty and paise zero only.	Per Cubic Metre	2466.00
3	Providing and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	12.36	4380 00	Rupees Four thousand three hundred eighty and paise zero only	Per Cubic Metre	54137 00
4	Stone soting properly hand-packed filling interstices with Kharanja stone under floor including carriage of material with in all leads, lifts and other incidentals and as per the direction of the Engineer-in Charge.	3.42	1480.00	Rupees One thousand four hundred eighty and paice zero only.	Per Cubic Metre	5062.00
5	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1 4.8 (one cement: four sand : eight graded stone aggregate 20mm (twenty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	4.56	4018.00	Rupees Four thousand eighteen and paise zero only	Per Cubic Metre	18322.00
					Total	82140.00

Dout 3 schedule of quartity afformed for 2 82,140/-

Executive Engineer, HPPWD Division, HPPWD Nerchouk DHIT S.NO. (59) for the year 2023-24

**Draft Schedule of Quantity** 

Estimated Cost: -

Rs. 476890.00

Earnest Money:-

Rs. 9500.00

Time:-

Two Months

Name of work:- Construction of link road from Reiur to Jalpa Mata Mandir Hawani Galu.

Sub Head:- Construction of P.C.C.Retaining wall at R.D. 0/150 to 0/170

Sr.	Description of Item	Qty		Rate	Unit	Amou
No.			In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	63 80 Cum.	ma Ata	Rupees two hundred eighty seven and paise nil only	Per cubic metre	183
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	117.52 Cum	3650.00	Rupees three thousand six hundred fifty and paise nil only	ALCOHOLD CO.	42894
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment . wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals as per direction of Engineer-in-Charge.	33.00 Nos.	287.00	Rupees two hundred eighty seven and paise nil only	Each	947
4	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	19,20 Cum		Rupees one thousand fifty and paise nil only	Per cubic metre	2016
					Total	47689

Exaft schooling of quantity approved for Rs. 4. Chapees four lac seventy sin thousand eight .

Executive Engineer, H.P.P.W.D. Division, Nerchowk



val	me of work:- RRD on Majhyali Ghour Sardhwar Batahan road km. 0/00 to 13/0	0. (SH:- R	epair of	Estimated Cost:-	141207.0	0	
4.0	0 mtr. span RCC Culvert at RD. 1/480)			Earnest Money :-	3000.00		
				Time : Two Months			
S. No	Description of item		Rate with	all taxes including GST in	Unit	Amount	
		L	In figure	In word			
1	Providing and laying plain/reinforced cement concrete in open foundation as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate 40mm (forty millimetre) nominal size) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	17.76	4380.00	Rupees Four thousand three hundred eighty and paise zero only.	Per Cubic Metre	77789.00	
2	Providing and laying flooring laid over cement concrete bedding complete as per drawing and technical specification Clause 1303 Rubble stone laid in cement mortar 1:3. (one cement : three sand) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	5.70	5142.20	Rupees Five thousand one hundred forty two and paise twenty only.	Per Cubic Metre	29311.00	
3	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600 mm (Six hundred millimetre) with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification Clause 1204.3.8 including carriage of material within all leads, lifts/depths or as per the entire satisfaction and direction of Engineer-in-Charge.	26.88	1268.85	Rupees One thousand two hundred sixty eight and paise eighty five only.	Per Cubic Metre	34107.00	
-			_		Total	141207.00	

Executive Engineer, HPPWD Division. Nerchowk.



DNIT SNO. (54) for the year 2023-24

	DRAFT SCHEDULE OF QUAN	YTITE					
	ne of work: Construction of Manjhyali Samloun Patha via Chalet or salru road Km. 0/00 to 9/945. (SH:- Constructi Pipe Culvert at RD, 6/750 & both side wing walls) Under OTMNP	on of 9001	nm dia RCC	RCC Estimated Cost:- 236025.00 Earnest Money :- 4800.00 Time : Two Months			
SN	Description of item	Quantity	Rate with a	If taxes including GST in	Unit	Amount	
			In figure	In word	longs.		
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	57 69	287.00	Rupees Two hundred eighty seven and paise only	Per Cubic Metre	16557 00	
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per utawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.4.8 (one cement four same eight graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer in Charge.	474	4018 00	Rupees Four thousand eighteen and paise zero only	Per Cubic Matre	19045 00	
3	Providing and laying concrete for plaintenforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.6.12 (one cement six sand. Theire graded stone appropriate 40mm nominal size) including carriage of material with in all leads and lifts and other locidentals and as per the direction of the Engineer-in Charge.	7 90	2740 00	Rupees Two thousand seven hundred form and paise zero only	Per Cubic Metre	21645.00	
4	Stone masonry in cement mortal for sub-structure complete as per drawing and technical specification clauses 702,704,1202 & 1204 random rubble masonry second sort in cement mortar 1.6 (one cament, six sand) complete within all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-in-Charge.	32 38	3333 00	Rupees Three trousand three hundred thirty three and paise zero only	Per Cubic Metre	107923 00	
5	Providing and laying 900 mm (Nine hundred millimate) diametre reinforced cament concrete pipe NP2 for culvert on first class bedding of granular material in single for wincluding fixing collar with gament mortar 1.2 but excavation, potentian work, back filling, concrete and masonary work in head walls and paraplets clause 1108 including carriege of materials and as per the entire satisfaction and direction of Engineer in Charge.	7.00	3550 00	Rupnes Three thousand five hundred fifty and pasie zero only	Por Runnung metre	24850 00	
6	Construction of dry rubble stone masonry as per drawing & technical specification Clause 704.6 and 1302.5 including carriage of material with in all leads and life and other indicentals and as per the direction of the Engineer-in Charge.	15.16	2100.00	Rupees Two thousand one hundred and paise zero only	Per Cubic Metre	31836 00	
7	Back falling wan granular material behind a unusual wing wall and retaining wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all feads and lifts and other incidentals and as per the direction of the Engineer-in Change.	9 60	1050 00	Rupees One thousand lifty and paise zero only	Fer Cubic Metre	10080 00	
8	Providing and laying plain cement concerns 1.5.10 (one cement five sand ten graded stone aggregate 40mm (forty millimetre) nominal size) and curing complete including the cost of form work as per drawing and HP,PWD, technical specification and within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge	1 12	3650 00	Rupees Three thousand six hundred lifty and paise zero only	Per Cubic Motre	4088.00	
				of quantity approved	Total	236025.00	

Braft schodule of quantity approved for Rs 236025].
Chupees two lac thirty six thousand twenty five) only.

Executive Encil per HPPVVD Division Nerohowk



	DRAFT SCHEDULE OF QU						
	ne of work:- Construction of link road from village Sambal Kapadhi (Batahan) in G.P. Kothige					)	
	:- Construction of Retaining wall in wire crate at RD, 0/745 to 0/764 with Toe wall in PCC 1:5:10	0 at RD. 0/7	45 to 0/753).	Earnest Money :-			
	ter SCSP	-		Time :- Two Mont			
6. N	Description of item	Quantity	1- F	Rate	Unit	Amount	
0			In figure	In word	HE SEE	Succession	
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other	40.28	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	11560.00	
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	, 43.20	3650,00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	157680.00	
3	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (fen percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 (wire crates to be issued by the department) complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	177.84	1571.60	Rupees One thousand five hundred seventy one and paise sixty only.	Per Cubic Metre	279493.00	
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	37 62	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	39501.00	
_					Total	488234.00	
	David	aft scho	dule of	quantity approved	for Rs	458234	
Esaft schodule of quantity approved CRupees four loc eight chaven thirty four) only.							
	this	ty tour	r) only.	0 0 0			
			_				
					_	20	
					Executive	Engineer	
					HPPWD		
						Verchowk	



#### **Draft Schedule of Quantity**

Estimated Cost:- Rs. 464092.00 Earnest Money:- Rs. 9300.00

Time:-

Two Months

Name of work:- Restoration of rain damages on Dulagdhar Luhardi Banoun Kothi Balhidhar road Km. 0/000 to 4/000.

Sub Head:- Construction of Retaining wall at R.D. 0/150 to 0/170.

Sr.	Description of Item	Qty		Rate	Unit	Amou
No.			In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	65.60 Cum	287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	188
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:6:12 (one cement : six sand : twelve graded,crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	14.40 Cum	2740.00	Rupees two thousand seven hundred forty and paise nil only	Per cubic metre	394
3	Stone masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 702,704,1202 & 1204 Coursed rubble masonry 2nd (second) sort in cement mortar 1:6 (one cement : six sand) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	59.17 Cum	3900.00	Rupees three thousand nine hundred and paise nil only	CONTRACTOR OF THE PARTY OF THE	23076
4	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	8.80 Cum		Rupees three thousand six hundred fifty and paise nil only		321
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and	61.46 Cum		Rupees two thousand one hundred and paise nil only	Per cubic metre	1290
6	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	13.20 Cum	1050.00	Rupees one thousand fifty and paise nil only	Per cubic metre	138
				The same of the sa	Total	4640

listiff schooling of quantity approved for Rs. 464 four loc sindy four thousand rinnely two only

> Executive Engineer, H.P.P.W.D. Division, Nerchowk



#### **Draft Schedule of Quantity**

Estimated Cost:-Rs.

183076.00

Earnest Money:- Rs.

Time:-

3700.00

Two Months

Name of work:- Construction of Kalkhar Galu Sadehra Lower Dibbri and Sidhyani Patha Dhiundhar Rewalsar Khakhriyana road. Sub Head:- Construction of 900mm dia R.C.C. Hume pipe culvert at RD 0/015 and both side wing walls. (Under OTMNP)

Sr. No.	Description of Item	Qty	Rate wit	h all taxes including GST	Unit	Amount
			In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise ni only	Per cubic metre	14135.00
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1.3:6 (one cement : three sand : six graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		4380.00	Rupees four thousand three hundred eighty and paise nil only.		15461.00
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:6:12 (one cement six sand: twelve graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all teads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		2740.00	Rupees two thousand seven hundred forty and paise nil only.	Per cubic metre	10576.00
	Stone masonry in cement mortar in sub structure complete as per drawing and technical specification clauses 702, 704, 1202 & 1204 Coursed rubble masonry 2nd (second) sort in cement mortar 1:5 (one cement : five sand) and curing complete within all leads, lifts carnage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		4134.00	Rupees four thousand one hundred thirty four and paise nil only		31501.00
	Stone masonry in cement mortar in sub structure complete as per drawing and technical specification clauses 702, 704, 1202 & 1204 Random rubble masonry in cement mortar 1;6 (one cement : six sand) and curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge		3333.00	Rupees three thousand three hundred thirty three and paise nil onty		48928.00
	Providing and laying 900mm (nine hundred millimetre) diametre reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (one cement two sand) but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets clause 1108 complete within all leads, lifts carriage of material and other incidentials complete in all respect as per direction of Engineer-in-Charge.		3550.00	Rupees three thousand five hundred fifty and paise nil only	1	35500.00
	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub- structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		2100.00	Rupees two thousand one hundred and paise nil only	F/2-007	16674.00



Sr. No.	Description of Item	Qty	Rate with	all taxes including GST	Unit	Amount
			In Figure	In words		
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	9.81 Cum	1050.00		Per cubic metre	10301.00
-					Total:-	183076.00

Draft schedule of quantity approved too ks. 183071 (Rupees one lac eighty three thousand severty six)

Exacutive Engineer, HE PWD Division , Nerchowk



DNITSNOT 125. For the year 2023-24.

### DRAFT SCHEDULE OF QUANTITY

Name of work:- Balance work of Combined office building at Nerchowk. (SH: Providing and flxing GI Oreo Metal suspended false ceili u chird floor toilets) job No. 1 Time :- One Month

Estimated Cost:- 448643.00 Earnest Money :- 9000.00

S.No	Description of item	Quantity	Rate with a	all taxes including GST in	Unit	Amount
		Auror	In figure	In word		
1	Providing and fixing GI Oreo Metal Suspended Ceiling- Prolad / Hunter Douglas / Armstrong false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet. 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Prolad Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1,6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive), electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending.		2112.85	Rs.Two thousand one hundred twelve and paise eighty five only.	Per Square Metre	448643.00
-	To the work of	11/1 5	4/2010	notited all some	to the same	I SULIEN

Executive Engineer, HPPWD Nerchou

46) DMT S. No 1 (168) frostray euro 2623-24.

	DRAFT SCHEDULE OF QUA	YTITM			1			
	ne of work:- RRD on Mandi Gagal Chalichowk Janjehli Chattri Rana ka Bag Nagan road km. 0/ struction of Sub grade, P/L GSB and WBM Grading-II at RD. 8/030 to 8/220)	/00 to 16/19	0. (SH:-	Estimated Cost;- 494471.00 Earnest Money :- 9900.00				
		Time :-Two Month	is e					
SN	Description of item			Rate	Unit	Amount		
0			In figure	In word				
	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 as per Technical Specification Clause 303.1, including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		312.70	Rs. Three hundred twelve and paise seventy only.	Per Cubic Metre	37430 (		
	Construction of granular sub-base by providing welf graded material, spreading in uniform layers with Tractor mount grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, grading-I complete as per Technical Specification Clause 401 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	159.60	1877.00	Rs One thousand Eight hundred seventy seven and paise zero only.	Per Cubic Metre	299569.00		
	Providing, laying spreading and compacting stone aggregate of sizes 63-45 nm. (Sixty three to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-II by manual means as per technical specification Clause 405 including carriage of material within all leads. Jiffs and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	70.30	2240.00	Rs Two thousand two hundred forty and paise zero only	Per Cubic Metre	157472.00		
-				The second secon	Total	494471.00		

Executive Engine HPPWD Division Nerchowk





10	DRAFT SCHEDULE OF QUA							
	ne of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti K			Estimated Cost:	- 190102.00			
	<ol> <li>(SH:- Construction of RCC cover block for existing deep-U-shape drain main bazar near CH 1/100 to 1/220) (LHS) Deposit work</li> </ol>	C hospital	at Ratti in	Earnest Money :- 3900,00 Time :- One Month				
	17100 to 17220) (EFIO) Deposit Work							
S.No	Description of Item			Rate	Unit	Amount		
			In figure	In word	1			
1	Providing and laying plain/reinforced cement concrete in foundation/substructure as per drawing and technical specification clause 802,804, 805, 806, 807, 1202 and 1204 R.C.C nominal mix 1:2:4 (One cement: two sand: four graded stone aggregate) including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	12.96	5815.43	Rupees Five thousand eight hundred fifteen and paise forty three only	Per Cubic Metre	75368.00		
	Supplying, filling, and placing TMT bar reinforcement in sub structure/ super structure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202 including the cost of binding wire and carriage of material with in all leads, lifts or as per the entire satisfaction and direction of Engineer-in-Charge.	0.000000	98.40	Rupees Ninety eight and paise forty only.	Per Kilogram	114734.00		
					Total	190102.00		
	0, 0, 0	10	. 1	1 0 1		TT I A		

-50

Executive Engineer HPPWD Division HPPWD Netchook (48)

## DRAFT SCHEDULE OF QUANTITY

Name of cork:- Balance work of Combined office building at Nerchowk. (SH: Providing and fixing preforated suspended false ceiling in the floor hall) job No. 2

Estimated Cost:- 492749.00

Earnest Money:- 9900.00

Time:- One Month

S.No	Description of item		Rate with a	all taxes including GST in	Unit	Amount
			In figure	In word		
	Providing and fixing PerforatedSuspended Ceiling- Prolad / Hunter Douglas / Armstrong false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Prolad Main "T" runners to be suspended from ceiling using Gi slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm Gl adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. Gl Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of Gl sheet having galvanizing of 100 gms/sqm (both sides inclusive), electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending. Including 50mm glass wool cieling of 16kg/cum including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		2270.00	Rs.Two thousand two hundred seventy and paise zero only.	Metre	492749.00
		1		111 11	Total	492749.00

saft schoole of queentity approva 1002 4,92,

Executive Engineer, HPPWD Division, HPPWD Nerchawk



DNIT -95

#### DRAFT SCHEDULE OF QUANTITY

Name of work: - A/R & M/O on various roads under Chakkar Sub Division H.P.PWD Nerchowk (SH:- Hiring of Tipper for carriage of muck & Patch work material) (Ratti Section)

Estimated Cost Rs. 199500/ Earnest Money Rs. 3990/-Time: - Three Month

Sr. No.		Qty.	Rate In		Unit	-
	Description of Items		Figure	Words	- 1	Amoun
	Hiring of Tipper 5.5 cum capacity having lift system for carriage of material to different sites of work with in all leads and lifts and to the entire satisfaction of the Engineer-incharge. The tipper should work minimum 6 hours from 9.00 A.M. to 5.00 P.M. daily. Any loss to public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the owner which shall have to be fully compensated by him in all cases. The fuel of the tipper, driver and repair work shall have to be borne by the tipper owner. The daily log book shall be maintained at site which should be duly verified by the Engineer-in charge.	Days	2660.00	Rupees two thousand Six hundred sixty only	Per Days	199500
					Total -	199500

Diobst Schedule quantity approved for RS 199500-10/-on

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk. Executive Engineer, Nerchowk Division, APPWD Nerchowk. Drutno:-6 for the fear 2023-24

## Draft schedule of quantity

Name of work- Annual Repair and Maintenace of Non-Residential Buildings in SLBSMC and Hospital Nerchowk (SH:Supply and Stacking Accessories Items for Repair and Maintenanace Work.) Job-1

Estimated Amount - 498137.00/-Earnest money - 10000.00/-Time - One month

S.No.	Item		Rate			Total Amount including all taxes
			In figure	In word		
1	Supply and Stacking of SAINT-GOBIN gyproc MINERAL FIBER TILES CELOTEX FINE FISSURED RE 595x595 mm and 15 mm thick RE of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	350.00	337.48	Rupees Three Hundred ThirtySeven and Paise FourtyEight Only	No.	118118.00
	Supply and Stacking of SAINT-GOBIN gyproc 38 Matrix Grid Main TeeT section Size 24x38x0.33*3.6 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	249.2	Rupees Two Hundred FourtyNine and Paise Twenty Only	No.	24920.00
	Supply and Stacking of SAINT-GOBIN gyproc 38 Matrix Grid wall Angle Size 24 x 24 x 0.40*3.00 of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	166.1	Rupees One Hundred SixtySix and Paise Ten Only	No.	16610.00
	Supply and Stacking of SAINT-GOBIN gyproc 38 Matrix Grid, cross T of Size 24 x 25 x 0.30 mm*1.2 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	200.00	79.17	Rupees SeventyNine and Paise Seventeen Only	No.	15834.00
	Supply and Stacking of SAINT-GOBIN gyproc 38 Matrix Grid cross T section Size 24 x 25 x 0.33*0.6 of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	250.00	40.23	Rupees Fourty and Paise TwentyThree Only	No.	10057.50
6	Supply and Stacking of SAINT-GOBIN gyproc MR Board 12.5 mm 1219mm*1829mm TE/SE of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	4.00	908	Rupees Nine Hundred Eight Only	No.	3632.00
7	Supply and Stacking of SAINT-GOBIN gyproc T-Grid, Level butterfly clip 85x30x0.8mm of Wire Rod 4mm of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	1000.00	15.57	Rupees Fifteen and Paise FiftySeven Only	No.	15570.00



8	Sul-ply and Stacking of SAINT-GOBIN gyproc T-Grid, Rawl Plug expandable fastener 8 mm dia, 45 mm long of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	1000.00	14.27	Rupees Fourteen and Paise TwentySeven Only	No.	14270,00
9	Supply and Stacking of SAINT-GOBIN gyproc T-Grid, Soffit cleat (Size 27x37x25x1.60mm) of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	1000.00	7.78	Rupees Seven and Paise SeventyEight Only	No.	7780.00
10	Supply and Stacking of SAINT-GOBIN gyproc Dry wall Screw 3.5*25 mm (1000/box)of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	4.00	538.67	Rupees Five Hundred ThirtyEight and Paise SixlySeven Only	Вох	2154.68
11	Supply and Stacking of SAINT-GOBIN gyproc Regular Board 12.5 mm thick. 1219mm*1829 TE/SE of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	25.00	480.26	Rupees Four Hundred Eighty and Paise TwentySix Only	No.	12006.50
12	Supply and Stacking of SAINT-GOBIN gyproc MINERAL FIBER TILES CELOTEX FINE FISSURED RE 595x595 mm and 15 mm thick SE thick of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	330.99	Rupees Three Hundred Thirty and Paise NinetyNine Only	No.	33099.00
13	Supply and Stacking of SAINT-GOBIN gypserra Suspended Mettal Ceiling System Ceiling Section 80*26*51*3660*0.5 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	55.00	506.22	Rupees Five Hundred Six and Paise TwentyTwo Only	No.	27842.10
14	Supply and Stacking of SAINT-GOBIN gypserra Suspended Mettal Ceiling System Perimeter Channel Size 28.5*20*30*3660*0.5 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	100.00	162.25	Rupees One Hundred SixtyTwo and Paise TwentyFive Only	No.	16225.00
15	Supply and Stacking of SAINT-GOBIN gypserra Suspended Mettal Ceiling System intermediate channel Size 45*15*15*3660*0.5 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	100.00	506.32	Rupees Five Hundred Six and Paise ThirtyTwo Only	No.	50632.00
16	Supply and Stacking of SAINT-GOBIN gypserra Suspended Mettal Ceiling System ceiling Angle -Regular Suspended Ceiling 25*10*3660*0.5 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	162.25	Rupees One Hundred SixtyTwo and Palse TwentyFive Only	No.	16225.00



17	Supply and Stacking of SAINT-GOBIN gyproc Dry wall Screw 3.5*35 mm( 500/box) of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	7.00	389.4	Rupees Three Hundred EightyNine and Paise Fourty Only	Вох	2725.80
18	Supply and Stacking of SAINT-GOBIN gyproc Dry wall Screw 3.5*50 mm (500/box)of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	7.00	538.67	Rupees Five Hundred ThirtyEight and Paise SixtySeven Only	Вох	3770.69
19	Supply and Stacking of SAINT-GOBIN gyproc connecting clip 2.64mm dia to connect ceiling section to intermediate channel of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	250.00	7.78	Rupees Seven and Paise SeventyEight Only	No.	1945.00
20	Supply and Stacking of SAINT-GOBIN gyproc metal to metal Screws 4.2*13mm (500/box) of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	2.00	584.1	Rupees Five Hundred EightyFour and Paise Ten Only	Вох	1168.20
21	Supply and Stacking of SAINT-GOBIN gyproc Fibre Glass Tape of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	8.00	227.15	Rupees Two Hundred TwentySeven and Paise Fifteen Only	No.	1817.20
22	Supply and Stacking of SAINT-GOBIN gyproc joint paper Tape 90m of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	8.00	227.15	Rupees Two Hundred TwentySeven and Paise Fifteen Only	No.	1817.20
23	Supply and Stacking of SAINT-GOBIN gyproc Pro-Fill Jointing Compound NE (25KG) of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	10.00	882.64	Rupees Eight Hundred EightyTwo and Paise SixtyFour Only	No.	8826.40
24	Supply and Stacking of SAINT-GOBIN Plain Tile 12.5mm of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	50.00	88.26	Rupees EightyEight and Paise TwentySix Only	No.	4413.00
25	Supply and Stacking of SAINT-GOBIN gyproc FR Board 15 mm thick 1219mm*1829 TE of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	2.00	999.46	Rupees Nine Hundred NinetyNine and Paise FourtySix Only	No.	1998.92



26	Supply and Stacking of SAINT-GOBIN gyproc MINERAL FIBER TILES CELOTEX PIN NRE 595x595 mm and 15 mm thick RE of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	10.00	347.86	Rupees Three Hundred FourtySeven and Paise EightySix Only	No.	3478.60
27	Supplying and Stacking Aluminium Tower Bolt 250*10 Crown Brand with at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	180	Rupees One Hundred Eighty Only	No.	9000.00
28	Supplying and Stacking Aluminium Sliding Door Bolt 250*16 with Three Sockets Crown Brand with at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	450	Rupees Four Hundred Fifty Only	No.	22500.00
29	Supplying and Stacking Aluminium Sliding Door Sockets Crown Brand with at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-	200.00	50	Rupees Fifty Only	No.	10000.00
30	Supplying and Stacking Aluminium Door Handle 150*200*35*12 Crown Brand with at site of work with in all leads, lifts complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	174	Rupees One Hundred SeventyFour Only	No.	8700.00
31	Supplying and Stacking Aluminium Butt Hinges 125*31.75*11*4 Crown Brand with at site of work with in all leads, lifts complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	180	Rupees One Hundred Eighty Only	No.	9000.00
32	Supplying and Stacking BLACK PGE 4 LTR OF Asian Paints at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	6.00	1550	Rupees One Thousand Five Hundred Fifty Only	No.	9300.00
	Supplying and Stacking BLZWHITE PGE WHITE 4 LTR OF Asian Paints at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	6.00	1650	Rupees One Thousand Six Hundred Fifty Only	No.	9900.00
34	Supplying and Stacking of Tarpin 1 LTR OF Asian Paints at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	20.00	120	Rupees One Hundred Twenty Only	No.	2400.00



35	Supplying and Stacking of Brush 3" at site of work with in all leads, lifts complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	4.00	100	Rupees One Hundred Only	No.	400.00
				Tota		498136.79

Say

498137.00

Draft School ale of quantity appears for Ro. 498137.00 -a

Executive Engineer
Nerchowk Division
HPPWD Nerchowk



DN17 SND 1 127 For the pero2028:24

## DRAFT SCHEDULE OF QUANTITY

	of work:- Balance work of Combined office building at Nerchowk. (SH: Providing and fixing preforated sus	pended fa	ise ceiling	Estimated Cost:- Earnest Money :-		)
	noor hally job teo. 3			Time :- One Month		
S.No	Description of item	Quantity Rate with a Rs. P.		all taxes including GST in	Unit	Amount
			In figure	In word		
	Providing and fixing PerforatedSuspended Ceiling- Prolad / Hunter Douglas / Armstrong false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Prolad Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive), electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending. Including 50mm glass wool cieling of 16kg/cum including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		2270.00	Rs.Two thousand two hundred seventy and paise zero only.	Per Square Metre	320093.00
	Providing and laying cement concrete 1:3:6 (one cement: three sand: six graded, crushed stone aggregate 40mm (forty millimetre) nominal size) mechanically mixed and curing complete excluding cost of form work in walls including attached pilasters, buttresses and their caps and bases and string courses etc. upto floor all level including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.		5943.74	Rupees Five thousand nine hundred forty threeand paise seventy four only.	Cum	83391,00
			1.00		Tetal	403484.00

Executive Engineer, HPPWD Division, HPPWD Nershood

(52)

DN17.5. NO (69) por the year 2023-24.

	DRAFT SCHEDULE OF QUA			Fatienstad Coats	456440.00	
	ne of work:- RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana ka Bag Nagan road km. 0/	00 to 16/19	U.	Estimated Cost:- 156149.00  Earnest Money :- 3200.00		
SIT	:- Construction of Sub grade, P/L GSB and WBM Grading-II at RD, 8/220 to 8/280)			Time :-Two Month		
S.N	Description of item			Rate	Rate Unit	
0			In figure	In word		
1	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 as per Technical Specification Clause 303.1 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	37.80	312.70	Rs. Three hundred twelve and paise seventy only.	Per Cubic Metre	11820.0
2	Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor mount grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, grading-I complete as per Technical Specification Clause 401 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	50.40	1877.00	Rs. One thousand Eight hundred seventy seven and paise zero only	Per Cubic Metre	94601,00
3	Providing, laying, spreading and compacting stone aggregate of sizes 63-45mm (Sixty three to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-II by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	22.20	2240.00	Rs.Two thousand two hundred forty and paise zero only	Per Cubic Metre	49728.00
-					Total	156149.00

Dought schoolule of quantity approved for \$ 1,56,149/-0

Executive Engineer HPPWD Division Nationsk



	DRAFT SCHEDULE OF QUANTI	ITY			1	
Nan	of work:- Balance work of Combined office building at Nerchowk. (SH: Providing and laying Cubble stone	flooring fo	r ramps)	Estimated Cost:-		0
job No	4			Earnest Money :-		
			0 12	Time :- One Mont	h /	
S.No	Description of item	Quantity	Rate with a	all taxes including GST in	Unit	Amount
			In figure	In word		
1	Providing and laying 100mm (Twenty five millimetre) thick cubble stone slab flooring laid over 20mm (twenty millimeter) thick base of cement mortar 1:4 (one cement : four sand) including jointing with grey cement slurry mixed with pigment to match the shade of stone including rubbing and polishing complete including carriage of material within all leads, lifts and other incidental charges complete in all respect as per direction and satisfaction of Engineer-in-Charge.		3596.95	Rs.Three thousand five hundred ninety six and paise ninety five only.	Sqm	445950.00
	D- A a-t tut	010	ue modé	to alla	Total	445950.00

(54) DAITM: -7 for the year 2023-24

Draft schedule of quantity

Stacking Acci sories Items for Repair and Maintenanace Work.)job-2						d Amount - 490320.00/- money - 9800.00/- ine month
S.No.	Item	Qty.		Rate	Unit	Total Amount including all taxes
			In figure	In word		
	Supply and Stacking of Perryware Elite EWC C0297/C0278 (S/P) Trap 530*380*400 of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	30.00	2260	Rupees Two Thousand Two Hundred Sixty Only	2,000	67800
	Supply and Stacking of Perryware E802599 WONDERFLUSH Ceremic Cistern FITTING of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	1111	Rupees One Thousand One Hundred Eleven Only		55550
	Supply and Stacking of Perryware SLIMLINE Plastic Cistern FITTING of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	858	Rupees Eight Hundred FiftyEight Only	No.	85800
- 24	Supply and Stacking of Perryware E747099 EWC HING of approved quality complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	200.00	77	Rupees SeventySeven Only	No.	15400
	Supply and Stacking of Perryware E809599 Spreader for new magnum Urinal of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	20.00	583	Rupees Five Hundred EightyThree Only	No.	11660
	Supply and Stacking of Perryware E611889 Slimline Bend Pipe Washer of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	71.5	Rupees SeventyOne and Paise Fifty Only	No.	7150
- 3	Supply and Stacking of Perryware E73511c Slimline Bend Pipe of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	132	Rupees One Hundred ThirtyTwo Only	No.	13200
	Supply and Stacking of Perryware E612299 Petite Plus Seat cover hing assy of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	100.00	110	Rupees One Hundred Ten Only	No.	11000
	Supply and Stacking of Dorset Stainless steel Pin Type Welded Hinge (without Screw) 125x64x1.9mm of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-In- charge.	50.00	160	Rupees One Hundred Sixty Only	No.	8000



10	Supply and Stacking of Dorset Stainless steel pin Type Welded Hinge (without Screw) 100x58x1.9mm of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	115	Rupees One Hundred Fifteen Only	No.	5750
11	Supply and Stacking of Dorset Stalnless Steel Pull Handle SS GRADE 304 180mm Primo Piar PR 06 P SS of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	10.00	2040	Rupees Two Thousand Fourty Only	No.	20400
12	Supplying and stacking of Dorset Mortise 6 Lever Lock ML 160 (ECO) of Approved Brand and Quality, at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	50.00	840	Rupees Eight Hundred Fourty Only	No.	42000
13	Supply and Stacking of Perryware T754099 SS Braided Hose Pipe 1.5 ft connection pipe Hot and Cold with PTMT Nuts, collar and bush of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	100.00	145	Rupees One Hundred FourtyFive Only	No.	14500
14	Supply and Stacking of Perryware T754099 SS Braided Hose Pipe 2 ft connection pipe Hot and Cold with PTMT Nuts, collar and bush of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	10.00	155	Rupees One Hundred FiftyFive Only	No.	1550
15	Supply and Stacking of Perryware Full Thread Waste Coupling & Half Thread Waste Coupling T9911A1 (Full)of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	550	Rupees Five Hundred Fifty Only	No.	27500
16	Supply and Stacking of Perryware T3201A1 Bottle Trap - Light 9" of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	1430	Rupees One Thousand Four Hundred Thirty Only	No.	71500
17	Supply and Stacking of bathsense asian paints SM24188 24*18*8 MATT SS SINKS of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	2.00	5900	Rupees Five Thousand Nine Hundred Only	No.	11800
18	Supplying and Stacking Self Drilling Screw 0.5" full Thread with Washer at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	0.34	and Paise ThirtyFour Only	No.	340
19	Supplying and Stacking Black Screw 3/4" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	0.2	and Paise Twenty Only	No.	200
20	Supplying and Stacking Black Screw 1" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	0.23	and Palse TwentyThree Only	No.	230



21	Supplying and Stacking Black Screw 1.5" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	0.75	and Paise SeventyFive Only	No.	750
22	Supplying and Stacking wood Screw 1.5" Half Thread with at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	3.24	Rupees Three and Paise TwentyFour Only	No.	3240
23	Supplying and Stacking wood Screw 2" Half Thread with at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	3.66	Rupees Three and Paise SixtySix Only	No.	3660
24	Supplying and Stacking Black Screw 0.5" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	0.18	and Paise Eighteen Only	No.	180
25	Supplying and Stacking Black Screw 2" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	0.91	and Paise NinetyOne Only	No.	910
26	Supplying and Stacking Self Drilling Screw 3/4" full Thread at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	0.4	and Paise Fourty Only	No.	400
27	Supplying and Stacking Self Drilling Screw 2" full Thread at site of complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	1.35	Rupee One and Paise ThirtyFive Only	No.	1350
28	Supplying and Stacking Self Drilling Screw 1.5" full Thread with Washer at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	1000.00	0.65	and Paise SixtyFive Only	No.	650
29	Supplying and Stacking Self Drilling Screw 1" full Thread with Washer at site of work complete in all respect within all lead , lifts and carriage of material and as per direction of Engineer-in- charge.	1000.00	0.5	and Paise Fifty Only	No.	500
30	Supplying and Stacking wood Screw 3" Half Thread with at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	2	Rupees Two Only	No.	2000
31	Supplying and Stacking Screw 1" Half Thread with at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	1000.00	0.5	and Paise Fifty Only	No.	500

10	1	1.7	×
1	5	6	
1	0	٦	1

				Total		490320.00
35	Supply and Stacking of Nylon Sleeves of Sizes 35mm (100/Pkt) white Finish of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in- charge.	50.00	40	Rupees Fourty Only	pkt	2000
34	Supply and Stacking of Parda clump PVC of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	50.00	25	Rupees TwentyFive Only	No.	1250
33	Supply and Stacking of Steel Parda Pipe 12' of approved quality complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-incharge.	10.00	130	Rupees One Hundred Thirty Only	No.	1300
32	Supplying and Stacking Wood Screw 35*8 at site of work complete in all respect within all lead, lifts and carriage of material and as per direction of Engineer-in-charge.	1000.00	0.3	and Palse Thirty Only	No	300

Draft Schedule of quantity approved for Pg. 490320 oct only

Executive Engineer Merchowk Division MPPWD Nerchowk



# DNIT.3. No. 146 forthey en 2023-24.

#### DRAFT SCHEDULE OF QUANTITY

Mame of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Gagal section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs. 220500/ Earnest Money Rs. 4440/-

Time: - One Month.

		Qty.	F	Rate In	Unit	Amount
Sr. No.	Description of Items		Figure	Words		
1.	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.		1050.00	Rupees one Thousand fifty only	Per hours	220500.00
		A		11	Total:	220500.00

3 H scheelule of quantity approved to \$ 2,20,500/

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk. Executive Engineer, Nerchowk Division, HPPWD Nerchowk

1

,	En,	1
1	26	J
1	1	

	e of work:- Restoration of road damages caused due to laying of otical cable on Ratt					-
(m.	. 0/00 to 14/580. (SH:- Construction of U-Shape drain in km. 0/620 to 0/840) (RHS) De	posit work		Earnest Money :-		
CNI		1 0		Time :- One Month		
S.N		Quantity	In Course	Rate	Unit	Amount
0			In figure	In word		
1	Earth work in excavation of foundation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	123.75	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	35516.0
2	Providing and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6 (One cement: three sand:six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	70.95	4380.00	Rupees Four thousand three hundred eighty and paise zero only.	Per Cubic Metre	310761.0
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	12.48	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic . Metre	45552.0
4	Providing and laying 900 mm (Nine hundred millimetre) diametre reinforced cement concrete pipe NP2 for culvert on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excavation, protection work, back filling, concrete and masonary work in head walls and paraplets clause 1108 including carriage of materials and as per the entire satisfaction and direction of Engineer-in-Charge.	7.50	1133.70	Rupees One thousand one hundred thirty three and paise seventy only.	Per Runnung metre	8503.00

Executive Engineer, HPPWD Division, HPPWD Nerchowk



DNIFS.NO + (40) for he year 2023-24.

Rs. P.  In figure In word  1 Excavation in soil in hilly area all heights and depths, in all kind of soil including saturated soil 1898.85 262.56 Rs. Two hundred sixty two Per control of the soil in hilly area all heights and depths, in all kind of soil including saturated soil 1898.85 262.56 Rs. Two hundred sixty two Per control of the soil in hilly area all heights and depths, in all kind of soil including saturated soil 1898.85 262.56 Rs. Two hundred sixty two	
Description of item  Rate with all taxes including GST in Rs. P.  In figure  In word  Rs. P.  Description of item  Rs. P.  In figure  In word  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of item  Rs. P.  In figure  In word  Rs. Two hundred sixty two and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.  Mescription of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of and paise fifty six only.	Unit Amount
Description of item  Rate with all taxes including GST in Rs. P  In figure  In word  Description of item  Rate with all taxes including GST in Rs. P  In figure  In word  Description of item  Rs. P  In figure  In word  Mescription of package in package in package in package and pairs fifty six only.  Mescription of item  Rs. P  In figure  In word  Mescription of item  Rs. P  In figure  In word  Mescription of package in package in package and pack	cubic 498562.00
Rs. P. In figure In word  1 Excavation in soil in hilly area all heights and depths, in all kind of soil including saturated soil comprising of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of rock (where blasting is prohibited) and their intermediate classification of soil including, dewatering wherever required setting out to the required line grades, side slopes trimming bottom and level as shown on the drawings as directed by Engineer-in-Charge at site according to technical specifications clause 1603.1 & 1603.2 sorting out useful unuseful materials and stacking the same in all leads and lift and transportation of useful materials for filling in road ways embankments for grades improvements and levelling to the required grade and then disposing of	cubic 498562.00
Excavation in soil in hilly area all heights and depths, in all kind of soil including saturated soil comprising of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of rock (where plasting is prohibited) and their intermediate classification of soil including, dewatering wherever required setting out to the required line grades, side slopes trimming bottom and level as shown on the drawings as directed by Engineer-in-Charge at site according to technical specifications clause 1603.1 & 1603.2 sorting out useful unuseful materials and stacking the same in all leads and lift and transportation of useful materials for filling in road ways embankments for grades improvements and levelling to the required grade and then disposing of	
comprising of pick, jumper, blasting work both in soft and hard rock with chiseling/wedging out of rock (where blasting is prohibited) and their intermediate classification of soil including, dewatering wherever required setting out to the required line grades, side slopes trimming bottom and level as shown on the drawings as directed by Engineer-in-Charge at site according to technical specifications clause 1603.1 & 1603.2 sorting out useful unuseful materials and stacking the same in all leads and lift and transportation of useful materials for filling in road ways embankments for grades improvements and levelling to the required grade and then disposing of	
modes of transportation including head load, animal load or mechanical means) along with its levelling fine dressing and all labour, machineries, materials, tools equipments and safety measures and incidentals necessary to complete the work by all means (if required). Recovery of useful stone of 324.57 cum. @ 300/- per cubic metre amounting to Rs.97,371/- only shall be done on prorata basis for the quantity of cutting in earth work effected. Any loss to the public and private property during the course of execution shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all respect including all leads and lift of materials or as per direction of Engineer in-Charge.	
70	otal 498562.0



## DNIT. S. NO 134 For the year 2023-24.

### DRAFT SCHEDULE OF QUANTITY

Name of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Nerchowk section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs. 220500/-Earnest Money Rs. 4440/-

Time: - One Month.


		Qty.	F	Rate In	Unit	Amount
Sr. No.	Description of Items		Figure	Words		CONTRACTOR
1.	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	hours	1050.00	Rupees one Thousand fifty only	Per hours	220500.00
	A CONTRACTOR OF THE PROPERTY O		1	1.1 11	Total:-	220500.00

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,

HPPWD Nerchow





	e of work:- Construction of Additional Accommodation to Police Station building Bal struction of Retaining at Police Station building Ratti) (Deposit Work)	Estimated Cost:- Earnest Money :- Time :- Two Month	3900.00			
o.N	Description of item	Quantity	Rate with all	taxes including GST in	Unit	Amount
			In figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	30.53	287.00	Rs. Two hundled eighty seven and paise zero only.	Per Cubic Metre	8762.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand : Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	48.69	3485,10	Rs. Three thousand four hundred eighty lifty and paise ten only.	Per Cubic Metre	169690.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	25.00	287.00	Rs. Two hundred eighty seven and paise zero only.	Each	7175.00
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	4.36	1050.00	Rs. One thousand fifty and paise zero only.	Per Cubic Metre	4578.00
	Douth Sche		1 -	14 11	Total	190205.00

DN173.Not (63) for the pero 2-23-24.

### DRAFT SCHEDULE OF QUANTITY

Estimated Cost:

Rs. 239800.00

Earnest Money:

Rs. 4800.00

Time:

One Month

Name of work: A/R & M/O various roads under Chakkar Sub Division HP. PWD Nerchowk. (SH:- Providing and fixing dual direction rectangular delinators for road side with plastic head unbreakable at neck.) (Nerchowk Section)

Sr. No.	Description of item		Rate		Unit	Amount	
			In figure	In words			
1	2	3	4	5	6	7	
	Providing and fixing F.O.R. at site duel direction delineator made out of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.	220.00		Rupees One thousand ninety and paise nil only.	Each.	239800.00	
	0 1	0	1.1	11	Total -	239800.00	

Assistant Engineer, Chakkar Sub Division, HP,PWD,Nerchowk. Executive Engineer,

HP WD Division,

HP,PWD,Nerchowk

DRAFT SCHEDULE OF QUANTITY

Name of Work :- A/R & M/O of Residential Buildings in SLBSMC and Hospital Nerchowk (SH: Supply and Stacking Accessories Items for Repair and Maintenanace Work in Residential Quarters in SLBSGMC&Hospital)

Estimated Cost :- 100780.00/-Earnest Money :- 2020.00/-

				Time :- One monti	1	and the same and t
S.No	Description of item	Quantity	Rate with	all taxes including GST in Rs. P.	Unit	Total amount with all taxes including GST in Rs. P.
			In figure	In word		
1	. 2	3	4	5	6	7
1	Supplying and stacking of Composite polymer fitting, equal tee 1620*1620*1620 (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	6.00	241	Rupees Two Hundred FourtyOne Only	No.	1446.00
2	Supplying and stacking of Composite polymer fitting. Female tee 1620*1/2"*1620 (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	251	Rupees Two Hundred FiftyOne Only	No.	2259.00
3	Supplying and stacking of Composite polymer fitting, Female Elbo 1620*1/2" (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	176	Rupees One Hundred SeventySix Only	No.	1584.00
4	Supplying and stacking of Composite polymer fitting. Equal Straight union 1620*1620 (vectus) at site of workcomplete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	7.00	163	Rupees One Hundred SixtyThree Only	No.	1141.00
5	Supplying and stacking of Composite polymer fitting, MTA 1/2"*1620 (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	5.00	182	Rupees One Hundred EightyTwo Only	No.	910.00
6	Supplying and stacking of Composite polymer fitting, FTA 1/2"*1620 (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	5.00	170	Rupees One Hundred Seventy Only	No.	850.00
7	Supplying and stacking of Composite polymer fitting, Equal Elbo 1620*1620 (vectus) at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	7.00	164	Rupees One Hundred SixtyFour Only	No.	1148.00
8	Supplying and stacking of Composite polymer Pipe, 1620 (vectus)at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	5.00	139	Rupees One Hundred ThirtyNine Only	Mtr	695.00
	Supplying and stacking of Composite polymer Pipe Deburrying Tool at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	6.00	590	Rupees Five Hundred Ninety Only	No.	3540.00
10	Supplying and stacking of Composite polymer Pipe Cutter at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	1140	Rupees One Thousand One Hundred Fourty Only	No.	1140.00
11	Supplying and stacking of Composite polymer Pipe Bending Outer Spring 1620 at site of work complete including carriage of material and other incidentials as per the direction of the Engineerin Charge.	2.00	500	Rupees Five Hundred Only	No.	1000.00

12	Supplying and stacking of Composite polymer Pipe Bending Inner Spring 1620 at site of work	2.00	345	Rupees Three Hundred	No.	690.00
12	complete including carriage of material and other incidentials as per the direction of the Engineer- in Charge.	2.00	343	FourtyFive Only	No.	690.00
13	Supplying and stacking of Composite polymer Pipe Threaded End Plug 1/2" at site of workcomplete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	6	Rupees Six Only	No.	54.00
14	Supplying and stacking Doorset SS Tower Bolt (With Screw) square shape, Dia-10mm TS-1010- 10", at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	340	Rupees Three Hundred Fourty Only	No.	340.00
15	Supplying and stacking Doorset Door Stopper-Door Mounted Hanging Type(Zamak) DS HT (Z), at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	268	Rupees Two Hundred SixtyEight Only	No.	268.00
16	Supplying and stacking Doorset SS Pin Type Hinge SS Finish 100*61*2.5, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	150	Rupees One Hundred Fifty Only	No.	150.00
17	Supplying and stacking Doorset Door Buffer 03" PVC White, at site of workcomplete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	45	Rupees FourtyFive Only	No.	405.00
18	Supplying and stacking Doorset Door CLOSER DC 60 SM, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	1725	Rupees One Thousand Seven Hundred TwentyFive Only	No.	1725.00
19	Supplying and stacking of Oil Bound Distemper (20 Ltr Bucket) of Approved Brand and Quality, at site of work with in all leads, lifts and carriage of Materials	2.00	1600	Rupees One Thousand Six Hundred Only	Bkt	3200.00
20	Supplying and stacking of Wall Putty of 20 kg Beg Approved Brand and Quality, at site of workcomplete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	8.00	440	Rupees Four Hundred Fourty Only	BAG	3520.00
21	Supplying and stacking of Concealed Spindel, at site of work(ESSESS)complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	339	Rupees Three Hundred ThirtyNine Only	No.	3051.00
22	Supply and Stacking of Dorset Aldrop ALDSM (200*16) of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	555	Rupees Five Hundred FiftyFive Only	No.	555.00
23	Supplying and Stacking Tile Adhesive of Asian Paints 30 kg Per Beg at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	500	Rupees Five Hundred Only	Bag	4500.00
24	Supplying and Stacking Plaster of Paris (POP) 25 kg beg at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	250	Rupees Two Hundred Fifty Only	Bag	2250.00
5	Supplying and Stacking undermount ceremic Wash basin oval 555*450*205 at site of work Cascade NXT White Perryware complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	2810	Rupees Two Thousand Eight Hundred Ten Only	No.	2810.00
26	Supplying and stacking of Glass 4mm thick of Approved Brand and Quality, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	6.00	700	Rupees Seven Hundred Only	Sqm	4200.00
27	Supplying and stacking of Jaguar continental Handle of Approved Brand and Quality, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	470	Rupees Four Hundred Seventy Only	No.	4230.00

cking of Jaguar continental Handle Cap of Approved Brand and Quality, at site 9.00 Rupees Sixty Only including carriage of material and other incidentials as per the direction of the

28	Supplying and stacking of Jaguar continental Handle Cap of Approved Brand and Quality, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	60	Rupees Sixty Only	No.	540.00
29	Supply and Stacking of PVC Parda Pipe 12 Feet in length 1 inch dia of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	8.00	130	Rupees One Hundred Thirty Only	No.	1040.00
30	Supply and Stacking of Parda clump PVC of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9.00	25	Rupees TwentyFive Only	No.	225.00
31	Supply and Stacking of Perryware Orissa Pan C0117 580*440*300 of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	3.00	2280	Rupees Two Thousand Two Hundred Eighty Only	No.	6840.00
32	Supply and Stacking of Perryware Orissa Pan C0111 500*405*255 of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	3.00	1720	Rupees One Thousand Seven Hundred Twenty Only	No.	5160.00
33	Supplying and stacking of Ceremic Wall Tite 300*450. Approved Brand and Quality at site of workcomplete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	9,00	590	Rupees Five Hundred Ninety Only	Sqm	5310.00
34	Supplying and stacking of Door seal Chocolate 37" (Decowindow) at site of work with in all leads, lifts and carriage of Materials.	7.00	449.2	Rupees Four Hundred FourtyNine and Paise Twenty Only	No.	3144.40
35	Supplying and stacking Perryware Toilet Seat Cover Petite Plus, at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	8,00	740	Rupees Seven Hundred Fourty Only	No.	5920.00
36	Supply and Stacking of Action Tisa Partical Board of 12 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	3.00	521.2	Rupees Five Hundred TwentyOne and Paise Twenty Only	sqm	1563.60
37	Supply and Stacking of Action Tisa Partical Board of 18 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	3.00	660,6	Rupees Six Hundred Sixty and Paise Sixty Only	sqm	1981.80
38	Supply and Stacking of Action Tisa MDF Board of 12 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	773	Rupees Seven Hundred SeventyThree Only	sqm	773.00
39	Supply and Stacking of Action Tisa MDF Board of 18 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	1029.9	Rupees One Thousand TwentyNine and Paise Ninety Only	sqm	1029.90
40	Supply and Stacking of Action Tisa HDHMR Board of 12 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	2.00	1074.1	Rupees One Thousand SeventyFour and Paise Ten Only	sqm	2148.20
41	Supply and Stacking of Action Tisa HDHMR Board of 18 mm both side Balnacing Laminate of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	3.00	1480.9	Rupees One Thousand Four Hundred Eighty and Paise Ninety Only	sqm	4442.70
42	Supplying and Stacking. Wood Screw 35*8 at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	6.00	250	Rupees Two Hundred Fifty Only	Pkt.	1500.00
43	Supply and Stacking of Perryware SLIMLINE E8057 Economy D/F Cisten of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	1730	Rupees One Thousand Seven Hundred Thirty Only	No.	1730.00

44	Supply and Stacking of EWE Ballisense FSCWHCS0531 WITH HARD CLOSE SEAT COVER SC-21-MX cover of approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	2900	Rupees Two Thousand Nine Hundred Only	No.	2900.00
45	Supplying and stacking of Ceremic Floor Tile 600*600. Approved Brand and Quality at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	2.00	650	Rupees Six Hundred Fifty Only	Sqm	1300.00
46	Supplying and stacking of Bathsense Mystic MYBM101 Single lever basin mixer without popo up waste system of Approved Brand and Quality at site of work complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	4590	Rupees Four Thousand Five Hundred Ninety Only	No.	4590.00
47	Supply and Stacking of towel rail ESSESS AC-701 (61cm) approved quality complete including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	1.00	980	Rupees Nine Hundred Eighty Only	No.	980.00

TOTAL. 100779.60 SAY

100780.00

Draft Schredule of quantity opproved for Ps 100780 as

Executive Engineer Nerchowk Division MPPWD Nerchowk

### DRAFT SCHEDULE OF QUANTITY

**Estimated Cost:** 

Rs. 239800.00

Earnest Money:

Rs. 4800.00

Time:

One Month.

Name of work: A/R & M/O various roads under Chakkar Sub Division HP. PWD Nerchowk. (SH:- Providing and fixing dual directio rectangular delinators for road side with plastic head unbreakable at neck.) (Gagal Section) TobNo2

		In figure	In words		1
2		In figure	In words		
2	3	4	5	6	7
Providing and fixing F.O.R. at site duel direction delineator made out of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.	220.00	L Y Sel Herbory	Rupees One thousand ninety and paise nil only.	Each.	239800.00
0		4+1	11	Total:-	239800.00
	of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the	of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.	of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.	of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm  (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.	of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm  (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.  Total:-

Assistant Engineer, Chakkar Sub Division, HP,PWD,Nerchowk.

Executive Engineer, HPPWD Division,

HP,PWD,Nerchow

DNIT. 3. NO +177 fortheyer 2023/24

### Draft Schedule of Quantity

Estimated Cost:-Earnest Money:-Rs. 141854.00 2900.00

Time:-

One Month

Name of work:- Restoration of rain damages on Malthehar Bye pass Km. 0/000 to 1/045. Sub Head:- Construction of Breast wall at R.D. 0/545 to 0/560.

Sr.	Description of Item			Rate	Unit	Amount
No.		Qty	In Figure	In words		
1	Excavation in soil in hilly area by mechanical means for all kinds of soil including cutting and trimming of side slopes and disposing of excavated earth with in all leads and lifts as per technical specification clause 1603.1. Including carriage of material and other incidental charges complete in all respect as per direction of Engineer-in-Charge.	16.80 Cum.		Rupees one hundred	Per cubic metre	2890.00
2	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00		Per cubic metre	3702.00
3	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	35,80 Cum.		Rupees three thousand six hundred fifty and paise nil only		130670.00
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment , wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals as per direction of Engineer-in-Charge.	16 Nos.		Rupees two hundred eighty seven and paise nil only	Each	4592.00
	0	. 0	0-	1.1 //	Total	141854.00

saft schedule of quantity of soved for 21,41,854)

H.P.P.W.D. Division, Nerchowk

DNIT S.NO; (172) for the year 2023-24,

### **Draft Schedule of Quantity**

Estimated Cost:

Rs.207000/-

Earnest Money:

Rs. 4200 /-

Time:

One Month.

Name of work: A/R and M/O various roads under Chakkar Sub Division HPPWD Nerchowk (SH:- Providing and Fixing road stud with lens reflector) (Ratti Section). JoB No.)

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
		_	In figure In words			
1	2	3	4	5	6	7
	Providing and Fixing road stud 100 x 100 mm (one hundred into one hundred millimetre) dia cast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or asphaltic surface by deniling holes 30mm (Thirty millimetre) upto a depth of 600 mm (Six hundred millimetre) bedded in a suitable bituminous grout of epoxy mortar, all as per BS: 873 (Part 4) 1973 including carriage of material within all leads and lift and any other incidental charges.	600.00		Rupees three hundred forty five only.	Each.	207000.00
		0	141	-11	Total :-	207000.00

Assistant Engineer, enakkar Sub Division, HP,PWD,Nerchowk.

Executive Engineer, HPPWD Division,

HP,PWD,Nerchowk



# DMITSNO 1- 178 for the years 2023-24.

6

	DRAFT SCHEDULE OF	QUANTITY				NE SE
	ne of work:- Restoration of rain dameges on Mandi Gagal Chailchowk Janjehli Cha	ttri Rana Ka I	bag Nagan	Estimated Cost:-	445038.0	0
róac	km 0/00 To 16/190. (SH: - Providing and laying 1:2:4 at R.D. 8/030 to 8/113)			Earnest Money :-	9000.00	
				Time :-One Mor	nth	
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		# CECHISIM
	Dry Lean Cement Concrete Sub-base					
	Providing and laying cement concrete 1:2:4 (One cement: two sand: four graded stone aggregate) including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	66.00	6743.00	Rs. Six thousand seven hundred forty three and paise zero only.	Per Cubic Metre	445038,00
-	Λ.	1 1	- 1	. 11 0	/ Total	445038.00

Executive Engineer, HPPWD Division, HPPWD Nerchowk



DNITS.NO! 176 for the years 2023-24. DRAFT SCHEDULE OF QUANTITY

Name of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Ratti section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.) Job No3

Estimated Cost Rs. 220500, Earnest Money Rs. 4440/-Time: - One Month.

		Qty.	Rate In		Unit	Amount
Sr. No.	Description of Items		Figure	Words		
	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	210 hours	1050.00	Rupees one Thousand fifty only	Per hours	220500.00
	Λ.		A A		Total:-	220500.00

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,

HPPWD Nerchowk



DNITS.NO 179 for the years 2023-24, @

v	DRAFT SCHEDULE OF C	YTITHAU					
Van	ne of work:- Restoration of rain dameges on Mandl Gagal Chailchowk Janjehli Chatti	ri Rana Ka b	ag Nagan	Estimated Cost:-	445038.0	0	
road	d km 0/00 To 16/190. (SH: - Providing and laying 1:2:4 at R.D. 8/113 to 8/196)	8/113 to 8/196) Earnest Money			:- 9000.00		
				Time :-One Month			
S.N	Description of item	Quantity		Rate	Unit	Amount	
0			In figure	In word		The state of the s	
	Dry Lean Cement Concrete Sub-base						
1	Providing and laying cement concrete 1:2:4 (One cement: two sand: four graded stone aggregate) including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	66.00	6743.00	Rs. Six thousand seven hundred forty three and paise zero only.	Per Cubic Metre	445038.00	
-	Dough sche	etule	fgu	mily appro	Total	445038.00 0Z4,45	
				/	_	Eas	
					HPPWD	e Engineer, Division, Nerchovk	

			_	
	13	K,	-	7
7	1	: 5	2:	1
	ĸ	20	20	z

	Draft schedule o	of quantity	y						
Name	of Work :- C/o Toilet Block at ITI Balh .			Estimate	ed Amoun	t - 496925.00/-			
SH:- P	/F Aluminium frame work, Plastering , cc 1:5:10 etc.			Earnest Money - 9950.00/-					
				Time - 0	ne month				
S.No.	Description of Item	Qty		Rate	Unit	Amount			
			In figure In word						
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains, including dressing of sides and ramming of bottoms, lift upto any height, including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead from edge of excavation All kinds of soil 50% (fifty percent) & Ordinary rock 50% (fifty percente) (taking avg rate of 2.8.1 and 2.9.1)All kinds of soil including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.		293.1	Rupees Two Hundred NinetyThree and Paise Ten Only		559.821			
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (one cement: four coarse sand: eight graded stone aggregate of 40 mm (forty millimetre) nominal size) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.		5510.9	Rupees Five Thousand Five Hundred Ten and Paise Ninety Only		96440.75			
3	Centering and shuttering including strutting, propping etc. and removal of form work :including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.								
3.1	Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc.	38.83	512.05	Rupees Five Hundred Twelve and Paise Five Only		19882.9015			
4	Providing And fixing glazed Digital tiles 300x600 x 8 mm ( (three hundred into six hundred into eight millimetre) thick of approved Shade and manufacturer in skirting risers of steps and dado 12 mm (twelve millimetre) thick cement mortar 1:3(1 cement :3 sand) and jointed with cement slurry complete including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.		1370.25	Rupees One Thousand Three Hundred Seventy and Paise TwentyFive Only	(I-700)	142451.19			
5	15 mm (Fifteen millimetre) cement plaster on the rough side of single or half brick wall of mix 1:6 (one cement: six fine sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	235.09	209.05	Rupees Two Hundred Nine and Palse Five Only	sqm	49145.5645			



with extruded built up star sections of approved mak- fasteners of required dia junctions, i.e. at top, bot gasket etc. Aluminium sec- jointed mechanically who beading for glazing/ pane- as per architectural drawi paneling and dash fasten	ndard tubular sections, we conforming to IS: 7 a and size, including tom and sides with rections shall be smooth erever required including eling, C.P. brass / stailings and the direction ers to be paid for sep hin all leads and lifts	windows, ventilators and partitions / appropriate Z sections and other 33 and IS: 1285, fixing with dash necessary filling up the gaps at required EPDM rubber/ neoprene, rust free, straight, mitred and ing cleat angle, Aluminium snap inless steel screws, all complete s of Engineer-in-charge. (Glazing, parately): Fixed poprtion including a complete in all respect as per	265.79	709.00	Rupees Seven Nine Only	Hundred	Kg	188445.11
							Total	496925.337
					100		Say	496925.00

suff schoolite of quantity approved for 2 4,96,925

Executive Engineer
Ner Chowk Division
HPPWD Nerchows



DNITS.No + 180 fortheyour 2023-24.

6

	DRAFT SCHEDULE OF C	QUANTITY						
	ne of work:- Restoration of rain dameges on Mandi Gagal Chailchowk Janjehli Chatt	ri Rana Ka b	ag Nagan	Estimated Cost:	445038.	00		
road	d km 0/00 To 16/190. (SH: - Providing and laying 1:2:4 at R.D. 8/196 to 8/280)			Earnest Money :- 9000.00				
				Time :-One Month				
S.N	Description of item		Rate		Unit	Amount		
0			In figure	In word				
	Dry Lean Cement Concrete Sub-base							
1	Providing and laying cement concrete 1:2:4 (One cement: two sand: four graded stone aggregate) including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	66.00	6743.00	Rs. Six thousand seven hundred forty three and paise zero only.	Per Cubic Metre	445038.00		
	Dou ft Scha	elule	7 qu	entity appro	Total v = el	824,45		
					HPPWD	e Engineer, Division, Nerchawk		

(70)

Draft schedule of quantity

Name of W4 ··· C/o Tollet Block at ITI Balh .

SH:- P/F structural steel , prepainted sheet ,brickwork and tile flooring etc.

Earnest Money · 9800.00/
Time · One month

S.No.	Description of Item	Qty		Rate	Unit	Amount
			In Figure	In word		
1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	1417.78	132.55	Rupees One Hundred ThirtyTwo and Paise FiftyFive Only	kg	1,87,926.74
2	Providing and fixing 0.62mm (point sixty two millimetre) thick troughed prepainted steel sheet roofing, with hot dipped metallic zinc coated sheet with top coat of regular modified polyster (RNP) organic coating of 20 (twenty) microns over 5 (five) microns primer coating to back coat of polyster of 5 (five) microns over 5 (five) microns primer coating, Vc fixing with prepainted iron J or L hooks, bolts and nuts 6mm (six millimetre) dia metre with prepainted limpet and rubber washers complete with all accessoriees as required including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	\$5.29	1400.75	Rupees One Thousand Four Hundred and Paise SeventyFive Only	Sqm	77,447.47
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (seven point five) in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (one cement : six coarse sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer in-Charge.	13.08	9478.40	Rupees Nine Thousand Four Hundred SeventyEight and Paise Fourty Only	cum	1,23,977.47
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (seven point five) in superstructure above plinth level up to V level. Cement mortar 1:4 (one cement :four coarse sand) including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	50.46	1138.90	Rupees One Thousand One Hundred ThirtyEight and Paise Ninety Only	Sqm	57,468.89
5	Providing and laying ceramic glazed floor tiles of size 300x300 mm (three hundred into three hundred millimetre) (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm (twenty millimetre) thick cement mortar 1:4 (one Cement: four Coarse sand). Jointing with grey cement slurry @ 3.3 (three point three) kg/sqm including pointing the joints with white cement and matching pigment etc., complete including carriage of materials within all leads and lifts complete in all respect as per direction and satisfaction of Engineer-in-Charge.	32.37	1301.70	Rupees One Thousand Three Hundred One and Paise Seventy Only	Sqm	42,136.03

Dough schoolule of quantity appoint

POTAL 2 4,88,45/-

Executive Engineer Nerchowk Division HPPWD Nerchowk




DNIT S.NO!- (152) for the year 2013-24.

	Quantity 334.13	In figure	Estimated Cost: Earnest Money : Time :-Two Monti Rate In word Rs. One thousand four	- 10000.00 hs Unit	
lidating 3			Time :-Two Monti	Unit	
lidating 3			Ratein word	Unit	Amount
lidating 3			In word		Amount
0	334.13				
0	334.13	1480.00	Re One thousand four		
luding			hundred eighty and paise zero only.	Per Cubic Metre	494512.00
				Total	494512.00
chule	efo	quanti	ty approved	Executive	Engineer,
	chule	dule of a	dule of quanti	dule of quantity approved	dule of quantity approved to

(12)

DNIT & NO (53) fortheyear 2023-24.

P. Gr	DRAFT SCHEDULE OF QU	UANTITY			COLUMN TO STATE OF		
lan	e of work:- Restoration of road damages caused due to laying of optical fibre cable on Ratti i	Meramasit	Leda road	Estimated Cost:-	495929.00		
m.	0/00 to 14/580. (SH:- Repair of Pot holes in km. 0/00 to 2/300) Deposit work			Earnest Money :- 10000.00			
				Time :- One Mont	1		
N.S	Description of item	Quantity		Rate	Unit	Amount	
0		- Samming	In figure	In word			
	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidating with power road roller to the required gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP PWD specification. 100 mm (One hundred millimetre) spread thickness (finished work including materials and labour) including carriage of material with in all leads, lifts and other incidentals and as per the direction of the Engineer-in Charge.	124.31	1480.00	Rupees One thousand Four hundred eighty and paise zero only	Per Cubic Metre	183979.00	
	Providing, laying, spreading and compacting stone aggregate of sizes 53mm to 22.40mm (fifty three to twenty two point four millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-III by manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	62 16	2290.00	Rs. Two thousand two hundred ninety and paise zero only	Per Cubic Metre	142346.00	
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503 (Rate is Exclusive of cost of Emulsion (RS-1) and will be provided by the Department) including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge	828.75	4.10	Rupees Four and paise ten only.	Per Square Metre	3398.00	
4	Providing Laying and rolling of closed graded premix surfacing material of 20mm thickness composed of 11.2mm to 0.9mm(type A) 13.2mm or 0.9mm (type-B) aggregates using bitumen to required line, grade and level to serve as wearing course on previously prepared base including mixing in a suitable plant, laying and rolling with a three wheel roller 8-10KN static roller and finishing to required level and grade as per technical specification clause 509 (Rate is Exclusive of cost of Bitumen (VG-10) and will be provided by the Department) including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in- Charge	828.75	200.55	Rupees Two hundred and paise fifty five only.	Per Square Metre	156206.00	
	Dough schedu	le of	qua	whity approv	Executive HPPWD D		



# DNIT S.NO 1- 174 footley are 2023-24.

DRAFT SCHEDULE OF QUANTITY

Name of work:- RRD on various roads under Chakkar Sub Division HPPWD Nerchowk (Gagal section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs. 220500, Earnest Money Rs. 4400/-Time: - One Month.

Sr. No.		Qty.	Rate In		Unit	Amount
	Description of Items		Figure	Words		
	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.	210 hours	1050.00	Rupees one Thousand fifty only	Per hours	220500.00
	Λ <sub>1</sub> ,	1 /	0	1.1	Total:-	220500.00

Assistant Engineer, Chakkar Sub Division, HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,

HPPWD Nerchow



	re of work:- RRD on Ratti kalkhar road km. 0/0 to 10/0. (SH:- Removal of slips in various reach oing of drains in km. 0/0 to 10/0).	ies, Dressin	ig of berm &	Estimated Cost:-	-	
		Time :- Two Mont	hs			
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		
1	Removal of landslides Alip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cut material with in a tell up to 1.5 metre and land upto 1000 meter as per technical specification 302.3.5 and 1611	3713.65	99.80	Rs. Ninety Nine and paise eighty only.	Per Cubic Metre	370622.00
2	The maintenance of drains include erosion, repair, clearing, cleaning, reshaping, regrading, despening of side drains as well as catch water drains as per technical specification Clause 1907 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	4000.00	3.35	Rs. Three and paise thirty five only.	Per Running Metre	13400.00
3	Maintenance of Earhert shoulder (stripping of excess soil) Stripping excess soil from the shoulder striace to achieve the approved level and compacting with plate compactor at OMC as per drawings and Technical Specification Clause 1903 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	7995.00	14.00	Rs. Fourteen and paise zero only.	Per Square Metre	111930.00

Executive Engineer, HPPWD Division, HPPWD Herchoude

DMIT-S.NO 94



### DRAFT SCHEDULE OF QUANTITY

Name of work:- A/R & M/O Various roads under Chakkar Subdivision HPPWD Nerchowk.

(SH:- Trimming of grass and weeds from various roads under Nerchowk section.

**Estimated Cost** 

Rs. 199932.00

Earnest Money

Rs. 4000.00

Time Limit One month

S.No.	Description of items	Qty	Rate In		Unit	Total Amount
			In Figures	In Words		Inclusive of all Taxes
1	Trimming of grass and weeds from the shoulders/berms and disposing off the same to suitable locations as per technical specifications Clause 1914 complete including carriage of materials with in all leads and lifts and complete in all respect.	40000.00	Three rupees and fifty paise only	3.50	per square metre	140000.00
2	The maintenance of drains include erosion, repair, clearing, cleaning, reshaping, regrading, deepening of side drains as well as catch water drains as per technical specification Clause 1907 complete including carriage of material	17890.00	Three rupees and twenty paise only	3.35	RMT	59932.00
			( ) = ( ) = ( )		Total:	199932.00

Assistant Engineer, B&R Subdivision, HPPWD Chakkar. Executive Engineer, Division Nerchowk,

(76)

DNIT 9.NO (4) for the year 2023-24.

	DRAFT SCHEDULE OF QUAN	YTITI				THE REAL PROPERTY.
	of work:- Construction of link road from Damka-Samloun-Galma-PargiPul-Bag-Sidhkothi-Berl-Samlehar-Badhk 0. Under OTMNP (SH:- C/O 900mm dia RCC Hume Pipe Culvert at RD. 2/620)	to Estimated Cost - 115664.00 Earnest Money :- 2400.00 Time : Two Months				
SN	Description of item	Quantity	Rate with a	laxes including GST in	Unit	Amount
			In frgure	In word		
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the firection of the Engineer-in Charge.	9 60	287.00	Rupees Two hundred eighty seven and paise only	Per Cubic Metre	2755.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803 1202 and 1203 in cement concrete 1.4.8 (one cement four sand leight graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per title direction of the Engineer in Charge.	1 58	4018 00	Rupees Four thousand eighteen and paise zero only	Per Cubic Metre	6348.00
3	Providing and laring concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803, 1202 and 1203 in committee to 1.5.12 (one coment: six sand : Twelve graded stone accepted 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	8 02	2740 00	Rupees Two thousand seven hundred forty and paise zero only	Per Cubic Motre	21975 00
A	Stone masor y in cement mortal for sub-structure complete as per drawing and technical specification clauses 702 704 1202 & 1204 random rubble masonry second sort in cement mortal 1.6 (one cement six sand) complete within all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-in-Charge.	13.29	3333,00	Rupces Three thousand three hundred thirty three and paise zero only	Per Cubic Metre	44296.00
5	Providing and laying 900 mm (Nine hundred millimetre) diametre reinforced cement concrete pipe NP2 for culvert on first class bedding of granufar material in single row including fixing collar with cement mortar 1.2 but excavation, protection work, back filling, concrete and masonary work in head walls and paraplets clause 1108 including carriage of materials and as per the entire satisfaction and direction of Engineer-in-Charge	7 00	3550 00	Rupees Three thousand five hundred fifty and pasie zero only	Per Runnung metre	24850 00
6	Providing and laying cement concrete 1.5.10 with 15% pittins and curing complete including the cost of form work for plain / reinforced concrete in retining walls, breast walls, the size & plum should be 150 to 300 mm as per drawing and HP_PWD, technical specification and within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	4 23	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	15440 00
					Total	115664.0

Dan fl scholule of quantity approved for 21,15,6641

Executive Engineer HPPWD Division Nerchows

### DNITS.NO)-103



### DRAFT SCHEDULE OF QUANTITY

Estimated Cost:

Rs. 246340.00

**Earnest Money:** 

Rs. 5000.00

Time:

One Month.

Name of work : A/R & M/O various roads under Chakkar Sub Division HP. PWD Nerchowk. (SH:- Supplying & stacking dual direct rectangular delinators for road side with plastic head unbreakable at neck.) Job No.II

Sr. No.	Description of item	Qty.	Qty. Rate		Unit	Amount
			In figure	In words	1	
1	2	3	4	5	6	7
	Supplying & stacking F.O.R. at site duel direction delineator made out of dia MS pipe 60 mm (sixty millimetre) dia of size 75mmx75 mm (seventy five into seventy five millimetre) and of length 600 mm (six hundred millimetre) pipe stove enameled and baked to 120 (one hundred twenty) C/powder coated head made of rectangular moulded with flat face provided with high intensity prismatic reflector of colour (white/yellow) of size 100 mmx125 mm (one hundred into one hundred twenty five millimetre) with additional to reflect strips of 25mm (twenty five millimetre) wide make green light including hauling of materials in all leads, lifts and other incidental or as per the entire specification and direction of Engineer in-Charge.		1090.00	Rupees One thousand ninety and paise nil only.	Each.	246340.0
	0		1.1.1	1 , 0	Total :-	246340.0


saft schedule of quantity aptroved for 22,46,3401.

Executive Engineer, HPPWD Division,

HP,PWD,Nerchen

(78)

N	DRAFT SCHEDULE OF C	UANTI	TY			
	ne of work:- Restoration of road damages caused due to laying of optical fibre cable of 0/00 to 10/00. (SH:- Construction of PCC Retaining wall at RD. 6/795 to 6/812) Deposit		ikhar road	Estimated Cost:- Earnest Money :- Time :- Two Mont	9200.00	0
.N	Description of item	Quantify	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word		Mark Williams
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	42.33	287.00	Rs. Two hundred eighty seven and paise zero only.	Per Cubic Metre	12149.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803.1202 and 1203 in cement concrete 1:5.10 (one cement five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	113.65	3650.00	Rs. Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	414823.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutinent, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rs. Two hundred eighty seven and paise zero only.	Each	17220.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14.45	1050.00	Rs. One thousand fifty and paise zero only.	Per Cubic Metre	15173.00
	and the state of t	1	11	1)	Total	459365.00
		lan fi	0 19	-	HPPWO	Engineer, Division, Nerchow







#### **Draft Schedule of Quantity**

Estimated Cost:-Rs. 236163.00

Earnest Money:- Rs. 4700.00

Time:-

Two Months

Name of work:- Construction of link road from Khakryana to Kapahra via Kufri Bhanedi road Km. 0/000 to 2/700.

Sub Head:- Construction of 900mm dia. R.C.C. Hume pipe culvert at RD 0/720 along with both side wing walls. Under OTMNP


Sr.	Description of Item	Qty		Rate	Unit	Amount
No.			In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	metre	287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	16695 00
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand : eight graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		4018.00	Rupees four thousand eighteen and paise nit only.	1.07.7.2.000.00	19045.00
3	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802.803,1202 & 1203 Plain cement concrete nominal mix 1:6:12 (one cement : six sand : twelve graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	metre	2740.00	Rupees two thousand sevan hundred forty and paise nil only.	26/400/97/4/5/99	21646.00
4	Stone masonry in cement mortar in sub structure complete as per drawing and technical specification clauses 702, 704, 1202 & 1204 Random rubble masonry in cement mortar 1:6 (one cement : six sand) and curing complete within all leads lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	metre	3333.00	E00000	Per cubic metre	107923.00
5	Providing and laying 900mm (nine hundred millimetre) diametre reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (one cement : two sand) but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets clause 1108 complete within all leads, lifts carriage of material and other incidentials complete in all respect as per direction of Engineer-in-Charge.		3550.00	Rupees three thousand five hundred fifty and paise nil only	Per Running metre	24850.00
6	Providing and laying concrete for plain / reinforced concrete in open foundations complete its per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-ir-Charge.	metre	3650,00	Rubees three thousand six hundred fifty and paise nil only	Per cubic metre	4088.00
7	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads. Iifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	metre	2100.00	Rupees two thousand one hundred and paise nil only	Per cubic metre	31836.00



Sr. No.	TO A PROPERTY PROPERTY AND A PROPERT	Qty		Rate	Unit	Amount
		2000	in Figure	In words		
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	9 60 Cubic metre		Rupees thousand fifty paise nil only	one Per cubic and metre	10080 00
					Total:-	236163.00

Evalt schedule of quantity approved for he 236 (Rupees two lac thirty six thousand one hundresixty three) only.

Executive Engineer. HP PWD Division . Nerchawk





DRAFT SCHEDULE OF QUANTITY

Name of work:- A/R & M/O various roads under Rewalsar Sub Division HPPWD Rewalsar. (Leda section)

(SH: - Hiring of JCB clearing of debris drains and dressing of berms etc.)

Estimated Cost Rs.149100/-Earnest Money Rs. 3000/-Time: - Two Months.

Sr. No.	Description of Items	Qty.	R	late In	Unit	Amount
			Figure	Words		
1.	Hiring of J.C.B. one Cum bucket capacity for debris/cleaning of drain from various sites of work with in all leads and lifts to the entire satisfaction of the Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the J.C.B. owner which shall have to be fully compensated by him in all cases. The fuel and J.C.B. operator and stays for J.C.B. operator will be provided by the J.C.B. owner. The repair and spare including watch and ward of J.C.B. also born by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-charge.		1050.00	Rupees one thousand fifty only.	Per hours	149100.00
. 32					Total:-	149100.00

Assistant Engineer
Rewalsar Sub Division
H PPW D Rewalsas

Executive Engineer, Nerchowk Division, HPPWD Nerchowk