HIMACHAL PRADESH PUBLIC WORK DEPARTMENT NOTICE INVITING TENDER

Sealed Percentage rates tender on form No. 6 and 8 are hereby invited on behalf of Governor of HP for the following works from approved and eligible contractor enlisted in HPPWD so as to reach in this office 12.07.2023 upto 10:30 AM and shall be opened on the same day at 11:00 AM in the presence of intending contractors or their authorised representative who may link to he present. The tender form be had from his office against cash payment (non refundable) during working hours.

The earnest money in the shape of FDR/TDR in HP duly pledged in favour of Executive Engineer Rajgarh Division HPPPWD Rajgarh must be accompanied with the each tender. Conditional tender and tender received without earnest money will be rejected. The undersigned reserves the right to reject any or all tenders without assigning the reason. The offer of the tender will

be kept opened for 75 days.

	pened for 75 days. Tender Sechedule	
Sr. No.		10.07.2023 upto 4:00 PM
	Last date for tender receipt of application for tender form	11.07.2023 upto 4:00 PM
	Last date of sale of tender forms.	12.07.2023 upto 10:30AM
	Date of receipt of tender forms	
	Date of opening of tenders	12.07.2023 at 11:00 AM

<u> </u>	Name of Work	Estimated	Earnest	Time	Cost of
Sr.		cost	Money	Limit	form
No	11.5 1 Single January 19. (00 to 87/00	4,98,403/-	10,000/-	Three	350/-
1	A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00	1,50,100,		months	-
	(SH:-Construction of Both side Abutments for slab culvert at Rd 59/515).	474220/	10.000/-	Three	350/-
2	A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to	4,74,239/-	10,0007	months	
_	87/00 (SH:-Construction of Upstream & Downstream side wing wall and			montais	
	Providing Railing for slab culvert at Rd 59/515).			CC	350/-
	A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00	4,00,000/-	8,500/-	fifteen	3307
3	A/R & M/O on Banethi Bagtilah Rajgani Chando Toda kin 1970 o			Days	
	(SH:-Hiring of hydra 100 tonne capacity for slab lifting and also placing				
	back in position).	· · · · · · · · · · · · · ·	ublic interes	st.	-

Certificate:-It is certified that the tender of above work are exigency/emergent nature and in public interest.

Terms & conditions:-

- The contractors/Bidders must submit their Permanent Income Tax Account Number/GST number on the tender along with copy of the same be attached with the application.
- The contractor/Firms should attached copy of the Registration/Renewal with the application.

The contractor/bidder should quoted in percentage rates. 3.

- The contractors/bidders must inspect the site to ascertain/familiar the site conditions, accessibility etc. Before quoting the
- Conditional and telegraphic tender shall be accepted and rejected straightway. Tender received after due date and time will be
- The contractor/firm should have to produce the detail of work in hand in HPPWD and its position therefore along with
- The tender document shall be issued to only those contractors who dose not have more than two works in hand in HPPWD
- The contractor shall have to establish testing laboratory at site for the day to day testing of material.

- The above Job is on present market rates and tender will be processed as per instruction issued by the Add. Chief Secretary (PW) to the Govt. of H.P notification No. PBW)B)A(3)1/2020 dt. 22.07.2020. Regarding adoption of CPWD works manual 2019 & other publication of CWP in HPPWD shall also be applicable.
- 11. The Executive Engineer reserve the right any or all the tenders without assigning any reason.
- 12. The tender document shall be issued to only those contractors who submit registration of GST No.
- 13. The contractor should not have more than two contracts within Division at a time tender. If the contractor has already two works in hand then the tender not excepted at the time of opening of tender and the same will be rejected technical

14. If the contractors found lowest more than two works during the opened of bid then two works awarded to contractor at the one time and then opportunity will be given to next lowest bidder. 17 Executive Engineer

HPPWD Division Rajgarh Distt Sirmour HP

on behalf of Governor of Himachal Pradesh Tel. No. 01799-221023 Mail.ee-raj-hp@nic.in

01-07-203

No.PW/RGH/Estt-Tender/2023-24- 3366-3416
Conv forwarded for info

Copy forwarded for information and necessary action to: The Engineer-in-Chief, HP.PWD.Shimla-1.

The Chief Engineer (South) HP.PWD.Shimla-1.

The Superintending Engineer, 12th Circle HPPWD Nahan. 2.

The Executive Engineer (IT Cell), Nigam Vihar, HPPWD Shimla-2 for uploaded of Notice Inviting Tenders on 3.

Departmental wesite please.

All the Assistant Engineers working under this Division.

5. All Head of Branches of this office.

All Intending Bidders/Contractors. 6.

Notice Board.

utive Engineer, Rajgarh Division, HP.PWD. Rajgarh.

SCHEDULE OF QUANTITY

Construction of Both side Abutments for slab culvert at Rd 59/515). Name of work: - A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00 (SH:- Estimated cost: - Rs.4,98,403/-Earnest money: - Rs. 10,000/-

Time Limit: -Three Months

2.1.1					S-4		_
2					۳	0:	?
Providing concrete P.C.C grade M-10 grade Nominal mix 1:3:6 and 20mm 10.560 nominal sizefor plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 (Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) including carriage of all labour equipments	suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at	Technical Specification Clause 305.1(Three hundred Five point One) and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal	comprising of ordinary soil, ordinary rock, hard rock chiesling / wedging out rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and	Earthwork in excavation for all type of roads, structures such as retaining wall, 79.200 breast wall, culvert, drain and parapets etc. in all type of classification of soil	Suo-Head and Items of Work	
110.560 r r d					79.200	Qty.	?
Per Cubic Metre				Metre	Per Cubic	Unit	
6487.25					255.20	in figures.	
Rupees six thousand four hundred eighty seven and paise twenty five only.				and paise twenty only.	Rupees two hundred Fifty five	Rate in words	יווי ככ ייוסוונווס
six 68505.00 four eighty paise only.		<u> </u>	The same	य	two 20212.00 five	Amount	

									_			u
150		p- 1 1 .		. σ				4				-1
	Quoted rates precentage in word	Quoted rates precentage in figure		Supplying, fitting andplacing HYSD bar reinforcementin SUPER STRUCTURE 3 complete as per drawings and technical specifications Clauses 1000 &1202(Clause - One thousand and One thousand Two hundred two) including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) including carriage of all labour equipments and	and technical specifications Clause 802, 803, 1202 & 1203 (Clause - Eight	Providing concrete P.C.C grade M-20 grade Nominal mix 1:2:4 40mm nominal 2.880 for plain/ reinforced concrete in open foundations complete as per drawings	transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	all labour equipments and materials to various locations through all modes of	cement) and including raking out joints including carriage of material within	Square rubble masonary coursed with hard stone of approved quality in 115 foundation and plinth in walls in cement mortar 1.3 fone Cement isto three
				345.60				2.880				15.200
				Per Kilo gramme			Metre	Per			Metre	Per
Grand total:			G.Total	106.00				7111.70	2.			3060.50
				Rupees one hundred six and paise nil only.		S	hundred eleven				and naise fi	
			498403.00	one 36634.00 and		nty	ven	seven 20482.00		шсу	sixty	Three 352570.00

Executive Engineer, Rajgarh Division, HPPWD Rajgarh.

DRAFT SCHEDULE OF QUANTITY

Name of work: - A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00 (SH:- Estimated cost: - Rs.4,74,239/-Construction of Upstream & Downstream side wing wall and Providing Railing for slab culvert at Earnest money: - Rs. 10,000/-

Time Limit: -Three Months

2			1	No	Sr.
Providing concrete P.C.C grade M-10 grade Nominal mix 1:3:6 and 20mm 59.880 nominal sizefor plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 (Clause - Eight hundred Two, Eight hundred Three, One thousand Two hundred Two and One thousand Two hundred Three) including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.	rocks (where blasting is prohibeted) as per drawing and technical specification true to lines and grades. Dimesions and other particulars as per drawing and 1606.1(One six zero six point one) including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all lead and lifts including dressing of sides and bottom and backfilling in trenches with excavated suitable material. All work of excavation by blasting shall be carried out by taking all necessary precautions against soil erosions, damage to hill side & any structure near about, water pollutions etc., and to protect stability of hill side rock. Stacking of materials useful for construction at suitable sites and safe disposal of unserviceable excavated materials in specified manners to dumping site(to be arranged by the contractor), trimming, filling of unevenness blindages and finishing of the road to specified dimensions or as directed by the Engineer-in-Charge. Any loss to the public or private property during the course of execution shall be the sole responsibility of the contractor, which shall have to be duly compensated by him at his own cost of all cases.	breast wall, culvert, drain and parapets etc. in all type of classification of soil	Earthwork in excavation for all type of roads, structures such as retaining wall, 31.270		Sub-Head and Items of work
59,880			31.270		Qty.
Per Cubic Metre		Cubic Metre	Per		Unit
6487.25			255.20	in figures.	
Rupees six thousand four hundred eighty seven and paise twenty five only.	only.	hundred Fifty five and paise twenty	Rupees two	in words	Rate
six 388457.00 our hty ise		7 10	two 7980.00		Amount

201.0						3					5			40	1	1	-	\					
		Quoted rates precentage in word			Quoted rates precentage in figure		the entire satisfaction as per direction of Engineer-III- Cital ge.	various locations through all modes of transportations in all leads and litts to	eight point two) including carriage of all labour equipments and materials to	technical specification clause 1208.2 (Clause - One unousaint and materials to	Providing fitting and fixing mild steel railing complete as per diawing and	all leads and lifts to the entire satisfaction of the Engineer-In-Cital Be,	technical specification clauses 614, 709,1204.3.7. all modes of transportation in	slope of 1(V):20 (H) towards drawing face complete as per drawing and	milimetre dia AC pipe extending through the full within of the su detailes with	concrete abutilities, with the fall width of the structures with	return wall with 100mm (One hundred)	Providing weep holes in brick masonry/ stone masonry, plain/reinforced	fransportations in all leads and lifts to the entire satisfaction as per direction of	hipments and materials to various locations through all modes of	ling and HP PWD techinical specifications i/c carriage of all labour	ags & technical specification Clause 1204.3.8 in granular material. as per	ag behind abutment, wing wall and return wall complete as per
STATE OF STREET	Control of the control										6	16.00						16.00					14.40
1000年 日本の日本の日本	· 中央公司 · · · · · · · · · · · · · · · · · · ·									metre	Running	Per						Each			Metre.	Cubic	Per
OI WIN TO	Grand total:-					v	G.Total					3893.00						276.80					769.80
								nil only.	three and paise		thousand	Rupees		0.0.0	eighty only.	six and paise	hundred seventy	Rupees		eighty only.		hundred	
THE PROPERTY OF			4						paise	ninety	eight	three				paise	eventy	two			paise	sixty	seven 1
				1			474239.00					three 62288.00						two 4429.00					seven 11085.00

Executive Engineer, Rajgarh Division,

SCHEDULE OF QUANTITY

Hiring of hydra 100 tonne capacity for slab lifting and also placing back in position). Name of work: - A/R & M/O on Banethi Bagthan Rajgarh Chandol road km 48/00 to 87/00 (SH:- Estimated cost: -Rs.4,00,000/-Earnest money: - Rs. 8,500/-

Time Limit: - fifteen days

I					No :	Sr
	Ouoted rates precentage in word	Quoted rates precentage in figure		Hiring of hydra 100 tonne capacity for slab lifting and also placing in position 2.000 as per the including carriage of all labour equipments and materials to various locations through all modes of transportations in all leads and lifts to the entire satisfaction as per direction of Engineer-in- Charge.		Sub-Head and Items of work
				2.000		Qty.
				Nos.		Unit
Grand total:-			G.Total	200000.00	in figures.	
al:-				Rupees two lakhs 400000.00 and paise nil only.	in words	Kate
			400000.00	400000.00		Amount

Rajgarh Division, HPPWD Rajgarh. Executive Engineer,