



Executive Engineer Baljnath Division HP.PWD, Baljnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

#### "NOTICE INVITING TENDER"

Sealed item rate short term tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 26.08.2023 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 25.08.2023 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 24.08.2023 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

| Sr.<br>No. | Name of work.  | Amount put to<br>tender/Estimated<br>cost. | Earnest<br>Money | Cost of<br>tender<br>form | Time limit  |
|------------|--|--|------------------|---------------------------|-------------|
| 1          | R/D on Barot Polling road Km 0/00 to 8/050 (SH: Construction of R/Wall in wire crate at Km 1/220 to 1/226 & 1/240 to 1/246.50)                               | Rs.1,69,712/-                              | Rs.3,400/-       | Rs.350/-                  | One Month   |
| 2          | R/D on Barot Polling road Km 0/00 to 8/050 (SH: Construction of R/Wall in wire crate at Km 5/150 to 5/162.50 & B/Wall at RD 5/180 to 5/192)                  | Rs,4,57,668/-                              | Rs.9,200/-       | Rs.350/-                  | One Month   |
| 3:         | R/D on Various Road Under Bir Sub-Division, HPPWD Bir (Deol & Bir Section) (SH: Hiring of Hydraulic Excavator cum loader/JCB)                                | Rs.2,64,000/-                              | Rs.5,300/-       | Rs.350/-                  | Three Month |
| 4          | A/R & M/O on Various roads under Baijnath Sub-Division,<br>HPPWD Baijnath (Paprola & Baijnath Section) (SH: Hiring of<br>Hydraulic Excavator cum Loader/JCB) | Rs.1,81,500/-                              | Rs.3,700/-       | Rs.350/-                  | Three Month |

#### Terms and conditions:-

- The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No( Where applicable) duly attached with the application.
- The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- 4 In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- The application form should accompany the earnest money in the shape of FDR/NSC duly pledged in favour of Executive Engineer, PWD Baijnath otherwise no forms will be issued.
- The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway,
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- 10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 11 All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
- The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/permit.

Executive Engineer. Baijnath Division., H.P.PWD. Baijnath.

For & On behalf of the governor of H.P. 6044-52 NO:-PWD/BD/TA/NIT/2023-24/-

- PWD/BD/TA/NIT/2023-24/- 60 UU > 2 Dated:- 18 -8-2 Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-chief, HPPWD, Shimla.
- The Chief Engineer (MZ), HPPWD, Mandi.
- The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- All the Assistant Engineer working under this Division.
- Drawing Branch in this office.
- Notice Board.
- The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploaching the NIT on the Departmental website.

Executive Engineer, Baijanth Division., H.P.PWD. Bailenth.



#### Office of

Executive Engineer Baljnath Division HP.PWD, Baljnath Himachal Pradesh Public works Department Baljnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-balj-hp@nic.in

## **CERTIFICATE**

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/6844-52 DATED 18-08-2023 ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP.PWD, Baijnath.



### Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

## **CERTIFICATE**

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/6644-52 DATED 16-08-2023 ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP.PWD, Baijnath.

# DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: R/D on Barot Polling road km 0/00 to 8/050. (SH: Construction of R/wall in wire crate at km 1/220 to 1/226 & 1/240 to 1/246.50.) Earnest Money: 3,400.00/-Estimate Cost: 1,69,712.00/-

|                        | Sr.                 | No.           | 72  |   |  |
|------------------------|---------------------|---------------|---|---|--|
|                        | Description of work |               | Earth work in excavation for structures in all depths as per drawing and M.O.R. D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated. Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagmant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.  2. Providing and laying of boulder apron laid in wire crates with 4 mm dia G1 wire confirming to 18 280 and 18 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints, laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 lneluding carriage of materials within all leads and lifts and other incidental. The rate is including | Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government. |  |
|                        | No. or              | Qty.          | 7.00<br>58.63   | 58.63   |  |
|                        | Unit                |               | Per Cubic metre  Per Cubic metre  | Per Cubic<br>metre  |  |
| Time Limit : One Month | Rate                | Figures Words |   |   |  |
|                        | AMOUNT              | Rs. P         |   |   |  |

Exceptive Engineer Baljnath Division H.P.P.W.D., Baljnath

# DNIT/DRAFT SCHEDULE OF QUANTITY

| Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other detections materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Stainber materials. All work of rock earling by blasting shall be carried out by taking all necessary precautions against soil eroston, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiscling and wedging out rock (where blasting is probabilitied). All earth work in cuting excavation including pock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, halling and stacking of materials useful for construction at suitable sites and safe disposal of unstable cut materials in specified manner. Illing of unevernoess and finishing the course of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the courtector which shall have to be duly compensated by him at his own cost.  Providing and laying of boalder apron laid in wire crates with 4 mm dia G1 wire confirming to 15 280 and 154.69 Per Cubic 154.825 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with metre boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government.  Back filling with granular material behind abutments, wing walls, cerum walls complete as per drawing and compensation in all teads. His and other incidental complete in all respect. The rate is including octroi | Name   | Name of work: R/D on Barot Polling road km 0/00 to 8/050.  (SH: Construction of R/wall in wire crate at km 5/150 to 5/162.50 & B/wall at Rd 5/180 to 5/19   | (192.) |                    | Estimate Cost: 4,57,668.00/-<br>Earnest Money: 9,200.00/-<br>Time Limit: One Month | : 4.57<br>ey: 9.2<br>One M |
|--|--|---|--------|--------------------|--|----------------------------|
| Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification of the deleterious materials, and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated. Suitable materials, All work of rock carding by blasting shall be carried out by taking all necessary precautions against soil erosion, change to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring scepage, rain and other causes it shall be tennoved by suitable diversion, bailing out or pumping as directed and the area of the foundation or embandment shall be kept day. Any loss to the public or pitvate property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.  Providing and laying of boulder apron laid in wire crates with 4 mm dia G1 wire confirming to 15 280 and 154.69 Per Cubic S48.26 in 100mm x 100 mm mesh (woven diagonally) including 10 per exta for lags and joints, laid with some boulders weighting pot less than 25kg each us per drawing and technical specifications clause 1301 including carriage of materials with all leads, lift and other incidental complete in all respect. The rate is including octroi, royality, GST, toll metre                                    | Sr.  | Description of work   | No. or | Unit               | R  | ate                        |
| Harth work in excavation for structures in all depths as per drawing and M.O.B. Datehnical specification section 300 & 1600 including setting out, construction of shoring and braceng, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated. Suitable materials. All work of rock carting by blasting shall be carried out by taking all necessary precautions, against soil crosson, damage to hill side, water pollution etc. and to proteer stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation stable be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unscatable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or a stirected by the Engineer-in-Charge. If the foundation of the structure is in an area with stagenant water or water is met with in the excavation due to spring seepage, train and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embachment shall be kept day. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.  Per Cubic S 4826 in 100mm x 100mm mesh (woven diagonally) including 10 per extra for laps and joins laid with stone boulders weighing not less than 25kg each is per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidents a specification of materials to various location through all modes of transportation in all leads, lifts and other incident | _  |   | Oty.   | A COLOR            | Figures  |                            |
| Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to 1S 280 and 154.69 IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroitoryality, GST, toll tax, Sale Tax or other taxes imposed by the government.  Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-Inall leads, lifts and other incidental complete in all respect. The rate is including octroit, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.   | See out  | rth work in excavation for structures in all depths as per drawing and M.O.R. D. technical specification atton 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and her deleterious materials and disposal in all lead and lift including dressing of sides and bottom and ck filling in trenches with excavated. Suitable materials. All work of rock cutting by blasting shall be ried out by taking all necessary precautions, against soil erosion, damage to hill side, water pollution, and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where sting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out to thines grades, side slopes, width, camber super elevation and level as shown on the drawings or as ected by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable is and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the icture is in an area with stagnant water or water is met with in the excavation due to spring seepage, and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the a of the foundation or embankment shall be kept dry. Any loss to the public or private property during course of excavation shall be the whole responsibility of the contractor which shall have to be duly mpensated by him at his own cost. | 39,77  | Per Cubic metre    |  |                            |
| Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax. Sale Tax or other taxes imposed by the government.   | and the second s | viding and laying of boulder apron laid in wire crates with 4 mm dia G1 wire confirming to IS 280 and 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints laid with he boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 luding carriage of materials within all leads and lifts and other incidental. The rate is including octroi. afity, GST, toll tax, Sale Tax or other taxes imposed by the government.  | 154.69 | Per Cubic<br>metre |  |                            |
| MAA, Sale Lax of other taxes imposed by the government.  |  | k filling with granular material behind abutments, wing walls, return walls complete as per drawing M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In- urge including hauling /carriage of materials to various location through all modes of transportation in eads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll   | 3.84   | Per Cubic<br>metre |  |                            |
|  | -  | Sale Tax or other taxes imposed by the government   |        |                    |  |                            |

Executive Engineer
Baijnath Division
H.P.P.W.D., Baijnath

| Name of Work: Ark & NR<br>(SH: Hiri  | Name of Work: AAR & TOO on Various Road Under Bir Sub Division, HPPWD Bir (Deol & Bir Section) (SH: Hiring of Hydraulic Excavator cum Loader / JCB).  |        |          | Estimated Cost: Rs. 26400<br>Earnest Money: Rs. 5300/ | Estimated Cost: Rs. 264000/- Earnest Money: Rs. 5300/- Time Limit: Three Months |
|--|---|--------|----------|---|---|
|  | SCHEMILE OF MOSE  |        |          | : THIRT TAILE!  | Inree Months  |
|  | SCHEDULE OF WORKS   |        |          | W   |   |
| Zo   | Description of work   | No.or  | Unit     | Es  | Estimated Rate  |
|  |   |        |          | Figure  | Words   |
| vorking condition p<br>(i.e. need basis). Th<br>and maintenance ch<br>smooth running of v<br>including Royality, i<br>including GST. | Hiring of Hydraulic Excavator cum front end loader One Cum bucket capacity @ 45 Cum /Hour in working condition per hour basis including Sunday / Holiday, for rainy seasons as and when required (i.e. need basis). The patrolling charges will be paid half from destination to working site. Operational and maintenance charges POL charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the Hydraulig Excavator. The rate is including Royality, Malkhana, Octroi, toll tax, or any other taxes imposed by the Government including GST. | 240.00 | Per Hour |   |   |

# TERMS AND CONDITIONS:-

- The work should be carried out as per directions of Engineer-in-Charge.
   The JCB should be inclusive of all rates as lubricants repair charges etc.
   The payment will be made on the submission of the copy of log book duly signed/checked by the concerned Engineer-in-Charge

Executive Engineer
Baijnath Division
HPPWD Baijnath

|       | SCHEDULE OF QUANTITY  |          |          |   |   | (      |
|-------|---|----------|----------|---|---|--------|
| ame   | ame of Work: A/R & M/O on Various Road under Baijnath Sub Division, HPPWD Baijnath (Paprola & Baijnath<br>(SH: Hiring of Hydraulic Excavator cum Loader / JCB ).  | Baijnath | Section) | Estimated C<br>Earnest Mo<br>Time Limit | Estimated Cost: Rs. 181500/-<br>Earnest Money: Rs. 3700/-<br>Time Limit: Three Months |        |
|       | SCHEDULE OF WORKS   |          |          |   |   |        |
|       | Description of work   | No.or    | Unit     |   | Estimated Rate  | AMOUNT |
| .   * |   | Qty.     |          | Figure                                  | Words   | Rs. P  |
|       | Hiring of Hydraulic Excavator cum front end loader One Cubic meter bucket capacity a 45 (at rate of Forty Five Cubic meter. /Hour.) in working condition per hour basis including Sunday./ Holiday, for rainy seasons as and when required (i.e. need basis). The patrolling charges will be paid half from | 165.00   | Per Hour |   |   |        |

of the Hydraulic Excavator. The rate is including Royality, Malkhana, Octroi, toll tax, or any other

taxes imposed by the Government including GST.

miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner

destination to working site. Operational and maintenance charges POL charges and other

## TERMS AND CONDITIONS:-

- 1. The work should be carried out as per directions of Engineer-in-Charge.
- 2. The JCB should be inclusive of all rates as lubricants repair charges etc.
- 3. The payment will be made on the submission of the copy of log book duly signed/checked by the concerned Engineer-in-Charge

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)