HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No:-PW-NCD-E-Tender-NIT/2023:-

2290-97

Dated: 2 9 2023

To

The Executive Engineer (IT Cell), Wirman Bhawan, Nigam Vihar, Shimla-2

Subject: -

Publishing of tender Notice.

Dear Sir,

Enclosed please find herewith the tender Notice of works as given in the Notice Inviting Tender for uploading on Department website as per Notification No. Prncipal Secretary (PW), to the Govt. of H.P. letter No.PBW(B) A(3)1/2020 dated Shimla-2 the 16th July, 2021 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA: - Notice Inviting Tender. (80 Nos. Works)

Executive Engineer, HP.PWD., Division,

ercbowk.

Copy forwarded to for information:-

Copy forwarded to the Superintending Engineer, 1st Circle, HP.PWD., Mandi for information please.

Copy to all the Assistant Engineers, working under this Division. Copy to Account Branch in this office.
Copy to Drawing Branch in this office.

Notice Board.

Executive Engineer, HP.PWD, Division, Nerchowk.

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

"NOTICE INVITING TENDER"

Sealed <u>Percentage rate</u> tender's on form <u>"6&8"</u> are invited by the Executive Engineer, Nerchowk, H.P.PWD. Nerchowk for the following works from the approved and eligible contractors enlisted in H.P.PWD. so as to reach in this office on or before 16.09.2023 upto 11.30 A.M. and will be opened on the same day at 3.00 P.M. in the presence of interesting contractors or their authorized representatives who may like to be present. If it happen to be holiday on the tender will be open on next working day. The application for obtaining the tender form will be received up to 12:00 Noon on 14.09.2023 and tender form will be issued on dated 15.09.2023 upto 11:30 AM. The EMD should be attached during the submission of application for obtaining the tender form. The application will not be accepted without Earnest Money & Cost of tender form.

The earnest money in the shape of FDR National Saving Certificate/Time deposit accounts/Saving account in any of the Post Office and Banks of Himachal Pradesh duly pledged in favour of the Executive Engineer must accompany with each tender. The conditional tender's and the tender's received without earnest money will summarily be rejected. The earnest money should be attached with application. The offer of the tender shall be kept open for <u>90 days</u>. The Executive Engineer reserves the right to

Sr. No	Name of work	Estimated Cost (Rs.)	Earnest Money (Rs.)	Cost of Tender From (Rs.)	Time limit	Eligible Class of Contractor
	Restoration of rain damages on Ropri to Khudi road Km. 0/0 to 6/500. (SH:- C/O Breast wall at RD 0/885 to 0/907.)	465239	9300	350	One Month	"D"
9	Restoration of rain damages on Rewalsar to Reur road Km. 0/0 to 4/000. (SH:- C/O PCC Retaining wall at RD 1/985 to 2/000.)	356194	7200	350	Two Months	"D"
	Restoration of rain damages on Kapahi Jhor road Km 0/0 to 2/500. (SH:- C/O wire crated Retaining wall at RD 0/415 to 0/427.)	392466	7900	350	Two Months	D ₂₁
400	Restoration of rain damages on Kapahi Jhor road Km. 0/0 to 2/500. (SH:- C/O wire crated Retaining wall at RD 0/427 to 0/439.)	393567	7900	350	Two Months	"D"
	Restoration of rain damages on Leda Ghangnoo road Km. 0/0 to12/000. (SH:- C/O Retaining wall in stone masonry at RD 9/405 to 9/422.)	369417	7400	350	Two Months	"D"
	Restoration of rain damages on Leda Ghangnoo road Km. 0/0 to12/000. (SH:- C/O Retaining wall in stone masonry at RD 9/435 to 9/450.)	369245	7400	350	Two Months	"D"
	Restoration of road damages caused due to laying of optical fibre cable on Leda Gharwasra Tarwain road Km. 0/00 to 7/000. (SH:- C/O Retaining wall in stone masonry with toe wall at RD 0/280 to 0/290.)	400309	8000	350	Two Months	"D"
	Restoration of road damages caused due to laying of optical fibre cable on Leda Gharwasra Tarwain road Km. 0/00 to 7/000.(SH:- C/O Retaining wall in stone masonry with toe wall at RD 0/270 to 0/280.)	399405	8000	350	Two Months	"D"
	Restoration of rain damages on Ropri to Khudi road Km. 0/0 to 6/500. (SH:- C/O wire crated Retaining wall with toe wall in PCC 1:5:10 at RD 3/610 to 3/621.40.)	488387	9800	350	Two Months	*D"
0	Restoration of rain damages on Ropri to Khudi road Km. 0/0 to 6/500. (SH:- C/O wire crated Retaining wall with toe wall in PCC 1:5:10 at RD 3/621.40 to 3/632.80.)	488387	9800	350	Two Months	"D"
1	Restoration of rain damages on TPTS road Km.11/00 to 22/645. (SH:- C/O Retaining wall in PCC 1:5:10 at RD 18/200 to 18/210)	238689	4800	350	Two Months	"D"
2	Restoration of rain damages on TPTS road Km. 11/00 to 22/645. (SH:- C/O wire crated Retaining wall at RD 14/400 to 14/415.)	353195	7100	350	Two Months	"D"
3	Restoration of rain damages on Sidhyani Patha road Km. 0/00 to 4/000. (SH:- C/O Retaining wall in PCC 1:5:10 from RD 0/120 to 0/132)	284815	5700	350	Two Months	"D"
4	Restoration of rain damages on Rewalsar to Sararidhar road Km. 0/00 to 6/800, (SH:- C/O Retaining wall in PCC 1:5:10 from RD 4/885 to 4/900)	440503	8810	350	Two Months	"D"
5	Restoration of rain damages on Rewalsar to Sararidhar road Km. 0/00 to 6/800. (SH:- C/O Retaining wall in PGC 1:5:10 from RD 1/550 to 1/563)		9085	3,50	Two Months	"D"
6	Restoration of rain damages on TPTS road Km. 11/00 to 22/645. (SH:- C/O wire crated Retaining wall at RO 14/415 to 14/430.)	353907	7078	350	Two Months	"D"
7	Restoration of rain damages on TPTS road Km. 11/00 to 22/645. (SH:- C/O wire crated Retaining wall at RD from 19/830 to 19/837.)	165157	3303	350	Two Months	"D"
8	Restoration of rain damages on Ghour Nalla to Dusra Khabu road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 3/825 to 3/840.)	492879	9900	350	Two Months	"D"
9	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Rotaining wall at RD 0/820 to 0/835.)	492892	9900	350	Two Months	"D"
O	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 0/020 to 0/035.)	492879	9900	350	Two Months	"D"

21	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 0/035 to 0/050.)	492879	9900	350	Two Months	"D"
22	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 3/350 to 3/365.)	492892	9900	350	Two Months	"D"
23	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 0/200 to 0/215.)	492892	9900	350	Two Months	"D"
24	Restoration of rain damages on Rewalsar Dhiundhar road Km. 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 0/704 to 0/715.50.)	485885	9700	350	Two Months	"D"
25	Restoration of rain damages on Sidhyani Patha road Km. 0/00 to 4/000. (SH:- C/O Retaining wall in PCC 1:5:10 from RD 2/670 to 2/685)	353454	7100	350	Swo Months	"D"
26	Restoration of rain damages on Leda Ghangnoo road Km. 0/0 to12/000. (SH:- C/O Retaining wall in PCC 1:5:10 from RD 8/075 to 8/090)	282497	5700	350	Two Months	*D"
27	Restoration of rain damages on Leda Gharwasra Tarwain road Km. 0/00 to 7/000. (SH:- C/O Retaining wall in PCC 1.5:10 from RD 4/585 to 4/603)	338609	6800	350	Two Months	"D"
28	Restoration of rain damages on Leda Gharwasra Tarwain road Km. 0/00 to 7/000. (SH:- C/O Retaining wall in PCC 1:5:10 from RD 4/435 to 4/450)	282497	5700	350	Two Months	*D"
29	Restoration of rain damages on Rewalsar Dhiundhar road Km 0/00 to 6/00. (SH:- C/O wire crated Retaining wall at RD 0/690 to 0/701.50.)	485888	9800	350	Two Months	"D"
30	RRD on Mandi Gagal Challchowk Janjehli Chaltri Rana Ka Bag Nagan road km. 0/00 to 16/190. (SH:- C/O Breast wall at RD. 11/500 to 11/520)	352239	7100	350	Two	"D"
31	RRD on Rajgarh Koyla Mata Mandir road km. 0/00 to 1/910. (SH:- C/O Breast wall at RD, 1/300 to 1/325)	441085	8900	350	Two Months	"D"
12	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana Ka Bag Nagan road km. 0/00 to 16/190. (SH:- C/O Retaining wall in PCC 1:5:10 at RD. 0/600 to 0/611)	488527	9800	350	Two Months	"D"
33	RRD on Lunapani Gehra Sain road km. 0/00 to 6/900. (SH:-C/O Retaining wall in PCC 1:5:10 at RD. 4/165 to 4/180)	496691	10000	350	Two Months	"D"
34	RRD on Chakkar Challah road km. 0/00 to 3/00. (SH:- C/O Retaining wall at RD. 2/920 to 2/942)	496059 362824	7300	350	Two Months	"D"
16	RRD on Bhangrotu Nauru Chitar ka Gohar road km. 0/00 to 2/500. (SH:- C/O Retaining wall at RD. 0/570 to 0/600) RRD on Bagla Barsu Kathalag road km. 0/00 to 5/300.	476626	9600	350 350	Two Months Two	("D"
37	(SH:- C/O Retaining wall at RD 4/800 to 4/825 Construction of Lunapani to Gatti road km. 0/00 to 0/435.	489496	9800	350	Months	"D"
	(SH:- Providing and laying interlocking Concrete Block Pavement 80 mm thick at RD 0/154 to 0/224)				Month	
88	Restoration of road damages caused by laying of optical fiber cable on Ratti to Kalkhar road km. 0/00 to 10/00. (SH:-Construction of PCC Retaining wall at RD. 9/090 to 9/104 & 8/765 to 8/772)	387312	7800	350	Two Months	"D"
39	Construction of Lunapani to Gatti road km. 0/00 to 0/435. (SH:- C/O V-shape drain CC 1:3:6 at RD. 0/115 to 0/390	99784	2000	350	One Month	"D"
10	A/R & M/O Old NH-21 Chandigarh- Mandi- Manali road km. ·184/650 to 198/00. (SH:- C/O U-shape PCC drain in 1:3:6 at RD, 186/550 to 186/630)	220102	4500	350	One Month	"D"
1	Construction of road back side of Rana Market. (SH Providing and laying WBM G-I and cement concrete in km. 0/690 to 0/745) Deposit Work	192138	3900	350	One Month	"D"
12	RRD on Galma to Manjhyali road km. 0/00 to 9/00. (SH:-C/O PCC Retaining wall at RD. 1/195 to 1/210)	282551	5700	350	Two Months	"D"
13	Construction of Bhiura Satoh Dhaul road km. 0/00 to 1/800. (SH:- C/O D/S Toe wall and wing walls both side of culvert at RD. 0/615)	447623	9000	350	Two Months	"D"
4	Restoration of road damages caused by laying of optical fiber cable on Ratti Meramasit Leda road km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 4/200 to 4/217)	324760	6500	350	Two Months	"D"
15	Restoration of road damages caused by laying of optical fiber cable on Ratti Kalkhar road km. 0/00 to 10/00, (SH:-Construction of PCC Retaining wall at RD. 9/414 to 9/426)	486769	9800	350	Two Months	"D"
16	Restoration of road damages caused by laying of optical fiber cable on Ratti Kalkhar road km. 0/00 to 10/00. (SH:-Construction of PCC Retaining wall at RD. 9/400 to 9/413)	488198	9800	350	Two Months	"D"
47	Restoration of road damages caused by laying of optical fiber cable on Ratti kalkhar road km. 0/00 to 10/00. (SH:-Construction of P.C.C. Retaining wall at RD. 9/075 to 9/090) Deposit work	417714	8400	350	Two Months	"D"

48	RRD on Rigger Khuri via Banglow road km. 0/00 to 5/210. (SH:- C/O Retaining wall PCC 1:5:10 at RD. 2/110 to 2/125)	357084	7200	350	Two Months	"D"
19	RRD on Chandigarh Mandi Manali road km. 184/500 to 190/00 and 191/190 to 198/050. (SH:- C/O Retaining wall PCC 1:4:8 at RD, 196/093 to 196/106.5)	499761	10000	350	Two Months	"D"
50	RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana Ka Bag Nagan road km. 0/00 to 16/190. (SH:- C/O Retaining wall in PCC 1:5:10 at RD. 11/540 to 11/543)	411038	8300	350	Two Months	"D"
51	RRD on Gutkar Behna Tikkar Malwana Badhyal road km. 0/00 to 5/510. (SH:- C/O Retaining wall in PCC 1:5:10 at RD. 0/890 to 0/920)	451660	9100	350	Two Months	"D"
52	RRD on Lunapani Gehra Sain road km. 0/00 to 6/900. (SH:- C/O Retaining wall in PCC 1:5:10 at RD. 4/150 to 4/165)	498126	10000	350	Two Months	"D"
3	Restoration of road damages caused by laying of optical fiber cable on Ratti Meramasit Leda road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD. 6/200 to 6/220)	392457	7900	350	Two Months	"D"
4	RRD on Ratti Randhara road km. 0/00 to 9/00. (SH:- Construction of PCC Rwall at RD 4/800 to 4/817.30 with toe wall).	496937	10000	350	Two Months	"D"
55	RRD on Ratti Randhara road km. 0/00 to 9/00. (SH:-Construction of PCC Rwall at RD 5/900 to 5/915.50).	497174	10000	350	Two Months	"D"
6	Restoration of road damages caused due to laying of optical cable on Sidhyani Balt via Dahanoo road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD 1/225 to 1/245)	458689	9200	350	Two Months	"D"
57	RRD on various roads under Chakkar subdivision HPPWD Nerchowk .(SH:- Hiring of tipper for carriage of muck and patch work material) Ratti section	137250	2800	350	Two Months	"D"
58	RRD on Ratti Meramasit Leda road km. 0/00 to 15/580 (SH:- Hiring of Hydraulic Excavator (210 TATA Hitachi or its equivalent) 1.00/1.35 Cum capacity for removal of muck & other debris)	401200	8100	350	One Month	"D"
9	RRD on Malthehar bypass road km. 0/00 to 1/045. (SH:-C/O Breast wall at RD. 0/760 to 0/772)	274249	5500	350	Two Months	"D"
0	Restoration of road damages caused by laying of optical fiber cable on Sidhyani Balt via Dahanu road km. 0/00 to 9/700. (SH:- Construction of Retaining wall at RD. 0/460 to 0/478)	339058	6800	350	Two Months	*D"
51	Restoration of road damages caused due to laying of optical fibre cable on Una Aghar Barsar Jahu Bhabala Nerchowk road km. 113/00 to 126/300. (SH:- Providing and laying Bituminous concrete in km. 121/948 to 122/024) Deposit work	178520	3600	350	One Month	"D"
2	Restoration of road damages caused due to laying of optical fibre cable on Una Aghar Barsar Jahu Bhabala Nerchowk road km. 113/00 to 126/300. (SH:- Providing and laying Bituminous concrete in km. 121/316 to 121/632) Deposit work	499241	10000	350	One Month	"D"
3	Restoration of road damages caused due to laying of optical fibre cable on Una Aghar Barsar Jahu Bhabala Nerchowk road km. 113/00 to 126/300. (SH:- Providing and laying Bituminous concrete in km. 121/632 to 121/948) Deposit work	499241	10000	350	One Month	"D"
4	Restoration of road damages caused due to laying of optical fibre cable on Una Aghar Barsar Jahu Bhabala Nerchowk road km. 113/00 to 126/300. (SH:- Providing and laying Bituminous concrete in km. 121/000 to 121/316) Deposit work	499241	10000	350	One Month	,D,,
5	RRD on Kandi Mod to Soyra Bridge via Gurudawara upper Malthehar road km. 0/00 to 0/500. (SH:- C/O PCC Retaining wall at RD. 0/062 to 0/074 & 0/094.50 to 0/104.10) Under SCSP	446505	9000	350	Two Months	°D"
66	RRD on Kandi Mod to Soyra Bridge via Gurudawara upper Malthehar road km. 0/00 to 0/500. (SH:- C/O PCC Retaining wall at RD. 0/045 TO 0/062) Under SCSP	366389	7400	350	Two Months	"D"
7	Restoration of damages caused by laying of optical fiber cable on Sidhyani Balt via Dahanu road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD. 1/225 TO 1/245)	458689	9200	350	Two Months	"D"
88	C/O 6.00 meter span RCC Slab culvert at RD 2/135 on Galma Nalwari road km. 0/0 to 3/0. (SH:- C/o approaches on Galma side at RD 0/00 to 0/004 US and 0/00 to 0/005 US) Job no. 1	442351	8900	350	Two Months	"D"
9	Restoration of road damages caused by laying of optical liber cable on Ratti Meramasit Leda road km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD.	488709	9800	350	Two Months	"D"

70	Restoration of road damages caused by laying of optical fiber cable on Ratti Meramasit Leda road km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 3/555 to 3/570) Deposit work	186792	3800	350	Two Months	"D"
71	Construction of Ambulance road Lakhdata Pir Mandir to Patherhari road km. 0/00 to 0/350. (SH C/o PCC pavement at RD. 1/645 to 1/676) (Deposit work)	93922	1900	350	One Month	"D"
72	Construction of Ratti Troh Pipli road km. 0/0 to 4/00. (SH:-C/O B/wall at RD. 3/080 to 3/087.40) (Deposit Work)	114257	2300	350	Two Months	"D"
73	Link road to house of Sh. Hari Singh to Shiv Guffa at Village Otta Gutkar Tehsil Balh Distt. Mandi HP (SH:- Providing and laying C.C. pavement at RD 1/450 to 1/685) Deposit work	189193	3800	350	Two Months	*D*
74	Restoration of road damages caused by laying of optical fiber cable on Ratti kalkhar road km. 0/00 to 10/00. (SH:-Construction of P.C.C. Retaining wall at RD. 6/470 to 6/485 with toe wall) Deposit work	334954	7000	350	Two Months	"D"
75	RRD on Chandigarh- Mandi- Manali (Old NH-21) road 184/600 to 190/00 and 191/190 to 198/050. (SH:- Providing and laying approach slab and tarring work at Dadour Bridge RD. 184/750) Job No. 2	247351	5000	350	One Month	"D"
76	RRD on Chandigarh- Mandi- Manali (Old NH-21) road 184/500 to 190/00 and 191/190 to 198/050. (SH:- Providing and laying approach slab and tarring work at Dadour Bridge RD, 184/750) Job No. 1	474404	9500	350	One Month	"D"
77	C/O link road from Balasundhri Mandir to Madapar via Roada to Singera galoo road km 0/000 to 2/800 (SH:- P/L interlocking concrete block pavement 60mm thick at RD 0/00 to 0/055) Job No. 1	496080	10000	350	One Month	*D"
78	C/o link road from Balasundhri Mandir to Madapar via Roada to Singera galoo road km 0/000 to 2/800 (SH:-Construction of Retaining wall in P.C.C. 1:5:10 at RD. 0/040 to 0/050 and P/L interlocking concrete block pavement 60mm thick at RD 0/055 to 0/090) Job No. 2	474287	9500	350	One Month	"D"
79	RRD on various roads under Chakkar Sub Division HPPWD Nerchowk. (SH:- Hiring of tractor with trolley for carriage of muck and debris and shifting of material etc.) Nerchowk section	99000	2000	350	Two Months	"D"
80	Restoration of road damages caused by laying of optical Fiber Cable on Ratti Meramasit Leda road km 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD 8/670 to 8/690)	353650	7100	350	Two Months	"D"


It is certified that the above tenders are very "urgent nature", so may be uploaded on

department website in public interest.

Note:- The Constractors/Firms should possess the following documents (Photo copy to be attached).

- 1. The Contractor/Firm should be enlisted with the HP.PVVD. & Registration/Renewal copy attached.
- 2. The tender forms will not be issued to those contractors whose performance is not found satisfactory.
- The list of similar type of work executed and work done performance certificate issued by the concerned Executive Engineer required to be produced by the contractor along with application.
- 4. Only two tenders shall be issued to each contractor.
- 5. The contractor will not have more than two works in hand at the time of tender and only up to completion of work satisfactory including adherence to quality parameters further work will be awarded to him. All under taking/affidavit alongwith application that he is not having more than two works in hand in HP.PWID for execution falling which the application for issuing the tender forms shall not be accepted.
- 6. The contractor/firm shall be issued tenders on the production of valid GST/income tax clearance certificate,
- 7. As per Govt. Notification No.PBW (B)A(3)1/2020-I dated 07.10.2021, in case the tendered amount of the lowest bidder comes more than 5% in 1st call the negotiation can be conducted with him but the negotiated amount should remain within 5% of the amount put to tender (on market rate) and tendered amount below 30% of the estimated cost will be summarily accepted.

Executive Engineer, HP PWD. Division, Nerchowk.



For the year 2023-24

Estimated Cost:-Earnest Money:-Rs.

9300.00

Time;-

One Month


465239.00

Name of work:- Restoration of rain damages on Ropri to Khudi road in Km. 0/000 to 6/500. Sub Head:- Construction of Breast wall at R.D. 0/885 to 0/907.

Sr.	Description of Item	Qty		Rate	Unit	Amount
No.			In Figure	In words	<u></u>	<u></u>
1	Excavation in soil in hilly area by mechanical means for all kinds of soil including cutting and trimming of side slopes and disposing of excavated earth with in all leads and lifts as per technical specification clause 1603.1. including carriage of material and other incidental charges complete in all respect as per direction of Engineer-in-Charge.		172.00	Rupees one hundred seventy two and paise nil only	Per cubic metre	18961.0
2	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	6044.0
3	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		3650.00	Rupees three thousand six hundred fifty and paise nil only		430189.00
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise nil only	Each	10045.00
			1		Total	465239.00

Executive Engineer, HPPWD Division,







Estimated Cost: - Rs. 356194.00

Earnest Money:- Rs. 7200.00 Tlme:-

Two Months

Name of work:- Restoration of rain damages on Rewalsar to Reur road Km. 0/000 to 4/000. Sub Head - Construction of PCC, Retaining wall at R.D. 1/985 to 2/000


Sub II	eau.~ (Johnstruction (ם נט	UU.		<u>ai K.D.</u>	(0 2/00)	U.
							 	_

Sr.	Description of Item	Qty		Rate	Unit	Amo
No.			ln Figure	in words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	148
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	.	3650.00	Rupees three thousand six hundred fifty and paise nil only		3205
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		1050.00	Rupees one thousand fifty and paise nil only	Per cubic metre	137
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise nil only	Each	71
				0	Total	3561
	Post C	Act a luke	at at	iontely approved	D. D.	FCIOL

Executive Engineer, H.P.P.W.D. Division

Nerchowk





Estimated Cost:-

392466.00

Earnest Money:-

Time:-

7900.00 Two Months


Name of work:- Restoration of rain damages on Kapahi Jhor road Km. 0/000 to 2/500.

Sub Head:- Construction of wire crated Retaining walf at RD, 0/415 to 0/427.

Sr.	Description of item	Qty.	Rate with all taxes including	Unit	Amoun
No.			GST in Rs. P. In Figure In Words		
	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00 Rupees two	Per cubic metre	947
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentials as per direction of Engineer-in-Charge.		1 1 . '	Per cubic metre	34992
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge,		1 ' ' '	Per cubic metre	3307
			Total:-		39246

Oraft schodule of quantity approved for Rs. 39. (Rubees three lac ninety two thousand four of sixty six) only.

Executive Engineer, H.P.P.W D. Division, Nerchowk (4)



Draft Schedule of Quantity

Estimated Cost:-

393567.00

Earnest Money:-Time:- 7900.00 Two Months

Name of work:- Restoration of rain damages on Kapahi Jhor road Km. 0/000 to 2/500.

Sub Head:- Construction of wire crated Retaining wall at RD. 0/427 to 0/439.

Sr.	Description of item	Qty.	Rate with	all taxes including	Unit	Amour
No.			GS	ST in Rs. P.		
			In Figure	In Words]	
	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287 00	[. · · · . · . · . · . · . · . · . · . ·	Per cubic metre	1019
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentials as per direction of Engineer-in-Charge.		2700.00	l '	Per cubic metre	34992
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		1050.00	Rupees one thousand fifty and paise nil only	Per cubic metre	3345
				Total:-		39356

Craft schedule of quantity approved for Rs 39356. (Rupeos three lac minety three thousand five fund study seven) only.

> Executive Engineer, H.P.P.W.D. Division, Nerchawk





Estimated Cost;- Rs. 369417.00 Earnest Money:- Rs. 7400.00

Time:-

Two Months


Name of work:- Restoration of rain damages on Leda Ghangnoo road Km. 0/000 to 12/000.

Sub Head:- Construction of Retaining wall in stone masonry at R.D. 9/405 to 9/422.

Sr.	Description of Item	Qty	Rate with	all taxes including GST	Unit	Amo
No.		}		in Rs. P.	ļ	}
		<u></u>	In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical		287.00	Rupees two hundred	Per cubic	130
	specifications clause 305.1 including setting out, construction of shoring and bracing, removal of		{	eighty seven and paise	metre	1
	stumps and other deleterious materials and disposal upto any lead, dressing of sides and	}		nil only	}	}
	bottoms and back filling in trenches with excavated suitable materials complete within all leads,		1		ļ	1
	lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-			}		1
_	in-Charge.		[]
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as	12.30 Cum	2740.00	Rupees two thousand	Per cubic	3370
	per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete		}	seven hundred forty	metre	}
	nominal mix 1:6.12 (one cement : six sand : twelve graded,crushed stone aggregate 40mm (forty	}		and paise nil only	1	
	millimetre) nominal size) curing complete within all leads, lifts carriage of material and other	})	1
	incidentals as per direction of Engineer-in-Charge.					
3	Stone masonry in cement mortar for sub structure complete as per drawing and technical	60.96 Cum	3333.00	Rupees three thousand	Per cubic	2031
	specification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one		}	three hundred thirty	metre	
	cement : six sand) curing complete within all leads, lifts carriage of material and other incidentals	1		three and paise nil only	}	1
	as per direction of Engineer-in-Charge.				<u></u>	<u> </u>
4	Providing and laying concrete for plain / reinforced concrete in open foundations complete as	,	4018.00	Rupees four thousand	Per cubic	120
	per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete	l .		eighteen and paise nil	metre	
	nominal mix 1:4:8 (one cement : four sand :eight graded, crushed stone aggregate 25mm			only	}	1
	(twenty five millimetre) nominal size) curing complete within all leads, lifts carriage of material	[})
	and other incidental complete in all respect as per direction of Engineer-in-Charge.					<u> </u>
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and		2100.00		Per cubic	947
	parapets etc for sub structure and super structure complete as per Drawing and technical			one hundred and paise	metre	1
	specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and	}	1	nil only	ľ	}
	other incidentals.			<u></u>		
6	Back filling behind abutment wing wall and return wall complete as per Drawing and technical		1050.00	Rupees one thousand	Per cubic	126
	specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of		İ	fifty and paise nil only	metre	(
	material and other incidentals as per direction of Engineer-in-Charge.	L				<u> </u>
				The second secon	Total	3694
		Awatt scho	dule of	quantity approved	408 Ks. 1	3,69.4

Executive Engineer H.P.P.W.D. Division





Estimated Cost:- Rs. 369245.00 Earnest Money:- Rs. 7400.00

Time:-

Two Months

Name of work:- Restoration of rain damages on Leda Ghangnoo road. Km. 0/000 to 12/000.


Sub Head:- Construction of Retaining wall in stone masonry at R.D. 9/435 to 9/450.

Sr.	ead:- Construction of Retaining wall in stone masonry at R.D. 9/435 to 9/450. Description of Item	Qty	Rate with all taxes including GST	Unit	Amo
Vo.	Description of item	ωι y	in Rs. P. In Figure In words	7	Ainc
- -	Earth work in excavation for structures, for all kinds of soil as per drawing and technical	45.00 Cum	287.00 Rupees two hundred	Per cubic	129
•	specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and		eighty seven and paise	1	125
	bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer- in-Charge.				
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:6:12 (one cement : six sand : twelve graded,crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		2740.00 Rupees two thousand seven hundred forty and paise nil only	Per cubic metre	3370
	Stone masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one cement : six sand) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		3333 00 Rupees three thousand three hundred thirty three and paise nil only	Per cubic metre	20318
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand 'eight graded, crushed stone aggregate 25mm (twenty five millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		4018.00 Rupees four thousand eighteen and paise nil	1	1205
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and other incidentals.		2100.00 Rupees two thousand one hundred and paise nil only	Per cubic metre	9479
j	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		1050.00 Rupees one thousand fifty and paise nil only	Per cubic metre	1260
		19-105-11		Total	36924

roft schodule of quantity approved for Rs. 36

Executive Engineer H.P.P.W.D. Division Nerchowk (V)





Estimated Cost:- Rs. 400309.00

Earnest Money:- Rs. 8000.00 Time:-

Two Months


Name of work:- Restoration of damages caused due to laying of Optical Fibre Cable on Leda Gharwasra Tarwai road Km. 0/000 to 7/000.

Sub Head:- Construction of Retaining wall in stone masonry with Toe wall at R.D. 0/280 to 0/290.

arth work in excavation for structures for all kinds of soil as per drawing and technical pecifications clause 305.1 including setting out, construction of shoring and bracing, removal of tumps and other deleterious materials and disposal upto any lead, dressing of sides and ottoms and back filling in trenches with excavated suitable materials complete within all leads, its, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. Toviding and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete ominal mix 1:6:12 (one cement: six sand: twelve graded, crushed stone aggregate 40mm (forty).	8.20 Cum	In Figure 287.00	all taxes including GST in Rs. P. In words Rupees two hundred eighty seven and paise nil only Rupees two thousand	Per cubic	
pecifications clause 305.1 including setting out, construction of shoring and bracing, removal of tumps and other deleterious materials and disposal upto any lead, dressing of sides and ottoms and back filling in trenches with excavated suitable materials complete within all leads, its, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. Toviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty	8.20 Cum	287.00	In words Rupees two hundred eighty seven and paise nil only	metre	
pecifications clause 305.1 including setting out, construction of shoring and bracing, removal of tumps and other deleterious materials and disposal upto any lead, dressing of sides and ottoms and back filling in trenches with excavated suitable materials complete within all leads, its, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. Toviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty	8.20 Cum	287.00	Rupees two hundred eighty seven and paise nil only	metre	1044
pecifications clause 305.1 including setting out, construction of shoring and bracing, removal of tumps and other deleterious materials and disposal upto any lead, dressing of sides and ottoms and back filling in trenches with excavated suitable materials complete within all leads, its, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. Toviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty	8.20 Cum		eighty seven and paise nil only	metre	
cumps and other deleterious materials and disposal upto any lead, dressing of sides and oftoms and back filling in trenches with excavated suitable materials complete within all leads, its, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. Toviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty	8.20 Cum	2740.00	nil only		2246
ottoms and back filling in trenches with excavated suitable materials complete within all leads, ts, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. roviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded crushed stone aggregate 40mm (forty	8.20 Cum	2740.00	,	Per cubic	2246
ts, carriage of material and other incidental complete in all respect as per direction of Engineer-Charge. roviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded,crushed stone aggregate 40mm (forty	8.20 Cum	2740.00	Rupees two thousand	Per cubic	22.40
-Charge. roviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded,crushed stone aggregate 40mm (forty	8.20 Cum	2740.00	Rupees two thousand	Per cubic	2246
roviding and laying concrete for plain / reinforced concrete in open foundations complete as er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete pminal mix 1:6:12 (one cement: six sand: twelve graded,crushed stone aggregate 40mm (forty		2740.00	Rupees two thousand	Per cubic	2246
er drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete ominal mix 1:6:12 (one cement : six sand : twelve graded,crushed stone aggregate 40mm (forty)		2740.00	Rupees two thousand	Per cubic	1 22.40
ominal mix 1:6:12 (one cement : six sand : twelve graded crushed stone aggregate 40mm (forty	l .	1			2240
		1		metre	}
900 - 1 A 4	l .	ĺ	and paise nil only	1	
	}	1	}		}
		l		 	
		3333.00	1 '	Per cubic	28543
	I	ł	, ,	metre	}
	1	ſ	three and paise nil only	1	}
			<u> </u>		
	1	4018.00			803
	ı		eighteen and paise nil	metre	}
		i	only		
	}	[}	J	1
				<u> </u>	
		2100.00			6321
· · · · · · · · · · · · · · · · · · ·	1	}		metre	}
			nîl only		
ack filling behind abutment wing wall and return wall complete as per Drawing and technical	10.20 Cum	1050.00	Rupees one thousand	Per cubic	1071
pecifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of			fifty and paise nil only	metre	}
aterial and other incidentals as per direction of Engineer-in-Charge.				1	<u> </u>
				Total	40030
Cition of the Control of the Control	Ilimetre) nominal size) curing complete within all leads, lifts carriage of material and other cidentals as per direction of Engineer-in-Charge. One masonry in cement mortar for sub structure complete as per drawing and technical ecification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one ment: six sand) curing complete within all leads, lifts carriage of material and other incidentals per direction of Engineer-in-Charge. Deviding and laying concrete for plain / reinforced concrete in open foundations complete as redrawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete minal mix 1:4:8 (one cement: four sand:eight graded, crushed stone aggregate 25mm venty five millimetre) nominal size) curing complete within all leads, lifts carriage of material dother incidental complete in all respect as per direction of Engineer-in-Charge. Instruction of dry rubble masonry for retaining walls, breast walls, revetment walls and rapets etc for sub structure and super structure complete as per Drawing and technical ecifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and lock filling behind abutment wing wall and return wall complete as per Drawing and technical ecifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of aterial and other incidentals as per direction of Engineer-in-Charge.	Ilimetre) nominal size) curing complete within all leads, lifts carriage of material and other cidentals as per direction of Engineer-in-Charge. One masonry in cement mortar for sub structure complete as per drawing and technical ecification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one ment : six sand) curing complete within all leads, lifts carriage of material and other incidentals per direction of Engineer-in-Charge. Description of Engineer-in-Charge. Descr	Ilimetre) nominal size) curing complete within all leads, lifts carriage of material and other cidentals as per direction of Engineer-in-Charge. Some masonry in cement mortar for sub structure complete as per drawing and technical ecification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one ment: six sand) curing complete within all leads, lifts carriage of material and other incidentals per direction of Engineer-in-Charge. Oviding and laying concrete for plain / reinforced concrete in open foundations complete as possible of the concrete minimal mix 1:4:8 (one cement: four sand eight graded, crushed stone aggregate 25mm wenty five millimetre) nominal size) curing complete within all leads, lifts carriage of material dother incidental complete in all respect as per direction of Engineer-in-Charge. Instruction of dry rubble masonry for retaining walls, breast walls, revetment walls and rapets etc for sub structure and super structure complete as per Drawing and technical ecifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and lock filling behind abutment wing wall and return wall complete as per Drawing and technical ecifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of laterial and other incidentals as per direction of Engineer-in-Charge.	Ilimetre) nominal size) curing complete within all leads, lifts carriage of material and other cidentals as per direction of Engineer-in-Charge. One masonry in cement mortar for sub structure complete as per drawing and technical ecification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one ment: six sand) curing complete within all leads, lifts carriage of material and other incidentals per direction of Engineer-in-Charge. Oviding and laying concrete for plain / reinforced concrete in open foundations complete as or drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete minal mix 1:4:8 (one cement: four sand :eight graded, crushed stone aggregate 25mm venty five millimetre) nominal size) curing complete within all leads, lifts carriage of material dother incidental complete in all respect as per direction of Engineer-in-Charge. Onstruction of dry rubble masonry for retaining walls, breast walls, revetment walls and rapets etc for sub structure and super structure complete as per Drawing and technical ecifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and lock filling behind abutment wing wall and return wall complete as per Drawing and technical ecifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of fifty and paise nil only	Ilimetre) nominal size) curing complete within all leads, lifts carriage of material and other cidentals as per direction of Engineer-in-Charge. One masonry in cement mortar for sub structure complete as per drawing and technical ecification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one ment : six sand) curing complete within all leads, lifts carriage of material and other incidentals per direction of Engineer-in-Charge. Oviding and laying concrete for plain / reinforced concrete in open foundations complete as r drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete minal mix 1:4:8 (one cement : four sand :eight graded, crushed stone aggregate 25mm venty five millimetre) nominal size) curing complete within all leads, lifts carriage of material dother incidental complete in all respect as per direction of Engineer-in-Charge. One masonry in cement mortar 1:6 (one ment : six sand) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge. 2.00 Cum 4018.00 Rupees four thousand Per cubic eighteen and paise nil only 4018.00 Rupees four thousand receive eighteen and paise nil only 2100.00 Rupees two thousand one hundred and paise nil only 2100.00 Rupees three thousand fifty and paise nil only metre

Executive Engineer, H.P.P.W.D. Division





Estimated Cost:- Rs. 399405.00

Earnest Money:- Rs. 8000.00

Time:-

Two Months

Name of work:- Restoration of damages caused due to laying of Optical Fibre Cable on Leda Gharwasra Tarwai road Km. 0/000 to 7/000.

Sub Head: - Construction of Retaining wall in stone masonry with Toe wall at R.D. 0/270 to 0/280.

Sr.	Description of Item	Qty	Rate with	all taxes including GST	Unit	Amo
No.			In Figure	in Rs. P. In words		<u> </u>
	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-lin-Charge.			Rupees two hundred eighty seven and paise nil only	Per cubic metre	118
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203 Plain cement concrete nominal mix 1:6:12 (one cement : six sand : twelve graded,crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.			Rupees two thousand seven hundred forty and paise nil only	Per cubic metre	2246
3	Stone masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 702,704,1202 & 1204 Random rubble masonry in cement mortar 1:6 (one cement : six sand) curing complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		3333.00	Rupees three thousand three hundred thirty three and paise nil only	metre	28543
4	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand :eight graded, crushed stone aggregate 25mm (twenty five millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge	-	4018.00	Rupees four thousand eighteen and paise ni only		803
5	Construction of dry rubble masonry for retaining walls, breast walls, revetment walls and parapets etc for sub structure and super structure complete as per Drawing and technical specifications clauses 704.6 & 1302.5 complete within all leads, lifts carriage of material and		2100.00	Rupees two thousand one hundred and paise nil only	Per cubic metre	6321
6	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-In-Charge.		1050.00	Rupees one thousand fifty and paise nil only	Per cubic metre	840
					Total	39940

Executive Engineer





Estimated Cost:-

488387.00

Earnest Money:~

9800.00

Time:-

Two Months

Name of work:- Restoration of rain damages on Ropri to Khudi road Km. 0/000 to 6/500.

Sub Head:- Construction of wire crated Retaining wall with Toe wall in PCC 1:5:10 at RD. 3/610 to 3/621.40.

Sr.	Description of item	Qty.	Rate with	all taxes including	Unit	Amour
No.			GS	T in Rs. P.	}	
L			In Figure	In Words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.				Per cubic metre	1374
	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement: five sand: ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.			•	Per cubic metre	12129
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentials as per direction of Engineer-in-Charge.		}	Rupees three thousand forty and paise nil only	Per cubic metre	34406
	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204 3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.			•	Per cubic metre	928
				Total:-	1	48838
		N . 12 C	1 2	1 otroplile el	T	A mai

2.488387/ only

Executive Engineer, H.P.P.W.D. Division, Nerchowk





Estimated Cost:-

488387.00

Earnest Money:-

9800.00

Time:-

Two Months

Name of work:- Restoration of rain damages on Ropri to Khudi road Km. 0/000 to 6/500.

Sub Head:- Construction of wire crated Retaining wall with Toe wall in PCC 1:5:10 at RD. 3/621.40 to 3/632.80.

Sr.	Description of item	Qty.	Rate with all taxes including	Unit	Amou
No.			GST in Rs. P. In Figure In Words	-	
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		287.00 Rupees two	Per cubic y metre il	137
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement : five sand . ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		l '	e Per cubic t metre	12129
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentials as per direction of Engineer-in-Charge.		3040.00 Rupees three thousand forty and paise nil only	e Per cubic d metre	34406
- }	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.		1050.00 Rupees on thousand fifty and paise nil only	Per cubic metre	928
7			Total	Water Jelo	48838
	Alar Maria	1) Schools	De of quantity above	wed dox	Rs. 4885

roly

Executive Engineer. H.P.P.W.D. Division, Nerchowk



DNIT S. No (120) For the year 2023-24

lame	of work:- RRD on TPTS road km 11/00 and 22/645. (SH:- C/O Retaining w	all in PCC 1:	:5:10 from RD	Estimated Cost:-		
3/200	to 18/210)			Earnest Money :-		
				Time :- Tv	vo Months	
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure	In word	<u></u>	
1	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	37.60	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	10791.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	58.42	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	213233.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	8.50	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	8925,00
					TOTAL	000000

Doubt schedule of quantity approved for Rs 238689



DNIT S.NO (12) For the year 2023-24

ame of work:- RRD on TPTS road km 11/00 and 22/645 . (SH:- C/O Wire crate 4/400 to 14/415)		Retaining wall in from RD		Estimated Cost:- 353195.00 Earnest Money :- 7100.00 Time :- Two Months		
S.No	Description of item	Quantity		Rate	Unit	Amount
			in figure	In word		
	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	42.22	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	12117,00
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	118.80	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	320760.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	19.35	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	20318.00
					TOTAL	353195.00

Exaft schodule of quantity approved for Rs. 353195/-on



DNIT S.NO. 192) For the 78. 2023-2

		ULE OF QU				
	of work:- RRD on Sidhyani Patha road km 0/00 and 4/00 . (SH:- C/O Retain	iing wall in I	PCC 1:5:10	Estimated Cost:-		
om F	RD 0/120 to 0/132)			Earnest Money :- Time :- Tv		
2 / 1	<u> </u>	0 11				
S.No	Description of Item	Quantity	1.5	Rate	Unit	Amount
		40.00	In figure	In word		
1 ,	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	42.96	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	12330.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	70.25	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	256413.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	9.84	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10332.00

Draft schedule of quantity approved for Rs. 284815-only



DNIT S.NO. (193) For the year 20:

	DRAFT SCHED	ULE OF Q	JANTITY			
	of work:- RRD on Rewalsar to Sararidhar road km 0/00 and 6/800 . (SH:- 0	O Retainin	g wall in PCC	Estimated Cost:		
1:5:10	from RD 4/885 to 4/900)			Earnest Money :-	wo Months	
S.No	Description of item	Quantity		Rate	Unit	Amount
0.110	Description of item	Guaritity	In figure	In word	1 "" [Amount
7	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	72.75	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	20879.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand; Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	108.53	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	396135.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	9471,00
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	13.35	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	14018.00

Draft schedule of quantity approved for Rs21,40,503 only

(15)

DNIT 3.NO. 129)

For the year 202

	of work:- RRD on Rewalsar to Sararidhar road km 0/00 and 6/800 (SH:- 0	40 m + 1 +				
lame of work:- RRD on Rewalsar to Sararidhar road km 0/00 and 6/800,(SH:-+ :5:10 from RD1/550 to 1/563).		C/O Retaining wall in PCC		Estimated Cost:- 454240.00 Earnest Money :- 9085.00		
·					wo Months	<u> </u>
S.No	Description of item	Quantity		_Rate	Unit	Amount
	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	62.40	In figure 287,00	In word Rupees Two Hundred EightySeven Only	Per Cubic Metre	17909,00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	113.07	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	412706.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	8610.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.	14.30	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	15015.00

Draft schodule of quantity approved for Rs 4,54,240/- only,



DAIT S.NO.

For the year 2023-21

2.5	DRAFT SCHED	ULE OF QU	JANTITY			
	of work:- RRD on TPTS road km 11/00 and 22/645 . (SH:- C/O Wire crated to 14/430)	Retaining v	vall in from RD	Estimated Cost: Earnest Money : Time :- Tv		
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure	In word	1	
	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	44.70	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	12829.00
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	118.80	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	320760.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawling & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	19.35	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	20318.00
			-		TOTAL	353907.00

Draft schoolule of quantity approved for Rs. 3,53, 907/- only



DNIT S.NO. (126)

For the you 202

	DRAFT SCHED	ULE OF QU	JANTITY			
	of work:- RRD on TPTS road km 11/00 and 22/645 . (SH:- C/O Wire crated to 19/837)	Retaining v	vall in from RD	Estimated Cost: Earnest Money :- Time :- Tw	3303.00	
S.No		Quantity		Rate	Unit	Amount
			In figure	In word		
1 .	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	20.86	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	5987.00
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	55.44	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	149688.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9.03	1050,00	Rupees One Thousand Fifty Only	Per Cubic Metre	9482.00
					TOTAL	105157.00

traft schoolule of quantity approved for Rs. 165157/- only

Executive Engineer, Nerchowk Division

HPPWD Nerchowk



DNIT S.NO. (127) For the Year 2023-24

Name of work:- RRD on Ghour Nallah to Dusra Khabu road km 0/00 and 6/000 . {SH:- C/O Wire crated		DRAFT SCHED	ULE OF QU	ANTITY			
S.No Description of item Cuantity Rate Two Months Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	lame	of work:- RRD on Ghour Nallah to Dusra Khabu road km 0/00 and 6/000 .	(SH:- C/O W	/ire crated			
S.No Description of item Quantity Rate Unit Amount In figure In word In figure In word Rupees Two Hundred EightySeven Only Rupees Two Thousand Seven Hundred	Retain	ing wall in from RD 3/825 to 3/840).					
In figure In word In figure In word In figure In word In figure In word Rupees Two Hundred EightySeven Only Rupees Two Thousand Seven Hundred Only Rupees Two Thousand Seven Hundred Only EightySeven Only EightySeven Only Rupees Two Thousand Seven Hundred Only EightySeven Only Ei							
Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. 2 Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. 3 Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	S.No	Description of item			Rate	Unit	Amount
clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. 2 Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. 3 Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. EightySeven Only Metre 162.00 2700.00 Rupees Two Thousand Per Cubic Metre 437400.00 Metre				In figure			
millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. 3 Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Seven Hundred Only Metre 1050.00 Rupees One Thousand Fifty Only Metre	1	clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and		287.00	1 .	1 1	14140.00
drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	2	millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and	1	2700.00	1 '	1	437400.00
	3	drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	39.37	1050.00	1 '	Metre	41339.00

Esaft schedule of quantity approved for Rs 492879/-only.



DAIT S. NO. 128 For the yr. 2023-24

Vame	of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/C			Estimated Cost:-	492892.00	
	it from RD 0/820 to 0/835).	y will crate	u Netailing	Earnest Money :-		
, Q(1) [[]	1- Holli (12 0/020 to 0/030).			Time :- To		
S.No	Description of item			Rate	Unit	Amount
			In figure	In word		
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.	49.28	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	14143.00
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	162.00	2700.00	Rupees Two Thousand Seven Hundred Only	Per Čubic Metre	437400.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.38	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	41349.00
					TOTAL	403963 AC

Don't schoolable of quantity approved for Rs. 4,92,8921-only.



DNIT S.NO.

For the year 2023-24

100	DRAFT SCHED	ULE OF Q	VANTITY		11121-1-112	
Name of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/O wall in from RD 0/020 to 0/035).			ed Retaining	Estimated Cost: Earnest Money :- Time :- T		
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure	in word	<u> </u>	
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	287.00 287.00 305.1 including setting out construction of shoring and bracing and other deleterious material and disposal up to any essing of sides and bottom and back filling in trenches with excavated material including carriage of material with in all leads and lifts and cidentals and as per the direction of the Engineer-in Charge.		287.00 Rupees Two Hundred F EightySeven Only		14140.00
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.f. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.		2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	437400.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.37	1050.00	Rupees One Thousand Fifty Only	Per Cubic Melre	41339.00

Dogst schedule of quantity approved for Rs. 492879/



DNIT S.NO. (130) For the year 2023-24

	DRAFT SCHED	ULE OF QU	JANTITY				
Name of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/wall in from RD 0/035 to 0/050).			d Retaining	Estimated Cost:- 492879.00 Earnest Money :- 9900.00 Time :- Two Months			
S.No	Description of item	Quantity		Rate	Unit	Amount	
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49.27	In figure 287.00	In word Rupees Two Hundred EightySeven Only	Per Cubic Metre	14140.00	
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	162.00	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	437400.00	
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with In all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.37	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	41339.00	

Draft schedule of quantity approved for Rs. 4,92,879,00

Executive Engineer, Nerchowk Division HPPWD Nerchowk

Nomes of Table 1



DNIT S.NO. (131)

For the year 2023-24

DRAFT SCHED	ULE OF QU	JANTITY					
·	Wire crate	d Retaining	Estimated Cost:- 492892.00 Earnest Money :- 9900.00				
			Time :- Tv	vo Months			
Description of item			Rate	Unit	Amount		
		In figure	In word				
Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49.28	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	14143.00		
Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	162.00	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	437400.00		
Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.38	1050.00	Rupees One Thousand Fifty Only	Metre	41349.00		
֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	Description of item Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	Description of item Quantity Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	Description of item Quantity In figure	Froviding and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre) and joinch direction of Engineer-in-Charge. Estimated Cost: Earnest Money: Time: To Time: To The Infigure of In word Rate In figure In word Rupees Two Hundred EightySeven Only Rupees Two Hundred EightySeven Only Rupees Two Thousand Seven Hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/O Wire crated Retaining from RD 3/350 to 3/365). Canal Content of item Canal		

Draft schodule of quantity approved for Rs 4,92,892/-or



DNIT S. NO. (139) For the YEAR 2023-24

	DRAFT SCHED	ULE OF Q	JANTITY			
	of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/On, from RD 0/200 to 0/215).	Wire crate	d Retaining	Estimated Cost: Earnest Money :- Time :- Ti		
S.No	Description of item	Quantity		Rate	Unit	Amount
			In figure	In word]	
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49.28	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	14143,00
2	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	162.00	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	437400.00
3	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.38	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	41349.00

Doutt schoolule of quantity approved for Rs. 492892/



direction of the Engineer-in Charge.

DNIT S.NO. (133)

For the year 2023-24

	of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/C	Wire crate	d Retaining	Estimated Cost:- 485885.00 Earnest Money :- 9700.00				
an m	from RD 0/704 to 0/715.50).			Time :- Two Months				
.No	Description of item	Quantity		Rate	Unit	Amount		
	100 / 100 m		In figure	In word				
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	34.15	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	9801.00		
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	161.46	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	435942.00		
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the	38.23	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	40142.00		

Draft schedule of quantity approved for Rs. 4,85,885/-



DNIT S. NO. (134)

For the year 2023-24

	of work:- RRD on Sidhyani to Patha road km 0/00 and 4/000 . (SH:- C/O Re RD 2/670 to 2/685)	taining wall	l in PCC 1:5:10	Estimated Cost:- Earnest Money :-	7100.00		
	·			Time :- To	wo Months		
.No	Description of item			Rate	Unit	Amount	
			In figure	In word			
1	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.	48.15	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	13819.00	
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	87.81	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	320507.00	
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00	
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	12.75	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	13388.00	
					TOTAL	353454 00	

Draft schoolule of quantity approved for Rs 3,53,454/-



DNIT S.NO. (135)

For the year 2023-24

Name of work:- RRD on Leda Ghangnoo road km 0/00 and 12/000 . (SH:- C/O R from RD 8/075 to 8/090)			in PCC 1:5:10	Estimated Cost:- Earnest Money :- Time :- Tv			
S.No	Description of item	Quantity		Rate	Unit	Amount	
	,		In figure	In word]		
	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	44.70	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	12829.00	
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	69.72	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	254478.00	
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00	
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9.00	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	9450.00	

Draft schoolule of quantity approved for Rs. 282497/ only

(27)

DHIT S.NO.

(136)

For the year 2023-24

	of work:- RRD on Leda GharwasraTarwai road km 0/00 and 7/000 . (SH:- 0 from RD 4/585 to 4/603)	O Retainin	g wall in PCC	Estimated Cost:- 338609.00 Earnest Money :- 6800.00 Time :- Two Months			
3.No	Description of item	Quantity		Rate	Unit	Amount	
			In figure	In word			
	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	56.34	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	16170.00	
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	83.66	3650.00	Rupees Three Thousand Six Hundred Fifty Only	Per Cubic Metre	305359.00	
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00	
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	10.80	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	11340.00	

Exapt schedule of quantity approved for Rs 338609,00



DNIT S.NO. (137 DRAFT SCHEDULE OF QUANTITY

For the year 2023-24

Name of work:- RRD on Leda GharwasraTarwai road km 0/00 and 7/000 . (SH:- 1:5:10' from RD 4/435 to 4/450)			g wall in PCC	Estimated Cost:- 282497.00 Earnest Money :- 5700.00 Time :- Two Months			
S.No	Description of item	Quantity		Rate	Unit	Amount	
			in figure	In word			
1	Earth work in excavation for structure as technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	cing removal of stumps y lead dressing of sides ed suitable material s and other incidentals norrete in open pecification Clause one cement: five sand : cluding carriage of EightySeven Only Rupees Three Thousand Six Hundred Fifty Only		Rupees Two Hundred EightySeven Only	Per Cubic Metre	12829.00	
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: Ten graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.			Per Cubic Metre	254478.00		
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two Hundred EightySeven Only	Each	5740.00	
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9.00	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	9450.00	

282497.00

Don't Schedule of quantity approved for Rs. 282497



DNIT S.NO. (138)

For the year 2023-24

Name of work:- RRD on Rewalsar Dhiundhar road km 0/00 and 6/000 . (SH:- C/owall in from RD 0/690 to 0/701.50).			d Retaining	Estimated Cost:- 485888.00 Earnest Money :- 9800.00 Time :- Two Months			
S.No	Description of item	Quantity		Rate	Unit	Amount	
100			In figure	In word			
	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	34.16	287.00	Rupees Two Hundred EightySeven Only	Per Cubic Metre	9804.00	
	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete including carriage of material in all leads, lifts as per the entire satisfaction and direction of Engineer-in-Charge.	161.46	2700.00	Rupees Two Thousand Seven Hundred Only	Per Cubic Metre	435942.00	
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	38.23	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	40142.00	

Draft schedule of quantity approved for

485888.00

for Rs. 485888



DNIT Soulo 274

	ne of work:- RRD on Mandi Gagai Challchowk Janjehli Chattri Rana Ka Bag Nagan road km. 0/00 to 16/190. (SH:- C i00 to 11/520)	/O Breast	wali at RD.	Estimated Cost:- Earnest Money :-		
_	,			Time :-Two Mon	<u> </u>	
S.N	Description of item	Quantity		Rate	Unit	Amount
0			In figure	In word		
1	Excavation in soil in hilly area by mechnicial means including cutting and trimming of side slopes and disposing of excavated earth up to any lead and lift as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-Charge.	53.60	172,00	Rupees One hundred seventy two and paise zero only.	Per Cubic Metre	9219.00
2	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	16.20	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	4649.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5.10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	90,66	3650.00	Rupees Three thousand! six hundred fifty and paise zero only.	Per Cubic Metre	330909.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	26.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	7462.00
_					Total	352239.00

Draft Schedule of Quantity Approved for \$ 3,52,239

Executive Engineer, HPPWD Division, HPPWD Nerchowk



DNIT STNO - 273

	DRAFT SCHEDULE OF QUANTITY					
Nan	ne of work:- RRD on Rajgarh Koyla Mata Mandir road km. 0/00 to 1/910. (SH:- C/O Breast wall at RD. 1/300 to 1/325)			Estimated Cost:- 441085.90 Earnest Money :- 8900.00 Time :-Two Months		00
S.N o	Description of Item	Quantity	In figure	Rate In word	Unit	Amount
1	Excavation in soil in hilly area by mechnicial means including cutting and trimming of side slopes and disposing of excavated earth up to any lead, and lift as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-Charge.	67.50	172.00	Rupees One hundred seventy two and paise zero only.	Per Cubic Metre	11610.00
2	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other detections material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	20.25	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	5812.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	113.32	3650,00	Rupees Three thousand six hundred fifty and palse zero only.	Per Cubic Metre	413618.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	35.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	10045.00
					Total	441085.00

Doubt Schedule of aboutity Approved for 7 441085

Executive Engineer, HPPWD Division, HPPWD Nerstrowk



DNH Soulo -278


[4	DRAFT SCHEDULE OF Q			F-6	400507.0	
	ne of work:- RRD on Mandi Gagal Chailchowk Janjehli Chattri Rana Ka Bag Nagan road	d km. 0/0	0 to 16/190.	Estimated Cost:- Earnest Money :-		<u> </u>
эл	:- C/O Retaining wall in PCC 1:5:10 at RD. 0/600 to 0/611)			Time :- Two Mont		
	T			<u> </u>		
5.N 0	Description of item	Quantity	Rate with all	taxes including GST in	Unit	Amount
			In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	67.20	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	19286.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	121 77	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	444461.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	30.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	8610.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	15.40	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	16170.00
_					Total	488527.00
A STATE OF THE PERSON NAMED IN	Doaf	t sc	hedule	of availity up		24
			1		Executive HPPWD (HPPWD1)	Dix



DNIT STHO 225

						
	DRAFT SCHEDULE OF C					
	me of work:- RRD on Lunapani Gehra Sain road km. 0/00 to 6/900. (SH:- C/O Retaining v . 4/165 to 4/180)	wall in PC	C 1:5:10 at	Estimated Cost:- Earnest Money :- Time :- Two Month	10000.00	
S.N o			Rate with all Rs. P.	It taxes including GST in	Unit	Amount
,		1	In figure	In word	1 _'	
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all feads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12614.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : fen graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	123.38	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	450337,00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	n[s 7	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	15785.00
- 1	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204,3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	17.10	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	17955.00
	other includentals and as per the encotion of the Engineer in Charge.				Total	496691.00
				183.6	'	
	Doatt	Sched	ule of		Executive	a.Engineer,
)					HPPWD C	Division,






ame o			ΤΥ			
	of work:- RRD on Chakkar Challah road km. 0/00 to 3/00. (SH:- C/O Retaining wall at	RD. 2/92	0 to 2/942)	Estimated Cost:- Earnest Money :- Time :- Two Mont	10000.00	
6.N 0	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
-			In figure	In word		
inc ma exc	arth work in excavation for structure as per drawing and technical specification clause 305.1 cluding setting out construction of shoring and bracing removal of stumps and other deleterious aterial and disposal up to any lead dressing of sides and bottom and back filling in trenches with cavated suitable material including carriage of material with in all leads and lifts and other cidentals and as per the direction of the Engineer-in Charge.	43.78	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12565.00
dra (or inc	roviding and laying concrete for plain/reinforced concrete in open foundation complete as per rawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 the cement: five sand it ten graded stone aggregate 40mm (forty millimetre) nominal size) cluding carriage of material with in all leads and lifts and other incidentals and as per the rection of the Engineer-in Charge.	122.76	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	448074.00
3 Pro wa the dra	roviding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing all, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through e full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards awing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 cluding carriage of material and other incidentials as per the direction of the Engineer-in Charge	55.00	287 00	Rupees Two hundred eighty seven and paise zero only.	Each	15785.00
spe	ack filling behind abutment wing wall and retainling wall complete as per drawing & technical pecification clause 1204.3.8 and including carriage of material with in all leads and lifts and the incidentals and as per the direction of the Engineer-in Charge.	18.70	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	19635.00
					Total	496059.00

ş



	DRAFT SCHEDULE OF C	HINAUL	TY			
		O Retainii	ng wall at	Estimated Cost:- Earnest Money :- Time :- Two Mont	7300.00	0
.N.	Description of item	Quantity	Rate with all Rs. P.	I taxes including GST in	Unit	Amount
	· · · · · · · · · · · · · · · · · · ·	ĺ	In figure	In word	1	
i: n	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	42.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12054.00
d (d ir	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	87.64	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	319886.00
3 P	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	6314 00
s	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	23,40	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	24570.00
					Total	362824.00





Estimated Cost:- Earnest Money:- Time:- Two Mont taxes including GST in		
Time :- Two Mont	0000 00	<u>u</u>
<u> </u>		
taxes including GST in	Unit	
Rs. P.		Amount
In word	[
Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	16861.00
Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	417852.00
Rupees Two hundred eighty seven and paise zero only.	Each	14350.00
Rupees One thousand fifty and paise zero only.	Per Cubic Metre	27563.00
	Total	476626.00
auantity approve	Executive	Engineer,
100	f accounting Approve	Executive HPPWD

	DRAFT SCHEDULE OF QU	ANTITY				
an	ne of work:- Construction of Lunapani to Gatti road km. 0/00 to 0/435. (SH:- Providing and lay	ing interlo	cking	Estimated Cost:-	489496.00	
	crete Block Payement 80 mm thick at RD. 0/154 to 0/224)		•	Earnest Money :-	9800.00	
	, , , , , , , , , , , , , , , , , , ,			Time :- One Monti	h	
N.	Description of item	Quantity	Rate with al	I taxes including GST in	Unit	Amount
			In figure	In word	1 1	
	Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor mount grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, grading-I complete as per Technical Specification Clause 401/including carriage of material within all leads.	22.40	1877.00	Rupees One thousand eight hundred seventy seven and paise zero only.	Per Cubic Metre	42045.00
_	lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in- Charge.				 	0000000
	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203, 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of materials with in all leads, lifts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	22.40	4018.00	Rupees Four thousand eighteen and paise zero only.	Per cubic Metre	90003.00
	Providing and laying plain cement concrete 1:2:4 (one cement : two sand : four graded crushed stone aggregate 20mm(twenty millimetre) nominal size mechanically mixed, placed in foundation and compacted by vibration including cost of form work and curing complete including carriage of materials with in all leads, lifts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	1.40	5770.00	Rs. Five thousand seven hundred seventy and paise zero only.	Per cubic Metre	8078.00
	Providing and Laying of Interlocking Concrete Block Pavements having thickness 80 mm (eighty millimetre) as per drawings and Technical Specification Clause 1504. Compacted bed course sand, filling the joints with coarse sand both side edgeing etc. including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	217.00	1610.00	Rs. One thousand six hundred ten and paise zero only	Per square Metre	349370.00
_					Total	489496.00
	Diraft	Sche	duk af	auantity Appar	ved for	¥489
					Executive I HPPWD Di Nerchowk	vision





Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
				. \	
		In figure	In word		
work in excavation for structure as per drawing and technical specification clause 305.1 ing setting out construction of shoring and bracing removal of stumps and other deleterious ial and disposal up to any lead dressing of sides and bottom and back filling in trenches with ated suitable material including carriage of material with in all leads and lifts and other ntals and as per the direction of the Engineer-in Charge.	34.86	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	10005.00
ding and laying concrete for plain/reinforced concrete in open foundation complete as per ng and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 sement: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) ing carriage of material with in all leads and lifts and other incidentals and as per the on of the Engineer-in Charge.	96.41	3650 00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	351897.00
ting weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through il width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards no face complete as per drawing and technical specifications clauses 614,709,1204.3.7 ing carriage of material and other incidentials as per the direction of the Engineer-in Charge	45.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	12915.00
filling behind abutment wing wall and retainling wall complete as per drawing & technical ication clause 1204.3.8 and including carriage of material with in all leads and lifts and incidentals and as per the direction of the Engineer-in Charge.	11.90	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	12495.00
				Total	387312.00
ial at his in ordinate in ordi	and disposal up to any lead dressing of sides and bottom and back filling in trenches with ded suitable material including carriage of material with in all leads and lifts and other als and as per the direction of the Engineer-in Charge. In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 ment: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) goarriage of material with in all leads and lifts and other incidentals and as per the nof the Engineer-in Charge. In graded stone aggregate 40mm (forty millimetre) nominal size) goarriage of material with in all leads and lifts and other incidentals and as per the nof the Engineer-in Charge. In graded stone aggregate 40mm (forty millimetre) nominal size) goarriage of material with in all leads and as per the nof the Engineer-in Charge in graded stone and stone material and other incidentials as per the direction of the Engineer-in Charge in general and as per the direction of the Engineer-in Charge in general and as per the direction of the Engineer-in Charge.	and disposal up to any lead dressing of sides and bottom and back filling in trenches with ed suitable material including carriage of material with in all leads and lifts and other als and as per the direction of the Engineer-in Charge. In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 ment: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and other incidentals and as per the profite Engineer-in Charge. In graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and other incidentals and as per the profite extending through with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards face complete as per drawing and technical specifications clauses 614,709,1204.3.7 go carriage of material and other incidentials as per the direction of the Engineer-in Charge ing behind abutment wing wall and retainling wall complete as per drawing & technical ation clause 1204.3.8 and including carriage of material with in all leads and lifts and cidentals and as per the direction of the Engineer-in Charge.	and disposal up to any lead dressing of sides and bottom and back filling in trenches with ed suitable material including carriage of material with in all leads and lifts and other als and as per the direction of the Engineer-in Charge. In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 ment: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and other incidentals and as per the nor of the Engineer-in Charge. In graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and other incidentals and as per the normal size in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and size in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with size in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage as per the button of the Engineer-in Charge in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with size in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material stone twenty horizontal) towards face complete as per drawing and technical specifications clauses 614,709,1204.3.7 go carriage of material and other incidentials as per the direction of the Engineer-in Charge in graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and cidentals and as per the direction of the Engineer-in Charge.	land disposal up to any lead dressing of sides and bottom and back filling in trenches with ed suitable material including carriage of material with in all leads and lifts and other als and as per the direction of the Engineer-in Charge. In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification clause 362,803,1202 and 1203 in cement concrete 1:5:10 In grand laying concrete for plain/reinforced concrete in open foundation complete as per the and technical specification clause 36:40. In grand laying concrete for plain/reinforced concrete in open foundation complete as per the direction of the Engineer-in Charge and technical specifications clauses 614,709,1204. In grand laying concrete for plain/reinforced concrete in open foundation complete as per the material single in the concrete in charge in the properties of the six hundred fifty and paise zero only. In grand laying concrete for plain/reinforced concrete in open foundation complete as per the material six hundred six hundred six hundred fifty and paise zero only. In grand laying concrete for plain/reinforced concrete in open foundation complete as per the material six hundred fifty and paise zero only. In grand laying concrete for plain/reinforced concrete as per the material six hundred fifty and paise zero only. In grand laying concrete for plain/reinforced concrete in concre	land disposal up to any lead dressing of sides and bottom and back filling in trenches with ed suitable material including carriage of material with in all leads and lifts and other als and as per the direction of the Engineer-in Charge. In grand laying concrete for plain/reinforced concrete in open foundation complete as per and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 ment: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) go carriage of material with in all leads and lifts and other incidentals and as per the for the Engineer-in Charge. In grade weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards face complete as per drawing and technical specifications clauses 614,709,1204.3.7 go carriage of material and other incidentials as per the direction of the Engineer-in Charge inglicent wing wall and retainling wall complete as per drawing & technical aton clause 1204.3.8 and including carriage of material with in all leads and lifts and cidentals and as per the direction of the Engineer-in Charge. Metre 2ero only. Rupees Three thousand six hundred fifty and paise zero only. Rupees Two hundred eighty seven and paise zero only. Each six hundred fifty and paise zero only. Rupees Three thousand six hundred fifty and paise zero only. Rupees Three thousand six hundred fifty and paise zero only.



DNIP 8-NO 1279 forkeyeer 2023-24,

Varr	e of work:- Construction of Lunapani to Gatti road km. 0/00 to 0/435. (SH:- C/O V-shap			Estimated Cost:-	-199784.00	
	0/115 to 0/390)	De Minii T	0 1.0.0 kt	Earnest Money :-		
(0.	3/110 to 0/390)			Time :- One Mont		
S.N	Description of item	Quantity		Rate	Unit	Amount
0			in figure	In word	1	
	Providing and laying plain/reinforced cement concrete in foundation/substructure as per drawing and technical specification clause 802,803,1202 and 1203 PCC nominal mix 1:3:6 (One cement: three sand six graded stone aggregate) 20 mm (twenty millimetre) nominal size of aggregates including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	275.00	362.85	Rupees Three hundred sixty two and paise eighty five only.	Per Cubic Metre	99784.00
	anodion of Engineer in one go.	<u>-</u> -			Total	99784.00
						1
	Draft sch	hedule	auantity	Approved for Rs	-99,78	4.00/-



	DRAFT SCHEDULE OF Q	VITTABUL	(
	ne of work:- A/R & M/O Old NH-21 Chandigarh- Mandi- Manali road km. 184/650 to 198/0	00. (SH:- C	JO U-shape	Estimated Cost:-		
,CC	C drain in 1:3:6 at RD. 186/550 to 186/630)			Earnest Money :-		
				Time :- One Month		
S.N	Description of item	Quantity	<u> </u>	Rate	_ Unit	Amount
٥		1	In figure	In word	1	(
	Earth work in excavation of foundation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	83.20	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	23878.00
}	Rroviding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6 (One cement: three sand:six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	44.80	4380.00	Rupees Four thousand three hundred eighty and paise zero only.	Per Cubic Metre	196224,00
			<u></u>	 	Total	220102.00
	Doast Schei	tule of	Quanti	ity approved for	7220	102.00
					Executive Er HPPWD Div HPPWD Ner	vision,



DNIT SX-MO -285

	DRAFT SCHEDULE OF QUAI					
lam	ne of work:- Construction of road back side of Rana Market. (SH:- Providing and laying WBM	G-I and ce	ement	Estimated Cost:-		"—— ——
one	crete in km. 0/690 to 0/745) Deposite Work.			Earnest Money :-		
- 24				Time :- One Month		
5.N 0	Description of item	Quantity	Rs. P.	all taxes including GST in	Unit	Amount
			In figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	4954.00
	Providing, laying, spreading and compacting stone aggregate of sizes 90-45mm (Ninety to forty five millimetres) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN (eighty by hundred Kilo Newton) in stages to proper grade and camber, applying and brooming, stone screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading-liby manual means as per technical specification Clause 405 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.	17.26	2190.00	Rupees Two thousand one hundred ninety and paise zero only.	Per Cubic Metre	37799.00
	Providing and laying plain/reinforced cement concrete in foundation/substructure as per drawing and technical specification clause 802.803.1202 and 1203 P.C.C nominal mix 1:2:4 (One cement: two sand: four graded stone aggregate) 40 mm (forty millimetre) nominal size of aggregates including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.		5770.00	Rupees Five thousand seven hundred seventy and paise zero only.	Per Cubic Metre	149385.00
			 	 	Total	192138.00
						0.02
	Doaf	t sche	edule 4		Executive HPPWD D	Eugineer,
					Nerchow	



DUIT Sollo -272

including setting out construction of shoring and bracing re material and disposal up to any lead dressing of sides and	technical specification clause 305.1	Quantity	Rate with all Rs. P.	Estimated Cost:- Earnest Money :- Time :- Two Monti taxes including GST in	5700.00	Amount
Earth work in excavation for structure as per drawing and including setting out construction of shoring and bracing rematerial and disposal up to any lead dressing of sides and the structure.	technical specification clause 305.1		Rs. P.		Unit	Amount
including setting out construction of shoring and bracing re material and disposal up to any lead dressing of sides and	technical specification clause 305.1	29.93	L	In word	í	
including setting out construction of shoring and bracing re material and disposal up to any lead dressing of sides and	orth work in excavation for structure as per drawing and technical specification clause 305.1 29.93			1		
excavated suitable material including carriage of material incidentals and as per the direction of the Engineer-in Cha	d bottom and back filling in trenches with with in all leads and lifts and other		287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	8590.00
Providing and laying concrete for plain/reinforced concrete drawing and technical specification Clause 802,803,1202 (one cement: five sand : ten graded stone aggregate 40m including carriage of material with in all leads and lifts and direction of the Engineer-in Charge.	and 1203 in cement concrete 1:5:10 m (forty millimetre) nominal size)	67.65	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	246923.00
Providing weep hole in brick masonry/ stone masonry / p wall, return wall with 100mm dia (one hundred millimetre the full width of the structures with slope of 1V:20H (one drawing face complete as per drawing and technical sincluding carriage of material and other incidentials as per	e diametre) PVC pipe extending through e vertical isto twenty horizontal) towards specifications clauses 614,709,1204.3.7	30.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	8610.00
Back filling behind abutment wing wall and retainling wall specification clause 1204.3.8 and including carriage of mother incidentals and as per the direction of the Engineer-	aterial with in all leads and lifts and	17.55	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	18428.00
	<u> </u>		L		Total	282551.00



DN1 95.NO 2 262

work:- Construction of Bhiura Satoh Dhaul road km. 0/00 to 1/800. (SH:- C/O D/S Toe wall and wing et RD. 0/615) Description of item		_		9000.00) 		
Description of item	Quantity			13	Earnest Money :- 9000.00 Time :- Two Months		
		Rs. P.		Unit	Amount		
		In figure	In word				
h work in excavation for structure as per drawing and technical specification clause 305.1 including setting out struction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead sing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	61.29	287.00	Rupees Two hundred eighty seven and palse zero only.	Per Cubic Metre	17590.00		
riding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical cification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone regate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other legitals and as per the direction of the Engineer-in Charge.	105.47	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	384966.00		
riding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 803,1202 and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate) including ge of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	0.68	4380.00	Rupees Four thousand three hundred eighty and paise zero only	Per Cubic Metre	2978.00		
te masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 704,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement : six sand) complete in all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-in-	6.26	3333.00	Rupees Three thousand three hundred thirty three and paise zero only	Per Cubic Metre	20865.00		
riding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with nm dia. (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of IOH (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications see 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-Intege.	34.00	287,00	Rupees Two hundred eighty seven and paise zero only.	Each	9758.00		
filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of Engineer-in Charge.	10.92	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	11466.00		
				Total	447623.00		
Si dicities de la contraction	ing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical direction Clause 802,803,1202 and 1203 in cement concrete 1;5:10 (one cement: five sand : ten graded stone egate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other entals and as per the direction of the Engineer-in Charge. ding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 803,1202 and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate) including ge of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge. The masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 804,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete at all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-inge. ding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with and dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of DH (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications as 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-inge. filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of nighneer-in Charge.	ing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material in all leads and lifts and other incidentals and as per, the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical fication Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone agate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other entals and as per the direction of the Engineer-in Charge. ding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge. e masonry in cement mortar for sub structure complete as per drawing and technical specification clauses in all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-ingle. ding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with in all alone hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of the overtical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications es 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-ingle. 10.92 filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 3.8 and including carriage of material with in all leads and lifts and other incidentials and as per the direction of ngineer-in Charge.	ing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical fication Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone agate 40mm (forty millimetre) nomlinal size) including carriage of material with in all leads and lifts and other entals and as per the direction of the Engineer-in Charge. ding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge. e masonry in cement mortar for sub structure complete as per drawing and technical specification clauses for all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-ingeliangly in the full width of the structure with slope of policy (one vertical listo twenty horizontal) towards drawing face complete as per drawing and technical specification clause of 14,709,1204,3.7 including carriage of material and other incidentials as per the direction of the Engineer-Ingelian diling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause filling behind abutment wing wall and retainling wall complete as per drawing as technical specification clause filling behind abutment wing wall and retainling wall complete as per drawing as technical specification clause filling behind abutment win	and leads and bottom and back filling in trenches with excavated suitable material including carriage of material in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone gate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and tifts and other entals and as per the direction of the Engineer-in Charge. ding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 103,1202 and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate) including ge of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge. a masonry in cement mortar for sub structure complete as per drawing and technical specification clauses 104,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete and paise zero only 104,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete and paise zero only 104,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete and paise zero only 104,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete and paise zero only 104,1202 & 1204 random rubble masonry second sort in cement mortar 1:6 (one cement: six sand) complete and paise zero only 105,47 Rupees Three thousand three hundred dightly three and paise zero only 105,47 Rupees Three thousand three hundred behavior of Engineer-in-charge 105,47 Rupees Three thousand three hundred millimetre diameter) PVC pipe extending through the full width of the structures with stope of 104,47 Rupees Two hundred eighty saven and paise 2 tero only 105,47 Rupees Two hundred eigh	Metre In all leads and lifts and other incidentals and as per, the direction of the Engineer-in Charge. Iding and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone gate 40 mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Iding and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause of material with in all leads and lifts and other incidentals and as per the entire satisfaction and direction of Engineer-in-Charge. Iding and 1203 P.C.C nominal mix 1:3:6(One cement: three sand:six graded stone aggregate) including per of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge. In all leads, lifts carriage of material and other incidentials as per entire satisfaction and direction of Engineer-in-Charge. Iding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with simple for wards drawing face complete as per drawing and technical specifications are set only. Iding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with simple of the structures with stope of the structure with stope of the structure only. Iding behind abutment wing wall and retainling wall complete as per drawing at technical specifications clauses and structure only. Iding the plant of the Engineer-in-Charge. Iding and laying plain/reinforced concrete abutment, wing wall, return wall with stope of the structures with stope of the structures with stope of the structure only. Iding the plant of th		



DMf SNOL 27

	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Red d km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 4/200 to 4/217)	atti Merar	nasit Leda	Estimated Cost:- Earnest Money :- Time :- Two Monti	6500.00	
0.N	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			in figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	33.83	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	9709.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	77.92	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	284408.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	34.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	9758.00
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3,8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	19.89	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	20885,00
		C(C211 - 7-3)			Total	324760.00

Douft schoolule of quantity approved for 2724,

Executive Engineer, HPPWD Division HPPWO Nerchows



DNIF8.NO / 23012711

	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Ra to 10/00. (SH:- Construction of PCC Retaining wall at RD. 9/414 to 9/426)	atti Kalkh	ar road km.	Estimated Cost:- Earnest Money :- Time :- Two Mont	9800.00)
S.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			in figure	in word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated sultable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.	45.63	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	13096,00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge.	121.50	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	443475.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	14637.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204,3,8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14.82	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	15561.00
					Total	486769.00

DRAFT SCHEDULE OF QUANTITY

Douft Schoolule of quantity approved for 24,86%

Executive Engineer:
HPPWD Division
HPPWD Nerchows



DMf SNOL 270

	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Ra to 10/00. (SH:- Construction of PCC Retaining wall at RD. 9/400 to 9/413)	ar road km.	Estimated Cost:- Earnest Money :- Time :- Two Mont	- 9800.00 nths			
5.N 0	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount	
			In figure	In word			
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	45.63	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	13096.00	
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	121.97	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	445191.00	
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	50.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	14350.00	
ł	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	14.82	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	15561.00	
					Total	488198.00	

Douff Schedule of quantity approved for 24,88/1

Executive Engineer, HPPWD Division, HPPWD Nerchow



DNIT ST. NO 267

	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Ri to 10/00. (SH:- Construction of PCC Retaining wall at RD. 9/075 to 9/090) Deposit wor		ar road km.	Estimated Cost:- Earnest Money :-		0
,, 00	to 10/00. (SITE CONSTRUCTION OF 1 CO NOTAINING WAIT AT ITES. S/070 to 5/000/ Deposit Wor	N.		Time :- Two Mont		
5.N o	Description of Item	Quantity	Rate with all	taxes including GST In	Unit	Amount
			In figure	in word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	46.05	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	13216.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	104.85	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	382703.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and palse zero only.	Each	7462.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	13.65	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	14333.00
					Total	417714.00

DRAFT SCHEDULE OF QUANTITY

Douth schoolale of quantity approved fox \$ 9,17,

Executive Engineer, HPPWD Division, HRPWD Nerchow



DNITSTMO (283)


	antity	Rate with all Rs. P.	Estimated Cost:- Earnest Money :- Time :- Two Monti axes including GST in	7200.00	Amount
Description of item Qua	- 1	Rs. P.			Amount
	- 1	Rs. P.	axes including GST in	Unit	Amount
Each work in avacuation for attracture as not drawing and technical appointation clause 205.1	}				
Earth work in average for attricture as not drawing and technical expedientics clause 205.1		In figure	In word		
including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	0.70	287,00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	14551.00
Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	7.81	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	320507.00
	9.00	287.00	Rupees Two hundred eighty seven and palse zero only.	Each	8323 00
Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	3.05	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	13703.00
				Total	357084.00

(49)

DUIT ST-NO - (281)

	DRAFT SCHEDULE OF C	UANTI	TY			
	ie of work:- RRD on Chandigarh Mandi Manali road km. 184/600 to 190/00 and 191/190 ining wall PCC 1:4:8 at RD. 196/093 to 196/106.5)	to 198/05	60. (SH:- C/O	Estimated Cost: Earnest Money: Time :- Two Money	10000.00	
0.N	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word	1	
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	39.56	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	11354.00
	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203, 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of materials with in all leads, lilfts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	114.89	4018.00	Rupees Four thousand eighteen and paise zero only.	Per cubic Metre	461628.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	37.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	10619.00
:	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	15.39	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	16160.00
\Box					Total	499761.00
	Draft.	Scheo	lule of 8	luantity approve	- 0	60
-					Executive HPPWD HPPWD	C





	Rs. P. In figure 287.00	Estimated Cost: Earnest Money: Time: Two Mont I taxes including GST in In word Rupees Two hundred eighty seven and paise zero only. Rupees Three thousand six hundred fifty and paise zero only.	8300.00	Amount 12175.00
105.69	Rs. P. In figure 287.00	In word Rupees Two hundred eighty seven and paise zero only. Rupees Three thousand six hundred fifty and paise	Per Cubic Metre Per Cubic	12175.00
105.69	287.00	Rupees Two hundred eighty seven and paise zero only. Rupees Three thousand six hundred fifty and paise	Cubic Metre Per Cubic	
105.69	3650.00	eighty seven and paise zero only. Rupees Three thousand six hundred fifty and paise	Cubic Metre Per Cubic	
		six hundred fifty and paise	Cubic	385769.00
15.00				
	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	4305.00
8.37	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	8789.00
			Total	411038.00
ft sc	hedule		Executive	Engineer,
7 6		8.37 1050.00	zero only. Rupees One thousand fifty and paise zero only.	zero only. 8.37 1050.00 Rupees One thousand fifty Per Cubic Metre Total H Schedule 4 Alantity Approve.



DNIF S.No. 1-291

	DRAFT SCHEDULE OF G					
	ne of work:- RRD on Gutkar Behna Tikkar Malwana Badhyal road km. 0/00 to 5/510. (Sl	4:- C/O R	etaining wall	Estimated Cost:-		<u> </u>
ı P	CC 1:5:10 at RD. 0/890 to 0/920)			Earnest Money :-		
				Time :- Two Mont	hs	
6.N 0	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word	1	
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	66.90	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	19200.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	111.72	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	407778.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	41.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	11767.00
	Back filling behind abutment wing wall and retainting wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	12.30	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	12915.00
					Total	451660.00
	Draft se	chedu	le of o	uantity Approve	Executive	Eng
					Executive HPPWD D HIPPWD N	Division



DNIT STNO - 276

il in PC	C 1:5:10 at	Estimated Cost:-	498126.00	
		Earnest Money :-	10000.00	
		Time :- Two Mont	hs	
	Rate with all t	taxes including GST in	Unit	Amount
	In figure	In word		
43.95 ŧ	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12614.00
23.38	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	450337.00
50.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	17220.00
17.10	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	17955.00
			Total	498126.00
t sc	heoule	of awardily Appen	Executive	Engliseer,
1 -				Executive HPPWD-E HIPPWD N





DRAFT SCHEDULE OF QUANTITY

Name of work:- Restoration of road damages caused by laying of optical fiber cable on Ratti Meramasit Leda road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD, 6/200 to 6/220)

Estimated Cost:-|392457.00 Earnest Money :-|7900.00 Time :- Two Months

S.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST In	Unit	Amo
			In figure	In word	1	
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	48.08	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	13799
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	94.87	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	34627
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V.20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	10332
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3 8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.00	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	22050
				Annual Control of the	Total	39245

Dout achedule of quantity approved to \$ 2 3,92,0

Executive Engineer HPPWD Division, HIPWD Nerobbyk





-	DRAFT SCHEDULE OF C	XUAII II	1.1			
lam	ne of work:- RRD on Ratti Randhara road km. 0/00 to 9/00. (SH:- Construction of PCC	Retaining	wall at RD.	Estimated Cost:-		
/80	0 to 4/817.30 with Toe wall)			Earnest Money :-	10000.00	
				Time :- Two Mont	hs	
.М. О	Description of item	Quantity	Rate with all Rs. P.	taxes Including GST in	Unit	Amount
			In figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	51.38	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	14746.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5.10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	124.22	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	453403.0
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	16072.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	12.11	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	12716.00
	Druft 3chedule of que	mart	y apt	soved for	Total 4	496937.0
			<i>f</i>			



DNIF5.NO 244 for they are 2023-24.

Earth work in excavation for structure as per drawing and technical specification clause 305.1 Earth work in excavation for structure as per drawing and technical specification clause 305.1 Earth work in excavation for structure as per drawing and technical specification clause 305.1 Earth work in excavation for structure as per drawing and technical specification clause 305.1 Earth work in excavation for structure as per drawing and technical specification of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and faying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Earth work in excavation for structure as per drawing and technical specification clause 305.1 48.98 287.00 Rupees Two hundred eighty seven and paise Zero only. Metre 123.86 3650.00 Rupees Three thousand Six hundred fifty and paise Zero only. 452089.00 Cubic Six hundred fifty and paise Zero only. Metre		1 Php P (1 P II) 1 P (2 P II	D	11 - 4 D.D.	Estimated Cont	407474.0	
Description of item Quantity Rate with all taxes including GST in In figure In word In wo		·	Retaining	wall at RD.			
Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word Rupees Two hundred elighty seven and paise zero only. Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word Rupees Two hundred elighty seven and paise zero only. Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word Rupees Two hundred elighty seven and paise zero only. Earth work in excavation for structure as per drawing and technical specification clause 302.803.1202 and 503 to an all leads and other incidentals and as per the direction of the Engineer-in Charge. Providing and lechnical specification clause 802.803.1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia, (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 11/20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including cerriage of material and other incidentials as per the direction of the Engineer-in Charge Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts an	90	30 to 5/915.50)					
Earth work in excavation for structure as per drawing and technical specification clause 305.1 In figure In word 48.98 287.00 Rupees Two hundred eighty seven and paise zero only. Metre 48.98 287.00 Rupees Two hundred eighty seven and paise zero only. Metre 14057.00 Augustiable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and lexing concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 14:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Total 4, 497474.00 Rupees Two hundred eighty seven and paise zero only. 48.00 287.00 Rupees Two hundred eighty seven and paise zero only. 48.00 287.00 Rupees Two hundred eighty seven and paise zero only. 48.00 Rupees Two hundred eighty seven and paise zero only. 48.00 Rupees Two hundred eighty seven and paise zero only. 48.00 Rupees Two hundred eighty seven and paise zero only. 48.00 Rupees Two hundred eighty seven and paise zero only. 48.0							
Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing weep hole in britism and other incidentals and as per the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Total 48.98 Rupees Two hundred eighty seven and paise 2ero only. Rupees Two hundred eighty seven and paise 2ero only. Rupees Two hundred eighty seven and paise 2ero only. Rupees Two hundred 2ero only. Rupees Two hu	N	Description of item	Quantity	I	taxes including GST in	Unit	Amount
including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing and leying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		,		In figure	In word		
drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Six hundred fifty and paise Cubic Metre 13776.00 Rupees Two hundred eighty seven and paise zero only. Rupees One thousand fifty and palse zero only. Rupees One thousand fifty and palse zero only. Total 497174.06		including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other	48.98	287.00	eighty seven and paise	Cubic	14057.00
Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only. Back filling behind abutment wing wall and retainling wall complete as per drawing & technical and paise zero only.		drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the	123.86	3650.00	six hundred fifty and paise	Cubic	452089.00
specification clause 1204.3.8 and including carriage of material with in all feads and lifts and other incidentals and as per the direction of the Engineer-in Charge. Cubic Metre Total , 497174.00		Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7	48.00	287.00	eighty seven and paise	Each	13776.00
O Total , 497174.0	_	specification clause 1204.3.8 and including carriage of material with in all feads and lifts and	16.43	1050.00		Cubic	17252.00
Death Scheelule OI quantity approved tox y 4,97/9	_	OI A A		1.1	11 1 1		, 497174.00
	•	Death Scheelile 01	GLO	ntery	approved To	87	4.97/8
				1	6		
					-	- 9	20
- En							
Executive Engineer,							
Executive Engineer, HPPWD Division, HCPWD Nerched						1	





Draft Schedule of Quantity

Estimated Cost:- Rs. 458689.00 Earnest Money:- Rs. 9200.00

Time:-

Two Months

Name of work:- Restoration of damages caused due to laying of Optical Fibre Cable on Sidhyani Balt via Dahanu road Km. 0/000 to 9/700.

Sub Head: - Construction of PCC, Retaining wall at R.D. 1/225 to 1/245.

Sr.	Description of Item	Qty		Rate	Unit	Amo
No.			In Figure	In words		
1	Earth work in excavation for structures for all kinds of soil as per drawing and technical specifications clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal upto any lead, dressing of sides and bottoms and back filling in trenches with excavated suitable materials complete within all leads, lifts, carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.	•	287.00	Rupees two hundred eighty seven and paise nil only	Per cubic metre	215
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:5:10 (one cement—five sand : ten graded, crushed stone aggregate 40mm (forty millimetre) nominal size) curing complete within all leads, lifts carriage of material and other incidental complete in all respect as per direction of Engineer-in-Charge.		3650.00	Rupees three thousand six hundred fifty and paise nil only		4139
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals as per direction of Engineer-in-Charge.	13.40 Cum	1050.00	Rupees one thousand fifty and paise nil only	Per cubic metre	140
4	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment , wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentals as per direction of Engineer-in-Charge.		287.00	Rupees two hundred eighty seven and paise nil only	Each	91
			4	^	Total	4586

Executive Engineer, H.P.P.W.D. Division





DRAFT SCHEDULE OF QUANTITY

Name of work: - RRD on various roads under Chakkar Sub Division H.P.PWD Nerchowk (SH:- Hiring of Tipper for carriage of muck & Patch work material) (Ratti Section) Estimated Cost Rs. 137250/-Earnest Money Rs. 2800/-Time: - Two Month

		Qty.		Rate In	Unit	
Sr. No.	Description of Items		Figure	Words	11,-11,-211	Amoun
1.	Hiring of Tipper 5.5 cum capacity having lift system for carriage of material to different sites of work with in all leads and lifts and to the entire satisfaction of the Engineer-incharge. The tipper should work minimum 6 hours from 9.00 A.M. to 5.00 P.M. daily. Any loss to public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the owner which shall have to be fully compensated by him in all cases. The fuel of the tipper, driver and repair work shall have to be borne by the tipper owner. The daily log book shall be maintained at site which should be duly verified by the Engineer-in charge.	Days	3050.00	Rupees Three thousand Fifty only	Per Days	137250
	and sold take and are lit		1	1	Total -	13725


Assistant Engineer, Grakkar Sub Division,

HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,

HPPWD Nerchowk.





DRAFT SCHEDULE OF QUANTITY

Name of work:- RRD on Ratti Meramasit Leda Road Km. 0/0 to 15/580

Estimated Cost Rs. 401200/ Earnest Money Rs. 8100/-Time: - One Month

(SH: -Hiring of Hydraulic Excavator (210 TATA Hitechi or its equivalent) 1.00/1.35 Cum capacity for removal of mucks & other debris)

	AND THE RESERVE THE PARTY OF TH	Qty.	B	late In	Unit	Amount
Sr. No.	Description of Items		Figure	Words		
1.	Hiring of Hydraulic Excavator (210 TATA Hitechi or its equivalent) 1.00/1.35 Cum One point Zero Zero /one point three five Cubic meters) bucket capacity to be deployed for cutting/excavating including cost of fuel oil lubricants and wages of operating staff. Any repair/breakage	136 hours	2950.00	Rupees Two Thousand Nine Hundred Fifty only	Per hours	401200.00
	during operation will be carried out by the contractor/owner at his own risk. And cost including shifting of machinery from one place to other place will be absolute responsibility of the contractor. Only actual working hours will be accounted for the payment earth cutting/removal of slips, excavation in all kinds of soil including loading in to tipper /trucks and disposal of all excavated earth in all leads and lifts to the entire satisfaction of the Engineer- in-Charge.					
	1	militar		11	Total:-	401200.00

Assistant Engineer, Chakkar Sub Division,

HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,

HPPWD Nercho



DNIP8.NO 253 for the good 2023-24.

	DRAFT SCHEDULE OF QUANTITY					
√am	ne of work:- Restoration of rain damages on Malthehar by pass road km. 0/00 to 1/045 (SH:- Construction of Bre	ast wall a	at RD. 0/760	Estimated Cost:	- 274249.	00
o ((12)			Earnest Money :	- 5500.00	
				Time :-Two Mo	nths	
S.N 0	Description of item	Quantity	Rate with a	all taxes including GST in	Unit	Amount
	·		in figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	41.04	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	11778.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and tectmical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	70.18	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	256157.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	22.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	6314.00
	Doe'll Schedule of quantity	9000	1201-60	-jer 2770	Total	274249.00

Executive Engineer, HPPWD Division, HPPWD Nerebowk



	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Sinanu road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD. 0/460 to 0		alt via	Estimated Cost:- Earnest Money :- Time :- Two Mont	6800.00	
\$.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 Including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	35.91	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	10306.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	81.18	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	296307.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	10332.00
4	Back filling behind abutment wing wail and retainling wall complete as per drawing & technical specification clause 1204.3,8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.06	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	22113.00
				141-1-1	Total	339058.00

Executive Engineer, HPPWD Division HPPWD Nerohowk



DMITatsonlo 266

	DRAFT SCHEDULE OF QUANTIT					
lame	e of work:- Restoration of road damages caused by laying of optical fiber cable on Una Aghar Barsar Jahu Bh	nambla Ner	rchowk	Estimated Cost:-		
	km. 113/00 to 126/300. (SH:- Providing and laying Bituminous Concrete in km. 121/948 to 122/024) Deposit wo			Earnest Money :-		
				Time :- One Mont		
S.No	Description of item	, ,	Rate with a Rs. P.	all taxes including GST in	Unit	Amouni
'		L	In figure	In word		
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.225 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503, including carriage of material with In all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-charge.	438.90	19.55	, , , , , ,	e Per square metre	8580.00
	Providing laying 30 mm (thirty millimetre) thick bituminous concrete with 100-120 TPM batch type HMP producing an average out put of 75 tonne per hours useing crushed aggregates of specified greading preading premixed with bituminious binder @ 5.4 to 5.6 percent of mixand filler transporting the hot mix to work site laying with a hydrolic paver finisher with sanser control to the required grade, level and alignment rolling with smooth wheeled vibratory and tendom roller to acheive the dressed compaction as per MORTH specification clause no. clause 509 complete in all respect (VG-30), including carriage of material with in all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-charge.	13.17	12903.60		Per cubic metre	169940.6
			+		Total	178520.
	Don't Scher	dule a	f Blavi	hity approved-	Executiv	ve Engineer,
-				1	HPPWD	Division wk



DHIT 88-NO 265/-

DRAFT SCHEDULE OF QUANTITY hame of work:- Restoration of road damages caused by laying of optical fiber cable on Una Aghar Barsar Jahu Bhambla Neichowk Estimated Cost:- 499241.00 Earnest Money:- 10000.00 road km. 113/00 to 126/300. (SH:- Providing and laying Bituminous Concrete in km. 121/316 to 121/632) Deposit work Time :- One Month S.No Quantity Rate with all taxes including GST in Description of item Unit Amount Rs. P. In figure In word Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.225 kg 1227.66 19.55 Rupees Ninteen and paise Per 24001.00 per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical fifty five only square Specification Clause 503, including carriage of material with in all leads, lifts and other incidental charges and as metre. per the entire satisfaction and direction of Engineer-in-charge. 2 Providing laying 30 mm (thirty millimetre) thick bituminous concrete with 100-120 TPM batch type?HMP producing 36.83 12903.60 Rupees Twelve thousand Per 475240.00 an average out put of 75 tonne per hours useing crushed aggregates of specified greading preading premixed with nine hundred three and cubic bituminious binder @ 5.4 to 5.6 percent of mixand filler transporting the hot mix to work site laying with a hydrolic paise sixty only metre paver finisher with sanser control to the required grade, level and alignment rolling with smooth wheeled vibratory and tendom roller to acheive the dressed compaction as per MORTH specification clause no. clause 509 complete in all respect (VG-30), including carriage of material with in all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-charge. 499241.00 Total Draft schedule of avantity Approved Executive Engineer, **HPPWD** Division Nerchowk



DUIT Soulo 264

	k:- Restoration of road damages caused by laying of optical fiber cable on Una Aghar Barsar Jahu Bh /00 to 126/300. (SH:- Providing and laying Bituminous Concrete in km. 121/632 to 121/948) Deposit w		rchowk	Estimated Cost:- Earnest Money :- Time :- One Mont	10000.00	
.No	Description of item	Quantity	Rs. P.	all taxes including GST in	Unit	Amount
per sqm Specifica	ng and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.225 kg in on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical cation Clause 503, including carriage of material with in all leads, lifts and other incidental charges and as entire satisfaction and direction of Engineer-in-charge.	1227.66	In figure 19,55	7	Per square metre	24001.00
2 Providing an avera bituminio	ang laying 30 mm (thirty millimetre) thick bituminous concrete with 100-120 TPM batch type HMP producing rage out put of 75 tonne per hours useing crushed aggregates of specified greading preading premixed with fous binder @ 5.4 to 5.6 percent of mixand filler transporting the hot mix to work site laying with a hydrolic misher with sanser control to the required grade, level and alignment rolling with smooth wheeled vibratory	36.83	12903,60	nine hundred three and	Per cubic metre	47,5240.00
and tend in all resp	dom roller to acheive the dressed compaction as per MORTH specification clause no. clause 509 complete spect (VG-30), including carriage of material with in all leads, lifts and other incidental charges and as per					}
and tend in all resp	dom roller to acheive the dressed compaction as per MORTH specification clause no. clause 509 complete spect (VG-30), including carriage of material with in all leads, lifts and other incidental charges and as per re-satisfaction and direction of Engineer-in-charge.			ruantity Appoor	Total	499241.6



DUM Frilo 263

		TY				
	irk:- Restoration of road damages caused by laying of optical fiber cable on Una Aghar Barsar Jahu Bl		rchowk	Estimated Cost:-		
oad km. 113	3/00 to 126/300. (SH:- Providing and laying Bituminous Concrete in km. 121/00 to 121/316) Deposit wo	rk		Earnest Money :-	 _	0
				Time :- One Mont	th	
S.No	Description of item	Quantity	Rate with a Rs. P.	II taxes including GST in	Unit	Amount
			In figure	(n word		
per sqn Specific	ling and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.225 kg m on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per Technical fication Clause 503, including carriage of material with in all leads, lifts and other incidental charges and as a entire satisfaction and direction of Engineer-in-charge.	1227.66	19.55	Rupees Ninteen and paise fifty five only	Per square metre	24001.00
of 75 to @ 5.4 to sanser acheive 30), inc	ling laying 30 mm thick bituminous concrete with 100-120 TPM batch type HMP producing an average out put conne per hours useing crushed aggregates of specified greading preading premixed with bituminious binder to 5.6 percent of mixand filler transporting the hot mix to work site laying with a hydrolic paver finisher with recontrol to the required grade. level and alignment rolling with smooth wheeled vibratory and tendom roller to the dressed compaction as per MORTH specification clause no. clause 509 complete in all respect (VG-cluding carriage of material with in all leads, lifts and other incidental charges and as per the entire action and direction of Engineer-in-charge.		12903.60	Rupees Twelve thousand nine hundred three and paise sixty only	Per cubic metre	475240.00
					Total	499241.00
	Drold	sche	dule a	foundity appr	oved -	forat 4



DN183.NO 1-261

	- Company (1971) - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	0.00	. 0/500 (01)	F. C	14408050	
OUS	e of work:- RRD on Kandi Mod to Soyra Bridge via Gurudwara upper Malthehar road I		o 0/500. (SH:	Estimated Cost:- Earnest Money :-		0
0114	truction of PCC Retaining wall at RD. 0/062 to 0/074 & 0/094.50 to 0/104.10) Under SC	5P		Time :- Two Mont		
.N o	Description of Item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word		
í í	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	52.66	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	15113.00
((Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	108.96	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	397704.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with stope of 1V·20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	46.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	13202.00
5	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	19.51	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	20486.00
					Total	446505.00



DNIT Sando - 260

	DRAFT SCHEDULE OF C					
	ne of work:- RRD on Kandi Mod to Soyra Bridge via Gurudwara upper Malthehar road	km. 0/00 t	to 0/500. (SH:			0
on	estruction of PCC Retaining wall at RD. 0/045 to 0/062) Under SCSP			Earnest Money :- Time :- Two Mont		
5.N	Description of the second	T 0	Te. 4			
0	Description of item	Quantity	Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	47.77	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	13710.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	89.93	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	328245.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	10332.00
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	13.43	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	14102.00
					Total	366389.00
	Draft Sche	Jule .	sf Otia	ntity approved	-	Co
				Æ	Executive HPPWD [



DNIT SOMO 2887

road km. 0/00 to 9/700. (SH:- Construction of PCC Retaining wall at RD. 1/225 to 1/				ባብ ሰብሮብ		
Description of item	Quantity		Earnest Money :- Time :- Two Month			
ſ	wuanuty	Rate with all Rs. P.	taxes including GST in	Unit	Amount	
		In figure	In word	. 1	, 	
th work in excavation for structure as per drawing and technical specification clause 305.1 uding setting out construction of shoring and bracing removal of stumps and other deleterious terial and disposal up to any lead dressing of sides and bottom and back filling in trenches with avated suitable material including carriage of material with in all leads and lifts and other dentals and as per the direction of the Engineer-in Charge.	75.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	21525.00	
viding and laying concrete for plain/reinforced concrete in open foundation complete as per wing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 is cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) uding carriage of material with in all leads and lifts and other incidentals and as per the	113.40	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	413910.00	
viding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing I, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards wing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 uding carriage of material and other incidentials as per the direction of the Engineer-in Charge	32.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	9184,00	
ck filling behind abutment wing wall and retainling wall complete as per drawing & technical cification clause 1204.3.8 and including carriage of material with in all leads and lifts and er incidentals and as per the direction of the Engineer-in Charge.	13.40	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	14070.00	
				Total	458689.00	
uke ake vi ke vi ke ci	ding setting out construction of shoring and bracing removal of stumps and other deleterious rial and disposal up to any lead dressing of sides and bottom and back filling in trenches with vated suitable material including carriage of material with in all leads and lifts and other entals and as per the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per ing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 cement: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) ding carriage of material with in all leads and lifts and other incidentals and as per the dion of the Engineer-in Charge. ding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through with with of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards ing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 ding carriage of material and other incidentials as per the direction of the Engineer-in Charge filling behind abutment wing wall and retainling wall complete as per drawing & technical fication clause 1204.3.8 and including carriage of material with in all leads and lifts and incidentals and as per the direction of the Engineer-in Charge.	ding setting out construction of shoring and bracing removal of stumps and other deleterious rial and disposal up to any lead dressing of sides and bottom and back filling in trenches with vated suitable material including carriage of material with in all leads and lifts and other entals and as per the direction of the Engineer-in Charge. ding and laying concrete for plain/reinforced concrete in open foundation complete as per ing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) ding carriage of material with in all leads and lifts and other incidentals and as per the dion of the Engineer-in Charge. ding weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing return wall with 100mm dia. (one hundred millimetre diametre) PVC pipe extending through all width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards ing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 ding carriage of material and other incidentials as per the direction of the Engineer-in Charge filling behind abutment wing wall and retainling wall complete as per drawing & technical fication clause 1204.3.8 and including carriage of material with in all leads and lifts and incidentals and as per the direction of the Engineer-in Charge.	work in excavation for structure as per drawing and technical specification clause 305.1 75.00 287.00	Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Three thousand six hundred fifty and paise zero only. Rupees Three thousand six hundred fifty and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred six hundred fifty and paise zero only. Rupees Two hundred eighty seven and paise zero only.	Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred only in the six hundred fifty and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only. Rupees Two hundred eighty seven and paise zero only.	



DNITS.NOT (137) 100-the years 2023-24.

	ne of work:- Construction of 6.00mtr. Span RCC slab culvert at RD. 2/135 on Galma Nalwari road km. 0/00 to 3/00. Under SCSP		SP	Estimated Cost: 442351 00			
SH	:- Construction of approaches Galma side at RD. 0/00 to 0/04 U/S & 0/00 to 0/05 US) Job No. 1			Earnest Money :-	8900.00		
L				Time :-Two Months			
o N	Description of item	P		all taxes including GST in Rs.	Unit	Amount	
			In figure	In word			
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	49.41	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	14181 00	
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:6:12 (one cement six sand twelve graded stone aggregate 40mm (forty millimetre) nominal size) including carnage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9 78	2740.00	Rupees Two thousand seven hundred forty and paise zero only.	Per Cubic Metre	26797 00	
3	Stone masonary in cement mortar in substructure complete as per drawing & technical specification clause 792 704,1202 and 1203. Random rubble masonary in cement mortar 1.6 (one cement six sand) with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	67.68	3333 00	Rupees Three thousand three hundred thirty three and paise zero only	Per Cubic Metre	225577.00	
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.4,8 (one cement four sand; eight graded stone aggregate 40mm nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	7 29	4018 00	Rupses Four thousand cighteen and palse zero only	Per Cubic Metre	29291.00	
5	Construction of dry rubble stone masonry for retaining and Breast wallsas per drawing & technical specification Clause 704 6 and 1302.5 including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	4.79	2100 00	Rupees Two thousand one hundred and paise zero only	Per Cubic Metre	10059.00	
6	Back filling with granular material behind abutment wing wall and retainling wall complete as per drawing 8 technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge	66 00	1050 00	Rupees One thousand tifty and paise zero only	Per Cubic Metre	69300.00	
7	Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 as per Technical Specification Clause 303.1, including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		595.02	Rupees Five hundred ninety five and paise zero two only	Per Cubic Metre	61406 00	
3	Providing weep hole in brick masority/ stone masority / plain reinforced concrete abutment, wing walf, return walf with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V.20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204,3,7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only	Each.	5740 00	
	- A		201	- 19 - 11	Total	442351.0	

DRAFT SCHEDULE OF QUANTITY

senft schoolule of quantity approved to 24,3

Executive Financer, HPPWD Division, HPPWD Netchart (69)

ß	DRAFT SCHEDULE OF Q	UANTI	TY			
31	ne of work:- Restoration of road damages caused due to laying of optical fibre cable or	n Ratti Me	eramasit	Estimated Cost:-		
ed	a road km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 3/270 to 3/2	Earnest Money :- 9800.00				
		Time :- Two Month	าร			
.N	Description of item	Quantity Rate with all Rs. P.		taxes including GST in	Unit	Amount
	The state of the s		In figure	In word		
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lend dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	44.25	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	12700.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.5:10 (one cement five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	122 00	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	445300.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V 20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	9184.00
	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	20.50	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	21525.00
					Total	488709.0

Donaft 3 chedule of quantity approved for 2 4,88,74

Executive Engineer, HPPWD Division, HPPWD Nerchowk



INIT S.No: (186) - for the year 2023-24

Var	ne of work:- Restoration of road damages caused due to laying of optical fibre cable of	n Ratti M	eramasit	Estimated Cost:- 186792.00 Earnest Money :- 3800.00				
ed	a road km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 3/555 to 3/5	570) Depo	sit work					
				Time :- Two Mont	hs			
S.N	Description of item	Quantity	Rate with all	taxes including GST in	Unit	Amount		
			In figure	In word				
1	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	6027 00		
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand: ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	43.80	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	159870.00		
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	8610.00		
4	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-In Charge	11.70	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	12285.00		
						186792.00		

- 3	d		7		
f.	-	7	1		1
Г		4	1	1	1
D.		١,		p	٠.

175	DRAFT SCHEDULE OF Q	UANTITY				
	e of work:- Construction of Ambulance road Lakhdata Pir Mandir to Patherhari road km. 0/00 PCC Pavement at RD. 1/645 to 1/676) (Deposit work)	0 to 0/350.	(SH:-	Estimated Cost:- Earnest Money :-		
	To a distinction of the to make the marky			Time :- One Mont		
S.N	Description of item	Quantity		Rate	Unit	Amount
0	}		In figure	In word)	
1	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203, 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm nominal size) including carriage of materials with in all leads, lilfts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	9.69	4018.00	Rs. Four thousand eighteen and paise zero only.	Per cubic Metre	38934.00
2	Providing and laying plain cement concrete 1:2:4 (one cement : two sand : four graded crushed stone aggregate 20mm(twenty millimetre) nominal size mechanically mixed, placed in foundation and compacted by vibration including cost of form work and curing complete including carriage of materials with in all leads, lifts and other incidentials and as per the entire satisfaction and direction of Engineer-In-Charge	9.53	5770.00	Rs. Five thousand seven hundred seventy and paise zero only.	Per cubic Metre	54988.00
\vdash		1.			Total	93922.00

Donft sahalule of quantity approved for \$ 93,922/-0

Executive Engineer. HPPWD Division Nerchowk



DNITSNOL 117.

	is of work:- Construction of Ratti Troh Pipli road km. 0/00 to 4/00. (SH:- Construction of Breast v 7.40) Deposit work	Estimated Cost:- 114257.00 Earnest Money :- 2300.00				
		Time :-Two Mon				
S.N	Description of item	Quantity		Rale	Unit	Amount
0		R. L. William	In figure	in word	Carrier 1	
1	Excavation in soil in hilly area by mechnicial means including cutting and trimming of side slopes and disposing of excavated earth up to any lead and lift as per technical specification clause 1603.1 and 1603.2 and as per the entire satisfaction and direction of Engineer-in-Charge.		172 00	Rupees One hundred seventy two and paise zero only.	Per Cubic Metre	2355.00
2	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	8.07	287 00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Metre	2316.00
3	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1.5.10 (one cement; five sand: Ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	29.08	3650.00	Rupees Three thousand six hundred fifly and paise zero only	Per Cubic Metre	106142,00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	3444.00

.

Executive Engineer, HPPWD Division, HPPWD Nercholyk

(73)

	DRAFT SCHEDULE OF QUA	ANTITY						
Nan	ne of work:- Link road house of Sh. Hari Singh to Shiv Guffa at village otta Gutkar Tehsil Balh	Distt. Mand	li (HP). (SH:-	Estimated Cost:				
Prov	viding and laying C.C. pavement at RD. 1/450 to 1/685) (Deposit work)			Earnest Money :- 3800.00				
				Time :-Two Mont				
S.N	Description of item	Quantity		Rate	Unit	Amount		
0			In figure	In word				
1	Stone soling properly hand-packed filling interstices with Kharanja stone and consolidating with power road roller to the required gradient and comber including spreading watering and rolling of binding materials moorum or earth etc. complete as per HP.PWD specification. 100 mm (One hundred millimetre) spread thickness (finished work including materials and labour) including carriage of material with in all leads, lifts and other incidentals and as per the direction of the Engineer-in Charge.	20.62	1480.00	Rs. One thousand Four hundred eighty and paise zero only	Per Cubic Metre	30518.00		
2	Providing and laying plain cement concrete 1:2:4 (one cement : two sand : four graded crushed stone aggregate 20mm(twenty millimetre) nominal size mechanically mixed, placed in foundation and compacted by vibration including cost of form work and curing complete including carriage of materials with in all leads, lifts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	27.50	5770.00	Rs. Five thousand seven hundred seventy and paise zero only.	Per cubic Metre	158675.00		
					Total	189193.00		
	Douff Schodule of	9 yar	tity g	ppoored for 2	/,87, /6 Executive HPPWD Di			



DN17. 3.NO 171 for the year 2023/24

	e of work:- Restoration of road damages caused due to laying of optical fibre cable or 0/00 to 10/00. (SH:- Construction of PCC Retaining wall at RD. 6/470 to 6/485 with Toe			Estimated Cost:- Earnest Money :-)		
	3			Time :- Two Months				
N	Description of item	Quantity	Rate with all	taxes including GST in	Unit	Amount		
-	Annual transfer of the second		In figure	In word				
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	27.50	287.00	Rupees Two hundred eighty seven and paise zero only.	Per Cubic Vietre	7893.00		
1	Providing and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803 1202 and 1203 P.C.C nominal mix 1:3:6(One cement three sand six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	36 00	4380.00	Rupees Four thousand three hundred eighty and paise zero only	Per Cubic Metre	157680 00		
1	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	41.50	3650.00	Rupees Three thousand six hundred fifty and paise zero only	Per Cubic Metre	151475.00		
1	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204,3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	9.40	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	9870.00		
1	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge	28.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	8036.00		
Ť	Doaff 3 cheale		1	1.1 . 0	Total	334954.00		



DNI 98-NO 207) for the years 2023-24.

di.	DRAFT SCHEDULE OF QUANTITY							
	of work:- RRD on Chandigarh-Mandi-Manail road (Old NH-21) Km. 184/600 to 190/00 and 191/190 to 198/050. (SH:	- Providing	and	Estimated Cost:-				
ayi'.	approach slab and tarring work at Dadour Bridge at RD. 184/750) Job No. 2			Earnest Money :-				
				Time :- One Month				
S.No	Description of Item	Quantity	Rate with all taxes including GST Rs. P.		Unit	Amount		
			In figure					
	Construction of dry lean cement concrete sub-base over a prepared sub-grade with coarse and fine aggregate conforming to is: 383 aggregate gradation after blending to be as per table 600-1, mixed in a concrete mixture and laid manually Compacting with 8-10 tonnes roller, Finishing and curing (1:3:6) (One cement: three sand:six graded stone aggregate) including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge	9.86	5962,00	Ruppes Five thousand nine hundred sixty two and paise zero only.	Per Cubic Metre	58785.00		
	Construction of dry lean cement concrete sub base over a prepared sub grade with coarse and fine aggregate conforming to is: 383 aggregate gradation after blending to be as per table 600-1, mixed in a concrete mixture and laid manually Compacting with 8-10 tonnes roller, Finishing and curing (1:1.5:3) (One cement: one point five: three graded stone aggregate) including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	19.98	6904.00	Ruppes Six thousand nine hundred four and paise zero only.	Per Cubic Metre	137942.00		
	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth leve mild steel and Medium Tensile steel bars (Rate is Exclusive of cost of steel and will be provided by the Department) (Labour Rate)	3671.16	8.35	Ruppes Eight and paise thirty five only.	Kilogra m	30654.00		
	Providing and applying a primer coat with bitumen emulsion (SS-I) on prepared surface of granular base cleaned of dust and extraneous material with hydraulic broom or any other approved equipment and spraying primer at the rate of 0.70-1.00 Kg./Sqm. (zero point seven zero to one point zero zero kilogram per square metre) using mechanical means as per technical specification clause 502 including carriage of material within all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-Charge.		60.00	Ruppes Sixty and paise zero only.	Per Square Metre	5640.00		
	Providing and applying tack coat with bitumen emulsion (RS-1) on prepared dry and hungry bitumen surface cleaned of dust and extraneous material with Hydraulic brooms or any other approved equipment and spraying priming at the rate of 0.25 to 0.30 kg. (zero point two five to zero point three zero kilogram) per square metre with emulsion pressure distributor equipped for spraying uniformly complete as per technical specification cluase 503 with in all leads lifts and other incidentials complete and as per the entire satisfaction and direction of Engineer-in-Charge	94.00	4.10	Ruppes Four and paise ten only.	Per Square Metre	385.00		
	Providing laying bituminous concrete with 100-120 TPM batch type HMP producing an average out put of 75 tonne per hours useing crushed aggregates of specified greading preading premixed with bituminious binder @ 5.4 to 5.6 percent of mixand filler transporting the hot mix to work site laying with a hydrolic paver finisher with sanser control to the required grade. level and alignment rolling with smooth wheeled vibratory and tendom roller to acheive the dressed compaction as per MORTH specification clause no. clause 509 complete in all respect (Emulsion RS-1 will provided by the Department), including carriage of material with in all leads, lifts and other incidental charges and as per the entire satisfaction and direction of Engineer-in-charge.	3.76	3708.70	Rupees Three thousand seven hundred eight and paise seventy only	Per cubic metre	13945.00		
	Douff schoolule of guan	tity	appro	ved for 2 2,	Total	247351.00		
-		-			6	el		
					Executive HPPWD I			



DNIF 3.NO! 206 for the year 9023-24.

a. Z	DRAFT SCHEDULE OF QUANT	ΓΙ Τ Υ					
'-m	e of work:- RRD on Chandigarh-Mandi-Manali road (Old NH-21) Km. 184/600 to 190/00 and 191/190 to	198/050. (S	H:-	Estimated Cost:-	474404.	00	
· :v	iding and laying approach slab and tarring work at Dadour Bridge at RD. 184/750) Job No. 1			Earnest Money :-			
4	and the same of th			Time :- One Month			
5:115	Description of item Quan		Rs. P.	all taxes including GST in	Unit	Amount	
4			In figure	In word			
1	Providing and laying plain/reinforced cement concrete in substructure as per drawing and technical specification clause 802,803,1202 and 1203 P.C.C nominal mix 1:3:6 (One cement: three sand:six graded stone aggregate) including carrige of material with in all leads and lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	16,68	4380.00	Rupees Four thousand three hundred eighty and paise zero only	Per Cubic Metre	73058,00	
2	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600 mm (Six hundred millimetre) with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification. Clause 1204.3.8 including carriage of material within all leads, lifts/depths or as per the entire satisfaction and direction of Engineer-in-Charge.	175,27	1250.00	Rupees One thousand two hundred fifty and paise zero only	Per Cubic Metre	219088.00	
3	Construction of dry lean cement concrete sub base over a prepared sub grade with coarse and fine aggregate conforming to is:383 aggregate gradation after blending to be as per table 600-1, mixed in a concrete mixture and faid manually Compacting with 8-10 tonnes roller, Finishing and curing (1:3:6) (One cement: three sand:six graded stone aggregate) including carriage of material within all leads, lifts and other incidentals charges complete in all respect as per direction of Engineer-in-Charge.	30.57	5962.00	Ruppes Five thousand nine hundred sixty two and paise zero only.	Per Cubic Metre	182258.00	
	Dought schoolule of quan	hily	pps	wed for 2 4	74-4	474404.00	
					Executiv HPPWD Nerchow	1	



DNIPS.NO 1-208 forthe year 2023-24.

lam	e of work:- Construction of link road from Balasundhri Mata Mandir to Madapar v	ia Roada	to Singera	Estimated Cost:-	496080.00	<u> </u>	
	road Km. 0/00 to 2/800. (SH: Providing and Laying Interlocking Concrete Block Pa				/		
	d. 0/00 to 0/055) JUBNO1			Time :- One Month			
0. O		Quantity	Rate with all 1	taxes including GST in Rs.	Unit	Amount .	
			In figure	In word]		
	Providing, laying, spreading and compacting stone aggregates 90 mm to 45 mm (Ninety millimetre to forty five millimetre) niminal size (Grading-I) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with 3 wheeled steel/ vibratory roller 8-10 tonnes in stages to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting to the required density including carriage of materials with in all leads, lilfts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	2.50	2190.00	Rupees Two thousand one hundred ninety and paise zero only.	Per Cubic Metre	5475.00	
	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203, 1:4:8 (one cement, four sand: eight graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of materials with in all leads, lilfts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	29.16	4018.00	Rupees Four thousand eighteen and paise zero only.	Per cubic Metre	117165.00	
3	Providing and Laying of Interlocking Concrete Block Pavements having thickness 60 mm (sixty millimetre) as per drawings and Technical Specification Clause 1504 including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	291.75	1280.00	Rupees One thousand two hundred eighty and paise zero only.	Per Sqm	373440.00	
//					Total	496080.00	
	Douff Schedul	le of	quanti	ty approved	for-	24,96,	
				_	- 5	40	
					Executive E HPPWD Div Nerchowk	vision	



DNIPS.NO (209) for the year 2013-24.

	DRAFT SCHEDULE OF C	TITMAU	Υ			
Gal	ne of work:- Construction of link road from Balasundhri Mata Mandir to Madapar vi u road Km. 0/00 to 2/800. (SH: Construction of Retaining wall in PCC 1:5:10 at Rd. 0 viding and Laying Interlocking Concrete Block Pavement : 60mm thick at Rd. 0/055	/040 to 0/	050 &	Estimated Cost: Earnest Money: Time:- One Mont	9500,00	
S.N				taxes including GST in Rs.		Amount
			In figure	In word		
1	Earth work in excavation for structure as per dry and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only	Per cubic Metre	2497.00
2	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm and 20mm (forty millimetre and twenty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.50	3650.00	Rupees Three thousand six hundred fifty and paise zero only.	Per Cubic Metre	78475.00
	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia (one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.	8.00	287.00	Rupees Two hundred eighty seven and paise zero only.	Each	2296.00
	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203, 1:4:8 (one cement: four sand: eight graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of materials with in all leads, lifts and other incidentials and as per the entire satisfaction and direction of Engineer-in-Charge	23.25	4018.00	Rupees Four thousand eighteen and paise zero only.	Per cubic Metre	93419.00
5	Providing and Laying of Interlocking Concrete Block Pavements having thickness 60 mm (sixty millimetre) as per drawings and Technical Specification Clause 1504 including carrige of material with in all leads, lifts and as per the entire satisfaction and direction of Engineer-in-Charge.	232.50	1280.00	Rupees One thousand two hundred eighty and paise zero only.	Per Sqm	297600.00
	to a first take of	AL.	11/	11 10	Total	474287.00
	Day yeradal of	qua	maile	coldonnes de	524	(4,287)
					Executive E HPPWD Div Nerchowk	rision



DRAFT SCHEDULE OF QUANTITY

Name of work: - RRD on various roads under Chakkar Sub Division, H.P.PWD, Nerchowk. (Nerchowk Section)

(SH: - Hiring of Tractor with trolley for carriage of muck/debries and shifting of material etc.

Estimated Cost Rs.99000/-Earnest Money Rs. 2000/-Time: -Two Month

Sr. No.	Description of Items	Qty.	Rate In		A. maria v	2003
			Figure	Words	Unit	Amo
1.	Hiring of tractor with trolley with hydraulic lift system for carriage of material to different sites of work with in all leads & lifts and to the entire satisfaction of the Engineer-in-Charge. The tractor should work minimum 8 hours from 9 AM to 5 PM daily, any loss to the public/private property or any accident etc. happened during the course of hiring period shall be absolute responsibility of the tractor owner which shall have to be fully compensated by him in all cases. The expenditure for fuel, lubricants, driver and repair work shall have to be borne by the tractor owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in Charge.	days	1650.00	Rupees one thousand Six Hundred Fifty only	Per Days	990
	traft schedule of quanti	4	11	01	Total -	990

Assistant Engineer, Chakkan Sub Division, HPPWD Nerchowk.

Executive Engineer, Nerchowk Division,



DUIT STUD 269

	ne of work:- Restoration of road damages caused by laying of optical fiber cable on Rid km. 0/00 to 14/580. (SH:- Construction of PCC Retaining wall at RD. 8/670 to 8/690)	Estimated Cost:- 353650.00 Earnest Money :- 7100.00 Time :- Two Months				
S.N o	Description of item	Quantity	Rate with all Rs. P.	taxes including GST in	Unit	Amount
			In figure	In word		
	Earth work in excavation for structure as per drawing and technical specification clause 305.1 including setting out construction of shoring and bracing removal of stumps and other deleterious material and disposal up to any lead dressing of sides and bottom and back filling in trenches with excavated suitable material including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	35.91	287 00	Rupees Two hundred eighly seven and paise zero only.	Per Cubic Metre	10306.00
	Providing and laying concrete for plain/reinforced concrete in open foundation complete as per drawing and technical specification Clause 802,803,1202 and 1203 in cement concrete 1:5:10 (one cement: five sand : ten graded stone aggregate 40mm (forty millimetre) nominal size) including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	84.47	3650.00	Rupees Three thousand six hundred fifty and palse zero only.	Per Cubic Metre	308316.00
3	Providing weep hole in brick masonry/ stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100mm dia.(one hundred millimetre diametre) PVC pipe extending through the full width of the structures with slope of 1V:20H (one vertical isto twenty horizontal) towards drawing face complete as per drawing and technical specifications clauses 614,709,1204.3.7 including carriage of material and other incidentials as per the direction of the Engineer-in Charge.		287.00	Rupees Two hundred eighty seven and paise zero only.	Each	12915.00
ł	Back filling behind abutment wing wall and retainling wall complete as per drawing & technical specification clause 1204.3.8 and including carriage of material with in all leads and lifts and other incidentals and as per the direction of the Engineer-in Charge.	21.06	1050.00	Rupees One thousand fifty and paise zero only.	Per Cubic Metre	22113.00
					Total	353650.00

Douft sehedule of quantity approved for 23,53,

Executive Engineer,
HPPWD Division