



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **13.10.2023** up to **11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **12.10.2023** between **2.00 PM** up to **4.30 P.M** and the application for issue of tender forms shall be received on **11.10.2023** up to **12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	R/D on Holta Chadhiar Road (SH: Diversion Portion between 62/900 to 63/300) (SW: P/L Kharanja Soling, WBM G-II and M/T at RD 0/00 to 0/250)	Rs.4,92,416/-	Rs.9,900/-	Rs.350/-	One Month
2	Balance work for C/O PHC Building at Deol (Level-II) (SH: Providing and Fixing water Supply and Sanitary Installation and Painting work)	Rs.3,62,258/-	Rs.7,300/-	Rs.350/-	Two Months
3	R/D on Mahakal to Narghor Road Km 0/0 to 4/200 (SH: C/O R/Wall at RD 3/345 to 3/350.90)	Rs.2,14,608/-	Rs.4,300/-	Rs.350/-	One Month
4	Restoration of Rain Damages on Ahju Bir Gunehar Road Km 0/00 to 6/00 (SH: C/O U-Shape Drain at RD 5/450 to 5/550)	Rs.97,812/-	Rs.2,000/-	Rs.350/-	One Month
5	R/D on Various roads under Baijnath Sub-Division, HPPWD Baijnath (SH: Hiring of Hydraulic Excavator)	Rs.99,000/-	Rs.2,000/-	Rs.350/-	One Month
6	C/O Road from Kolkar Basti WN-3 G.P. Drug Km 0/0 to 1/500 (SH: Improvement of Road at RD 0/080 to 0/315 & Providing and Laying G-I at RD 0/0 to 0/270)	Rs.4,68,078/-	Rs.9,400/-	Rs.350/-	Two Months
7	Road Damages due to Laying of OFC on Baijnath Chobin Balander road Km 0/00 to 14/200 (Portion 0/00 to 2/00) (SH: Providing and Laying Cement Concrete Pavement on berms (both sides) at km 1/482 to 1/657)	Rs.4,91,133/-	Rs.9,900/-	Rs.350/-	One Month
8	R/D Paprola Andretta Road Km 0/00 to 6/300 (SH: Construction of B/Wall at Km 4/890 to 4/905)	Rs.98,634/-	Rs.2,000/-	Rs.350/-	One Month
9	R/D on Various roads under Baijnath Sub-Division HPPWD., Baijnath (Paprola Section) (SH: Repair of Pot Holes at Various reaches)	Rs.4,49,991/-	Rs.9,000/-	Rs.350/-	One Month
10	Restoration of Road Damage on Baijnath Chobin Balander Road Km 0/00 to 14/00 (SH: Construction of R/Wall at Km 6/870 to 6/882)	Rs.2,46,256/-	Rs.5,000/-	Rs.350/-	One Month
11	R/R Damages on Tibitan Colony Keori road Km 0/00 to 3/00 (SH: Construction of R/Wall at Km 2/855 to 2/866.50)	Rs.2,86,451/-	Rs.5,800/-	Rs.350/-	One Month
12	R/R Damages on Deol to Tatwani via Karnathu road Km 0/00 to 10/675 (SH: Construction of wire crate R/Wall over C C Pusta at RD 0/225 to 0/235)	Rs.2,69,964/-	Rs.5,400/-	Rs.350/-	Two Months
13	R/R Damages on Bir to barot Road Km 0/00 to 48/00 (SH: Construction of wire crate R/wall over C.C. Pusta at RD 28/555 to 28/568)	Rs.4,99,756/-	Rs.10,000/-	Rs.350/-	Two Months
14	Construction of Balance work Toilet Block at Chadhiar Bazar Tehsil Baijnath (SH: Construction of Toilet Block)	Rs.2,64,889/-	Rs.5,300/-	Rs.350/-	Two Months

Terms and conditions:-

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.

5. The application form should accompany the earnest money in the shape of FDR/NSC duly pledged in favour of Executive Engineer, PWD Baijnath otherwise no forms will be issued.
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/ Tipper , Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.

For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2023-24/-

9655 — 9704

Dated:- 28-09-2023

- 1 Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.


Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-
9655-9704 DATED 28-09-2023 ARE URGENT NATURE
AND PUBLIC INTEREST.


Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.

SCHEDULE OF QUANTITY

Name of work :- R/D on Holta Chadhiar road . (SH: Diversion Portion between 62/900 to 63/300 .) (SW:- P/L Kharanja Soling , WBM G-II and M/T at RD 0/00 to 0/250 .)	Estimate Cost: 492,416.00 Earnest Money: 9,900.00 Time Limit : One Month
---	--

SCHEDULE OF WORKS

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Providing and Laying hard Stone soling properly hand packed filling intersects with kharanja stone and consolidating with power road roller to the requested gradient and camber including spreading watering and rolling of binding moorum or earth etc complete as per HPPWD specification 100 mm spread thickness (finished work including materials and labour) The rate including of octroi, royalty, Malkana, toll tax, Sale Tax or other taxes imposed by the government.	68.75	Per Cubic metre				
2	Providing and Laying, spreading and compacting stone aggregates size 63mm to 45 mm (Sixty three millimeter to forty five millimeter) grading-II(75 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming. Crushable type such as Moorum or Gravel for grading II & III @ 0.22 cum per ten square meter and binding material at the rate of 0.06 cum (Zero point zero six cubic meters) per 10 Sqm (ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD technical specification clause no 405 and as per directions of Engineer in charge. The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	51.56	Per Cubic Meter				
3	Providing and applying primer coat/Tack Coat with Bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface with hydraulic broom and spraying primer/Tack coat at the rate of 1.00 Kg. (one Kilo gram) per Square metres using mechanical means as per MORD technical specification clause 502, and as per directions of Engineer - in-Charge The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	687.50	Per Square metre				

4	Providing, laying and rolling of open-graded premix carpet of 20 mm (twenty milimeter) thickness composed of 13.2 mm to 5.6 mm (thirteen point two zero milimeter to five point six zero milimeter) aggregates either using penetration grade bitumen or emulsion to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 80-100 kN static roller capacity, finished to required level and grades to be followed by seal coat of either Type A or Type B or Type C as per Technical Specification Clause 508. Taking Qty. from item No 1 The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	687.50	Per Square metre		
5	Providing and laying seal coat sealing the voids in a bituminous surface laid to the specified levels, grade and cross fall using Type A, Type B and Type C as per Technical Specification Clause 510. Taking Qty. from item No 1 The rate includes octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government.	687.50	Per Square metre		
Total					

Executive Engineer
Bafnath Division
H.P.W.D., Bafnath

(2) (1)

DNIT/DRAFT SCHEDULE OF QUANTITY				Estimate Cost: 3,62,258.00 Earnest Money:7,300.00 Time Limit : Two Month		
Name of Work: - Balance work for C/O PHC Building at Deol (Level-II) (SH:Providing and Fixing water Supply and Sanitary Installation and Painting Work .)						
SCHEDULE OF WORKS						
Sl. No.	Description of work	No. or Qty.	Unit	Rate to be entered by the Bidder in		AMOUNT Rs. P
				Figures	Words	
1	Painting two or more coats(excluding priming costs) on new steel and other metal surfaces with enamel paint to give an even shade including cleaning the surfaces of all dirt, dust and other foreign matters complete as per PWD specification rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	269.00	Per Square metre			
2	Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleanin oil, grease, dirt and other foreign sand papering and knotting. Ready mixed paint brushing wood primer pink.rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	208.00	Per Square metre			
3	Painting two coats (exclusing priming coat)on new wood and wood based surfaces,with readymixed paint,brushing to give an even shade including cleaning of all dirt,dust and other foreign matter sand papering and stopping with readymixed paint other then white rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	208.00	Per Square metre			
4	Finishing wall with weather proof exterior grade apex paint of approved brand and manufacture (apexultima) on undecorated wall surface to give an even shade and final finish after thoroughly cleaning the surface (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove dirt . dust and other foreign matter etc rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	390.00	Per Square metre			

5	Wall painting (two coats) with acrylic emulsion paint of approved brand and manufacture for interior grade on undecorated concrete/stone/plastered wall surfaces to give an even shade including thoroughly brushing the surface free from mortar dropping and other foreign matter and sand papered smooth including applying of putty as required for metting the surface. rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	20.00	Per Square metre			
6	White washing with lime on undecorated wall/ceiling surfaces two coats to give an even shade including thoroughly brooming the surface to remove all dirt dust mortar dirt and other foreign matter. rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	197.00	Per Square metre			
7	Distempering (Two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar droopings and other foreign matter and also including preparing the surface even and sand papered smooth on walls. rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	500.00	Per square metre			
8	Providing and fixing Stainless Steel kitchen sink as per IS mark : 13983 with C.I. brackets and stainless steel plug 40 mm (forty millimeter) including painting of fittings and brackets, cutting and making good the walls wherever required : 610x460 mm (Six hundred ten into four hundred sixty) bowl depth 200 (two hundred millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	3.00	Each			
9	Providing and fixing C.P. brass waste pipe of ISS-ISS/ Jaguar / hindware / cera for washbasin or sink 32 mm (Thirty two millimeter) Dia including complete in all respect rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	9.00	Each			

10	Providing and fixing 100mm (hundred millimeter) dia CP iron grating of ESS for nalthni trap rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	12.00	Each			
11	Providing and fixing high pressure PVC spigot and socket soil, waste and ventilating pipes ISI Marked i/c fixing with approved adhesive etc. Complete. 75mm (seventy five millimeter) dia rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	3.00	Each			
12	Providing and fixing C.P. brass angle valve of approved quality of Zolotoo, Sant, I & K conforming to IS 8931 15mm (fifteen millimeter) nominal bore rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	23.00	Each			
13	Providing and fixing 15mm (fifteen millimeter) diameters C.P. brass bib tap of Zolotoo, Sant, I & K with capstan head rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	14.00	Each			
14	Providing and fixing vitreous china wash, down water closet EWC of star 5Nos 2008765-102 of 57x35x3 (fifty seven into thirty five into three) (Anglo Indian Type WC Pan) of CERA, Hind ware, Jaguar of star white pattern including jet pressure with integral 'P' or 'S' trap including jointing the trap with soil pipe in cement mortar 1:1 (One Cement : One sand) Seat and cover to be measured and paid for separately) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	4.00	Each			

15	Providing and fixing coloured /white automatic low level following cistern (sleek plus) with a pair of PVC/CI with MS brackets complete with fittings of ISI marked commander , hindware , hindustan in dulay PVC syphonic aprator, mosquito proof lid, PVC union and coupling fro connecting with in let, outlet and over flow pipe including cutting 40 (forty) ltr and making good the same (over flow) pipe to be measured and paid for sepetely) 10 (ten) ltr capacity rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	5.00	Each			
16	Providing and fixing C.P. brass pillar tap of Jaguwar / Hindware / Gollo (heavy duty makes ISI marked) with capstan head 15mm (fifteen millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	7.00	Each			
17	Providing and fixing PTMT Towel Ring 215x200x37 mm (two hundred fifteen into two hundred into thirty seven) complete with brackets fixed to wooden/ Plastic cleats with CP brass screws with concealed fittings arrangement of approved quality and colour rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	6.00	Each			
18	Providing and fixing chromium plated brass soap dish of Jaguwar / Hindware / cera with C.P. brass brackets fixed to wooden cleats with C.P. brass screws rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	7.00	Each			
19	Providing and fixing viterous china wash basin NO 10010 of 55 x 40 cm (fifty five into forty centemeter) of CERA/ hindware /Jaguar without pedestial with double hole for pillar trap with C.I. or M.S. brackets, painted white w/c holes in walls and making good the same but excluding fitting 630x450 (Six hundred thirty into four hundred fifty millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	8.00	Each			

② (F)

20	Providing and fixing 300mmx450mm (Three hundred millimeter into four hundred fifty millimeter) beveled edge mirror of superior glass mounted on 6mm thick A.C. Sheet or plywood sheet and fixed to wooden plugs with C.P. screws and washers rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	8.00	Each			
21	Providing and fixing C.P. brass towel rail of CERA/ hindware /Jaguar- no H901 hotelier series of Jaguwar or contra size 600x20 mm (Six hundred into twenty millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	4.00	Each			
22	Providing and fixing cansealed C.P. brass of CERA/ hindware /Jaguar (heavy duty makes ISI marked)stop cock 15mm (fifteen millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	4.00	Each			
23	Providing and fixing PVC connection pipe brass union 450 mm (Four hundred fifty millimeter) length 15mm (fifteen millimeter) rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	6.00	Each			
24	Providing and fixing on wall face PVC (D-plast) rain water pipes of finolex / supreme /veetus working pressure not less than 4.5 kg/cm (four point five kilogram /centimeter) filling the joints with approved adhesive complete 150 mm (one hundred Fifty millimeter) dia. rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	30.00	Rmt			
25	Providing and fixing 150 mm (one hundred Fifty millimeter) bright finished floor door stopper with rubber cushion, necessary screws etc. to suit shutter thickness complete rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	20.00	Each			

26	Providing and fixing vitreous china water closet squatting pan Indian type W.C. Pan) Big pan no 20090 of size 53.41 with low level PVC cistern of CERA Hind ware, Jaguar etc. (earth work to be measured and paid for separately) Orrisa pattern rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	1.00	Each			
27	Construction manhole with R.C.C. top slab in 1:2:4 (one cement :two sand :four aggregate) 20mm (Twenty millimeter nominal size) in foundation concrete 1:4:8 (40mm nominal size) inside plastering 15mm thick with cement mortar 1:3 finished with a floating coat of neat cement and making channels in cement concrete 1:2:4 (one cement :two sand :four aggregate) (20 (Twenty millimeter nominal size) finished smooth complete including curing and testing inside size 800x800mm (eight hundred into eight hundred) 500mm (five hundred) deep, including C.I. cover with frame (light duty single seal pattern) 450x610mm internal dimensions total weight of cover and frame to be not less than 38 Kgs (Thirty eight kilograms) weight of cover 23Kgs and weight of frame 15 Kgs (fifteen kilogram) in brick chamber rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	5.00	Each			
28	Constructing chamber 300x300x500 mm (three hundred into three hundred into five hundred) inside size for stop cock with CI surface box 100x100x75 mm (hundred into hundred into seventy five) (inside) with hinged cover fixed in cement concrete slab 1:2:4 (one cement :two sand :four aggregate) twenty millimeter mm nominal size 75 mm (seventy five millimeter) thick foundation concrete 1:5:10 (one cement :five sand :Ten aggregate) Forty millimeter nominal size) and inside plastering with cement mortar 1:3 (one :three) finished with a floating coat of neat cement including curing complete, with 100 mm cast in situ plain cement concrete wall in 1:2:4 (one cement :two sand :four aggregate) Twenty millimeter size complete with form work, rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	6.00	Each			

29	Providing and laying granite stone in flooring 20mm (twenty millimetre) (average) thickness base of cement mortar 1:3 (one cement : three sand) laid over and jointed with grey cement slurry mixed with pigment to match the shade of granite stone including rubbing and polishing complete 20mm (twenty millimetre) thick including curing and carriage of materials within all leads and lifts complete in all respect. rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	5.00	Per square metre			
30	Providing and fixing railing for stair case baluster of 40 x 40 mm (forty into forty millimeter) square hollow pipe MS pipe SWG-16 gauge with a clear height of 85 cm or 60 cm (eighty five centimeter to sixty centimeter center to center) joining in concrete steps electric / gas welding at top along with hand rail of hollow pipe of 50 mm (fifty millimeter dia) (swg-18) vertical blausters welding / jointed with each other with 2 No. MS Flat of 50 x 50 mm (fifty into fifty millimeter) applying priming coat of red lead paint as per PWD specifications rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	47.00	Per running metre			

Executive Engineer
 Baijnath Division
 H.P.F.W.D., Baijnath

(37)

SCHEDULE OF QUANTITY


Name of Work: R/D on Mahakal to Narghor Road Km 0/0 to 4/200
(SH: C/O R/Wall at RD 3/345 to 3/350.90).

Estimated Cost: Rs. 214608/-
Earnest Money: Rs.4300 /-
Time Limit : One Month

SCHEDULE OF WORKS

S No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m (one point five meter) in width or 10 sqm including dressing of sides and rumming of bottoms lift up to 1.5m (one point five meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, with in a lead of 50m (fifty meter) All kinds of soil with in all leads by any mode of transportation and other incidental as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government.	9.32	Per Cubic Meter			
2	Providing and laying cement concrete 1:5:10 (one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in foundation and plinth , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 within all leads and lift complete in all respect as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	43.13	Per Cubic Meter			
3	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	4.72	Per Cubic Meter			
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including Royalty, Malkhana, Octroi, toll tax, or any other taxes imposed by the Government excluding GST.	8.00	Each			

5	Construction of embankment for roadway with approved material deposited at site to be obtained from borrow pits or other sources in layers of suitable thickness not exceeding 200 mm (Two hundred milimeter) thick every layers compacted with 80-100 (Eighty desh Hundred) K.N static/ vibratory road roller to meet the requirement of table 300.1 and 300.2, M.O.R.D. Technical specifications to lines, grades, levels and cross sections as per Drawings or direction of the Engineer-in-Charge to specification clause Number 301 and 1603.5 and other relevent clauses including preparation of foundation for embankment in all kinds and classification of soils including saturated soil within all leads and lifts, the rate shall include carriage of machineries, equipments, tools and materials and safety measures payment of all taxes, octroi royalty and other incidentals necessary to complete the work in all respects.	5.49	Per Cubic Meter			
---	--	------	-----------------	--	--	--


 Executive Engineer
 Bajnath Division
 HPPW Bajnath


4

DRAFT SCHEDULE OF QUANTITY

Name of Work : Restoration of Rain Damages on Ahju Bir Gunehar Road km 0/00 to 6/00 . (SH: C/O U Shape drain at RD 5/450 to 5/550)				Estimate Cost: 97,812.00/- Earnest Money: 2,000.00/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	31.50	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm (forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	15.75	Per cubic metre			
Total						

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajnath (H.P.)

SCHEDULE OF QUANTITY						
Name of Work: R/D on Various roads under Baijnath Sub Division, HPPWD Baijnath (SH: Hiring of Hydraulic Excavator).				Estimated Cost: Rs. 99000/- Earnest Money: Rs. 2000/- Time Limit : One Month		
SCHEDULE OF WORKS						
S No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Hiring of Hydraulic Excavator cum front end loader One Cubic meter bucket capacity @ 45 (at rate of Forty Five Cubic meter /Hour) in working condition per hour basis including Sunday / Holiday, for rainy seasons as and when required (i.e. need basis). The patrolling charges will be paid half from destination to working site. Operational and maintenance charges POL charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the Hydraulic Excavator. The rate is including Royalty, Malkhana, Octroi, toll tax, or any other taxes imposed by the Government including GST.	90.00	Per Hour			


 Executive Engineer
 Baijnath Division,
 H.P.W.D. Baijnath (H.P.)

SCHEDULE OF QUANTITY

Name of Work: C/O Road from Kolkar Basti WN - 3 GP Drug Km 0/0 to 1/500 (SI: Improvement of Road at RD 0/080 to 0/315 & Providing and Laying G-I at RD 0/0 to 0/270)	Estimated Cost: Rs. 468078/- Earnest Money: Rs. 9400/- Time Limit : Two Months
---	---

SCHEDULE OF WORKS

S No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Excavation in earthwork in hilly areas in all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and levels as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification clause 1603.1 and 1603.2 to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, up to all leads & lift and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. The recovery of Rs. 300.00 per cubic metre for 49.37 cubic metre useful stones shall be made from the contractor on pro-rata basis in each running bill. The rate including of octroi, royalty, Malkana, tolltax, GST or other taxes imposed by the government.	987.46	Per Cubic Meter			
2	Preparation of sub grade by dressing to camber (Earth work for the cutting involved for sub grade to be paid for separately depending upon the classification of soil) complete as per H.P.P.W.D specifications and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, tolltax, GST or other taxes imposed by the government.	949.72	Per Sqm			
3	Consolidation of sub grade with road roller including making good the undulation etcetra with earth or quarry soil etcetra and rerolling the sub- grade complete as per H.P.P.W.D specifications and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through in all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, tolltax, GST or other taxes imposed by the government.	949.72	Per Sqm			

6 (II)

4	Providing, laying spreading and compacting stone aggregate of specific size 90 mm to 45mm (Ninety three millimeter to forty five millimeter) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100KN static roller in stages to proper grade and camber, applying and brooming stone screening / binding material to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading I as per technical specification Clause 405 by Mechanical means including carriage of material with in all leads and lifts and the entire satisfaction of engineer-in-charge. The rate including royalty, malkhana, octroi, toll tax, and other taxes imposed by the Govt. but excluding GST.	94.97	Per Cubic Meter			
---	--	-------	-----------------	--	--	--


Executive Engineer
Baijnath Division
HPPW Baijnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work : Road Damages due to laying of OFC on Baijnath Chobin Balander road km 0/00 to 14/200 (Portion 0/00 to 2/00) (SH: Providing and Laying Cement Concrete Pavement on berms (both sides) at km 1/482 to 1/657 .				Estimate Cost: 4,91,133.00/- Earnest Money: 9,900.00/- Time Limit : One Month			
SCHEDULE OF WORKS							
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	78.75	Per Cubic metre				
2	Stone soling properly hand packed filling intersects with kharanja stone and consolidating with power road roller to the requested gradient and camber including spreading watering and rolling of binding moorum or earth etc complete as per HPPWD specification 100 mm spread thickness (finished work including materials and labour) The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	39.38	Per square metre				

7
(D)

3	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	13.13	Per Cum			
4	Construction of un-reinforced, plain cement concrete pavement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS: 383, maximum size of coarse aggregate not exceeding 25 mm , mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weight batcher using approved mix design , laid in approved fixed side form work (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the form a work as per drawing spreading the concrete with shovels rakes compact using needle, screed and plate vibrator and finishing in continuous operation including construction joints , admixtures as approved, curing the concrete slab for 14 days using curing compound (where specified) and water finishing to lines and grade as per drawing and technical specification clause 1501 The rate shall be made from the quantity of stone aggregates supplies. The rate shall include all lead, lift and proper stacking complete in all respect as per the direction of the Engineer-in-charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	45.94	Per Cubic metre			


Executive Engineer
 Baljnath Division
 H.P.P.W.D., Baljnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- Paprola Andretta Road km 0/00 to 6/00 (SH :- Construction of B/wall at km 4/890 to 4/905).				Estimate Cost: 98,634.00/- Earnest Money: 2,000.00/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.15	Per Cum			
2	Providing and laying cement concrete 1:5:10(one cement, five sand,ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge . including carriage of material within all leads and lifts and other incidentals .The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	19.20	Per Cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(11) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.00	Each			
Total						

Executive Engineer
Bajjnath Division
H.P.P.S.D., Bajjnath

9

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- R/D on various roads under Baijnath Sub -Division H.P.PW.D Baijnath) Paprola Section . (SH: Repair of Pot Holes at various reaches)				Estimate Cost: 4,49,991.00/- Earnest Money: 9,000.00/- Time Limit : One Month-		
Sr. No	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template. hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	30.22	Per Cubic Metre			
2	Repair to pot holes and removal of loose material, trimming of sides, cleaning of surface by providing tack coat with bitumen emulsion, 20 mm thick pre-mix carpet and seal coat type B with bitumen emulsion as per technical specification clause 1904.2, 503 and 508.1. The rate including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	938.37	Per Square metre			
	Total					

Executive Engineer
Baijnath Division
H.P.P.W.D., Baijnath

SCHEDULE OF QUANTITY

Name of work :- Restoration of Road on Bajinath Chobin Balandar Road km 0/00 to 14/00 . (SI :- Construction of R/wall at km 6/870 to 6/882) .				Estimate Cost: 2,46,256 .00/- Earnest Money: 5,000.00/- Time Limit : one Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	16.44	Per Cum			
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	46.32	Per Cum			
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	16.56	Per Cum			
4	Providing weep holes in brick masonry/stone masonry plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.00	Each			
Total						

Executive Engineer
Bajinath Division
H.B.W.D., Bajinath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- R/R Damages on Tibitan Colony Keori road km 0/00 to 3/00 (SH :- Construction of R/wall at km 2/855 to 2/866.50)				Estimate Cost: 2,86,451.00/- Earnest Money: 5,800.00/- Time Limit : one Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	19.78	Per Cum			
2	Providing and laying cement concrete 1:5:10 (one cement, five sand, ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including cost of form work as per drawings and M.O.R.D technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	53.70	Per Cum			
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	9.31	Per Cum			
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v) : 20 (H) towards drainage face complete as per drawing and M.O.R.D technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	20.00	Each			
Total						

Executive Engineer
Bajinath Division,
H.P.P.W.D. Bajinath (H.P.)

ENIT/DRAFT SCHEDULE OF QUANTITY

Name of work: R/R Damages on Deol to Tatwani via Karnathu road km 0/00 to 10/675 . (SH : Construction of wire crate R/wall over C C Pusta at RD 0/225 to 0/235 .)				Estimate Cost: 2,69,964.00/- Earnest Money: 5,400.00/- Time Limit : Two Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	17.60	Per Cubic metre			
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-10 (M-Ten) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	24.00	Per Cubic metre			


3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	43.20	Per Cubic metre			
4	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.20	Per Cubic metre			

Executive Engineer
Bajnath Division,
H.P.P.W.D. Bajnath (H.P.)

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: R/R Damages on Bir To Barot Road km 0/00 to 48/00 . (SH : Construction of wire crate R/wall over C C Pusta at RD 28/555 to 28/568 .)				Estimate Cost: 4,99,756.00/- Earnest Money: 10,00.00/- Time Limit : Two Months		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out. construction of shoring and bracing. removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge. hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner. filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	18.07	Per Cubic metre			
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-10 (M-Ten) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	46.80	Per Cubic metre			

3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	81.25	Per Cubic metre			
4	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.82	Per Cubic metre			


 Executive Engineer
 Baijnath Division
 H.P.P.W.D., Baijnath

DNIT /DRAFT SCHEDULE OF QUANTITY

Name of Work: - Construction of Balance work of Toilet Block at Chadhiar Bazar Tehsil Baijnath.
(SH:Construction of Toilet Block.)

Estimate Cost: 2,64,889.00
 Earnest Money:5,300.00
 Time Limit : Two Month

Sl. No.	Description of work	No.or Qty.	Unit	Rate to be entered by the Bidder in		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. as per the direction and entire satisfaction of Engineer-In-Charge. Any loss to the private and public property during course of construction shall be absolute responsibility of the contractor. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.31	Per Cubic Meter			
2A	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors roofs, landings and the like floor etc. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	9.81	Per Square Meter			

2 B	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete work in beams fenilezer, ginders lintels, sides and soffits of beams cantelevers bressumers and lintels upto all depths.. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.75	Per Square Meter			
2 C	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in edges of slabs and breaks in floors and walls up to any width. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.27	Per Running Meter			
3	Providing and laying cement concrete 1:6:12 (One cement isto six sand isto twelve aggregate) graded crushed/broken stone aggregate 40mm (forty milimeter) nominal size mechanically mixed and curing complete, excluding cost of form work in foundation and plinth. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.18	Per Cubic Meter			
4	Providing and laying damp proof course 38mm thick with cement concrete 1:2:4 (one cement:Two sand:Four stone aggregate 12.5mm (twelve point five zero) nominal size and curin: comelete. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.90	Per Square Meter			

5	Providing and laying cement concrete work 1:2:4 (one cement:Two sand:Four stone aggregate 20 mm (Twenty Millimeter nominal size) and curing complete excluding cost of form work and reinforcement for reinforced concrete work in :Suspended Floor roofs, landing and shelves and their support balconies,beams,girders,bressumers and cantilever upto floor two level The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.40	Per Cubic Meter			
6	Providing mild steel/Tor steel reinforcement for R.C.C. work including bending, binding and placing in position complete upto floor two level :Tor Steel : The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the of government.	240.00	Per Kilo gram			
7	Second class brick work using common burnt clay building bricks in cement mortar 1:6 (one cement isto six sand) in super structure as per PWD specification including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	4.76	Per Cubic Meter			
8	Second class half brick work using common burnt clay building bricks in cement mortar 1:4 (one cement isto six sand) in super structure as per PWD specification including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.75	Per Cubic Meter			
9	Random rubble masonry/polygonal rubble masonry (uncoursed / brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (one cement : six sand : twelve graded stone ageregate 20mm (twenty) millimeter nominal size mechanical mixed in cement mortor 1:6 (one cement six sand) including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.76	Per Cubic Meter			

10	Square rubble masonry coursed with hard stone of approved quality in foundation and plinth including racking out joints in cement mortar 1:6 (one cement : six sand) and curing complete including carriage of materials within all leads and lifts complete in all respect as per the direction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale	2.00	Per Cubic Meter			
11	Stone filling Under floor complete including carriage of materials within all leads and lifts complete in all respect as per the direction of Engineer-in-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes	0.42	Per Cubic Meter			
12	Providing and fixing anodised aluminium work for door, window, ventilators and partitions, with extruded builtup —standard tubular and other sections of approved make conforming to IS 733 and IS 1285 anodised transparent or dyed to required shade according to IS 1868. (Minimum anodic coating of grade AC 15) fixed with rawlplugs and screws or with expansion hold fastners including necessary filling up of gaps at junctions, at top, bottom and sides with red dered PVC/neoprene felt etc. Aluminium sections shall be smooth, rustfree, straight, mitred and jointed mechanically where ever required including cleast angle, aluminium, snap beading for glazing panelling C.P. [ressstaintes steel screws. All complete as per architectural drawings and the directions of Engineer-In-Charge. For door windows and ventilators and glazed partitions frames. The rate is including octroi, royalty, GST, toll tax, Sale tax or other taxes imposed by the government.	29.15	Per Kilo gram			
13	Providing and fixing glazing in aluminium dooz, window, ventilator shutters and partition etc with PVC/neoprens gasket etc. d:mplete as per the architectural drawings and the directions of Engineer-In_charge (cost of aluminium snap beading shall be paid in basic item.) glazing with glass panes of 4mm thickness (weight not less than 10.00 kg/Per Square Meter . The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.68	Per Square Meter			

14	White glazed tiles 6 mm (Six Milimeter) thick in skirting risers of steps and dado 12 mm (twelve milimeter) thick cement mortar 1:3 (one cement isto three sand) and jointed with cement slurry. including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	18.03	Per Square Meter			
15	Providing and laying spartic ceramic tiles 5.5 mm (Five point Five),thick in flooring 300 x300mm. (Three hundred into three hundred) size)treads of steps laid on a bed o 12mm.(twelve millimeter) thick cement mortar 1:3 (one cement: three sand) finished with flush pointing in white cement. including curring and catriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including ociroi, royalty, GST, toll tax, Sale Tex or other taxes imposed by the government.	4.20	Per Square Meter			
16	Providing and fixing on wall face PVC (D-Plest) ram water pipes of working pressure not less than 4.5 Kg/Per Square Meter including filling the joints with approved adhesive complete.75mm dia pipes The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.60	Per Running Meter			
17	Steel work welded in built up sections,trusses and framed work.including cutting hoisting ,fixing in position and applying a priming coat of red Jead paint.In gratings framed guard bars,ladders.railling,brackets and similar works the rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	111.30	Per Kilogram			
18	Finishing wall with weather proof exterior grade emulsion of approved design (Apexultima) or its equarliefed on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth complete. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	35.18	Per Square Meter			
19	6mm (Six millimeter) Thick cement plaster to ceiling in C.M 1:3 (one Cement : Three Sand :) The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	10.40	Per Square Meter			


20	20mm (Twenty Millimeter) Cement plaster in single coat on rough side of brick/stone masonry for interior plastering upto floor two level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm (Eighty Millimeter) in girth and finished even and smooth. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	64.18	Per Square Meter			
21	Distemping (two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar droppings and other foreign matter and also including preparing the surface even and sand papered smooth. Priming coat with distemper primer The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	74.58	Per Square Meter			
22	Providing plinth protection 50mm (Fifty Millimeter) thick in cement concrete 1:3:6 (one Cement: Three Sand: Six Graded stone aggregated 20mm(twenty millimeter nominal size) The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.84	Per Square Meter			
23	.Providing under layer for plinth protection of 75mm (Seventy Five millimeter) thick (unconsolidated) bed dry brick/stone aggregated 40mm (Forty Millimeter) nominal size with rammed and consolidated and grouted with fine sand including preparation of ground. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.84	Per Square Meter			
24	Providing separately, and fixing vitreous China wash down, water closet squatting pan (Indian type W.C pan) size 580mm (Earth work, bed concrete, foot rest and trap to be measured and paid for separately). Orissa Pattern The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
25	Providing and fixing 100 mm (Hundred Millimeter) size 'P' or 'S' trap for water closet (squatting pan) including jointing the trap with the pan and soil pipe in cement mortar 1 : 1 (One cement: One sand) Sand Cast iron The rate is including octroi, royalty, GST, Sale Tax or other taxes imposed by the government.	1.00	Each			

26	Providing and fixing PVC Floor Trap ISI marked of self cleaning design including fixing with approved adhesive . cost of cutting and making good the wall and floors etc complete 110 x 90 mm (One hundred ten into ninety millimeter) The rate is including octroi, royalty, GST, Sale Tax or other taxes imposed by the government.	3.00	Each			
27	Providing and fixing vitreous China bowl pattern Urinal Including connection the Urinal with Waste pipe by means of white lead mixed with Choped hemp waste pipe to be measured and paid for seprately flat Back type of size 430 x260 x 350 mm (Four hundred thirty into two hundred sixty and three hundred fifty) squatting plate pattern urinal of size 450mmx350mm (Four hundred fifty into three hundred fifty Millimeter) with integral longitudinal flush pipe. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.00	Each			
28	Providing and fixing vitreous China wash basin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but excluding fittings:-550mmx400mm (Five hundred fifty into four hundred millimeter)The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
29	Providing and fixing 32mm (Thirty two milimetres) nominal size diameters rubber plug for wash basin sink, within all leads, lifts of materials and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
30	Providing and fixing 32mm (Thirty two milimetres) diameters C.P. brass waste (Heavy duty make ISI marked NO-8931 & 8934) for wash basin or sink. Within all leads, lifts of materials and other incidentals, as per the direction and-entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
31	Providing and fixing 32mm (Thirty two milimetres) nominal size diameters M.I. union for wash basin sink, within all leads, lifts of materials and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			

32	Providing and fixing chromium plated brass soap dish with C.P. brass brackets fixed to wooden cleats with C.P. brass screws, within all leads, lifts of materials and other incidentals, as per the direction and entire satisfaction of Engineer -In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
33	Providing and fixing Division Plate for Urinals 600mm x 300 (six hundred into three hundred) Vitreous China The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
34	Providing and fixing 15mm (Fifteen milimetres) diameters C.P. brass bib tap of for ISI Marked of Cera / Hindware / jaguar with capstan head, within all leads, lifts of materials and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.00	Each			
35	Providing and fixing C.P. brass pillar tap of Cera / Hindware / jaguar with capstan head 15mm (fifteen millimetre) dia (Heavey duty makes ISI marked No. 8931 & 8934) including entire carriage of materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
36	Providing and fixing C.P. brass angle valve 15mm (fifteen millimetre) without Nuts and pipe, including entire carriage of Materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	4.00	Each			
37	Providing and fixing 15mm (fifteen millimetre) nominal bore P.V.C 300/450mm (Three hundred / four hundred fifty milimeter) length connection with brass unions including entire carriage of materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	4.00	Each			

38	Providing and fixing brass full way valve with wheel: 15mm (Fifteen millimeter nominal bore The rate is including octroi, royalty, GST, toll tax. Sale Tax or other taxes imposed by the government.	1.00	Each			
39	Providing and fixing brass ball valve (horizontal plunger type):-High pressure with polythene plastic floats -15mm (Fifteen millimeter nominal bore The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
40	Providing and fixing G.I.M.I Union of following sizes (where not included in the items 15mm (Fifteen millimeter) The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.00	Each			
41	Providing and fixing 10 (ten) litres net capacity PTMT Coloured/white automatic flushing cistern with a pair of PVC C.I. or M.S. bracket complete with fittings including PVC syphonic apparatus, mosquito proof lid, PVC union and coupling for connections with inlet, outlet and over flow pipes including cutting holes and making good the same (over flow pipe to be measured and paid for separately).including entire carriage of materials withir all leads and lifts and other incidentais, as per the direction and entire satisfaction of Engineer-In-Charge, l ne rate is including ocaci, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
42	Providing and fixing 100 mm (One hundred milimeter) dia chromium plated grating of superior quality for floor, gully or nahani trap including entire carriage of materials within all leads and lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll Tax or other taxes imposed by the government.	1.00	Each			
43	Providing and fixing PVC water storage tank of ISI: 12701 marked, G.I. inlet and outlet connection, 15mm (Fifteen millimeter nominal bore ball valve and mosquito proof PVC cover with locking arrangement including hoisting up to all heights above ground level :- 1000 litres net capacity tank The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			

44	Providing and fixing to wall ceiling and floor galvanised mild steel tubes (Medium grade) tube fitting and clamps including making good the wall, ceiling and floor:- 15mm (Fifteen millimeter nominal bore The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	24.36	Per Running Meter			
45	Making connection of galvanised steel distrubution branch with galvanised mild steel main 20mm to 40mm (Twenty Millimeter to forty millimeter) nominal bore by providing and fixing tee including cutting and threading the pipes complete. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
Total						


 Executive Engineer
 Baijnath Division
 H.P.R. Choudhary, Baijnath