

Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

# **CERTIFICATE**

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/
| 4260-|4310 | DATED | 20-12-2023 | ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP-PWD, Baijnath.



## Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- <u>ee-baij-hp@nic.in</u>

## "NOTICE INVITING TENDER"

Sealed item rate of tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 03.01.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 02.01.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 01.01.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr.	Name of work.	Amount put to	Earnest	Cost of	Time limit
No.		tender/Estimated cost.	Money	tender form	
1	R/D various road in Baijnath Sub-Division (SH: Clearing and side drain, road of shoulder & supply of GSB and wearing etc.)	Rs.4,94,962/-	Rs. 10,000/-	Rs.350/-	One Month
2	Division (Deol Section) (SH: Hiring of JCB Excavator-cum- Loader for removal of slip, clearance of drains and shoulder etc.)	Rs.4,90,800/-	Rs. 9,900/-	Rs.350/-	One Month
3	Baijnath (SH: Hiring of Hydraulic Excavator-cum-Loader/ ICB)	Rs.2,20,000/-	Rs. 4,400/-	Rs.350/-	One Month
1	MD due to OFC on various roads under Baijnath Sub-Division HP.PWD, Baijnath (SH: Hiring of Hydraulic Excavator-cum-Loader for removing of boulder/muck lying over Gowal Bridge & Hiring of Tractor with Trolley (Baijnath Section)	Rs.2,45,000/-	Rs.4,900/-	Rs.350/-	One Month
5	C/O Link road Sabji Mandi w village Sanghrer to Sarman Km 0/00 to 4/00 (SH: Formation Cutting in earth work at km 2/00 to 2/225)	Rs.4,96,871/-	Rs.10,000/-	Rs.350/-	Two Months

#### Terms and conditions:-

- The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- Only two tenders form will be issued to the contractor/firm which may be noted.
- The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
- 12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/permit.

Executive Engineer, Baijnath Division., H.P.PWD..Baijnath. For & On behalf of the governor of H.P.

- NO:-PWD/BD/TA/NIT/2023-24/- 14260 14310 Dated: 20 12 23

  Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-chief, HPPWD, Shimla.
- The Chief Engineer (MZ), HPPWD, Mandi.
- The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- Drawing Branch in this office.
- Notice Board.
- The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer, Baijnath Division., H. W.D..Baijnath.

## SCHEDULE OF QUANTITY

Name of Work: R/D Various road in Baijnath Sub Division.

(SH: Clearing and side drain, road of shoulder & supply of GSB and wearing etc.)

Estimated Cost: Rs. 494962/-


Earnest Money: Rs.10000/-

Time Limit: One Month

SCHEDULE OF WOR	RKS
-----------------	-----

D : ( ) ( )		T I			I wasnim
Description of work		Unit	Esti	mated Rate	AMOUNT Rs. P
	Qty.		Figure	Words	Rs. P
Repair of shoulders including pealing and filling to desired level and preparing rain cuts etc complete. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.	8530.00	Per Sqm			
Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.	3479.00	Per Rmt			
Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry 63mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.	85.00	Per Cum			
Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	140.50	Per Cum			
	The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry 63mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.  Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is including octroi, royality, GST, toll tax, Sale Tax	Repair of shoulders including pealing and filling to desired level and preparing rain cuts etc complete.  The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry 63mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.  Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royality,	Repair of shoulders including pealing and filling to desired level and preparing rain cuts etc complete. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry (83mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.  Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 specification cluase 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax	Repair of shoulders including pealing and filling to desired level and preparing rain cuts etc complete The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry 63mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.  Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royality, GS	Repair of shoulders including pealing and filling to desired level and preparing rain cuts etc complete The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Restoration and repair and cleaning of drain to specified lines, grade, level and dimension. Excavated material to be used in embankment with a lift upto 3m (three) meter and lead of 50m (fifty) fillimeter (average lead 25m (twenty five) millimeter as per technical specification cluase 307. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-charge. The rate including of toltas, GST & other taxes imposed by the government.  Supplying and stacking at site broken/crushed stone aggregate from hard stone of approved quarry 63mm to 45mm (sixty three to forty five millimeter) of disintegrated pieced deleterious and organic matter from the approved quarry in specified stacks as per instruction of Engineer-in-Charge. The aggregates shall be free of elongated and flaky pieces, soft and disintegrated stones and vegetable and other deleterious matter. The aggregates shall be stacked in proper stacks of road side clear of carriage way and shoulders or on even ground as per the instruction of Engineer-in-Charge.  Supplying and stacking at site of granular sub-base by providing well graded material, grading 1 spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 401, and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is including octroi, royality, GS

Execute Engineer Bajnath Division H.P.P.W.D. Bajlpath



,	1	
	0	1
	/	. )
-	_	-

Estimate Cost: 490800.00/-Name of work: Restoration of rain damages on various roads under Bir Sub Division (Deol Section). Earnest Money: 9900.00/-(Sh:- Hiring of JCB Excavator-Cum-Loader for removal of slip, clearance of drains and shoulder etc.) Time Limit: One Month AMOUNT Unit Rate No. or Description of work Sr. Rs. P Words Figures Qtv. No. Hiring of JCB (Excavator cum Loader) including P.O.L. charges, shifting charges and other ancillary equipment 409 00 Per hour as required at site of work for snow removal, removal of slips, clearance of drains and shoulder etc in all heights in all kinds of soils such as kankar, moorum, shingle boulders decomposed or soft variety of soil such as spade work, pick work, jumper work, soft rock, incliding their intermadiate classification of soil including mechanical transportation of necessary The disposal of this unserviceable material has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place, the contractor ishall be liable for it. All salvaged material such as quarried stone shall belong to the department and maximum usfel quantity os stones from revomal of slip shall have to be neatly stacked along road side on road berms, minium 30 cibic meter of earth work shall be done by machine on one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per ministry of Transport and as per the instructions of the Engineer-in-Charge including all leads and lifts. Total

Executive Engineer
Ballowin Division
H.P.P.W.D., Baijnath



## DNIT/DRAFT SCHEDULE OF QUANTITY

Sub Head: Hiring of Hydraulic Excavator cum Loader/JCB.			Estimate Cost: 220,000.00/- Earnest Money: 4400.00/- Time Limit : One Month				
Sr. No.	Description of work	No. or	Unit	Rate		AMOUNT	
	Hiring of Hydronia Francisco Control	Qty.		Figures	Words	Rs. P	
	Hiring of Hydraulic Excavator cum front end Loader one Cum bucket capacity @ 45 cum / hour in working condition per hour basis including Sunday Holiday. The operational and maintenance charges POL charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the excavator.	200.00	Per Hour				
	Total						

Executive Engineer Baijnath Division HPPWD Baijnath



# DNIT/DRAFT SCHEDULE OF QUANTITY

			Estimate Cost: 245,000.00/- Earnest Money: 4900.00/- Time Limit : One Month				
Sr.	Description of work	No. or	Unit	Rate		AMOUNT	
No.		Qty.		Figures	Words	Rs.	P
1	Hiring of Hydraulic excavator/breaker machineries to be deployed dressing of road side katcha drain and removal of slips debries etc. including cost of fuel oil lubricants and wages of operating staff, any repair/breakage during operation will be carried out by the contractor/owner at his on risk, sifting machinery from one place two other place will be absolute responsibility of the contractor only actual working hours will be accounted for the payment. Earth cutting in all kind of soil including loading in to tipper/truck with in all leads and lifts to the entire satisfaction of Engineer-in-Charge	50.00	Per Hour				
2	Hiring of tractor having engine capacity of 35HP (thirty five) House Power with taller capacity 2.5cum (two point five) cubic meter in working condition per day basis with 8 (eight) hours per day excluding Sunday Holiday. The operational and maintenance charges POL charges and other miscellaneous supply/replacement required for smooth running of vehicle will be borne by the owner of the tractor.	60.00	Per Hour				
	Total						

Executive Engineer
Baijnath Division
HPPWD Baijnath



### DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work: C/O Link road Sabii Mandi to village sanghrer to Sarman km 0/00 to 4/00 Estimate Cost: 4.96.871.00/-Earnest Money: 10,000.00/-(Sh: - Formation Cutting in earth work at km 2/00 to 2/225). Time Limit: Two Month Rate AMOUNT Sr. Description of work No. or Unit Rs. P Figures Words No. Oty. Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including 2319.66 Per Cubic saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock ( where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 115,98 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.

Total

Executive Engineer Baijnath Division H.P.P.W.D. Baijnath