




Office of  
Executive Engineer Baijnath Division HP.PWD, Baijnath  
Himachal Pradesh Public works Department Baijnath-176125  
Phone No. 01894-263035 Fax 262704 e-mail:- [ee-baij-hp@nic.in](mailto:ee-baij-hp@nic.in)

## **CERTIFICATE**

**CERTIFIED THAT THE TENDERS OF WORKS, AS  
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-  
14657-14706 DATED 27-12-2023 ARE URGENT NATURE  
AND PUBLIC INTEREST.**

  
**Executive Engineer,  
Baijnath Division,  
HP.PWD, Baijnath.**



**Office of**  
**Executive Engineer Baijnath Division HP.PWD, Baijnath**  
**Himachal Pradesh Public works Department Baijnath-176125**  
**Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in**

**"NOTICE INVITING TENDER"**

Sealed item rate of tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **09.01.2024 up to 11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **08.01.2024 between 2.00 PM up to 4.30 P.M** and the application for issue of tender forms shall be received on **06.01.2024 up to 12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Construction of Bir Barot Road Km 0/00 to 48/00 (SH: C/O D/S toe wall & wing wall at RD 12/900 & R/wall at 10/990, Extension of CD at 5/810)	Rs.3,33,966/-	Rs.6,700/-	Rs.350/-	Two Months
2	C/O Tibetan Colony Keori Road Km 0/00 to 3/00 (SH: C/O U-Shape Drain Km 1/830 to 2/030)	Rs.2,81,195/-	Rs.5,700/-	Rs.350/-	One Month
3	R/O Ambulance Road from Lohardi to Swad in Ward No. 4 Mohal Swad (SH: C/O R/Wall in wire crate at RD 0/515 to 0/527.50)	Rs.2,99,146/-	Rs.6,000/-	Rs.350/-	Two Months
4	Restoration of Rain/ Snow damages on Barot to Polling road and Lohardi to Andarli Malahan road (Under Multhan Section) under Bir Sub-Division (SH: Hiring of JCB for removal of snow/slips, dressing of road berms, filling depressions, clearance of Drain and Culvert)	Rs.2,11,500/-	Rs.4,300/-	Rs.350/-	One Month
5	Restoration of rain/Snow damages on Barot to Nalhotra road and Sanghrer to Dharman road (under Multhan Section) under Bir Sub-Division (SH: Hiring of JCB for removal of snow/slips, dressing of road berms, filling depressions, clearance of Drain and culvert)	Rs.2,11,500/-	Rs.4,300/-	Rs.350/-	One Month
6	R/D on various Roads under Baijnath Division, HPPWD Baijnath. (SH: Hiring of Multy Utility Vehicle)	Rs.52,500/-	Rs.1,100/-	Rs.350/-	Three Month
7	C/O Pucca Path from Shri Janak Singh House to SH. Jai Singh House village Dhandera Ward No.1 Mohal Drug (SH: P/L Cement concrete interlocking Block at RD 0/00 to 0/045) Deposit work.	Rs.98,118/-	Rs.2,000/-	Rs.350/-	One Month
8	C/O link road from Bir Palampur road to Mandher via Ghamallah Km 0/00 to 3/500 (SH: Construction of 1.00 mtr. Span RCC slab culvert at RD 3/225)	Rs.2,17,064/-	Rs.4,400/-	Rs.350/-	Two Months
9	Construction of Bridge over Pun Khad on Tashizong to Chandpur road (SH: Investigation of Soil Bearing Capacity at RD 1/118)	Rs.4,87,500/-	Rs.9,750/-	Rs.350/-	Three Month
10	C/O Link Road from Sakri to Deora Basti Km 0/00 to 1/500 (SH: Providing and laying WBM G-I at RD 1/00 to 1/400)	Rs.4,01,009/-	Rs.8,100/-	Rs.350/-	One Month
11	C/O link Road to Village Chandpur Km 0/00 to 1/500 (SH: P/L WBM G-II, C.C. Pavement at RD 1/00 to 1/050)	Rs.1,98,637/-	Rs.4,000/-	Rs.350/-	One Month
12	Construction of Lohardi to Andarli Malhan Road Km 0/00 to 2 500 (SH: widening of road at RD 0/135 to 0/274 & 900 mm dia RCC Humre pipe culvert at RD 0/555)	Rs.4,61,465/-	Rs.9,300/-	Rs.350/-	One Month

13	Repair/Restoration work of path to Mandiyal colony area in Nagar Panchyat Baijnath Paprola ward No.5 (SH: P/L Kharnja Stone soling and C.C. Pavement at RD 0/055 to 0/100)	Rs.1,86,496/-	Rs.3,800/-	Rs.350/-	One Month
14	Restoration of rain Damages on link from Chobin Bus Stand to Lower Chobin (SH: Construction of B/wall for protection of Yugal Kishor House at RD 0/605 to 0/619)	Rs.1,81,595/-	Rs.3,700/-	Rs.350/-	One Month
15	C/O link road to village Majhoti in G.P Majhoti Km 0/00 to 0/465 (SH: P/L W.B.M G-I, G-II at RD 0/210 to 0/465)	Rs.4,16,473/-	Rs.8,400/-	Rs.350/-	One Month
16	C/O Bahi Rangehar via Chobu Nagehar road (Portion Bahi to Lower Bahi) (SH: C/O R/Wall RD 0/415 to 0/425 & 0/710 to 0/726)	Rs.4,01,619/-	Rs.8,100/-	Rs.350/-	Two Months
17	Construction of Link road from Thehad to Chadhir via Bakshi Partap Singh House Km 0/00 to 2/00 (SH: P/L C.C. Pavement at RD 0/520 to 0/620) (SCSP)	Rs.3,43,432/-	Rs.6,900/-	Rs.350/-	Two Month

**Terms and conditions:-**

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
5. Only two tenders form will be issued to the contractor/firm which may be noted.
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,  
Baijnath Division.,  
H.P.PWD..Baijnath.

For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2023-24/- 14657-14706

Dated: 27-12-2023

1. Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
5. All the Assistant Engineer working under this Division.
6. Drawing Branch in this office.
7. Notice Board.
8. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,  
Baijnath Division.,  
H.P.PWD..Baijnath.

(1) (a)

## DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work : Construction of Bir Barot Road Km 0/00 to 48/00 ( Sub Head : C/O D/S toe wall & wing wall at Rd 12/900 & R/wall at 10/990 , Extension of CD at 5/810 . )				Estimate Cost: 3,33,966.00/- Earnest Money: 6,700.00/- Time Limit : Two Months		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	47.34	Per Cubic metre			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 ( M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm( forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.06	Per Cubic metre			

3	Providing and laying cement concrete 1:5:10 (one cement: five sand: ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size ) plums and curing complete including the cost of form work in <b>Retaining walls Breast walls,</b> in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge. including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, toll tax, Sale Tax or other taxes imposed by the government.	42.35	Per Cum			
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in foundations for all type of structure complete using plain cement concrete grade M-15 ( M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800, 900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.12	Cum			
5	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	8.82	Per Cum			
6	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(h) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	22.00	Each			
7	Providing and laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection work, back filling, concrete and masonry work in head walls and parapets clause 1108, 900mm dia The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.50	Per running metre			
<b>Total</b>						

Executive Engineer  
 District Engineer  
 District Engineer

# DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : C/O Tibetan Colony Keori Road km 0/00 to 3/00 .  
(S H : C/O U Shape Drain Km 1/830 to 2/030 .)

Estimate Cost: 2,81,195.00/-  
Earnest Money: 5,700.00/-  
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words		
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	77.00	Per Cum				
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in - Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	45.50	Per cubic metre				
	<b>Total</b>						

*[Handwritten signature]*

*[Handwritten signature]*



## D.N.I.T./SCHEDULE OF QUANTITY

(3)


Name of work:- R/O Ambulance Road from Lohardi to Swad in Ward No. 4 Mohal Swad.  
(SHE:- C/O R/wall in Wire Crate at RD 0/515 to 0/527.50.)

Estimate Cost: 299146.00/-

Earnest Money: 6000/-

Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm ), including dressing of sides and ramming of bottoms, lift upto 1.5 m. (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m( Fifty meter). All kinds of soil, with in all leads by any mode of transportation and other incidental, as per direction and entire satisfaction of Engineer-in-charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.75	cum			
2	Providing and laying of boulder apron laid in wire crates with 4 mm (four mili meter) dia GI wire conforming to IS 280 and IS 4826 in 100mm x 100 mm (Hundred mili meter into Hundred mili meter) mesh (woven diagonally) including 10 percent (ten) extra for laps and joints laid with stone boulders weighing not less than 25kg (twenty five kilo gram) each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	97.63	cum			
3	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	8.50	cum			
Total						

**DNIT / SCHEDULE OF QUANTITY**

**Name of work:** - Restoration of rain / Snow Damages on Barot to Polling road and Lohardi to Andarli malahan road ~~and other road~~ (under Multhan Section) under Bir Sub Division (SH:-Hiring of JCB for removal of snow/slips, dressing of road berms, filling depressions, clearance of Drain and Culvert)

Estimate cost 211500  
Earnest money 4300  
Time limit One Month

Sr. No.	Sub Head and Item of works	Quantity	Unit	Rate in figures.	Rate in words	Amount
1	Hiring of JCB (Excavator) 3000 cc having bucket capacity 50 cum including 10% charges, shifting charges and other ancillary equipment as required at site for work for snow removal, removal of slips in all heights in all kinds of soils such as kankar, moorum, shingle boulders decomposed or soft variety of soil such as spade work, pick work, jumper work, soft rock, hard rock, if and when required. The disposal of this unserviceable material has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place, the contractor shall be liable for it. All salvaged material such as quarried stone shall have to be neatly stacked along road side on road berms. The work shall have to be carried out as per ministry of transport and as per the instructions of the Engineer in Charge including all leads and lifts.	150.00	Per hour			
	<b>Total</b>					

Executed  
 By  
 H.O. of the Project



# **DNIT / SCHEDULE OF QUANTITY**

**Name of work:** - Restoration of rain / Snow Damages on Barot to Nalhota road and Sanghrer to Dharman road (under Multhan Section) under Bir Sub Division (SH:-Hiring of JCB for removal of snow/slips, dressing of road berms, filling depressions, clearance of Drain and Culvert)

Estimate cost

211500

Earnest money

4300

Time limit

One Month

Sr.No.	Sub-Head and Item of works	Quantity	Unit	Rate in figures	Rate in words	Amount
	Hiring of JCB (Excavator cum Loader) having bucket capacity .50 cum including T.O.I charges, shifting charges and other necessary equipment as required at site of work for snow removal, removal of slips in all heights in all kinds of soils such as kankar, moorum, shingle boulders decomposed or soft variety of soil such as spade work, pick work, jumper work, soft rock, hard rock, if and when required. The disposal of this unserviceable material has to be done in the acquired width of the road to avoid the damage to the properties of the people or in case any damage took place, the contractor shall be liable for it. All salvaged material such as quarried stone shall have to be neatly stacked along road side on road berms. The work shall have to be carried out as per ministry of Transport and as per the instructions of the Engineer in Charge including all leads and lifts.	180.00	Per hour			
	<b>Total</b>					

Engineer in Charge  
 Bir Sub Division  
 Multhan Section

Executive Engineer  
Supply Division  
M. S. D., Bijnath

7

# DNIT/DRAFT SCHEDULE OF QUANTITY

<p>Name of Work : C/O Pucca Path from Shri Janak Singh House to Sh. Jai singh House village Dhandera Ward no.1 Mohal Drug . (SH:-P/L Cement concrete interlocking Block at RD 0/00 to 0/045 )Deposit work .</p>	<p>Estimate Cost: 98,118.00/- Earnest Money: 2,000 .00/- Time Limit :One Month</p>
---	--

Sr. No.		Description of work		No. or Qty.	Unit	Rate		AMOUNT	
						Figures	Words		
1		Providing and Laying Cement concrete 1:2:4 (one cement isto two snad isto four aggregate) graded/crushed stone aggregate 20 mm (tewenty milimeter) nominal size mechanically mixed including curing complete as per PWD specification, including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.		0.54	Per cubic metre				
2		Providing and laying heavy duty precast cement concrete 60mm thick inter locking blocks paver blocks vibro compacted upto M50 grade i/c border or kurb block grey or coloured over sub-base of concrete with 25mm thick average thickness of cement mortar 1:4 (1 cement : 4 sand) laid over and jointed with neat cement slurry mixed with pigment to match the shade of blocks i/c curing rubbing & polishing complete (Sub base concrete floor to be paid for Separately The rate is including octroi, royalty, GST, toll tax. Sale Tax or other taxes imposed by the government.		67.50	Per square metre				

Executive Engineer.  
Bajinath Division  
H.P.P.W.D., Ludhiana

# DNIT/DRAFT SCHEDULE OF QUANTITY


8 (a)

Name of Work: - C/O link road from Bir Wampur road to Mandher via Gharnallah km 0/00 to 3/500 (SH:- Construction of 1.00 mtr span RCC slab culvert at RD 3/225 )				Estimate Cost: 2,17,064.00 Earnest Money: 4,400.00 Time Limit : Two Months		
Sl. No.	Description of work	No. or Qty.	Unit	Rate to be entered by the		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials, and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	32.20	Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm (forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.16	Cum			

3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in foundations for all type of structure complete using plain cement concrete grade M-15 ( M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering, removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	22.68	Cum			
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in bedding for all type of structure complete using plain cement concrete grade M-15 ( M fifteen) P C C grade including curing complete including pumping or bailing out water, dewatering, removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.61	Cum			
5	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 ( M twenty ) design Mix with cement contents not less than 330 kg (three hundred and thirty kilogram ) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but including curing complete as per direction of Engineer in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.60	Cum			


(8) (c)

6	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D., technical specification section 800, 900 and 1400 using R.C.C. grade M-25 ( twenty five) design mix with cement contents not less than 400 kgs (four hundred kilogram) per cubic meter with 20 mm (twenty millimeter) nominal size gradrd crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.92	Cum			
7	Supplying, fitting, and placing HYSD bar reinforcement in sub structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	60.00	Kg			
8	Supplying, fitting, and placing HYSD bar reinforcement in super structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1203 carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	174.00	Kg			

  
 Engineer  
 in Charge

9

<u>DNIT</u>						
Name of Work: Construction of Bridge over Pun khad on Tashizong to Chandpur road ( Sh: - Investigation of Soil Bearing Capacity at RD 1/118 )					Estimated Cost:-	487500.00
					Earnest Money:-	9750.00
					Time Limit :-	Three Months
Sr. No	Description of work	Qty	Unit	Rate		AMOUNT Rs. P
				Figure	Words	
1	Investigation of Bearing capacity of soil for Construction of Bridge over Pun khad on Tashizong to Chandpur road at RD 1/118 at different locations of minimum 10.00 ( ten) meter depth of each bore below low bed level including all leads and lifts and submitted the test result complete in all respect .The rate is including GST, toll tax, Sale Tax or other taxes imposed by the government.	75.000	Per Running Meter			
Total:-						

  
 Executive Engineer  
 Bajnath Division  
 HPPWD Bajnath.



D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- C/O Link Road from Sakri to Deora Basti Km 0/00 to 1/500.  
(SH:- Providing and laying WBM G-I at RD 1/00 to 1/400 ).

Estimated Cost 401009.00  
Earnest Money 8100.00  
Time limit One Month

Sr No	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT	
				Figure	Words	Rs.	P
1	Providing and laying, spreading and compacting stone aggregates size 90mm to 45 mm (Ninety millimeter to forty five millimeter) grading-I(100 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading-I @ 0.30 cum per ten square meter and binding material at the rate of 0.08 cum ( Zero point zero eight cubic meters) per ten Sqm ( ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORID technical specification clause no 405 complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	140.7					
	<b>TOTAL</b>						

  
 Engineer

## DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : C/O Link Road to Village Chandpur km 0/00 to 1/500 . (NH:-P/I WBM G-II, C. C Pavement AT RD 1/00 to 1/050 )				Estimate Cost: 1,98,637.00/- Earnest Money: 4,000. 00/- Time Limit :One Month			
SCHEDULE OF WORKS							
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-B to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K N static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M O R D technical specifications clause No 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	12.01	Per Cubic Metre				
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs ( Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	24.02	Per Cubic metre				
Total							


Ex-  
D  
H

# DNIT/DRAFT SCHEDULE OF QUANTITY

(12) (a)


Name of Work : Construction of Lohardi to Andarli Malhan Road km 0/00 to 2/500 (SH:- widening of road at RD 0/135 to 0/274 & 900 mm dia RCC hume pipe culvert at RD 0/555 )				Estimate Cost: 4,61,46,000/- Earnest Money: 9,300,000/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock ( where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 86.70 cum @ 300/- per cum shall be effected from the contractor hill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1431.11	Per Cubic metre			
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	26.96	Per Cum			

3	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 ( M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm( forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water . dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.51	Per cubic metre		:	
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 ( M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water . dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	22.18	Per Cubic metre			
5	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.60	Per Cum			
<b>Total</b>						

  
 Executive Engineer  
 Baijnath Division  
 H.P.P.W.D. Baijnath

## DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : Name of work :-Repair/ Restoration work of path to Mandiyal colony area in Nagar Panchayat Baijnath Paprola Ward No.5 (SII:-P/L. Kharanja stone soiling and C C pavement at RD 0/055 to 0/100 ).				Estimate Cost: 1,86,496.00/- Earnest Money: 3,800.00/- Time Limit :One Month		
SCHEDULE OF WORKS						
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing and laying hard stone Soiling properly hand packed intersects with kharanja staone and consolidating with power / hand roller to requested gradient and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 mm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	20.59	Per Cubic metre			
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	21.96	Per Cubic metre			
Total						

  
 Executive Engineer  
 Baijnath Division  
 H.P.W.D., Baijnath

# DNIT/DRAFT SCHEDULE OF QUANTITY

14

Name of work : Restoration of rain Damages on link road from Chobin Bus Stand to Lower Chobin (SII: Construction of B/wall for protection of Yugal Kishor House at RD 0/60S to 0/619 )				Estimate Cost: 1,81,595.00/- Earnest Money: 3,700.00/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited) All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	13.44	Per Cum			
2	Providing and laying cement concrete 1:5:10 (one cement: five sand: ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size ) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including cost of form work as per drawings and M.O.R.D technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	36.68	Per Cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D technical specification clauses 614, 709 & 1206 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.	13.00	Each			
Total						

Ex-11  
De-11  
H-11

## DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :-C/O link road to village Majhoti in G.P Majhoti km 0/00 to 0/465 .  
(SH:-P/L W.B M G-I .G-II at RD 0/210 to 0/465 ).

Estimate Cost: 4,16,473.00/-

Earnest Money: 8,400.00/-

Time Limit : One Month

SCHEDULE OF WORKS						
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing and Laying, spreading and compacting stone aggregates size 90mm to 45 mm (Ninety millimeter to forty five millimeter) grading-I(100 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading I @ 0.30 cum per ten square meter and binding material at the rate of 0.08 cum ( Zero point zero eight cubic meters) per ten Sqm ( ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD technical specification clause no 405 complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	85.43	Per Cubic metre			
2	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	64.07	Per Cubic Metre			
Total						

Engineer (Civil)  
Division  
B. B. B. B.



## D.N.I.T/SCHEDULE OF QUANTITY

16

Name of work:- C/O Bahi Rangehar via Chobu Nagehar road (Portion Bahi to Lower Bahi )

(SH:- C/O R/wall RD 0/415 to 0/425 &amp; 0/710 to 0/726 ).

Estimate Cost: 401619.00/-

Earnest Money: 8100.00/-

Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm ), including dressing of sides and ramming of bottoms, lift upto 1.5 m. (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m( Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental .as per direction and entire satisfaction of Engineer -in - charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	28.00	cum			
2	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 ( one cement: five sand: ten graded stone aggreagate )40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	77.72	cum			
3	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	16.16	cum			
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	22.00	Each			
<b>Total</b>						

## DNIT/DRAFT SCHEDULE OF QUANTITY

Work on - C/O Link Road from Thelad to Chanthar Via Bakshi Partap Singh House Km 0/00 to 2/00.  
(SH-1 P/C.C Pavement at RD 0/520 to 0/620.) (SCSP)

Estimate Cost: 343432.00/-  
Earnest Money: 6900.00 /-  
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer-in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.44	Cum			
2	Providing concrete for plain / reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 PCC Grade M-20 Nominal Mix 1:2:4 (one cement : two sand; four aggregate) per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	45.75	Cum			
Total						

Executive Engineer  
Bajinath Division  
H.P.P.W.D., Bajinath