Himachal Pradesh
Public Works Department
No. PWN/CB/2nd C /Tender/2023-24/

5550-52

Dated 11.12.2023

► To

The Executive Engineer (I.T. Cell)
HPPWD Nirman Bhawan, Nigam Vihar,
Shimla-2
cc-pwd-hp@nic.in

Subject: Publication of Tender Notice.

Sir,

Enclosed please find herewith the Tender Notice of works as given in the Notice inviting tenders for uploading on department web-site as per Notification of the Principal Secretary (PW) to the Govt. of Himachal Pradesh Letter No. PBW-(B)A9(3) 1/2020 dated Shimla-2 the 16th July 2021 as the work mentioned in the tender notice are urgent in nature and public interest.

Executive Engineer Nurpur Division EPPWD Nurpur.

Copy forwarded to the Superintending Engineer 9th Circle HPPWD Nurpur for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer (IT Cell) Nigam Vihar Shimla -2 for information and further necessary action.

Executive Engineer Nurpur Division ERPWD Nurpur.

CERTIFICATE

It is certified that the tenders called vide this office letter No. PWN/CB/2nd C/Tender/2023-24/ - 5550-52 dated 11.12.2023 is urgent in nature and also in the public interest.

Executive Engineer,
Nurpur Division, HPPWD,
Nurpur,

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

TENDER

Sealed item rate tenders on the form 6 & 8 are invited by the Executive Engineer Nurpur Division HPPWD., Nurpur on behalf of the Governor of HP for the following works from the approved and eligible contractors enlisted in HPPWD.

TENDER SCHEDULE

1.	Date and time of an income		
2	Date and time of receipt of application for tender form	16.122023	Up to 02.00 PM
	Dute and time of issue of tender form	16.12.2023	Up to 05.00 PM
3.	Date and time of receipt of tenders	18.12.2023	Up to 10.30AM
4.	Date and time of opening of tenders	18.12.2023	At 11.00 AM.

The tenders form will be issued against cash payment (non-refundable). The earnest money in the shape of NSC/FDR/Deposit at call of any of Post Office/Bank in H.P duly pledged in the name of the Executive Engineer Nurpur Division HPPWD Nurpur must accompany with each tender.

Sr.	Name of work.	Estimated	Earnest	Time	Cost of	Eligible						
No.		cost (Rs.)	money	limit	form	class of						
		,				Contractor						
1.	Construction of link road Bharmoli to Ari Mahasha Harijan	456480/-	9200/-	One	350/-	Class -D						
	Basti road (SH: Providing and laying interlocking cement			Month								
	concrete paver block 80mm thick in Km 0/200 to 0/290)											
2.	Restoration of rain damagews on Jounta to Khel road Km 0/00 to	463842/-	9300/-	One	350/-	Class -D						
	6/555(SH: Providing and laying interlocking concrete paver block			Month								
	at RD 1/030 to 1/125)											
3.	Construction of link road Bharmoli to Ari Mahasha Harijan	456480/-	9200/-	One	350/-	Classa-D						
	Basti road (SH: Providing and laying interlocking cement	3		Month								
_	concrete paver block 80mm thick in Km 0/290 to 0/380)	1.51001	22221									
4.	Construction of link road Bharmoli to Ari Mahasha Harijan	456480/-	9200/-	One	350/-	Class-D						
	Basti road (SH: Providing and laying interlocking cement			Month								
	concrete paver block 80mm thick in Km 0/380 to 0/470) The contractors/firms should possess the following documents (1)	Db -4 4-	h44h	1) .								
1	The contractor/Firms should possess the following documents (if the contractor/Firms should be enlisted with the HPPWD.	Photocopy to	be attached	1) :-								
2	PAN (Permanent Account No.)											
3	Registration under GST											
4	The Earnest money in the shape of National Saving certificate / tim	na damaait aaa	ount in one	of the most o	era in IID	EDD from						
4	any nationalized bank duly pledged in favour of the Executive Eng					r DK Irom						
5	The earnest money and cost of tender form for the above works sho					hase of						
J	tender form. The application received without earnest money & co					nuse or						
6	The offer of tender shall remain valid upto 75 days after the openin											
7	Ambiguous/telegraphic/conditional tenders or tender by Fax/E-mail		ntertained /co	onsidered in	any case and	d will be						
′	summerly be rejected.											
8	The Executive Engineer reserves the right to reject/cancel any or all	the tenders wi	thout assign	ing any reas	on(s)							
9	, —											
10	The contractor/firm must quote their rates in words as well as in fig	oures failing w	hich XEN r	eserves the	right to accer	ot/reject						
10	any or all tenders.											
11	If the date given above happens to be holiday the same shall be processed on next working day. The contractor/firm must quote their rates in words as well as in figures failing which XEN reserves the right to accept/reject any or all tenders. The tenders forms shall not be issued to those contractors /firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.											
					•							
12	One contractor should not have more than two or more works in han	d at a time.										
13	Work should be completed by the contractor within stipulated period											
14	The rates beyond over +5% will be rejected besides this the addition	nal performan	nnce security	will have t	o borne @ 2	0% & 30%						
	for unbalanced bid in case rates is lower than 10% but upto 20% &	lower than 20	0% upto 30%	% respective	ly. The tend	der beyond						
	the limit of 30% will also be excepted.		•	•	•							
	CHCIDIA AVIANTANICANDADI											

HIM SUCHNA AVAM JAN SAMPARK.

Executive Engineer,
Nurpur Division, HPPWD, Nurpur,
Telephone No. 01893-220033
e-mail- ee-nur-hp@nic.in
On behalf of Governor of Himachal Pradesh

SCHEDULE OF QUANTITY

Name of work: Construction of link road Bharmoli to Ari Mahasha Harijan Basti road (SH: Providing and laying interlocking cement concrete paver block 80mm thick in km 0/200 to 0/290)

Estimated cost Rs. 456480.00
Earnest money Rs. 10000 .00
Time limit: One month

			tal	Total		T
					other taxes imposed by the Government.	
	meter		er	meter	specification clause 1504 complete and as per directions of Engineer -in-charge	
	square		are	Square	thickness 80mm (eighty millimeters) over sand base as per drawing and technical	
	Per		.50	280.50	Providing and laying (ISI marked) inter locking concrete block pavement having	2
					Government.	
					rate including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the	
					plinth in all depths as per technical specification clause 802, 803 1202 and 1203	
	meter		-	meter	mechanically and curing complete including the cost of form work in foundation and	
	Cubic		_	cubic	/crushed stone aggregate 40mm(forty millimeters) nominal size mixed and vibrated	
	rol		_	28.80	Providing and laying cement concrete 1:4:8 (one cement; four sand: eight graded	
	Dar	Figures Words	Figure			No.
			Rate	Qty.	Description of items	Sr.
: Olle Mount	Time limit: Olle Ille	T				

Executive Engineer,
Nurpur Division HPPWD

SCHEDULE OF QUANTITY Name of work: Restoration of rain damages on Jounta to Khel road km 0/0 to 6/555 (SH:- Providing and laying interlocking concrete paver block at RD 1/030 to 1/125)

Earnest Money:- Rs. 1000.00 Fime Limit:- one Month Estimated:-Rs. 463842.00

Description of Items No Description of Items No Description of Items No No Description of Items No No Description of Items No Description No Description of Items No Description		Total			
Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description Des	meter		meter	1504 complete and as per directions of Engineer -in-charge including carriage of materials. The rates is inclusive royalty, toll tax, GST or any other taxes imposed by the Government.	
Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description of Items Description Description Description of Items Description Descript	Per square	,	Square	Providing and laying (181 marked) inter locking concrete block pavement having thickness 80mm (eighty millimeters) over sand base—as per drawing and technical specification clause	U
Description of Items Description of Items Countity Rate (in Rupees) Unit Rate (in Rupees) Unit Rate (in Rupees) In Figure In Words Per Square In Words In Figure In Words Per Square In Words Square In Words Per Square In Words Square In Words Square In Words Per Square In Words Square In Words Square In Words Per Square In Words Square In Words Per Square In Words Square In Words Per Square Square In Words Square In Words Square Square In Words Square Square In Words Square In Words Square Square In Words Square Square In Words				Government.	
Description of Items Description of Items Countity Rate (in Rupees) In Figure In Words				rate including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the	
Description of Items Quantity Rate (in Rupees) Per Scarifying the existing bituminous road surface to a depthn of 150 meter and disposal of ractified materials upto any leads and lifts as per technical specifications including hauling of materials in all leads, lifts as per the entire satisfaction and direction of Engineer – in- Charge including carriage of materials. The rate including octroi, royality. Malkana, toll tax, sale tax or other taxes imposed by the Government. Providing and laying cement concrete 1:4:8 (one cement; four sand: eight graded /crushed stone aggregate 40mm(forty millimeters) nominal size mixed and vibrated meter plinth in all depths as per technical specification clause 802, 803 1202 and 1203 Quantity Rate (in Rupees) Per square In Figure In Words Per Providing and direction of Square Per Cubic Per				including carriage of materials within all leads and lifts and other incidental charges. The	
Description of Items Quantity Rate (in Rupees)				plinth in all depths as per technical specification clause 802, 803 1202 and 1203	
Description of Items Quantity Rate (in Rupees) Unit	IIIelei		meter	mechanically and curing complete including the cost of form work in foundation and	
Description of Items Description of Items Quantity Rate (in Rupees) Unit	cubic		cubic	/crushed stone aggregate 40mm(forty millimeters) nominal size mixed and vibrated	
Description of Items Quantity Rate (in Rupees) Unit	Per		28.98	Providing and laying cement concrete 1:4:8 (one cement; four sand : eight graded	2
Description of Items Ouantity Rate (in Rupees) In Figure In Words Per Scarifying the existing bituminous road surface to a depthn of 150 meter and disposal of ractified materials upto any leads and lifts as per technical specifications including function and direction of the entire satisfaction and direction of the existing bituminous road surface to a depthn of 150 meter and disposal of the entire square	,			royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	
Description of Items Ouantity Rate (in Rupees) Unit Scarifying the existing bituminous road surface to a depthn of 150 meter and disposal of ractified materials upto any leads and lifts as per technical specifications including hauling of materials in all leads, lifts as per the entire satisfaction and direction of meters Unit Rate (in Rupees) In Figure In Words Per square meter				Engineer – in- Charge including carriage of materials. The rate including octroi,	
Description of Items Ouantity Rate (in Rupees) Unit Scarifying the existing bituminous road surface to a depthn of 150 meter and disposal of ractified materials upto any leads and lifts as per technical specifications including Ouantity Rate (in Rupees) In Figure In Words Per square meter			meters		
Description of Items Quantity Rate (in Rupees) In Figure In Words Per Square	neter		square		
Description of Items Quantity Rate (in Rupees) Unit In Figure In Words Per	guare		327.75		1
Description of Items Quantity Rate (in Rupes) Unit			In Figure		No
I Jnit		Total Co	_		Sr.
		1			



SCHEDULE OF QUANTITY

	1	No.	01.	27	Nam
Government. Government.	Providing and laying cement concrete 1:4:8 (one cement; four sand: eight graded /crushed stone aggregate 40mm(forty millimeters) nominal size mixed and vibrated mechanically and curing complete including the cost of form work in foundation and plinth in all depths as per technical specification clause 802, 803 1202 and 1203 including carriage of materials within all leads and lifts and other incidental charges. The rate including octroi, royality, Malkana, toll tax, G S T or other taxes imposed by the			Description of items	Name of work: Construction of link road Bharmoli to Ari Mahasha Harijan Basti road (SH: Providing and laying interlocking cement concrete paver block 80mm thick in km 0/290 to 0/380.
280.50	cubic meter	70 00		Qţy.	ad (SH: n 0/290
			Figures Words	Rate	Providing to 0/380)
I CI	cubic meter	Per			Estimated cost Rs. 456480.00 Earnest money Rs. 10000.00 Time limit: One month Unit Amount
					0.00 00 junt

2

Providing and laying (ISI marked) inter locking concrete block pavement having

as per drawing and technical

Square meter


> meter square Per

Total

thickness 80mm (eighty millimeters) over sand base

specification clause 1504 complete and as per directions of Engineer -in-charge including carriage of materials. The rates is inclusive royalty, toll tax, G S T tax or any

other taxes imposed by the Government.



Name of work: Construction of link road Bharmoli to Ari Mahasha Harijan Basti road (SH: Providing and laying interlocking cement concrete paver block 80mm thick in km 0/380 to 0/470) SCHEDULE OF QUANTITY

	other taxes imposed by the Covering circ.	The targe imposed by the Covernment	including carriage of materials. The rates	specification clause 1504 complete and as per directions of Engineer -in-charge	thickness 80mm (eighty millimeters) over sand base as per drawing and technical	2 Providing and laying (ISI marked) inter locking concrete block pavement having	Government.	rate including octroi, royality, Malkana,	including carriage of materials within all l	plinth in all depths as per technical specification clause 802, 803 1202 and 1203	mechanically and curing complete including the cost of form work in foundation and	/crushed stone aggregate 40mm(forty millimeters) nominal size mixed and vibrated	rioviding and laying cement concrete 1:4:8 (one cement; four sand : eight graded	+		SI. Description of items	_			SIII S SIII SON SIII SIII SIII SIII SIII
10181	3		including carriage of materials. The rates is inclusive royalty, toll tax, G S T tax or any	s per directions of Engineer -in-charge meter	er sand base as per drawing and technical Square			rate including octroi, royality, Malkana, toll tax, G S T or other taxes imposed by the	including carriage of materials within all leads and lifts and other incidental charges. The		nd				Qty.	Ot			For Clock Continuing III Kin O	
				er _	are	50					H		0	Figures Words	Rate		Time lim	Earnest m	0/380 to $0/4/0$) Estimate	,
				meter	Square	Per					meter	cubic	Per			I Init Amount	Time limit: One mollul	Earnest money KS. 1000	Estimated cost is: 10000 00	1 Pc 456400.00

Executive Engineer,
Nurpur Division HPPWD