HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT NOTICE INVITING TENDER

Sealed items rate tender on form 6&8 are invited by the Executive Engineer HPPWD Kotla Behar Division Kotla Behar for the following works from the approved and eligible contractors enlisted with HPPWD Department so as to reach in this office on dated 27.12.2023 up to 10.30AM and the same will be opened on the same day at 11.30 AM in the presence of contractors /firms or their authorized representative. The application for purchase of tender forms will be received up to 10.00 AM to 2.00 PM on dated 23.12.2023 and tender forms can be obtained from this office against cash payment (nonrefundable) on 26.12.2023 from 10.00 AM to 5.00 PM and no tender form shell be issued by the post. The amount of earnest money in shape of FDR of any nationalized bank in HP duly pledged in the Name of Executive Engineer HPPWD Kotla Behar Division Kotla Behar

The conditional tender and tender received without earnest money (FDR) will be rejected and if holiday declared by the Govt. on the above date due to any reasons the tender shall be received and opened on the next working day. The undersigned reserved the right to rejected tender without assigned any reasons, .

Sr	Name of work	Estimated	Earnest	Time Limit	Cost of	Form No
No		cost	money		tender form	
1	Restoration of Rain Damages on Chanour Tiamal Sheetla Mandhir Road km 2/0 to 10/495 (SH:- C/O Retaining wall at Rd 8/908.50 to 8/917)	482243	10000	Three Month	350	6&8
2	Restoration of Rain Damages on Chanour Tiamal Sheetla Mandhir Road km 2/0 to 10/495 (SH:- C/O Retaining wall at Rd 8/900 to 8/906)	481590	10000	Three Month	350	6&8
3	Restoration of Rain Damages on Rakkar to Shantla Road Km 0/0 to 15/600 (SH; Dressing of bearms both side in km 0/0 to 8/00)	499680	10000	Two Month	350	6&8
4	Restoration of Rain Damages on Bharwain Chintpurni Kandrori Damtal Road Km 15/310 to 32/560 (SH: Providing and laying interlocking paver Block at Rd 23/255 to 23/285)	248220	5000	Two Month	350	6&8
5	Restoration of Rain Damages on Bharwain Kaloha Road Km 22/200 to 60/920 (SH:- C/O U shape drain at Rd 35/400 to 35/500	106105	3000	Two Month	350	6&8
6	C/O Harbhag (Pully) to Kabirpanthi Basti Village Bhaijnath in GP Prgagpur Km 0/0 to 1/300 (SH;- Providing and laying interlocking paver block at Rd 0/265 to 0/285 & 0/465 to 0/524(Under SCSP)	499312	10000	Two Month	350	6&8
7	C/O Harbhag (Pully) to Kabirpanthi Basti Village Bhaijnath in GP Prgagpur Km 0/0 to 1/300 (SH;- Providing and laying interlocking paver block at Rd 0/525 to 0/585)(Under SCSP)	390729	8000	Two Month	350	6&8
8	Restoration of Rain Damges on Rori Kori to lower Balwal km 0/0 to 3/400 (SH:- C/O Retaining wall at Rd 8/900 to 8/906)	206793	5000	Two Month	350	6&8
9	Restoration of Rain Damges on Link Road Sr Sec. School Kotla behar Km 0/0 to 0/630 (SH:- C/O Providing and Laying interlocking paver block at Rd 0/045 to 0/105)	271062	6000	Two Month	350	6&8
10	C/O Chintpurni Barwara Road to Bharwain	498645	10000	Three Month	350	6&8

	Karoa ward No 3 (SH; CC pavement at Rd 1/200 to 1/305)Under OTMNP)					
11	Restoration of Rain damages on Kaloha Dhaliara Dada Siba Sansarpur Terrace Road Km 22/200 to 60/920 (SH- C/O U shape drain at Rd 35/400 to 35/500)	181724	4000	Two Month	350	6&8
12	C/O Link Road from Primary School to Kuru Km 0/0 to 1/200 (SH:- C/O Cement Concrete Pavement at Rd 0/0 to 0/050) Under OTMNP	479125	10000	Two Month	350	6&8
13	C/O Link Road From Main Road to bariyal Bhedd Km 0/0to 1/300 (SH· F/C Between Rd 0/975 to 1/075 and C/O R/wall at Rd 0/720 to 0/765)	454717	9000	Two Month	350	6&8
14	C/O of Link Road from Primary School to Kuru Km 0/0 to 1/200 (SH:- C/O Cement Concrete Pavement at Rd 0/050 to 0/100)	479125	10000	Two Month	350	6&8
15	Restoration of Rain Damages on Saleti to Bhindla Road Km 0/0 to 2/820 (SH;- C/O Retaining wall at Rd 0/870 to 0/905)	499817	10000	Two Month	350	6&8

1) Certified that tender of above works are being called in Exigency of public interest,

Executive Engineer, Kotla Behar Division HPPWD., Kotla Behar

NO.PWD/KB/CB/TENDER 2023-24 4801- 4825 DATED 9

Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla -2 for favour of information please.

Copy to the Engineer-in-Chief HPPWD Shimla for information please.

Copy to the Chief Engineer (KZ) HPPWD Dharamshala for favour of information please.

Copy to the Superintending Engineer 9th Circle HPPWD Nurpur for favour of information

please.

JOB NO. 1

Estimate Cost :- Rs. 4,82,243/-

Earnest Money :-Rs.10000/-

Time Limit :-Three Months.

SCHEDULE OF QUANTITY

	4	tu	N	-	No.
TOTAL	Providing and laying 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1(V): 20H (One vertical isto twenty Horizontal) towards drawing face complete as per drawing and MORD technical specification clause 614,709,1204.3.7 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	Back filling behind abutment Retaining wall/Breast wall, Wing walls and the like with approved granular materials complete as per drawings and MORD technical specification clause 1604.7 and section 300 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or bailing out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including cost of form work and curing complete for 14 (fourteen) days and as per drawing and MORD Technical specification section 800, 900, 1200 and 1600 and as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octrol, GST, toll tax, sales tax or any other taxes imposed by the Government.	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	Description of Item
	48.00 Number	25.50 Cubic metre	127.84 Cubic metre	51.34 Cubic metre	Quantity
					Figures
					Rate in Words
	Each	Per Cubic metre	Per cubic metre	Per Cubic metre	Unit
					Amount

HPPWD Kotla Behar. Kotla Behar Division, Executive Engineer,

JOB NO. 2 Estimate Cost :- Rs. 4,81,590/-

Earnest Money :-Rs.10000/-

Time Limit :-Three Months.

SCHEDULE OF QUANTITY

Name of work:- Restoration of Rain damages on chanour Tiamal Sheetla Mandir road Km 2/0 to 10/495 (SH:- C/o Retaining wall at RD. 8/900 to 8/906).

	S	Description of Item	Quantity	R	Rate in	Unit	Amount
-	No.			Figures	Words		
	-	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, paranets and other similar structures in all kinds and classification of soil including saturated soil comprising of ordinary mix	48.62 Cubic			Per	
		soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and				metre	
		bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water					
		(surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.					
	N	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or bailing out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including	127.84 Cubic metre			Per cubic metre	,
		800, 900, 1200 and 1600 and as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sales tax or any other taxes imposed by the Government.					
	ω	Back filling behind abutment Retaining wall/Breast wall, Wing walls and the like with approved granular materials complete as per drawings and MORD technical specification clause 1604.7 and section 300 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octrol, ISCT toll tax seals tax or any other taxes imposed by the Government.	25.50 Cubic metre			Per Cubic metre	
	4	Providing and laying 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1(V): 20H (One vertical isto twenty Horizontal) towards drawing face complete as	48.00 Number			Each	
		per drawing and MORD technical specification clause 614,709,1204.3.7 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.					
П		TOTAL					
1							

JOB NO. 3 Estimate Cost: Rs. 4,99,680/-

Earnest Money :-Rs. 10000/-

Name of work:- Restoration of Rain damage on Rakkar to Shantla road Km. 0/00 to 15/600 (SH: Dressing of Berms both side in Km. 0/00 to 8/00). Time Limit :-Two Months.

T	_	NC	- 0	0
TOTAL	ass of material/irregularities on shoulders to the design level by adding fresh approved selected soil and with appropriate equipment at OMC upto a lead of 1000 m as per technical specification Clause 1903 as per and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other taxes imposed by the rate including Royality, Malkhana, Octroi, toll tax, sale tax, GST or any other taxes imposed by the			Description of Item
	meter	200 00 00000		Quantity
			Figures	70
			Words	Rate in
	square	Par		Unit
				Amount

HPPWD Kotla Behar. Kotla Behar Division, Executive Engineer,

JOB No. 4
Estimate Cost:-Rs. 248220.00
Earnest Money:-Rs. 5000.00
Time Limit:- Two Management

Name of work:- Restoration of Rain damages on Bharwain Chintpurni Kandrori Damtal road Km. 15/310 to 32/560 (SH:- Providing and Laying Interlocking Paver Block at RD. 23/255 to 23/285).

-				
Sr.	Description of Item	Quantity	R	Rate in
No.			Figures	Words
_	Earth work in excavation for all type of road structure such as Retaining walls, Breast walls, culverts, drains and parapets elements in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out rocks	31.38 Cubic		
	(where blasting is prohibited) as per drawings and M.OR.D. technical specification clause 305 and 1603 as per direction and entire satisfaction of Engineer-in-Charge, including setting out construction of shoring and bracing, removal of stumps			
	and other deleterious materials and disposal of materials up to any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface is layers not exceeding 150mm	10 to		STATE OF STATE
	(One hundred fifty millimetre) compacted thickness including shoring and strutting and pumping and bailing out water			
	dewatering as per direction and lentire satisfaction of Engineer-in-Charge including carriage of materials within all leads			
1	imposed by the Government.			
N	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade-M20 (M-Twenty) Nominal	4.38 Cubic		
V	under water in open foundation for all types of structure and the like in Catchpit flooring etcetera, including cost of form			
	work and curing complete as per drawing and MORD technical specification section 800, 900 & 1200 and as per the			
	direction and the entire satisfaction of Engineer-in-Charge, including pumping or bailing out water/dewatering (surface and			
	sub-soil water) and removal of the slush which may arise at the time of laying under water for all heights/depths and any			
	quantum of water complete including carriage of materials up to all leads, lifts and other incidentals. The rates including			
3	Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	15 00 Cubic		
	crushed stone aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open	metre		
ī	foundation for all types of structures, including pumping or balling out water/ dewatering (surface/sub-soil water) and			
	water including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 &			
	1203 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all			
-	leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes improved by the Government	TATE OF THE PERSON	7-1-1-02	
	Imposed by the Government.	110 50 Square		
4	Providing and laying of inter locking concrete paver blocks make of NTC/NTCO/HPPWD approved having thickness 80mm (eighty millimeter) Grade M-40 IS Code-15658:2006 and Technical Specification Clause 1504 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other	metre		
	Incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the			

	5
TOTAL	Providing and laying of inter locking concrete paver blocks make of NTC/NITCO/HPPWD approved having thickness 60mm (sixty millimeter) Grade M-40 IS Code-15658:2006 and Technical Specification Clause 1504 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.
	19.52 Square metre
6	Per square metre

JOB NO. 5

Estimate Cost :- Rs. 106105.00 Earnest Money :-Rs. 3000.00

Time Limit :- Two Month. Name of work:- Restoration of Rain damage on Bharwain Kaloha road Km. 22/200 to 60/920 (SH:- Const. of U-Shape Drain at RD. 35/400 to 35/500).

	On On	4	ω	N	-	No.
TOTAL	Providing and laying mechanically mixed and vibrated concrete for plain-cement concrete, nominal mix 1:3:6 (one cement isto three sand isto six graded crushed stone aggregate 20mm (twenty millimeters) nominal size) in or under water in open foundations for all Type of structure, such as Drains and the like including pumping or bailing out water/ dewatering removal of the slush which may arise at the time of laying concrete, for all heights/depths, including cost of form work complete as per drawing and MORD technical specification sectione 800, 900 and 1200 or as directed by Engineer-in-Charge, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	Providing and laying 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1(V): 20H (One vertical isto twenty Horizontal) towards drawing face complete as per drawing and MORD technical specification clause 614,709,1204.3.7 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	Back filling behind abutment Retaining wall/Breast wall, Wing walls and the like with approved granular materials complete as per drawings and MORD technical specification clause 1604.7 and section 300 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or balling out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including cost of form work and curing complete for 14 (fourteen) days and as per drawing and MORD Technical specification section 800, 900,1200 and 1600 and as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sales tax or any other taxes imposed by the Government.	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming, and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	Description of item
	8.41 Cubic metre	7.00 Number	14.56 Cubic metre	14.16 Cubic metre	11.86 Cubic metre	Quantity
						Figures
		Well-terribre				Words
W.	Per Cubic metre	Each	Per Cubic metre	Per cubic metre	Per Cubic metre	Unit
						Amount



JOB No. 6

Estimate Cost :- Rs. 499312.00 Earnest Money :- Rs. 10000.00

Time Limit :- Two Month.

Name of work:- C/o Harbhag (Pully) to Kabirpanthi Basti Village Bhajnath in GP Upper Pragpur Km. 0/00 to 1/300 (SH:- Providing and Laying Interlocking Paver Block at RD. 0/265 to 0/285 & 0/465 to 0/524). (Under SCDP)

Parameter of the same of the s	from		-	41119 20 11 11 1
No.	Figures	Words		
			Per	
etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out rocks (where blasting is prohibited) as per drawings and M.OR.D. technical specification clause 305 and 1603 as per direction	metre		Cubic	
and entire satisfaction of Engineer-in-Charge, including setting out construction of shoring and bracing, removal of stumps				
and other deleterious materials and disposal of materials up to any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface is layers not exceeding 150mm.		NO. 100. 100.		
(One hundred fifty millimetre) compacted thickness including shoring and strutting and pumping and bailing out water				
(surface and sub soil water) up to any depth any quantum of water including cleaning of slush which may arise out during				
dewatering as per direction and entire satisfaction of Engineer-in-Charge including carriage of materials within all leads				
and lifts and other incidental. The rate is including Octroi, Royality, Malkhana, toll tax, sale tax, GST or any other taxes				
imposed by the Government.				
2 Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade-M20 (M-Twenty) Nominal 14.22	14.22 Cubic		Per	
mix 1:2:4 (one cement isto two sand isto four graded crushed stone aggregate (40mm) forty millimeter nominal size) in or	metre		Cubic	
under water in open foundation for all types of structure and the like in Catchpit flooring etcetera, including cost of form			metre	
work and curing complete as per drawing and MORD technical specification section 800, 900 & 1200 and as per the				
direction and the entire satisfaction of Engineer-in-Charge, including pumping or bailing out water/dewatering (surface and				
sub-soil water) and removal of the slush which may arise at the time of laying under water for all heights/depths and any				
quantum of water complete including carriage of materials up to all leads, lifts and other incidentals. The rates including				
Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.				
	26.86 Cubic		Per	
foundation for all types of structures, including pumping or bailing out water/ dewatering (surface/sub-soil water) and	Hotro		metre	
including removal of slush which may arise at the time of laying under water for all heights/depth and any quantum of			1000000	
water including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 &		The second second		
leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes.				100000000000000000000000000000000000000
imposed by the Government.				
	268.60 Square		Per	
80mm (eighty millimeter) Grade M-40 IS Code-15658:2006 and Technical Specification Clause 1504 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other	metre		square	
incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the			metre	
Government				
TOTAL				

JOB No. 7
Estimate Cost:- Rs. 390729.00
Earnest Money:-Rs. 8000.00

Time Limit :-Two Month.

Name of work:- C/o Harbhag (Pully) to Kabirpanthi Basti Village Bhajnath in GP Upper Pragpur Km. 0/00 to 1/300 (SH:- Providing and Laying Interlocking Paver Block at RD. 0/525 to 0/585). (Under SCDP)

S	-	Description of Item	Quantity	R	Rate in	Unit	Amount
No.				Figures	Words		
_		Earth work in excavation for all type of road structure such as Retaining walls, Breast walls, culverts, drains and parapets	31.72 Cubic			Per	
	20	(where blasting is prohibited) as per drawings and M.OR.D. technical specification clause 305 and 1603 as per direction	n dug			metre	
	Q Q	and entire satisfaction of Engineer-in-Charge, including setting out construction of shoring and bracing, removal of stumps					
	0 0	and other deleterious materials and disposal of materials up to any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface is layers not exceeding 150mm.					- NEW TANKS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED
5,6	3	(One hundred fifty millimetre) compacted thickness including shoring and strutting and pumping and bailing out water					
	2 (2)	100					
	9 0	and lifts and other incidental. The rate is including Octrol, Royality, Malkhana, toll tax, sale tax, GST or any other taxes					
	=	imposed by the Government.					
2		Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade-M20 (M-Twenty) Nominal	10.98 Cubic			Per	
	п	mix 1:2:4 (one cernent isto two sand isto four graded crushed stone aggregate (40mm) forty millimeter nominal size) in or	metre			Cubic	
	-	under water in open foundation for all types of structure and the like in Catchpit flooring etcetera, including cost of form				metre	
	0 ;	direction and the entire satisfaction of Engineer-in-Charge, including pumping or balling out water/dewatering (surface and					
	6/3	sub-soil water) and removal of the slush which may arise at the time of laying under water for all heights/depths and any					
	Q	quantum of water complete including carriage of materials up to all leads, lifts and other incidentals. The rates including					
		Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.					
w		Providing and laying mechanically mixed and vibrated cement concrete 1:4:8 (one cement isto four sand isto eight graded) crushed stone aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open	20.74 Cubic			Per	
	7	foundation for all types of structures, including pumping or bailing out water/ dewatering (surface/sub-soil water) and				metre	
	s =	including removal of slush which may arise at the time of laying under water for all heights/depth and any quantum of water including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 &					
	-4	1203 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all		The same of			
	-	leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes	Cather & Tribay		10 May 100 18)- L	00 00 FEST
T		imposed by the Government.					
4		Providing and laying of inter locking concrete paver blocks make of NTC/NITCO/HPPWD approved having thickness 80mm (eighty millimeter) Grade M-40 IS Code-15658:2006 and Technical Specification Clause 1504 and as per the	207.40 Square metre			Per	
	0	direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other				metre	
	0 =	incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.					
		TOTAL					
	F	14121					

JOB NO. 8 Estimate Cost :- Rs. 2,06,793/-

Earnest Money :-Rs.5000/-

Time Limit :-Two Months.

Name of work:- Restoration of Rain damages on Rori Kori to Lower Balwal Km 0/0 to 3/400 (SH:- C/o Retaining wall at RD. 8/900 to 8/906).

Estimate Cost :- Rs. 271062.00 JOB No. 9

Earnest Money :-Rs. 6000.00

Time Limit :-Two Month.

Name of work:- Restoration of Rain damages on Link road Sr. Sec. School Kotla Behar Km. 0/00 to 0/630 (SH:- Providing and Laying Interlocking Paver Block at RD. 0/045 to 0/105).

T	4	ω	2	No.	Sr.
TOTAL	Providing and laying of inter locking concrete paver blocks make of NTC/NITCO/HPPWD approved having thickness 80mm (eighty millimeter) Grade M-40 IS Code-15658:2006 and Technical Specification Clause 1504 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	our sand n or und urface/su depth an dification itage of reliated tax of	Earth work in excavation for all type of road structure such as Retaining walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out rocks (where blasting is prohibited) as per drawings and M.OR.D. technical specification clause 305 and 1603 as per direction and entire satisfaction of Engineer-in-Charge, including setting out construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials up to any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface is layers not exceeding 150mm (One hundred fifty millimeter) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) up to any depth any quantum of water including cleaning of slush which may arise out during dewatering as per direction and entire satisfaction of Engineer-in-Charge including carriage of materials within all leads imposed by the Government. Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade-M20 (M-Twenty) Nominal mix 1:2.4 (one cement isto two sand isto four graded crushed stone aggregate (40mm) forty millimeter nominal size) in or under water in open foundation for all types of structure and the like in Catchpit flooring etcetera, including cost of form work and curing complete as per drawing and MORD technical specification section 800, 900 & 1200 and as per the direction and removal of the slush which may arise at the time of laying under water for all heights/depths and any quantum of water complete including carriage of materials up to all leads, lifts and other incidentals. The rates including carriage of materials up to tall leads, lifts and other incidentals. The rates including other taxes imposed by the Government.		Description of Item
	144.00 Square metre	14.40 Cubic metre	7.39 Cubic metre	200	Quantity
				rigures	Financia
				SDIOAA	Rate in
	square	Cubic	Cubic metre Per Cubic metre	Day	Unit
					Amount

JOB No. 10

Estimate Cost :- Rs. 4,98,645/-

Earnest Money :- Rs. 10000/-

Time Limit :-Three Months.

Name of work:- C/o Chintpurni Barwara road to Bharwain Karoa Ward No. 3 (SH:- C/o CC Pavement at RD. 1/200 to 1/305) (Under OTMNP).

Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and obstructions and obstructions and disposal of excavated material upto any leads and lifts including dressing of sides and excavation and obstructions materials and disposal of excavated materials upto any leads and lifts including dressing of sides and excavation and obstructions and excavations of structures and continued to the foundations, trimming, leveling ramming and watering bottom of exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water dewatering complete as per drawing and MORD Technical specification clause 30.5; and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates including pumping or bailing out water for all heights/depth and any quantum of varies and excavation of Engineer-in-Charge, including pumping or bailing out water for all heights/depth and any quantum of varies and store aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open including the cost of the variety of the entire satisfaction of Engineer-in-Charge, including satisfaction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all imposed by the Government. 31.50 Cubic meter dewatering cost of form work and curing complete as per drawing and MORD technical specification as per drawing and with a part of the entire satisfaction of Engineer-in-Charge, including the cost of form work and curing complete but meter any other taxes including Royality, Malkhana, Octroi, toll tax, sale tax, GST or other. TOTAL	all types of structures such as retaining walls, breast walls, culverts, drains, finds and classification of soil, including saturated soil comprising of ordinary mix dging out rocks (where blasting is prohibited) complete in accordance with the such that the structure of shoring, bracing, removal of stumps and fexcavated material upto any leads and lifts including dressing of sides and lacing the foundations, trimming, leveling ramming and watering bottom of excavated suitable approved materials to the original surface in layers not cled thickness including shoring and strutting and pumping or balling out water hand any quantum of water and cleaning of slush which may arise out during MORD Technical Specification clause 305.1 and as per the direction and the luding carriage of material within all leads, lifts and other incidentals. In or under water in open draw pumping or balling out water in open draw pumping or balling out water for all heights/depth and any quantum of complete as per drawing and MORD technical specification 802, 803, 1202 & re satisfaction of Engineer-in-Charge, including carriage of material with in all ncluding Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes and vibrated plain/reinforced cement concrete Grade-M-25 (M-Twenty five) of 404 Kg (Four hundred four Kilogram) in open foundation as per drawing and metre of concrete work as per satisfaction and direction of Engineer-in-Charge, lifts. The rates including Royality, Malkhana, Octroi, toll tax, sale tax, GST or TOTAL	all types of structures such as retaining walls, breast walls, culverts, drains, finds and classification of soil, including saturated soil comprising of ordinary mix diging out rocks (where blasting is prohibited) complete in accordance with the sexavated suitable approved materials including dressing of sides and facing the foundations, trimming, leveling ramming and watering bottom of excavated suitable approved materials to the original surface in layers not ced thickness including shoring and strutting and pumping or bailing out water hand any quantum of water and cleaning of slush which may arise out during MORD Technical Specification clause 305.1 and as per the direction and the funding carriage of material within all leads, lifts and other incidentals. In complete as per drawing and MORD technical specification 802, 803, 1202 & re satisfaction of Engineer-in-Charge, including carriage of material within all carriage of materials with in all roughly marks and concrete the specification soluting carriage of materials within all roughly specification 802, 803, 1202 & re satisfaction of Engineer-in-Charge, including carriage of materials with in all roughly marks and vibrated plain/reinforced cement concrete Grade-M-25 (M-Twenty five) and concrete work as per satisfaction and direction of Engineer-in-Charge. Influding carriage of materials within all roughly marks and concrete work as per satisfaction and direction of Engineer-in-Charge. Influding carriage of materials within all roughly marks and concrete work as per satisfaction and direction of Engineer-in-Charge. Influding complete but seed concrete work as per satisfaction and direction of Engineer-in-Charge. Influding complete but seed concrete work as per satisfaction and direction of Engineer-in-Charge. Influding carriage of materials within all roughly marks and concrete work as per satisfaction and direction of Engineer-in-Charge. Influding carriage of materials within all roughly marks and concrete the satisfaction of the satisfaction of the sa		C			-	No.
Quantity 47.25 Cubi meth 31.50 Cubic metre 63.00 Cubic metre	Figures	Figures Words e	TOTAL	roviding and laying mechanically mixed and vibrated plain/reinforced cement concrete Grade-M-25 (M-Twenty five) esign mix with minimum cement contents of 404 Kg (Four hundred four Kilogram) in open foundation as per drawing and 10RD technical specification clause 802, 803, 1202 and 1203 including the cost of form work and curing complete but xcluding cost of reinforcement for reinforced concrete work as per satisfaction and direction of Engineer-in-Charge, cluding carriage of materials up to all leads, lifts. The rates including Royality, Malkhana, Octrol, toll tax, sale tax, GST or my other taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated cement concrete 1.4.8 (one cement isto four sand isto eight graded rushed stone aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open oundation for all types of structures, including pumping or bailing out water/ dewatering (surface/sub-soil water) and reluding removal of slush which may arise at the time of laying under water for all heights/depth and any quantum of vater including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 & 203 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all lads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes income the control of th	parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during lewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the infire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	Earth work in excavation in foundation for all types of structures such as extended	
	Figures	Figures Words e				47.25		Quantity
Words Words Per Cubic metre	Per Cubic metre Per Cubic metre Per Cubic metre Per Cubic metre							- 1

=

JOB NO. 11

Estimate Cost :- Rs. 1,81,724.00 Earnest Money :-Rs. 4000.00

Time Limit:- Two Month.

Name of work:- Restoration of Rain damage on Kaloha Dhaliara Dadasiba Sansarpur Terrace road Km. 22/200 to 60/920 (SH:- Const. of U-Shape Drain at RD. 35/400 to 35/500).

foun of th per c carri or ar 3 Prov wall II remu cost 8000 with othe all r mate		foun of the carri	2 Prov	1 Eart para soil, lines othe bottc exca exce (surf deware	No.	
Supplying fitting and placing HYSD bar reinforcement in sub and super structure complete as per drawing and MORD technical specifications Clause 1002, 1010 and 1202 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire upto any heights as per direction of Engineer-in-Charge including carriage of materials within all leads, lifts. The rate including of Octroi, Royality, Malkhana, Toll Tax, Sale Tax, GST or other Taxes imposed by the Government.	axes illinosed by the Sharetiment	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or balling out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including cost of form work and curing complete for 14 (fourteen) days and as per drawing and MORD Technical specification section 800, 900, 1200 and 1600 and as per entire satisfaction and directions of Engineer-In-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octrol, GST, toll tax, sales tax or any	Providing and laying mechanically mixed and vibrated concrete for plain-cement concrete, nominal mix 1:3:6 (one cement isto three sand isto six graded crushed stone aggregate 20mm (twenty millimeters) nominal size) in or under water in open foundations for all Type of structure, such as Drains and the like including pumping or balling out water/ dewatering removal of the slush which may arise at the time of laying concrete, for all heights/depths, including cost of form work complete as per drawing and MORD technical specification sectione 800, 900 and 1200 or as directed by Engineer-in-Charge, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	Description of Item	
	0.080 Metric tonne	23.69 Cubic metre	18.75 Cubic metre	55.11 Cubic metre	Quantity	
					Figures	
					Rate in Words	
	Per metric tonne	Per cubic metre	Per Cubic metre	Cubic metre	Unit	
					Amount	

JOB NO. 12

SCHEDULE OF QUANTITY

Estimate Cost :- Rs. 4,79,125.00 Earnest Money :-Rs. 10000.00

Time Limit :-Two Month.

Name of work:- Construction of Link road from Primary School to Kuru Km. 0/0 to 1/200 (SH:- Const. of Cement Concrete Pavement at RD. 0/0 to 0/050) Under OTMNP.

Sr.	Description of Item	Quantity		B	Rate
No.				Figures	Figures Words
	Earth work in excavation in foundation for all types of structures such as retaining walls; breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the		38.75 Cubic metre		
	lines and dimensions shown on the drawings, including setting out, construction or shoring, tracing, removal or stumps and other deleterious materials and disposal of excevated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimmling, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	W 4 7 10 4 LL LL	W 42 7 70 3, 12 13		
N	Providing and laying mechanically mixed and vibrated cement concrete 1:4:8 (one cement isto four sand isto eight graded crushed stone aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open foundation for all types of structures, including pumping or bailing out water/ dewatering (surface/sub-soil water) and including removal of slush which may arise at the time of laying under water for all heights/depth and any quantum of water including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 & 1203 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other incidentals. The rates including Royality, Malkhana, Octrol, GST, toll tax, sale tax or any other taxes imposed by the Government.	w = w = a = a	21.25 Cubic metre	21.25	21.25
w	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade M-15 (M-Fifteen) Nominal mix 1:2½:5 (one cement isto two and half sand isto five graded crushed stone aggregate (40mm) forty millimeter nominal size) in open foundation or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and size) in open foundation or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and size of the slice which may arise at the time of faving under water for all beintstited on the size of the slice which may arise at the time of faving under water for all beintstituted to the size of the slice which may arise at the time of faving under water for all beintstituted to the size of the slice water for all beintstituted to the slice which may arise at the time of faving under water for all beintstituted to the slice water for all beintstituted to the slice with the slice of the slice water for all the slice	2 2 2	al 31.50 Cubic al metre		
	open foundation etcetera including cost of form work and curing complete as per MORD technical specification section 800, 900 & 1200 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads. Iffs and other incidentals. The rate including Royality, Malkhana, Octroi, GST, toll tax, sale tax, or any other taxes imposed by the Government.	4 8 3	¥ 50		
4	Providing and laying mechanically mixed and vibrated plain/reinforced cement concrete Grade-M-25 (M-Twenty five) design mix with minimum cement contents of 404 Kg (Four hundred four Kilogram) in open foundation as per drawing and MORD technical specification clause 802, 803, 1202 and 1203 including the cost of form work and curing complete but excluding cost of reinforcement for reinforced concrete work as per satisfaction and direction of Engineer-in-Charge, including carriage of materials up to all leads, lifts. The rates including Royality, Malkhana, Octrol, toll tax, sale tax, GST or any other taxes imposed by the Government.	9.9 5 2 9	e) 40.00 Cubic nd metre ut e.	40.00	40.00
	TOTAL				



JOB NO. 13 Estimate Cost :- Rs. 4,54,717/-Earnest Money :- Rs. 9000/-

Time Limit :-Two Months.

Name of work:- Construction of link from main road to Bariyal Bhedd Km. 0/0 to 1/300 (SH:- Formation cutting between RD 0/975 to 1/075 and C/o R/wall at RD. 0/720 to 0/765)

4	ω	N	-	No.
Providing and laying 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1(V): 20H (One vertical isto twenty Horizontal) towards drawing face complete as per drawing and MORD technical specification clause 614,709,1204.3.7 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Malkhana, Octrol. GST, toll tax, sale tax or any other taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1.5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or balling out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including cost of form work and curing complete for 14 (fourteen) days and as per drawing and MORD Technical specification section 800, 900, 1200 and 1800 and as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sales tax or any other taxes imposed by the Government.	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	Excavation for road way in hilly areas in all heights and depths and in all kinds of soil by manual/ mechanical means, including saturated soil comprising of ordinary soil, ordinary rock, soft rock, hard rock chiseling wedging out of rock (where blasting is prohibited) and their intermediate classification of soil complete including setting out true to the required lines grades, width, cutting and trimming of side slopes, camber, super elevation and levels shown as per the drawings and as directed by the Engineer-in Charge complete in according to MORD Technical Specification section 300 & 1600 and sorting out and stacking of useful materials with in all leads and lifts of material in acquired road width and transporting of un-useful means including in road ways, camber, embankments for grade improvements and disposal of all surplus materials to the approved dumping sites through all modes of transportation including head load or animal transport or by mechanical means including leveling, fine dressing and carriage of machineries, materials, tools, equipments and safety measures and other incidentals necessary to complete the work by mechanical means and labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be compensated by him to the extent of damage occurred in all cases. The rate is including Octroi, Royality, Malkana, toll tax, GST or any other taxes imposed by the Government.	Description of Item
66.00 Number	79.65 Cubic metre	38.25 Cubic metre	349.18 Cubic metre	Quantity
				Figures
				Rate in Words
Each	Per cubic metre	Per Cubic metre	Per Cubic metre	Unit

as per drawings and MORD technical specification clause 1604.7 and section 300 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government. Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5 m. transporting to site. spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000 metre m as per Technical Specification Clause 301.5 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government. TOTAL
32.40 Cubic metre 167.70 Cubic metre

Earnest Money :-Rs. 10000.00 Estimate Cost :- Rs. 4,79,125.00

Time Limit :-Two Month.

Name of work:- Construction of Link road from Primary School to Kuru Km. 0/0 to 1/200 (SH:- Const. of Cement Concrete Pavement at RD. 0/050 to 0/100) Under OTMNP.

-							
Sr.	7	Description of Item	Quantity	Ra	Rate in	Unit	Amount
No.	0.			Figures	Words		
_	-	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix	38.75 Cubic metre			Per	
	********	soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not exceeding 15cm (fifteen centimeter) compacted thickness including shoring and strutting and pumping or bailing out water (surface and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.				metre	
N		Providing and laying mechanically mixed and vibrated cement concrete 1:4:8 (one cement isto four sand isto eight graded crushed stone aggregate 40mm (forty millimeter) nominal size) for plain cement concrete, in or under water in open	21.25 Cubic metre			Per	
NO PARTIES		foundation for all types of structures, including pumping or bailing out water/ dewatering (surface/sub-soil water) and including removal of slush which may arise at the time of laying under water for all heights/depth and any quantum of water including cost of form work and curing complete as per drawing and MORD technical specification 802, 803, 1202 & 1203 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of material with in all leads lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.				metre	
ω		Providing and laying mechanically mixed and vibrated concrete for plain cement concrete Grade M-15 (M-Fifteen) Nominal mix 1:2½:5 (one cement isto two and half sand isto five graded crushed stone aggregate (40mm) forty millimeter nominal size) in open foundation or under water, including pumping or bailing out water/ dewatering (surface and sub-soil water) and removal of the slush which may arise at the time of laying under water, for all heights/depths and any quantum of water, in formal heights/depths and any quantum of water.	31.50 Cubic metre			Per cubic metre	
F1013	0 5 0 0	open foundation etcetera including cost of form work and curing complete as per MORD technical specification section 800, 900 & 1200 and as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate including Royality, Malkhana, Octroi, GST, toll tax, sale tax, or any other taxes imposed by the Government.					
4		Providing and laying mechanically mixed and vibrated plain/reinforced cement concrete Grade-M-25 (M-Twenty five) design mix with minimum cement contents of 404 Kg (Four hundred four Kilogram) in open foundation as per drawing and MORD technical specification clause 802, 803, 1202 and 1203 including the cost of form work and curing complete but excluding cost of reinforcement for reinforced concrete work as per satisfaction and direction of Engineer-in-Charge, including carriage of materials up to all leads, lifts. The rates including Royality, Malkhana, Octroi, toll tax, sale tax, GST or any other taxes imposed by the Government.	40.00 Cubic metre			Per Cubic metre	
		TOTAL					

Kotla Behar Division, Executive Engineer, HPPWD totta Behar.

Earnest Money :-Rs.10000/-JOB NO. 15 Estimate Cost :- Rs. 4,99,817/-

Time Limit :-Two Months.

Name of work:- Restoration of Rain damages on Saleti to Bhindla road Km 0/0 to 2/820 (SH:- C/o Retaining wall at RD. 0/870 to 0/905).

	4	ω	N	-	No.
TOTAL	Providing and laying 100mm (one Hundred millimeter) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1(V): 20H (One vertical isto twenty Horizontal) towards drawing face complete as per drawing and MORD technical specification clause 614,709,1204.3.7 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rates including Royality, Malkhana, Octroi, GST, toll tax, sale tax or any other taxes imposed by the Government.	Back filling behind abutment Retaining wall/Breast wall, Wing walls and the like with approved granular materials complete as per drawings and MORD technical specification clause 1604.7 and section 300 as directed by the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octrol, GST, toll tax, sale tax or any other taxes imposed by the Government.	Providing and laying mechanically mixed and vibrated concrete for plain cement concrete 1:5:10 (One cement isto five sand isto ten graded crushed stone aggregate 40mm(Forty millimeter) nominal size), in or under water in Retaining wall/breast wall and the like etcetera complete including pumping or bailing out water, dewatering (surface/sub soil water)including removal of slush which may arise at time of laying under water for all heights/depths and any quantum of water, including cost of form work and curing complete for 14 (fourteen) days and as per drawing and MORD Technical specification section 800, 900, 1200 and 1600 and as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Royality, Malkhana, Octrol, GST, toll tax, sales tax or any other taxes imposed by the Government.	Earth work in excavation in foundation for all types of structures such as retaining walls, breast walls, culverts, drains, parapets and other similar structures in all kinds and classification of soil, including saturated soil comprising of ordinary mix soil, ordinary rock, hard rock, chiseling/ wedging out rocks (where blasting is prohibited) complete in accordance with the lines and dimensions shown on the drawings, including setting out, construction of shoring, bracing, removal of stumps and other deleterious materials and disposal of excavated material upto any leads and lifts including dressing of sides and bottom and obstructions necessary for placing the foundations, trimming, leveling ramming and watering bottom of excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not excavation and backfilling in trenches with excavated suitable approved materials to the original surface in layers not excavation and sub-soil water) up to any depth and any quantum of water and cleaning of slush which may arise out during dewatering complete as per drawing and MORD Technical Specification clause 305.1 and as per the direction and the entire satisfaction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.	A SANTE PARTY OF THE PARTY OF T
	50.00 Number	38.15 Cubic metre	125.30 Cubic metre	56.35 Cubic metre	Quantity
					Figures
					Words
	Each	Per Cubic metre	Per cubic metre	Per Cubic metre	Unit
					Amount