

© 01899-240618, 292000 Fax No. 01899-240618

## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No. PWD-Dal/TA/Tender /2023-24-

9462-64

Dated: - 16-01- 2024

The Executive Engineer (IT Cell) Nigam Bihar Shimla-2

Subject: -

Publishing of Tender Notice.

Dear Sir,

Enclosed please find herewith the tender Notice of work as give in the Notice inviting Tender for uploading on department website as per notification Principal Secretary (PW) to the Govt. of Himachal Pradesh letter No. PBW-(B) A9 (3)1/2020 dated Shimla-2 the 16<sup>th</sup> July 2021 as the work mentioned in the tender notice are urgent in nature and public interest.

DA/ As above.

Executive Engineer, Dalhousie Division, DPPWD, Dalhousie.

Copy forwarded to the Superintending Engineer, 7<sup>th</sup> Circle, HPPWD, Dalhousie for information please.

Copy forwarded to the Computer Cell O/O Executive Engineer, (IT Cell) Nigam Bihar Shimla-2 for information and further necessary action.

Executive Engineer, Dalhousie Division, HPPWD, Dalhousie

## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

## "NOTICE INVITING TENDERS"

Sealed Item rate tender(s) on PWD from No 6 & 7/8 are hereby invited by the Executive Engineer, Dalhousie Division, HPPWD, Dalhousie o behalf of the Governor of HP for the following works from the approved and eligible contractor/firm of appropriate Class enlisted in HPPWD as per the latest instructions so as to reach in this office as per time schedule given below. The offer of the tender will be kept open for 90 days from the date of opening of the tender. The undersigned reserves the right to reject any or all the tender without assigning any reasons:-

Date of receipt of application for the tender Form a/w requisite documents:-

24.01.2024 (between2:00p.m.to4:30.p.m.)

 Date of issued/sale of tender form against Cash payment (non refundable).

27.01.2024

The tender shall be received upto 3:00 PM on 29.01.2024 and will be opened on the same day at 3:30 PM in the presence of intending Contractor or their authorized representative who may like to be present. The tender can be had from this office against each payment as shown below (Non refundable) during the working hours on 27.01.2024.

The Earnest Money in the shape of National Saving Certificate/FDR of any Bank in HP duly pledged in favour of Executive Engineer, Dalhousie Division, HPPWD, Dalhousie a must accompany with each application. Conditional tender and the tender received without earnest money will simultaneously be rejected. The offer of the tender shall be kept open for 90 days. The XEN reserve the right to accept or reject the tender without assigning any reasons:-

S. No.	Name of work	Estimated cost	Earnest Money	Cost of tender	Time Limit	Class
1.	Improvement of Black spot on Dalhousie Khajjiar road (SH:- Providing and erecting Crash barrier at K.m. 16/440 to 16/550 =110 Rmt.	81171/-	1700/-	350/-	Two	Class- D & C
2,	A/R & M/O to HPPWD circuit House at Dalhousie (SH:- Repair of Easy Chairs and dressing stool in room etc)	44600/-	1000/-	350/-	Two month	Class- D & C
	Restoration of rain damaged on link road to village Tabela k.m. 0/0 to 1/090 (SH:- C/O B/wall at R.D. 0/855 to 0/860	81047/-	1700/-	350/-	Two month	Class- D & C
4	A/R & M/O to HPPWD Rest House at Dalhousie (SH:- Repair of Sofa set and Easy Chairs in rooms etc)	76150/-	1550/-	350/-	One month	Class- D & C
5	A/R & M/O to HPPWD Rest House at Banikhet (SH:- Repair of Sofa set and Easy Chairs in rooms etc)	228150/-	4600/-	350/-	Two month	Class- D & C
6	A/R & M/O to HPPWD 7 <sup>th</sup> Circle office at Dalhousie (SH:- repair of office chair, Easy chairs, revolving chair and sitting stool in office etc)	139350/-	2800/-	350/-	Two month	D&C
7	A/R & M/O Link road to Harizan Basti at village Goli k.m. 0/0 to 0/500 (SH:- C/o PCC R/wall at R.D. 0/150 to 0/163)	395875/-	7950/-	350/-	Two month	Class- D & C
8	Annual Surfacing on Bounkhrimour to Dhunera road under AMP 2023-24 on Rural Road (SH:- Providing and Laying Hot plastic road marking paint link in k.m. 0/0 to 1/0, 2/0 to 3/0 & 3/0 to 5/0 = 4.00 K.m.)	286080/-	5800/-	350/-	Two month	Class- D & C
9	Restoration of Rain damage on Brangal Wangal Mandoh road 0/0 to 39/600 (SH:- :- Hiring of Excavator cum Loader for removal of Slips at various RDs 20/0 to 39/600)	99608/-	2000/-	350/-	Two month	Class- D & C

- 1. The tender forms will not be issued to those Contractors whose performance is not found satisfactory.
- 2. The tender shall be issued to those contractor o who have not more than two works in hand.
- 3. GST No./Earnest Money Tender Form cost, copy of enlistment should be accompanied with application.
- 4. Application without all documents will not be entertained.
- 5. Proxy application will not be entertained.

Executive Engineer, Palhousie Division, HTWD, Dalhousie. 9465-9515

Dated: - 16 - 01 - 20 24

Copy forwarded to the following for information and necessary action please:-

- I Engineer-in-Chief, HPPWD, Shinla.
- All the Chief Engineer in HPPWD
- 3 All SES/EE in HPPWD.
- 4 All AEs/Contractor under this Division.
- 5 Deputy Commissioner, Chamba
- 6 BDO Bhattiyat.
- 7 Sub Divisional Magistrate/Tehsildar Dalhousie.
- 8 Notice Board of this office.

Executive Engineer, Dalhousie Division, Dalhousie

## Certificate

Certified that the tenders called vide this office letter No. PWD-/TA/Tender /2023-24:-9468-64 dated. 16-01-24 Is emergent nature and in Public interest.

Executive Engineer, Dalhousie Division, HPPWD, Dalhousie.

	Schedule of Quantity			Estimated cost	arnest Money	Rs.81,171.00 Rs.1700.00
				Time	Time Limit:	Two Months
	Tank of work. Improvement of Black spot on Dalhousie Khajjiar road (SH:- Providing and errecting Crash barrier	ding and er	recting Crash		16/440 to	at Km16/440 to 16/550 = 110 Rmt
Sr.	Descripriton of Item	Quantity	Unit	Rate		Amount
				In Fig.	in words	
-	Earth work in excavation for all type of road structure such as retaining	7.55	Per Cubic		Rupees Nil	
a k	etcetera in dinary rock is prohibit		Metre.			
	and MORD technical specification section 300 and 1600 as					
	struction of shoring and bracing, removal of stumps and					
	6.0					
	exercised suitable / approved materials to the original surface in layers not					
	exceeding 150mm (one hundred fifty millimetre) compacted thickness					
	shoring s					
	and sub soil water) upto any depth and any quantum of water inclusing					
	eleaning of stush which may are our carriage of materials within all leads, lifts	ii e				
D 6	and other incidentals. The rate is inclusive of octroi, royality. Malkana.					
	imposed by the Gov	7.55	Per Cubic		Rupees Nil	
נו	viding and laying mechanically mixed and vibrated plain a Foundation grade M-15 (M-fifteen)—nominal mix 1 : 2		Metre.			
2	isto two & half sand isto five graded crushed broken stone aggregate 40mm (					
. 5	forty millimetre) nominal size) open loundations for all types					
7 3	for all denths and any quantum of water including removal of slush which may					
arr	arise at the time of laying concrete complete for all heights / depths including including arise and M.O.R.D. technical					
co	cost of form work complete as per massing					
Sp. Sp.	specification seemen within all leads, lifts and other incidentals. The rate including carriage of material within all leads, lifts and other incidentals. The rate					
15	inclusive of octroi, royality .viativana. com					
ITI	imposed by the Governmeni					

	S.
(Labour Rate)	perecting "W" metal beam crash barrier comprising of 3mm (10.00)  We road/ground level fixed on ISMC series channel vertical ve road/ground level fixed on ISMC series channel vertical wo meter) center to center 1.80 m (one point eight zero wo meter) center to center 1.80 m (one point eight zero 10 metre (One point one zero metre) below ground/ road parts and fitment to be galvanised by hot dip process. All parts and IS 1364, metal beam rail to be fixed on 150x75x5mm (One 15
Total:-	Rupees Nil



	L.			SNo				
	Repair of old Dressing Stool including superior quality of cloths in diffrent colours, sleep well set cushion of having size 18"x18"x3" (Eighteen inch into eighteen inch into three inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	cushion of having size 21"x22"x4" (Twenty one inch into twenty two inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax. GST Sales tax or any other taxes imposed by the Government.		Description of Item	Name of work: -A R & M/O to HPPWD Circuit Hause at Dalkansia (SH. B	Author S. Sagirit	Schedule of Onantity	
	4.00	8.00	Quantity	asy Chair	2			
			Rate	s and dres				
1			Rate in	sing stool in re	Time Limit :-	Earnest Money :- Rs.	Estimated Cost: - Rs.	Job X
Takal.	Each Chair	Each Chair	l'nit	oms etc)	- Tw	1e) :- Rs.	ost: - Rs.	o. 18 No.
			Amount		Two Month	1000.00	44600.00	Job No TS No. for 2023-24.



Earnest Money :- Rs. 1700.00
The state of the s

Sr.	Descriptions of Item	Qty.		Rate
No			In fig.	in words
-	Larth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains	13.25	k	
	and parapets eteetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard			
	nock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical			
	specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out,			
	shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any			
	lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated			
	suitable ' approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty			
	millimeters) compacted thickness including shoring and strutting and pumping and bailing out water			
	(surface and sub-soil water) upto any depth and any quantum of water including cleaning of slush-which			
	may arrse out during dewatering as per directions of Lugineer-in-Charge including carriage of materials			
	within all leads, lifts and other incidentals. The rate including octroi royality Malkhana toll tax sale tax .			
GST or any other taxes imposed by the Government				

		GST or any other taxes imposed by the Government.
		lifts and other incidentals. The rates are inclusive of the octori, royality, Malkana, toll tax, sale tax
		1204.3.7 and as per direction of Engineer-In-Charge including carriage of materalls with in all leads.
		horizental towards drawing face complete as per drawing and tecnical specification clause 614, 709,
		exetnding through the full width of the structures with a slope of 1 (one) vertical: 20 (twenty)
		wing wall, return wall, retaining walls with 100 mm (one hundred millimetre) dia meters, PVC pipe
	6.00	Providing Weepholes in brick masonary / stone masonary / plain / re-inforced concrete abutment,
1		

toll tax, sales tax. GST or any other taxes imposed by the Government.

and 1203 and as per direction of Engineer-in-Charge. The rate including the octroi, royalty, Malkana.

foundation for all type structure complete for all hights / depth including curing and cost of form work complete in all respect as per the drawing and technical specifications clause 802, 803, 1202

Providing and Laying plain cement concrete 1:5:10 (one cement isto five sand isto ten graded) crushed stone aggregate 40 mm (forty millimetre) nominal size mechanically mixed and vibrated in

15.55

Per Cubic Metre

Each



Total:-

Job No. . TS No. for 2023-24. Estimated Cost: - Rs. 76150.00

	Total:-					
	Each Sofa Seat		Si .	10.00	Repair of old sofa set seats including superior quality of cloths in diffrent colours . sleep well Sofa set cushion of having size 21"x22"x4" (Twenty one inch into twenty two inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick sofa set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	υ.
	Each Chair	3		2.00	Repair of old easy chair including superior quality of cloths in diffrent colours, sleep well set cushion of having size 21"x22"x4" (Twenty one inch into twenty two inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads. Iffs and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	
Amount	Unit	Rate in	Rate	Quantity	Description of Item	SNO
	is etc)	nairs a in room	d Lasy Ch	Sofa set ,and	Name of work: -A.R & M/O to HPPWD Rest House at Dalhousie (SH:- Repair of Sofa set, and Lasy Chairs a in rooms etc)	
Two Month		Time Limit :-				
1600.00	ey :- Rs.	Earnest Money :- Rs.			schedule of Quantity	
76150.00	st: - Rs.	Estimated Cost: - Rs.				



Sta IV

一一

facto

ghr tial.

C W

ceat

	Schedule of Quantity			Estimated Cost: - Rs		2,28,150,00
	Schedule of Quality			Earnest Money :- Rs	:- Rs.	1600.00
	Name of the last o	,		Time Limit :-		Iwo Month
	Name of work: -A/R & M/O to HPPWD Rest House at Banikhet (SH:- Repair of Sofa set and Easy Chairs a in rooms etc)	a set .anc	1 Easy Cha	iirs a in rooms	etc)	
S.No	Description of Item	Quantity	Rate	Rate in words	Unit	Amount
_	Repair of <b>old easy chair</b> including superior quality of cloths in diffrent colours, sleep well set cushion of having size 21"x22"x4" (Twenty one inch into twenty two inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	18.00			Each Chair	
2	Repair of old sofa set seats including superior quality of cloths in diffrent colours, sleep well Sofa set cushion of having size 24"x24"x4" (Twenty four inch into twenty four inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick sofa set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	10.00	- 		Each Sofa Seat	
	Repair of old sitting Stool including superior quality of cloths in diffrent colours, sleep well set cushion of having size 18"x18"x3" (Eighteen inch intoeighteen inch into three inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	20.00		25	Each sitting stool	

	Sales tax or any other taxes imposed by the Government.
	materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST
_	complete in all respect and as directed by the Engineer-in-Charge, including carriage of
	two ) density with all type of accessionies which is required for repair with labours charges
stool	40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty
sitting	set cushion of having size 18"x18"x3" ( Lighteen inch intoeighteen inch into three inch) with
Lach	Repair of old dining Chair including superior quality of cloths in diffrent colours, sleep well 8.00



Job No. . TS No. for 2023-24.

	Total:	-1				
	Each revolving Chair	_		7.00	Repair of old revolving chair including superior quality of cloths in diffrent colours, sleep well set cushion of having size 21"x22""x3" (Twenty one inch into twenty two inch into three inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	4
	Each sitting stool			8.00	Repair of old sitting Stool including superior quality of cloths in diffrent colours, sleep well set cushion of having size 18"x18"x3" (Eighteen inch intoeighteen inch into three inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax. GST Sales tax or any other taxes imposed by the Government.	در)
	Each Chair			15.00	Repair of old office Chair including superior quality of cloths in diffrent colours, sleep well set cushion of having size 21"x22""x3" (Twenty one inch into twenty two inch into three inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick set feather foam of 32 (thirty two) density with all type of accessiories which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax, GST Sales tax or any other taxes imposed by the Government.	2
	Each Chair			10.00	Repair of <b>old easy chair</b> including superior quality of cloths in diffrent colours. sleep well set cushion of having size 21"x22"x4" (Twenty one inch into twenty two inch into four inch) with 40 (Forty) density and 25mm (Twenty five millimeter) thick feather foam of 32 (thirty two) density with all type of accessionics which is required for repair with labours charges complete in all respect and as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate inclusive of Octroi, toll tax. GST Sales tax or any other taxes imposed by the Government.	
Amount	Unit	Rate in	Rate	Quantity	Description of Item	S.No
ffice etc)	g stool in of	chair and sitting	revolving o	sy Chairs.	Name of work: -A/R & M/O to HPPWD 7th Circle office at Dalhousie (SH:- Repair of office chair. Easy Chairs , revolving chair and sitting stool in office etc.)	7
Two Month	Two	Time Limit :-				
139350.00	St: - Rs.	Estimated Cost: - Rs. Earnest Money :- Rs.			Schedule of Ouantity	

Total:-

Job No. - TS No. --

l otal:-					_	
Each			28.00	Providing Weepholes in brick masonary / stone masonary / plain / re-inforced concrete abutment, wing wall, return wall, retaining walls with 100 mm (one hundred millimetre) dia meters, PVC pipe exetuding through the full width of the structures with a slope of 1 (one) vertical: 20 (twenty) horizental towards drawing face complete as per drawing and tecnical specification clause 614, 709, 1204.3.7 and as per direction of Engineer-In-Charge including carriage of materails with in all leads, lifts and other incidentals. The rates are inclusive of the octori, royality, Malkana, toll tax, sale tax GST or any other taxes imposed by the Government.	* × 0 0 0 0 =	
Per Cubic Metre			16.38	Back filling with granular material behind abutments, return walls, wing walls and retaining walls complete as per drawings and MORD technical specification clause 1204.3.8 or as directed by the Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate including the octroi, royalty, Malkana, toll tax, sales tax. GST or any other taxes imposed by the Government.	w	
Per Cubic Metre			76.44	Providing and Laying plain cement concrete 1:5:10 (one cement isto five sand isto ten graded) crushed stone aggregate 40 mm (forty millimetre) nominal size mechanically mixed and vibrated in foundation for all type structure complete for all hights "depth including curing and cost of form work complete in all respect as per the drawing and technical specifications clause 802, 803, 1202 and 1203 and as per direction of Engineer-in-Charge. The rate including the octroic royalty, Malkana, toll tax, sales tax, GST or any other taxes imposed by the Government.	12	
Per Cubic Metre			35.36	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling; wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable (approved materials to the original surface in layers not exceeding 150 mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub-soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate including octroi royality Malkhana toll tax sale tax. GST or any other taxes imposed by the Govenment.	April	
Unit Amount	In words	In fig.	Qıy.	Descriptions of Item	No.	-
	/500 (SH:- C/O PCC R/wall at RD 0/150 to 0/163	CC R/wa	C/O P	Name of work: -A/R & M/O Link road to Harizan Basti at Village Goli km 0/0 to 0/500 (SH:		
t: - Rs. 3,95,875,00 y:- Rs. 8000,00 Six Month	Estimated Cost: - Rs. Earnest Money:- Rs. Time Limit:-			Schedule of Quantity		
		-				7



E 78 E 8 E 13	25 sp.	25 sp.	25 (tw	25 (tw	25		m	1 Pr	0	?	A		
(two point five millimetre) is exclusive of surface applied glass beeds as per specification and with strips of 0.10 (zero decimal one) metre width in centre lines or edge lines of the road as per MORTH specification Clause No.803 or as per directions of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidental. The rate is inclusive of octroi, royality. Malkana,	o point five millimetre) is exclusive of surface applied glass beeds as per cification and with strips of 0.10 (zero decimal one) metre width in centre es or edge lines of the road as per MORTH specification Clause No.803 or a directions of Engineer-in-Charge, including carriage of materials within a	o point five millimetre) is exclusive of surface applied glass beeds as pecification and with strips of 0.10 (zero decimal one) metre width in centres or edge lines of the road as per MORTH specification Clause No.803 or a	o point five millimetre) is exclusive of surface applied glass beeds as pecification and with strips of 0.10 (zero decimal one) metre width in central	o point five millimetre) is exclusive of surface applied glass beeds as pe		250 (two hundred fifty gram) gram per square metre area, thickness of 2.5 mm	mm (two decimal five millimetre) thick with reflectorising glass beeds at the rate	Providing and laying Hot plastic road marking paint of approved manufacture 2.5		Description	Annual Surfacing on Bounkhrimour to Dhunera road under AMP 2023-24.  plastic road marking paint line in Km 0/0 to 1/0 &	Schedule of Quantity	
		<i>y</i> ,						100		Quantity	3-24 on /0 & 2/0		
									In Fig.		Rural Ro		
									In word	Rate	on Rural Road (SH:- Providing and Laying Hot	Estimated Cost - Rs 2.86,080 00 Farnest Money - Rs 5800 .00	
							Metre	Per Square		l'nit	iding and La	Rs 2.86.08 Rs 5800 .00	
<u>y</u>	, v	, v	, v	, , , , , , , , , , , , , , , , , , ,	y	tv.		1		Amount	Laying Hot	00 00	





		No.	0,	Nam		
	Hiring of J.C.B./Excavator cum loader for cutting/widening work of road or removal of slips in all kinds of soil and disposing of all excavated earth or un-serviceable materials from the road surface upto any leads and lifts up to any height and depth as per direction and entire satisfactions of Engineer-in-Charge. Any loss to the public/private property or any accident etcetera happened during the course of hiring period/execution shall be the absolute responsibility of the J.C.B./Exacavator owner which shall have to be fully compensated by the contrator in all cases. The fuel and operational staff for machine will be provided by the owner. The repair and spare, watch and ward of machine also be borne by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-Charge. The rate is including the octorol, royalty. Malkana, sales tax. GST or any other taxes imposed by the Government.		Sub head / item of work	Name of work: - Restoration of rain Damages on Brangal Wangal Mandoh road km 0/0 to39/600 (SH:- IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Schedule of Quantity.	
-		-	T		nates Mor	
			In Words	Rate	Earnest Money :- Rs. 2000.00  Earnest Money :- Rs. Two Mon Time Limit :- Two Mon	rd Cost: - Rs. 99608.00
Total	Metre	Cubic	1	Unit	Two Month Excavator c	98
tal	ō	Ö ,	1	Amount	cum Loader	TS No 38 For 2023-
L						

