

Office of

Executive Engineer Baljnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baljnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/- 「コチ43ー ラュ DATED ロラーロュー ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP.PWD, Bajjnath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Scaled item rate of tender form No. 6 & 8 are hereby invited by the Executive Engineer. Baijnath Division H.P.PWD. Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 22.02.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 21.02.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 20.02.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.P.W.D. Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Special Repair of Govt. Ayurvedic Hospital Building at Paprola Distt. Kangra (HP) (SH: Repair of General Toilet Block) G.F.	Rs.4.94,752/-	Rs.10,000/-	Rs.350/-	Two Month

Terms and conditions:-

- 1 The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- 3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- 4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- 5. Only two tenders form will be issued to the contractor/firm which may be noted.
- 6. The contractor will also have to attach the labour employer license from the labour office with the application
- 7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection strughtway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the
 portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck Tipper. Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- The Contractor shall not have more than I wo works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
- 12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit

Executive Engineer, Basinash Division., H.P.PWD. Baijnath

For & On behalf of the governor of H.P.

Dated: - 09.02.2024

NO:-PWD/BD/T:A/N17/2023-24/-

- Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachae Pradesh Shimia-2 for favour of information please
 The Engineer-in-chief, HPPWD, Shimla.
- 4 The Superintending Engineer, JNR, Circle HPPWD, Jogander Nagar,
- 5 All the Assistant Engineer working under this Division.

The Chief Engineer (MZ), HPPWD, Mandi.

- 6 Drawing Brauch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, BPPWD, Shimla for uploading the NIT on the Departmental website

Executive Engineer, Bailwath Division

H.H.PWD.Baynat

Name of Work: Special Repair of Govt. Ayurvedic Hospital Building at Paprola Dist. Kangra H.P. (Sh: -Repair of General Toilet Block) GF				Earnest Mon	ost: Rs. 494752/- rey: Rs. 10000/- Two Months	
	SCHEDULE OF WORKS					
S	Description of work	No.or	Unit	Estimated Rate		Rs. P
No.		Qty.		Figure	Words	18.5.
ı	30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (± 0.2 mm), with inbuilt decorative moulding edging on one side. The stylesand rails mitted and joint at the corners by means of M.S. galvanised plasticbrackets of size 75x220 mm having wall thickness 1.0 mm and stainless steelscrews. The styles of the shutter reinforced by inserting galvanised M.S. tubeof size 25x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of H section, a uPVC hollow section of size 100x30 mm and 2 mm (± 0.2 mm) wall thickness fixed to the shutter styles by means of plastic/galvanised M.S.U cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (±0.1 mm) wall thickness. The panels filled vertically and tie bar at two places bynserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. The rates are inclusive all texes levy by the Govt. time to time including GST.	12.30	Sqm			
2	Providing and fixing 250x16mm (two hundred fifty into sixteen) millimeter aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :300x16 mm. (Three hundred into sixteen) millimeter. The rates are inclusive all texes levy by the Govt. time to time including GST.	8.00	Each			
3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 250x10 mm. (Two hundred fifty into ten) millimeter. The rates are inclusive all texes levy by the Govt, time to time including GST.	16.00	Each			
	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 asper IS: 1868) transparent or dyed to required colour orshade, with necessary screws cac. Complete 125 mm. (One hundred twenty five) millimeter. The rates are inclusive all texes levy by the Govt. time to time including GST.	16.00	E2ch			
	Providing and laying antiskid Ceramic glazed tiles of size 300x300 mm (Three hundred into three hundred) millimeter (thickness to be specified by the manufacturer) of 1st Quality confirming to 1S 15622 of approved make in colour such as white. Ivory, Grey fume red brown laid on 20 mm thek coment morotr 1:4 (One cement:4 coarse sand) joining with grey cement slurry @3.30 (Three point thirty) kg/sqm including pointing the joints with white cement and matching pigment etc. complete. The rates are inclusive all texes levy by the Greet. time to time including GST.	12.16	Sqm			

6	Providing and laying 300x450 mm cremic white glazed tiles Dado of Kajaria/Swastik/Bell/AGL/ Jonson tiles NTC or equavalent of approved make in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete. The rates are inclusive all texes levy by the Govt. time to time including GST.	18.85	Sqm	
7	Dismantling tile work in floors and roofs laid in coment mortar including stacking material within 50 (Fifty) metres lead. For thickness of tiles above 25 (Twenty five) mm and up to 40 (Forty) mm. The rates are inclusive all texes levy by the Govt. time to time including GST.	12.16	Sqm	
8	Providing and fixing white viterous china EWC water closet star S No 20087 (S-10) of size 57x35x39 (Fifty seven into thirty five into thirty nine) Centimeter with Jet pressure and with 10 (Ten) litre low level PVC eistern & C.P. flush bend with fittings & C.I. brackets, 40 mm (Forty) millimeter flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required of Hiodware or Equavalent. The rates are inclusive all texes levy by the Govt, time to time including GST.	2.00	Each	
9	Providing and fixing water closet orissa pan No 20090 of size \$3x41 (Fifty three into forty one) CM (Indian type W.C. pan) with 100 mm (One hundred) millimeter sand cast from P or S trap.10 (Ten) litre low level white P.V.C. flushing cistern, includingflush pipe, with manually controlled device (handle lever) with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pan of Hindware or Equavalent. The rates are inclusive all texes levy by the Govt, time to time including GST.	4.00	Each	
10	Providing and fixing wash basin GARNET no 10080 of size 58x43 (Fifty eight into forty three) cm (under Counter basins) of HINDWARE or Equavalent. 32 (Thirty two) mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China. The rates are inclusive all texes levy by the Govt. time to time including GST.	2.00	Each	
11	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.32 (Thirty two) mm dia. The rates are inclusive all texes levy by the Govt. time to time including GST.	6.00	E±ch	
12	Providing and fixing 100mm (One hundred) millimeter dia CP iron grating of ESS-KSS for nalhni trap. The rates are inclusive all texes levy by the Govt. time to time including GST.	6,00	Each	
13	Providing and fixing G.f. inlet connection for flush pipe connecting with W.C. pan. The rates are inclusive all texes levy by the Govt. time to time including GST.	6.00	Each	

(6)

_		
~	. 1	г
1	1	١.

				(0)
14	Providing and fixing C.P. brass long nose bib cock F-330011 Jaquar or equivalent single control of approved quality conforming to IS standards. 15 mm (Fifteen) millimeter nominal bore. The rates are inclusive all texes levy by the Govt. time to time including GST.	4.00	Each	
15	Providing and fixing CP brass stop cock (concealed) of standred design and app. F-330043 of HINDWARE 15mm (Fifteen) millimeter nominal bore. The rates are inclusive all texes levy by the Govt. time to time including GST.	8.00	Each	
16	Providing and Fixing Pillar cock F-330002 of HINDWARE 15 mm (Fifteen millimeter) Jaquar or equivalent as per direction complete. The rates are inclusive all texes levy by the Gov1. time to time including GST.	2.00	Each	
17	Providing and fixing uplasticised PVC connection pipe with brass unions 45 (Forty five) cm length 15 (Fifteen) mm nominal bore. The rates are inclusive all texes levy by the Govt. time to time including GST.	8.00	Each	
18	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. The rates are inclusive all texes levy by the Govt. time to time including GST.	1000.000	Lite	
19	Providing and fixing Polyethelene-Aluminium Polyethelene PE-AL- PE Composite Pressure Pipes conforming to IS - 15450, U.V. stabilized with carbon black having thermal stability for hot & cold water supply, capable to withstand temperature up to 80°C, including all special fittings of composite material (engineering plastic blend and brass inserts wherever required) e.g. elbows, toes, reducers, couplers & connectors etc., with clamps at 1.00 metre spacing. This includes the costs of cutting chases and including testing of joints complete as per direction of the engineer in charge.1216 (16mm OD Pipe) Concealed work, including cutting chases and aking good the wall etc. The rates are inclusive all texes levy by the Govt. time to time including GST.	30.00	Rmt	
20	Providing and fixing G.I. pipes complete with G.L. Fittings including trenching and refilling etc.: 20 mm. (Twenty) millimeter. The rates are inclusive all texes levy by the Govt. time to time including GST.	30.00	Rant	
21	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 (One point five) m in width or 10sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 (One point five) meter, including getting out the excavated soil anddisposal of surplus excavated soil as directed, within a lead of 50 (Fifty meter). The rates are inclusive all texes levy by the Govt, time to time including GST.	43.20	Cum	

22	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:5:10 (1 cement : 5 coarse sand): 10 graded stone aggregate 40 mm nominal size). The rates are inclusive all texes levy by the Govt. time to time including GST.	10.80	Cum	
23	Providing and fixing high pressure PVC spigot and socket soil, waste and ventilating pipes ISI Marked i/c fixing with approved adhesive etc. Complete. The rates are inclusive all texes levy by the Govt, time to time including GST.			
24	75 mm Dia (Seventy five) millimeter.	18 00	Rms	
25	110 mm Dia (One hundred (cn) millimeter.	18.00	Rmt	
26	150 mm dia (One hundred fifty) millimeter.	120.00	Rmt	_
27	Providing and fixing PVC Single Equal Branch with oval asses ISI Marked insertion rubber washer 3 mm (Three) millimeter thick bolt and nuts complete i/c fixing with approved adhesive etc. Cpmplete. The rates are inclusive all texes levy by the Govt. time to time including GST.			
28	75 mm Dia (Seventy five) millimeter.	3.00	Each	
29	110 mm Dia (One hundred ten) millimeter.	3.00	Each	
30	Providing and fixing vitreous China urinal Targe Flat back No 60002 of size 39x37.5x59 (Thirty nine into thirty seven point five into fifty nine) centimeter cm in White Shade of Perryware /Jaqar/ Hindware/ Cera or equivalent including outling hotes & making good the same and carriage of materials within all leads and lifts: Of Superior quality as per direction of Engineer-Charge. The rates are inclusive all texes levy by the Govt. time to time including GST.	2.00	Each	
31	Providing and fixing Division Plate for urinals 600x300 (Six hundred into three hundred) millimeter mm Viterous Chiana The rates are inclusive all texes levy by the Govt, time to time including GST.	1.00	Each	

32	Providing and fixing ISI marked of self cleaning design including fixing with approved adhesive cost of cutting and making good the wall and floor etc. Complete for size 110x75 (One hundred ten into seventy five) mm. The rates are inclusive all texes levy by the Govt, time to time including GST.	6.00	Each	
33	Constructing masonry Chamber 90x90x100 (Ninety into Ninety into hundred) centimeter inside, in brick work in coment mortar 1:4 (I cernent : 4 coarse sand) for sluice valve, with C.I. surface box 100 mm top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (I cernent : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), i/c necessary excavation, foundation concrete 1:5:10 (I cernent : 5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cernent mortar 1:3 (I cernent : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cernent complete as per standard design. The rates are inclusive all texes levy by the Govt, time to time including GST.	6.00	Each	

Executive E- neor Barnath Divis H.P.P.W.D.B. Ach