



Himachal Pradesh
Public Works Department
HP.PWD Division Bhawarna, Distt. Kangra (H.P)-176083
Tel:01894-247777, e-mail id: eepwd-bhaw-hp@gov.in

"SHORT TERM NOTICE INVITING TENDERS"

Sealed item rate tenders on form 6 & 8 are hereby invited by the Executive Engineer, Bhawarna Division HP.PWD. Bhawarna on behalf of the Governor of H.P for the following works from the approved and eligible contractors enlisted in HP.PWD, (B&R) whose registration stood renewed as per revised rules and also registered under the H.P General Sales Tax Act 1968 so as to reach in his office on or before **21/02/2024** up to 11 00 AM. and the same shall be opened on the same day at 11.30 A.M. in the presence of intending contractors or their authorized representatives. The tender documents can be had from his office against cash payment (Non-refundable) on **20/02/2024** up to 4.00 P.M and the application for issue of tender form shall be received on **19/02/2024** up to 12.00 noon.

The earnest money in the shape of NSC/FDR/saving account of the Post office/Bank in H.P duly pledged in favour of the XEN must accompany with each tender. Conditional/ incomplete tenders & tender without earnest money will be summarily rejected. The XEN reserves the right to accept or reject any or all tenders or drop the proposal of tenders without assigning any reasons.

Sr. No.	Name of Work	Estimated Cost	Earnest Money	Time Limit	Cost of Tender form
1	A/R & M/O various roads under HP.PWD Sub Division Dheera (Sullah Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,96,791/-	9900/-	Three Months	350/-
2	A/R & M/O various roads under HP.PWD Sub Division Dheera (Purba Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,91,608/-	9800/-	Three Months	350/-
3	A/R & M/O various roads under HP.PWD Sub Division Thural (Bhagolu da Ghatta Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,97,578/-	10,000/-	Three Months	350/-
4	A/R & M/O various roads under HP.PWD Sub Division Thural (Thural Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,89,985/-	9800/-	Three Months	350/-
5	A/R & M/O various roads under HP.PWD Sub Division Bhawarna (Daroh Garh Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,97,682/-	10,000/-	Three Months	350/-
6	A/R & M/O various roads under HP.PWD Sub Division Bhawarna (Daroh Garh Section) (SW.-Providing and laying Mix Seal Surfacing for patch work on various roads)	4,98,977/-	10,000/-	Three Months	350/-

Terms & Conditions:-

1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor/firm have to produce the copy of latest enlistment and renewal enlisted in HP.PWD.
3. If any of the date mentioned above happened to be Gazetted Holiday the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/application or all tender without assigning any reason.
5. The contractor will have to submit affidavit along with application for issue of tender that he has not more than two works in hand.
6. Next tender will be issued only after completion of previous works in hand.

HIM SUCHANA AVM JAN SAMPARK

Executive Engineer
Bhawarna Division
HPPWD Bhawarna

(On behalf of Governor of Himachal Pradesh)

No. PWD/BWD/Tender/NIT/2023-24/-

15718-77

Dated:- 16/2/2024

Copy to following for information and necessary action:-

1. The Principal Secy (PW) to the Govt. of H.P. Shimla.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (KZ), HPPWD, Dharamshala.
4. The Director, Information & Publications Department, HP Shimla.
13. The Executive Engineer (IT), Nigam Vihar Shimla. He is requested to upload the same on the department website.
14. The Superintending Engineer, 5th Circle, HPPWD, Palampur.
15. The Deputy Commissioner, Kangra at Dharamshala.
16. The Sub-Divisional Officer(Civil) Palampur.
17. All the S.E.s/E.E.s under Kangra Zone.
18. All the Assistant Engineers under this Division.
19. The Drawing /Accounts Branch in this office.
20. Notice Board.


Executive Engineer
Bhawarna Division
HPPWD Bhawarna

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Bhawarna (Darang Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads)

Estimated Cost :- Rs. 4,98,977-
Earnest Money :- Rs. 10000/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1373.83			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1373.83			Per Square metre	
Total :-						


 Executive Engineer
 Bhawarna Division
 HP PWD Bhawarna

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Bhawarna (Daroh Garh Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads).

Estimated Cost :- Rs. 4,97,682/-
Earnest Money :- Rs. 10000/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1370.20			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 810 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1370.20			Per Square metre	
Total :-						



 Executive Engineer
 Bhawarna Division
 HP PWD Bhawarna

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Thural (Thural Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads)

Estimated Cost :- Rs. 4,89,985/-
Earnest Money :- Rs. 9800/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana. toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1348.62			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1348.62			Per Square metre	
Total :-						



 Executive Engineer
 Bhawarna Division
 HP PWD Bhawarna

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Thural (Bhagolu Da Ghatta Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads)

Estimated Cost :- Rs. 4,97,578/-
Earnest Money :- Rs. 10000/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1369.91			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 810 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1369.91			Per Square metre	
Total :-						


Executive Engineer
Bhawan Division
HP PWD Bhawan

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Dheera (Purba Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads)

Estimated Cost :- Rs. 4,91,608/-
Earnest Money :- Rs. 9800/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1353.17			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1353.17			Per Square metre	
Total :-						


Chaiyic
Executive Engineer
Bhawarna Division
HP PWD Bhawarna

Schedule of Quantity

Name of Work :- A/R & M/O various roads under HPPWD Sub-Division Dheera (Sullah Section) (SW:- Providing and laying Mix Seal Surfacing for Patch work on various roads)

Estimated Cost :- Rs. 4,96,791/-
Earnest Money :- Rs. 9900/-
Time Limit :- Three Months

S. No	Description of Item	Quantity	Rate		Unit	Amount Rs.
			In figure	In Words		
1	Providing, laying, Wearing 63 to 45mm (Sixty three to forty five millimetre) nominal size Grading-2, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with smooth wheel 80-100 Kn. in stages to proper grade and camber, applying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and compacting to the required density grading 2 as per technical specification Clause 405 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	5.00			Per Cubic metre	
2	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of 0.225 Kg (Zero decimal two five Kilogramme) per Square metres on the prepared bituminous surface cleaned with Hydraulic broom as per technical specification clause 503, as per directions of Engineer-in-charge including carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1367.70			Per Square metre	
3	Providing, laying and rolling of closed-graded mix seal surfacing, surfacing material of 25 mm (Twenty five millimetre) compacted thickness composed of Type-A 11.2 mm (eleven decimal two millimetre) to 0.09 mm (zero point zero nine millimetre) nominal size crushed stone aggregate at the rate of 0.338 Cum. (Zero point three three eight Cubic metre) per ten square metre mixed with penetration grade bitumen V.G-10 (Viscosity grade-Ten) at the rate of binder contents at the rate of 27.50 Kg (twenty seven point five zero Kilogram) per ten square metres or 5.11 % (five decimal one one percent) by weight and minimum density of mix seal surfacing should be 2.10 gm (two decimal one zero) gram/ cubic centimetre to required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a three wheel 8-10 (Eight to ten) KN static road roller, finished to required level and grades excluding the cost of tack coat inclusive of all corrective measures such as laying of profile corrective coarse for all depth and construction of super elevation and camber, where required as per MORD Technical Specification section 500 complete in all respect and as per the direction of the Engineer in Charge including carriage of materials within all leads, lifts and other incidental. The rates includes octroi, royalty, malkana, toll tax, GST and other taxes imposed by the Government.	1367.70			Per Square metre	
Total :-						


 Executive Engineer
 Bhawana Division
 HP PWD Bhawana