HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No.PW-SRDD-CB-CTR-NIT-2023-24-28035-60 Dated: 09/02/2024

To

The Executive Engineer (IT Cell) H.P.P.W.D. Nigam Vihar Shimla-2.

Subject:-

Short Terms Notice Inviting Tender for uploading the same on departmental website.

Enclosed please find herewith Short Terms Notice Inviting Tender (NIT) of various works in respect of this office as per the approval accored by the Superintending Engineer, 4th Circle HPPWD Shimla-3 vide his letter no. SE.IV.CTR-12(Dhami)/2023-20311 dated 09.02.2024 for uploading the same on departmental website at the earliest please.

Encl:-Copy of NIT

Executive Engineer. Shimla Bural Division H.P.P.W.D. Dhami Ph. 0177-2790534

Copy forwarded for the following for information and necessary action to:-

- The Engineer-in-Chief, HPPWD., Nirman Bhawan. Nigam Vihar, Shimla-2 ١.
- The Chief Engineer, (SZ) HPPWD., Nirman Bhawan, Nigam Vihar, Shimla-2.
- The Superintending Engineer, 4th Circle, HPPWD., Shimla-3, w.r.t. his letter No. 3. 20311 dated 09.02.2024.
- All the Superintending Engineer, in HPPWD. (SZ) 4.
- The Deputy Commissioner Shimla Distt. Shimla. 5.
- The Sub Divisional Magistrate Shimla. 6.
- All the Executive Engineers in HPPWD, (SZ). 7.
- All the Assistant Engineer, working under this division. 8.
- All the heads of the branches in this office. 9.
- 10. Notice Board.

Executive Engineer. Shimla Rural Division H.P.P.W.D. Dhami Ph. 0177-2790534

Himachal Pradesh Public Works Department

 $_{\text{To}}^{\text{No.SE.IV.CTR-12}(\text{Dhami})/2023}$.

20311

Dated:- 09 02/2024

The Executive Engineer, Shimla Rural Division Dhami HPPWD, Dhami.

Subject:

Regarding publication of short term Notice Inviting tenders for approval.

Reference;

Your office letter No.27958 dated 8/2/2024,

As per your request referred in above letter regarding reduction of prescribed period of short tender notice to award the work expeditiously for the following works are hereby accorded to reduce the time for floating the tender being exigency/emergency nature as per notification No.PBW(B)A(3)1/2020 dated 27/5/2021.

Sr. No	Name of Work
	N R & M/O to Shoghi Mchli road km. 0'00 to 12/375 (SII:- Construction of V- shape dmin in km, 6/00 to 6/440)
2	W.R. & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/440 to 6/880)
3	N/R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/880 to 7/320)
4	N/R & M/O to Shoghi Mehli mad km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 7/320 to 7/760)
5	N R & M/O to Shoghi Mehli road km. 0'00 to 12/375 (SH:- Construction of V- shape drain in km. 7/760 to 8/200)
6	A/ R & M/O to Shoghi Mehli road km. 0'00 to 12'375 (SH:- Construction of V- shape drain in km. 8'200 to 8/640)
7	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of V- shape dmin in km. 8/640 to 9/080)
8	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 9/080 to 9/520)
9	A/ R & M/O to Shoghi Mchli road km. 0/00 to 12/375 (SII:- Construction of V- shape dmin in km. 9/520 to 9/960)
10	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of V- shape drain in km. 9/960 to 10/400)
11	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.10/400 to 10/840)
12	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 10/840 to 11/280)
13	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km, 11/280) to 11/720)
14	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH Construction of V- shape drain in km. 11/720 to 12/160)
15	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of V- shape drain in km, 12/160 to 12/375)
16	A/ R & NI/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of U- shape drain in km.4/00, 4/405, 5/885, 8/165,11/00)

This is for your information and further necessary action.

Superintending Engineer, 1" Circle HPPWD, Shimto.

927-CTA-12

THOUSE HAVE LEVEN WINE WILL PUBLIC WORKS DEPARTMENT

SHORT TERMS NOTICE INVITING TENDER

Shimla Rural Division H.P.P.W.D. Dhami on behalf of Governor of Himachal Prodesh for the followings works from the eligible contractors antically a transfer of the contractors and the contractors are contractors and the contractors and the contractors are contractors are contractors and the contractors are contractors and the contractors are contractors are contractors are contractors are contractors. contractors enlisted in B.P.P.W.D. (B&R) whose registration stood renewed as per revised rules and also registered under the Central Goods and Santage of the contract of the Goods and Sevices Tax Act, 2017 so as to reach in this office on before 17.02.2024 up to 11:30 AM and the same shall be opened on the same door at \$2.00 kg to be present. The the same day at 12:00 P.M. in the presence of Intending contractors or their authorized representative who may fike to be present. The Tenders down the present of Intending Contractors or their authorized representative who may fike to be present. The Tenders documents can be had from this office against each payment (Non-refundable) on 16,02,2024 up to 4:30 PM and the application for issue of lender form shall be received on 15.02.2024 up to 5:00 PM. The amount of earnest money in the shape of NSCerting and issue of lender form shall be received on 15.02.2024 up to 5:00 PM. The amount of earnest money in the shape of NSCs/FDR deposit at call of any of the Post office/Bank duly pledged in favour of Executive Engineer Shimla Rural Division HPPWD Dhami more all of any of the Post office/Bank duly pledged in favour of Executive Engineer Shimla Rural Division HPPWD Dhami must be accompanied with the application for tender documents. Please not no exemption order of carnest money will be entertained to the application for tender documents. entertained. Conditional tenders and the tenders received without earnest money as mentioned above will similarly be rejected. The offer of the tenders shall be dept open for 75 days. The Executive Engineer reserve right to reject any tender of all tenders without assigning any reasons. If it happens to be a holiday on the day of opening of tenders the same will be opened on next working day at the same time and venue.

Sr. Na	Name of Work	Estimated Cost(In Rs.)	EMD	Tender	line
1	N/R & M/O to Shoghi Mebli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/00 to 6/440)	4,98,614/-	10000)-	350/-	One Month
2	of V-shape drain in km. 6/440 to 6/880)	1	10000/-	350/-	One Month
	of V- shape drain in km, 6/880 to 7/320)		100004-	350-	One Month
1 _	A/R & M/O to Shoghi Mehli road km Wt0 to 12/375 (SII:- Construction of V- shape drain in km. 7/320 to 7/760)	4,99,790/-	10000/-	350/-	One Month
5	A/R & M/O to Shophi Mehli roud km 0/00 to 12/375 (SII - Construction of V- shape drain in km. 7/760 to 8/200)	4,98,614/-	10000/-	350/-	One Month
6	A/R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII) - Construction of V- shape drain in km. 8/200 to 8/6-t0)	4.99,202/-	10000/-	3502-	One Month
7	A/R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 8/6-10 to 9/080)	4,99,790/-	10000/-	350/-	One Month
8	At R. & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 9/080 to 9/520)	4,98,614/-	10000/-	350/-	One Month
9	A/ R & M/O to Shoghi Mehti road km. 0/00 to 12/375 (SH Construction of V- shape drain in km. 9/520 to 9/960)	4,99,202/-	10000/-	350/-	One Month
10	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of V- shape drain in km. 9/960 to 10/400)	4.99.790/-	10000/-	350/-	One Month
11	W.R. & M/O to Shoghi Mehli rond km. 0/00 to 12/375 (SII:- Construction of V- shape drain in km. 10/400 to 10/840)	4.98,614/-	10000/-	350/-	One Month
12	A/ R & M/O to Shoghi Mehli road km 0.00 to 12/375 (SH:- Construction of V- shape drain in km. 10/840 to 11/280)	4,99,202/-	10000/-	350/-	One Month
13	A/ R & M/O to Shoghi Michli road km. 0/00 to 12/373 (SH:- Construction of V- shape drain in km. 11/280) to 11/720)	4.99,790/-	1(X)00/-	350/-	One Month
14	W R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SII:- Construction of V- shape drain in km. 11/720 to 12/160)	4,98.614/-	10000/-	350/-	One Month
15	AV R & M/O to Shoghl Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 12/160 to 12/375)	2,44,229/-	10000/-	350/-	One Month
16	A/ R & M/O to Shoghi Mehli road km. 0 00 to 12/375 (SII:- Construction of U- shape drain in km.4/00, 4/405, 5/885, 8/165,11/00)	3,75,728/-	10000/-	350/-	One Month

Followings documents should be attached with the application for tenders:-The

Contractors are requested to be produced a copy of their PAN No. GST No. copy of enlistment renewed letter and EPF certificate alongwith FDR against carnest money.

Special care would be taken to write the rates both in figures and in word failing which tenderlis likely to be rejected.

Execusive Engineer. Shimla Rural Division. If.P.P.W.D. Dhamk

Superintending Engineer, 4 Circle, HEPWD Shimla-3.

<u>Certificate</u>

Certified that the tenders called vide this notice inviting tender for 16 (Sixteen) John are

due to exigencies/emergency of works in the larger public interest.

Executive Ungineer. Shimia Rural Division, Dhami

Superintending Engineer, 4th Circle, HPPytD Shimla-3.

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

SHORT TERMS NOTICE INVITING TENDER

Sealed percentage tenders on PWD Form 6 & 7/8 are hereby invited by the Executive Engineer Shimla Rural Division H.P.P.W.D. Dhami on behalf of Governor of Himachal Pradesh for the followings works from the eligible contractors enlisted in H.P.P.W.D. (B&R) whose registration stood renewed as per revised rules and also registered under the Central Goods and Sevices Tax Act. 2017 so as to reach in this office on before 17.02.2024 up to 11:30 AM and the same shall be opened on the same day at 12:00 P.M. in the presence of intending contractors or their authorized representative who may like to be present. The Tenders documents can be had from this office against cash payment (Non-refundable) on 16.02.2024 up to 4:30 PM and the application for issue of tender form shall be received on 15.02.2024 up to 5:00 PM.

The amount of earnest money in the shape of NSCs/FDR deposit at call of any of the Post office/Bank duly pledged in favour of Executive Engineer Shimla Rural Division HPPWD Dhami must be accompanied with the application for tender documents. Please not no exemption order of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will similarly be rejected. The offer of the tenders shall be dept open for 75 days. The Executive Engineer reserve right to reject any tender of all tenders without assigning any reasons. If it happens to be a holiday on the day of opening of tenders the same will be opened on next working day at the same time and venue.

Sr. No	Name of Work	Estimated Cost(In Rs.)	EMD	Tende r cost	Time
ľ	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/00 to 6/440)	4,98,614/-	10000/-	350/-	One Month
2	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/440 to 6/880)	4.98.614/-	10000/-	350/-	One Month
3	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 6/880 to 7/320)	4.98.614/-	10000/-	350/-	One Month
4	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.	4,99,790/-	10000/-	350/-	One Month
5	7/320 to 7/760) A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.	4,98,614/-	10000/-	350/-	One Month
6	7/760 to 8/200) A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.	4,99,202/-	10000/-	350/-	One Month
7	8/200 to 8/640) A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.	4,99,790/-	10000/-	350/-	One Month
8	8/640 to 9/080) A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.	4,98,614/-	10000/-	350/-	One Month
9	9/080 to 9/520) A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 9/520 to 9/960)	4,99,202/-	10000/-	350/-	One Month

10	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 9/960 to 10/400)	4,99,790/-	10000/-	350/-	One Month
11	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km.10/400 to 10/840)	4,98,614/-	10000/-	350/-	One Month
12	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 10/840 to 11/280)	4,99,202/-	10000/-	350/-	One Month
13	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 11/280) to 11/720)	4,99,790/-	10000/-	350/-	One Month
14	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 11/720 to 12/160)	4,98,614/-	10000/-	350/-	One Month
15	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of V- shape drain in km. 12/160 to 12/375)	2,44,229/-	10000/-	350/-	One Month
16	A/ R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:- Construction of U- shape drain in km.4/00, 4/405, 5/885, 8/165,11/00)	3.75,728/-	10000/-	350/-	One Month

Followings documents should be attached with the application for tenders:-

- (i) The Contractors are requested to be produced a copy of their PAN No. GST No. copy of enlistment renewed letter and EPF certificate alongwith FDR against earnest money.
- (ii) Special care would be taken to write the rates both in figures and in word failing which tender is likely to be rejected.

Executive Engineer, Shimla Rural Division, H.P.P.W.D. Dhami.

Certificate

Certified that the tenders called vide this notice inviting tender for 16 (Sixteen) Jobs are due to exigencies/emergency of works in the larger public interest.

Executive Engineer, Shimla Rural Division, H.P.P.W.D. Dhami.

	i e		7	7	-	S	$\overline{\cap}$	7
	2	-	-	١	į	SNO	ons	lam
Total Rs.	Providing and Taying cement concrete drain with cement concrete 1:3:6 (one cement 3 sand 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all tabour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	Excavation in earth work in hilly area in all heights and depths in all kind of soil by manual/mechanical means including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shallbe carried, out true tolines, grades, side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.	2		Description of Work	S.No. S.No. Of V- Snape drain in km. 6/00 to 6/440)	Construction of V -1 & WI/O to Snoghi Mehli road km. 0/00 to 12/375 (SH:	e Of Work : A/B & Michigan Schedule Of Quantity
	89 10	00 66	ω		No.of Oty.	440)	1d km. 0,	Quantit
	Cum	Cum	Δ				/00 to 1	<
	5200 00	356 50	5	In figures	Rate		2/375 (S	
	Rupees Five Thousand Two Hundred Only	Rupees Three Hundred Fifty Six and Parse Fifty Only	6	In words			I	
	Per cubic metre	Per cubic metre	7		Unit	Time:- One Months	Earnest Mo	Estimated
498614	463320	35294	88		Amount	Months.	Earnest Money:- 10,000.00	Estimated Cost:- 4,98,614,00

Sr No. 1242. Eight Thousand Six Hundred Fourteen) Only for the Year 2023-2024, entred at Regiter Draft Schedule of Quantitty duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety

Executive Engineer, Shimls Rural Division. HPPWD, Dhami Tom

Draft Schedule of Quantitty duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety Eight Thousand Six Hundred Fourteen.) Only for the Year 2023-2024, entrod at Regite Sr No. 1202

Shimis itural Division.

The Property and Principle of

Nam	Name Of Work :- A/R & M/O to Shock in the Quantity	Quantit)				Estimated (Estimated Cost: 4,98,614.00
Cons	Construction of V- shape drain in him Construction of V- shape drain in him Construction	d km. 0/0	00 to 12	2/375 (SH:-	Ŧ;	Earnest Mo	Earnest Money:- 10,000.00
S.No	Description of Wall, 6/880 to 7	/320)				Time: - One Months,	Months,
	A A A O I N	No.of Qty.		Rate		Unit	Amount
۔	2			In figures	in words		
_	Excavation in earth work in hilly area in all	ω	4	CT1	o	7	00
	kind of soil by manual/prochamical in all heights and depths in all	99 00	Cum	356 50	Punpos Three	D	G
	comprising of mixed soil, ordinary rock and hard tack all work of rock cutting by blasting shall be carned out by taking all necessary etcetra and to protect stability of hill side track shall be excavated with work in cutting/excavation including rock excavation shall be extracted with work in cutting/excavation including rock excavation shall be earned, out true tolines, grades, side slopes, width, camber superelevation and level as shown on the drawings Including carriage of material within all leads and lifts.		Sum	356 50	Hundred Titty Six and Paise Fifty Only	Per cubic metre	35294
N	Providing and laying cement concrete drain with cement concrete 1.3.6 (one cement 3 sand 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - 1 including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge	89 10	Cum	5200.00	Rupees Five Thousand Two Hundred Only	Per cubic metre	463320
	Total Rs.			Ÿ			498614

Eight Thousand Six Hundred Fourteen) Only for the Year 2023-2024, entred at Regiter Sr No. 1237. Draft Schedule of Quantitty duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety

Executive Engineer, Shimis Kural Division HPPWD, Dhami Smi

	Schedule Of Quantity	Intity				Estimated C	Estimated Cost: - 4,99,790.00
Nam	Name Of Work :- A/R & M/O to Shoothi Mehli road km 0/00 to 12/275 (SH:	d km Oli	200	2/275 (5)		Earnest Mo	Earnest Money:- 10,000.00
Cons	Construction of V- shape drain in km.7/320 to 7/760)	760)		2/3/3/3/3	-	Time: One Months.	Months.
S.No	Description of Work	No.of Oty.		Rate		Unit	Amount
				In figures	in words		
_	2	ω	4	On .	6	7	00
_	Excavation in earth work in hilly area in all heights and denths in all	102 30	Cum	356 50	Rupees Three	Per cubic metre	36470
	kind of soil by manual/mechanical means including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side frack shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation including rock excavation shallbe carried out true tolines grades, side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts		C		Hundred Fifty Six and Paise Fifty Only		
٧	Providing and laying cement concrete drain with cement concrete 1.3-6 (one cement: 3 sand 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm. & with side wall of 10 cm thick & inside plastering with CM 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	89 10	Cum	5200 00	Rupees Five Thousand Two Hundred Only	Per cubic metre	463320
	Total Rs.						499790
	Amount Quoted by the Contractor in Percentage					Rs.	
7	Note:- All the material will procured by the contractor him self	him self					



10864						Total Re	
4 63320	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200 00	L CA	89 10	Providing and laying cernent concrete drain with cement concrete 1.3.6 (one cement 3 sand 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm 8 with side wall of 10 cm thick 8 inside plastering with CM. 1.3 including earthwork 8 finished with floating coat of neat cement complete as per standard design as per HPPVVD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	N
35254	Per cubic metre	Rupees Three Hundhed Fifty Six and Paise Fifty City	356 50	Ë	9 6	comprising of mixed soil, ordinary rock and hard rock all, work of rock precautions against soil erosion, damage to hill side, water pollution, etcetra and to protect stability of hill side track shall be excavated with work in cutting/excavation including rock excavation shall be excavated with work in cutting/excavation including rock excavation shall be earth carried, out true folimes grades, side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.	
œ	7	0	۳		200	kind of soil the earth work in hilly area in all heights and denthe in all	
		in words	In figures		3	2	. ف
Amount	Unit		Rate		No.of Oby.		
Earnest Money:- 10,000,00	Time: One Months	Ĭ.	2/375 (S	00 to 1	/200)	S.No Description of Work	SNO
Estimated Cost: - 4,98,614.00	Estimated (ל השי טי	Struction FIX & M/O to Shoghi Mehli roa	Con
				4	Juanti	Te Of Work AID & THE OCHEQUIE Of Quantity	Idil

Draft Schedule of Quantity duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety Eight Thousand Six Hundred Fourteen) Only for the Year 2023-2024. entred at Regiter Sr No. $\sqrt{8/8}$,

Shimis Rural Division HPPWD, Dhemi

					him self	Note:- All the material will procured by the contractor him self	
	Rs					Amount Quoted by the Contractor in Percentage	
499202						Total Rs.	
463320	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200 00	Cum	89 10	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement 3 sand : 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPvVD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	N
5300 £	Per cubic metre	Rupees Three Hundred Fifty Six and Paise Fifty Only	356.50	Cum	100 65	Excavation in earth work in hilly area in all heights and depths in all kind of soil by manual/mechanical means including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carned out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shallbe carned,out true tolines, grades, side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.	
00	7	o	Cr	4	ω	2	_
		In words	In figures				
Amount	Unit		Rate		No.of Qty.	Description of Work	S.No
Time:- One Months.	Time:- One Months		2/375 (St	00 to 1	d km. 0/ /640)	Construction of V- shape drain in km. 8/200 to 8/640)	Cons
Estimated Cost: 4, 99, 202.00	Estimated				intity	of Work - A/R & M/O to Shock Make Quantity	Name
A 99 202.00					•	Schodule Of O	



	Rs.				im self	Amount Quoted by the Contractor in Percentage Note:- All the material will procured by the contractor him self	
499790						Total Rs.	
463320	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200 00	Cum	89 10	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement : 3 sand : 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	N
36470	Per cubic metre	Rupees Three Hundred Fifty Six and Paise Fifty Only	356 50	Cum	102 30	kind of soil by manual/mechanical means including saturated soil compnsing of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shallbe carried,out true tolines, grades, side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.	-
88	7	6	51	4	ω	2	- -
Amount	Unit	in words	Rate		No.of Qty.	Description of Work	
Months.	Time:- One Months		!		(080/	Construction of V- shape drain in km. 8/640 to 9/080)	COD
Earnest Money:- 10,000.00	Earnest Mo	Ţ,	2/375 (SH-	00 to 1	ld km. 0,	Name Of Work :- A/R & M/O to Shoghi Mehli road km. 0/00 to 12/3	9 1
Estimated Cost:- 4,99,790.00	Estimated (e:		antity	ocnedule Of Quantity	No.

Executive Engineer, Shimis Rural Division HPPWD, Dhami Sin

Nami	Draft Schedule Of Quantity	Quantity	ζ,			Estimated C	Estimated Cost:- 4,98,614.00
	Construction of Work :- A/R & M/O to Shoghi Mehli road km. 0/00 to 12/375 (SH:-	d km. 0/	00 to 1	2/375 (SI		Earnest Mo	Earnest Money:- 10,000.00
	Scruction of V- shape drain in km. 9/080 to 9/520)	/520)				Time:- One Months.	Months.
O.NO	Description of Work	No.of Qty.		Rate		Unit	Amount
				In figures	in words		
-	2	ω	Δ	ת	000	7	œ
	Excavation in earth work in hills area in all backter		ŧ	o	o	,	c
	kind of soil by manual/mechanical means including saturated soil	99 00	Cum	356 50	Rupees Three	Per cubic metre	35294
N	comprising of mixed soil ordinary rock and hard rock all work of rock cutting by blasting shall be carmed out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation including rock excavation shallbe carried,out true tolines, grades side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts. Providing and laying cement concrete drain with cement concrete 1.3-6 (one cement: 3 sand: 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume: - Lincluding carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.		Cum	5200 00	Hundred Fifty Only and Paise Fifty Only Only Only	Per cubic metre	
	Total Rs.						498614

Eight Thousand Six Hundred Fourteen) Only for the Year 2023-2024, entred at Regiter Sr No. $1/2\,23$ Draft Schedule of Quantitty duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety

Shimls Rural Division.

	Amou	Total Rs	includir Engine	per HF	thick 8	protect		2 Down	materi	carrier	work ii	etcetra	brecard	compr			_		S.No	Construc
	Amount Quoted by the Contractor in Percentage	IRs.	including carriage of material in all leads and lifts as per direction of Engineer in Charge.	per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through carriage.	thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of near complete as per standard design as	nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side walt of to cm	1.3.6 (one cement 3 sand 6 graded stone aggregate 20 mm		elevation and level as shown on the drawings including carriage of material within all leads and lifts.	carried, out true tolines grades side slopes, width, camber super-	work in cutting/excavation including rock excavation shallong all earth	etcetra and to protect stability of hill side track shall be excavated with	precautions against soil erosion, damage to hill side water all recessary	comprising of mixed soil ordinary rock and hard rock all work of rock	kind of soil by manual/mechanical and heights and depths in all	2		Description of Work	S.No. S.No. V- Shape drain in km. 9/520 to 9/9601	Construction of V. A/R & M/O to Shoghi Mehli road km 0/00 to 12/275 (2:1
; -							89 10								100.65	J	10.01 0.19	No of Or	1/9601	ld km o
							Cum								Cum C				ל לים לים ביות היות ביות היות ביות היות ביות היות ביות ביות היות ביות ביות ביות ביות ביות ביות ביות ב	00 +
							5200 00								356.50	In figures	Rate		2/3/5 (5	
						Hundred Only	Rupees Five Thousand Two						and Palse Emy Only	Hundred Fifty Six	6	In words			Ŧ	
	Rs.						Per cubic metre							Per cubic metre	7		Unit	Time: One Months.	Earnest Mo	Estimated
		499202					463320							35882	00		Amount	e Months.	Earnest Money:- 10,000.00	Estimated Cost:- 4,99,202.00



Con	Construction of V. A/R & M/O to Shoghi Mehli road km. 0/00 to 1	antity Id km. 0/	00 to 1	21275 16		Estimated Cost:- 4,99,790,00
S.No	S.No S.No S.No S.No S.No S.No S.No S.No	0/400)	00 to 1	12/375 (SH:-	Ŧ	Earnest Money:- 10,000.00
	Description of Work	No of Oh				
		TO OF WILL		Rate		Unit
_,	2			In figures	In words	
_	Excavation in earth work in hilly area in all heights and doors	(11)	4	5	50	7
	kind of soil by manual/mechanical means including and depths in all	102 30	Cum	356 50	Rupees Three	Per cubic metre
	comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary				Hundred Fifty Six and Paise Fifty Only	
	elcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in culting/excavation including rock excavation shallbe	-				
	carried, out true tolines, grades, side slopes, width, camber super- efevation and level as shown on the drawings including carriage of material within all leads and lifts.					
N	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement: 3 sand; 6 graded stone aggregate 20 mm	89 10	Cum	5200 00	Rupees Five Thousand Two	Per cubic metre
	nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished				Hundred Only	
	with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all					
	labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of					
	Engineer in Charge.					
	Total Rs.					
	Amount Quoted by the Contractor in Percentage					Rs.
	Note: - All the material will procured by the contractor him self	ıim self				

Executive Engineer, 3himia Rural Division. HPPVID, Dhami San

7.	2 Properties and prop	3 2 2 2 2 2 2 2 2	-			S.No	Suon	Name
Total Rs.	Providing and laying cement concrete drain with cement concrete 1.3.6 (one cement 3 sand 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM 1.3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - Lincluding carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	comprising of mixed soil ordinary rock and hard rock all work of rock comprising of mixed soil ordinary rock and hard rock all work of rock cutting by blasting shall be carmed out by taking all necessary precautions against soil erosion, damage to hill side water pollution, effects and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation including rock excavation shallbe carmed, out true tolines grades side slopes, width, camber superelevation and level as shown on the drawings Including carmage of material within all leads and lifts.	excavation in earth work in hilly area in all heights and denths in all	2		Description of Work	Construction of V- shape drain in km 10/400 to 10/200	Name Of Work :- A/R & M/O to Shoghi Mahi: To Juantity
	89 10	99	200	3	No.of Qty.	10/840)	id km. U	Quanti
	Cum	Cum	4				/00 to 1	¥
	5200 00	356 50	5	In figures	Rate		2/375 (S	
	Rupees Five Thousand Two Hundred Only	Rupees Three Hundred Fiffy Six and Paise Fiffy Only	5	In words			Ħ;	
	Per cubic metre	Per cubic metre	7		Unit	Time: One Months.	Earnest Mo	Estimated
498614	463320	35294	œ		Amount	e Months.	Earnest Money:- 10,000.00	Estimated Cost:- 4,98,614.00

Eight Thousand Six Hundred Fourteen) Only for the Year 2023-2024, entred at Regiter Sr No. 1222 , Draft Schedule of Quantitty duly approved for Rs- 4,98,614.00 (Rs. Four Lacs Ninety

Executive Engineer, Shimls Kural Division HPPWD, Dhami

			N		_	Cor S.No
Note:- All the material will procured by the contractor him self	Amount Quoted by the Contractor in Percentage	Total Rs.	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement : 3 sand : 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coal of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	Excavation in earth work in hilly area in all heights and depths in all kind of soil by manual/mechanical means including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shall be carried, out true tolines grades side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.		Schedule Of Quant Struction of V- shape drain in km. 10/840 to
him self			89 10	100 es	Total City.	antity id km. 0/ 11/280)
			Cum	Cum		00 to 12
			5200.00	5 356.50	Rate	2/375 (SH
			Rupees Five Thousand Two Hundred Only	Rupees Three Hundred Fifty Sur and Paise Fifty Only		7
	Rs.		Per cubic metre	7 Per cubic metre	Unit	Estimated Cost:- 4,9 Earnest Money:- 10, Time:- One Months
		499202	re 463320	3588Z	Amount	Estimated Cost:- 4,99,202.00 Earnest Money:- 10,000.00 Time:- One Months.



	7				11.	All	
	Rs.					Amount Quoted by the Contractor in Percentage	
499790						Total Rs.	
				·		labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	
						thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all	
e 463320	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200.00	Cnw	9,10	1:3:6 (one cement 3 sand : 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with side well of the protection having internal size 20,15 cm. 8 with plinth protection having internal size 20,15 cm.	
					80 10	Providing and laying cement concrete drain with cement concrete	2
		Only				cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shallbe carried, out true tolines, grades, side slopes, width, camber superelevation and level as shown on the drawings Including carriage of material within all leads and lifts.	,
	Per cubic metre	Rupees Three	356.50	Cum	302 30	mechanical means including saturated in all	
œ	7	ъ	5	_	C	kind of soil by the life work in hilly area in all heights and denthe in on	
10		in words	In figures		3	2	٠.
Amount	Unit		Rate		NO.OF CITY.		٠.
e Months.	Time:- One Months.				No. (20)	Description of Work	
Earnest Money:- 10,000.00	Earnest Mo		2/375 (SI	00 to 1	44/700	S.No. 11/280 to 14/720	SNO
Estimated Cost:- 4,99,790.00	Estimated (3	d km	Construction of V. J. O. W.O. to Shoghi Mehli road km o'co.	Cor
					antity	ne Of Work - A/D 8 M/O	IBN

Shimis Rural Division
HPPWD, Dhami Say



	1	<u></u>			him self	Note:- All the material will procured by the contractor him self	
	Rs					Amount Quoted by the Contractor in Percentage	
244229						Total Rs.	
e 226408	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200.00	Cum	43 54	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement : 3 sand : 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge.	N
17821	Per cubic melice	Rupees Three Hundred Fifty Six and Paise Fifty Only	356.50	Cum	49.99	Excavation in earth work in hilly area in all heights and depths in all kind of soil by manual/mechanical means including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side water pollution, etcetra and to protect stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited), all earth work in cutting/excavation including rock excavation shallbe carried out true tolines grades side slopes, width, camber superelevation and level as shown on the drawings including carriage of material within all leads and lifts.	
10	7	S)	υ	4	ယ	2	
		in words	Im figures				
Amount	Unit		Rate		No.of Qty.	Description of Work	
Months.	Time: - One Months.				12/375)	SNO 2011 OF V- SHape urain in km. 12/160 to 12/375)	200
Earnest Money:- 5000,00	Earnest Mo	1:-	2/375 (SI	00 to 1	d km. 0/	Construction of V. Shane decire is given went road km. 0/00 to 12/375 (SH:-	Cons
Estimated Cost:- 2,44,229.00	Estimated (intity	e Of Work - A/R & M/O to Should Ut Quantity	Nam
						Schodulopso	

Shimis Rural Division HPPVD, Dhami Zan

	Rs.	72			m self	Amount Quoted by the Contractor in Percentage Note:- All the material will procured by the contractor him self	
375728						Total Rs.	
327600	Per cubic metre	Rupees Five Thousand Two Hundred Only	5200.00	Cum	63.00	Providing and laying cement concrete drain with cement concrete 1:3:6 (one cement: 3 sand: 6 graded stone aggregate 20 mm nominal size) mechanically mixed in open surface drain with plinth protection having internal size 20x15 cm & with side wall of 10 cm thick & inside plastering with CM. 1:3 including earthwork & finished with floating coat of neat cement complete as per standard design as per HPPWD specification 1990 volume - I including carriage of all labour equipments and materials to various location through complete including carriage of material in all leads and lifts as per direction of Engineer in Charge	٨
20 20 20 20 20 20 20 20 20 20 20 20 20 2	To cubic metre	Six				ordinary rock and hard rock all work of rock cutting by blasting of mixed soil, out by taking all necessary precautions against soil erosion, damage to hill side water pollution etcetra and to proted stability of hill side track shall be excavated with chiseling and wedging out rock (where blasting is prohibited) all earth work in cutting/excavation including rock excavation shallbe carried out true tolines grades side slopes, width, camber super-elevation and level as shown on the drawings including carriage of material within all leads and lifts.	,
CD	7	Ringes Three	356 50	Cum	135 00	by manual/mechanical means including saturated and depths in all kind of soil	
		In words	In figures	4	ω	Excavation in each mode and 2	
Amount	Unit		Rate		No.of Qty.		_
						Description of Work	S.No
Earnest Money:- 7600.00 Time:- One Months.	Earnest Money:- 760 Time:- One Months.		1/00)	,165,11	5,5,885,8	200mtr.)	200
Estimated Cost:- 3,75,728.00	Estimated			00	antity	Construction of I. A/R & M/O to Shoghi Mehli road km n/nn to	Con
						Schedule Of O	2

Executive Engineer,
Shimla Rural Division.
HP,PWD, Dhami