## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No.: PW/EDP/CB/TA/CONT/2023-24/- 8442-50

Dated: 17/2/24

To

The Executive Engineer (IT Cell).

Nigam Vihar, Shimla-2.

Subject:

Publishing of Tender Notice.

Enclosed please find herewith the Tender Notice of works as given in the Notice Inviting Tenders along with Schedule of Quantities for uploading on departmental website as per Notification Pr. SEC(PW) to the Govt. of HP letter No. PBW(B)A9(3)1/2020 dated Shimla-26<sup>th</sup> July 2021.

It is certified that the works mentioned in the Notice Inviting Tenders are urgent in nature and in public Interest.

DA/NIT,SQs

Executive Engineer Electrical Division HP PWD Palampur

Copy forwarded to the following for information and necessary action please:

1. The Superintending Engineer, 2<sup>nd</sup> Electrical Circle, HP PWD Dharamshala

2. The Drawing Branch in this office.

3. All the Assistant Engineers working under this Division.

Executive Engineer Electrical Division HP PWD Palampur

## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

## "Notice Inviting Tenders"

Sealed percentage rate tenders on form 6&8 are hereby invited by the Executive Enginee Electrical Division, HP PWD Palampur on behalf of the Governor of H.P. for the following work from the approve and eligible contractors enlisted in HP.PWD, (Elect.) whose registration stood renewed as per revised rules and als registered under the H.P. General Sales Tax Act. 1968 so as to reach in his office on or before 29-02-2024 up t 11.00 AM, and the same shall be opened on the same day at 11.30 A.M. in the presence of intending contractors of their authorized representatives. The tender documents can be had from his office against cash payment (Nor refundable) on 28-02-2024 up to 4.00 P.M. and the application for issue of tender form shall be received on 27-02 2024 up to 12.00 noon.

## Conditions:

- 1. The contractor should have the EPF registration certificate should be attached with application
- The GST registration certificate.
- 3. The contractor should produce a copy of latest enlistment/renewal.
- 4. The latest ITR filed should be attached with application.
- 5. The bidders enlisted in a particular class shall be eligible to tender for his own class or one step below.
- 5. The bidder should attach authorization and work done certificate with application for Specialized Jobs.
- The FDR duly pledged should be attached separately with each tender.
- 8. Only two number tender forms will be issued to the eligible contractor.
- The Executive Engineer, Electrical Division, HP PWD Palampur reserves the right to reject any tender withou
  assigning any reasons.
- 10. Conditional/ incomplete tenders & tender without earnest money will be summarily rejected.

Sr. No	Name of Work	Estimated Cost	Earnest Money	Time Limit	Form No.	Cost of Form
1	Repair and Maintenance of E.I. to various Govt. Non-Residential Building under ESD Dharamshala Distt. Kangra (H.P)(SH:- Shifting of UPS and replacement of EI in the office of Sr. Architect (KZ) HP Public Works Department Dharamshala in Distt. Kangra (HP).	111282/-	2300/-	Three Months	8	350/-
2	R/M of E.I. of Rest House Dharamshala Distt. Kangra (H.P)(SH:- Repair of E.I. during Vidhansabha session 2023).	116864/-	2400/-	Three Months	8	350/-
3	C/O Govt. Sr. Sec. School at Bilaspur in Tehsil Dehra, Distt. Kangra (H.P)(SH:- C/O 2 Rooms in GF with Verandah)(SH:- Providing E.I. therein).	144221/-	2900/-	One Year	8	350/-
4	C/O Five Rooms in Govt. Sr. Sec. School at SihorBalla in Tehsil Khundian, Distt. Kangra (H.P)(C/O 3 Rooms in GF & 2 Rooms in FF with Verandah)(SH:- Providing E.I. therein).	311149/-	6300/-	One Year	8	350/-
5	Repair and Maintenance of Toilet Block at Main Boys Hostel Dr. RPGMC Kangra at Tanda.(SH:- Providing E.I. therein).	488856/-	9800/-	Three Months	8	350/-
6	C/O P.G. Hostel for Boys and Girls at Dr. RPGMC Kangra at Tanda.(SH:- Providing El to Security Posts near Main Gate therein).	219728/-	4400/-	Three Months	8	350/-
7	C/O Veterinary Dispensary building at Jarot in Tehsil Jawali, Distt. Kangra (H.P)(SH:-Providing E.I. therein).	119984/-	2400/-	Two Year	8	350/-

8	Replacement of Electrical wiring in the Office of the Assistant Engineer N.H. Sub Division, HPPWD Dehra in Tehsil Dehra Distt. Kangra (HP)	233143/-	4700/-	Three Months	8	350/-
9	Replacement of E.I. and Switchgear system into new one Sub Division Office © Residence at Bharmour in Tehsil Bharmour Distt. Chamba (H.P).	155398/-	3200/-	Six Months	8	350/-
10	Repair and Maintenance of various sets (First Floor) in HP PWD Rest House at Khundian in Tehsil Khundian Distt. Kangra (HP)(SH:-Providing E.I. therein).	478222/-	9600/-	Six Months	8	350/-
11	C/o School of Nursing at Dr. RPGMC Kangra at Tanda in Distt. Kangra (H.P.) (SH: Providing E.I. to Director Room, Emergency Room, Store room & PICU at Critical Care Skill Lab/Simulation Lab therein)	495438/-	10000/-	Three Months	. 8	350/-
12	C/o School of Nursing at Dr. RPGMC Kangra at Tanda in Distt. Kangra (H.P.) (SH: Providing E.I. to Entrance Area, Conference Room, Faculty Room, Reception area at Critical Care Skill Lab/Simulation Lab therein)	493348/-	9900/-	Three Months	8	350/-

HIM SUCHNA AVAM JAN SAMPARK VIBHAG

		•	,
1	(		
	i	I	
	COLL OF CHAN	_	
	ľ	T	
		)	)
			1
(		_	
:	2	?	
:	<	1	
-	<		
		Ì	I

Rupees Seven Hundred Ninety Three Only
FIGURES
1 1

5.01	5.00	4.01	4.00	3.00
LED fixture 1x18 Watt Surface Mounted 4 Feet Box Type Channel with Pro LED Lamp Makes:- Philips /Wipro/Bajaj.	Providing and Fixing of IP20 LED Surface mounted CRCA Powder Coated Box Type Channel with Pro LED Lamp Suitable for mounting 1 X 18 W LED Tube T8 type having minimum system efficacy of 100 lm/W, P.F.>0.95 with THD<10%, CCT 6500K, CRI 80, Surge Protection 2 Kv.The LED with Useful life of 50000 Hrs at L70 with five years warranty. The Input voltage range shall be 150V to 270V, 50/60 HZ complete with all accessories, including connections, testing and commissioning etc.as required complete in all respects. with 5 year waranty.	LED Surface mounting round downlighter 20 watt Makes:- Philips //Wipro/ Bajaj.	Providing and Fixing of LED Downlighter of following watt +/- 1 W LED Surface Mounted Downlighter Square/Round Shape with minimum system lumen efficacy of 100 lm/W with Polycarbonate housing,pressure die cast heat sink and P.F.>0.95 with THD<10%, CRI 80.The LED shall be tested with LM80-08 standard with Useful life of 50000 Hrs at L70. The LEDs used in the luminaire shall have CCT of ANSI Bin 5700 K with CRI of minimum 80.The Input voltage range shall be 150V to 270V, 50/60 HZ complete with all accessories, including connections, testing and commissioning etc.as required complete in all respects. with 5 year waranty.	
9		12		N
1823		1562		1878
Rupees One Thousand Eight Hundred Twenty Three Only		Rupees One Thousand Five Hundred Sixty Two Only		Rupees One Thousand Eight Hundred Seventy Eight Only
Each		Each		Each
16407		18744		3756

			6.01		6.00	
		Total	Model: Aeroclean LD) /Bajaj (Model: Freshee) /Anchor (Model: Anmol) /Crompton (Model: Drift air Plus).	TCAPOLICA TO THE TOTAL TO THE TOTAL	making good the damages, connections, testing and commissioning etc.	Providing and installation exhaust fan of following sizes is the
			2			
			2269			
0000000		Only	Rupees Two Thousand Two Hundred Sixty Nine			
-			Each			
	111282		4538			

approved that 111282/

Executive Engineer
Electrical Division
HPPWD Palampur

	SCHEDULE OF QUANT	NAUC	YTIT			
H.P)	Name of work :- R/M of E.I of Rest House Dharamshala Distt Kangra ( H.P) (SH : Repair of E.I during Vidhansabha session 2023).	jo	job No 2	ESTIMATED COST: Rs.1,16,864/-only. EARNEST MONEY: Rs.2400/-only TIME ALLOWED: Three Months	s.1,16,864/-or s.2400/-only e Months	nly.
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
T			FIGURES	WORDS		
1.00	modular plate & switch box including connections but excluding modular plate as required. Make:- Anchor/Legrand/Schenider					
1.01	S.P. 5/ 6 Amps one way Modular switch.	o	117	Rupees One Hundred Seventeen Only	Each	702
1.02	S.P. 15/ 16 Amps one way Modular switch.	4	217	Rupees Two Hundred Seventeen Only	Each	868
1.03	5 pin, 5/ 6 Amps Modular socket outlet.	ω	141	Rupees One Hundred Forty One Only	Each	423
1.04	6 pin,15/16 Amps Modular socket outlet.	з	297	Rupees Two Hundred Ninety Seven Only	Each	891
2.00	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.					
2.01	40 Amps. (Make:- Schneider/ Legrand/L&T)	ω	488	Rupees Four Hundred Eighty Eight Only	Each	1464
2.02	63 Amps. (Make:- Schneider/ Legrand/L&T)	ω	616	Rupees Six Hundred Sixteen Only	Each	1848

	·		,	2E/2017				
8.00	7.00	6.01	6.00	5.00	4.01	4.00	3.01	3.00
Providing and Fixing of Following type Electric heater as required complete in all respects.	skilled Electrician-II and unskilnce during H.P. Vidhan Sabha se	LED Lamp 12 watt	Supplying and fixing LED lamps of Following watt with polycarbonate diffuser on the existing light point as required complete in all respect .Make:- OSRAM/Havells/Bajaj	Providing and fixing LED tube fixture (including the cost of Batten/channel and LED Lamp) suitable for surface application with the use of the latest technology 18 watt (1800 Lumen) 6000K and it should be compatible with specification i.e. Power Factor ≥ 0.9, Harmonic Distortion ≤10% and efficacy ≥ 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. with 5 Year waranty.Makes: Havells/ Bajaj/ Philips /Wipro.		rroviding and installation exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and commissioning etc. as required.	25 Liter capacity water heater (Cat-A) Makes: Usha/Bajaj/Racold	Providing and installation of stationary storage type Electric water heater (Geyser) of various sizes by means of Expansion-bolts with nuts and washers, including embedding of expansion-bolts in the wall, providing and fixing of Non-return valve, Dead weight safety valve, 2 No C.P. connection rods 18" long, making good the damages, electrical connections, safety valve connections, testing and commissioning etc. as required:-
	_	20		σ	ω		ω	)
	16506	201		945	2269		10250	
	Rupees Sixteen Thousand Five Hundred Six Only	Rupees Two Hundred One Only		Rupees Nine Hundred Forty Five Only	Rupees Two Thousand Two Hundred Sixty Nine Only		Rupees Ten Thousand Two Hundred Fifty Only	
	Per Job	Each		Each	Each		Each	
	16506	4020		4725	6807	11	30750	

	Г		10000		l man	(20.	100000
		9.02	9.01	9.00	8.03	8.02	8.01
	Total	Thermostat	Geyser Element 2000 Watt Triangular Type	Different Capacity as required complete in all respects.	Kitchen Heater	Room Heater Double Rod	Heat Pillar
		ω	ယ		2	4	9
24140		270	880		330	1825	4050
nattal) 11 lead 11 ant 14 chake on		Rupees Two Hundred Seventy Only	Rupees Eight Hundred Eighty Only		Rupees Three Hundred Thirty Only	Rupees One Thousand Eight Hundred Twenty Five Only	Rupees Four Thousand Fifty Only
the chase		Each	Each		Each	Each	Each
1)71	116864	810	2640		660	7300	36450

+ schoolile of quanty ch

Executive Engineer Electrical Division HPPWD Palampur

	SCHEDULE OF QUANT	NAU	TITY			
Distt Kar therein).	NAME OF WORK :- C/O Govt. Sr. Sec. School at Bilaspur in Tehsil Dehra, Distt Kangra(HP). (SH: C/O 2 Rooms in GF with Verandah) (SH: Providing E.I therein).	job	⊕ No PNo	ESTIMATED COST: Rs.1,44,221/-only, EARNEST MONEY: Rs.2900/-only TIME ALLOWED: One Year	ts.1,44,221/- ts.2900/-only Year	only.
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
200			FIGURES	WORDS		
٠.	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.					
-	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus).Plaza/KEI/SCI	28	1824	Rupees One Thousand Eight Hundred Twenty Four Only	P/Pt	51072
2	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required					
	2X1.5Sq.mm+1X1.5Sq.mm Earth wire					
	Makes: Plaza/KEI/SCI	15	361	Rupees Three Hundred Sixty One Only	P/Mtr	5415
ω 	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.					
-	2X2.5Sq.mm+1X2.5Sq.mm Earth wire				To the second	
	Makes: Plaza/KEI/SCI	25	395	Rupees Three Hundred Ninety Five Only	P/Mtr	9875
4	Providing & Laying of one number Aluminium Conductor,PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size on wall surface as required.					

	- 11215	i na	Т					_	`			
-		00		-	7		6		-	σ		-
Makes:- Legrand,Schiender,L&T	40 Amps. Cat-A.	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes: Legrand, Schiender, L&T	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	Makes: Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.	Makes: Plaza/KEI/SCI	3X2.5Sq.mm	conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.	MidRes: Plaza/REI/SCI	Armoured Cable 10Sq.mm (Twin Core)
	_		100	<b>4</b> 4		2		September 1970	8			18
The state of the s	488		4	265		582		The second second	171	***		285
Cilly	Rupees Four Hundred Eighty Eight			Rupees Two Hundred Sixty Five Only		Rupees Five Hundred Eighty Two Only		Ciny	Rupees One Hundred Seventy One	Service of the servic		Rupees Two Hundred Eighty Five Only
	Each		The second	Each		Each			P/Mtr			P/Mtr
	488			1060		1164			1368			5130

3	12	3			10		-	9
Supplying and fixing of LED Tube Light 20watts ,5700K ,(Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9,Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing and commissioning etc as required.(With Five years warranty)	Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required.	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. (but with charcoal/ coke and salt) as required.	Double door-8 way	Makes: Legrand,Schiender,L&T	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required.(But without MCB/RCCB/Isolator).	Makes: Legrand,Schiender,L&T	40Amps. Cat-A.	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.
	20		_				_	1 1
	33	5819	1897			SAN TO SAN THE	2715	į.
	Rupees Thirty Three Only	Rupees Five Thousand Eight Hundred Nineteen Only	Rupees One Thousand Eight Hundred Ninety Seven Only	THE SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PER			Rupees Two Thousand Seven Hundred Fifteen Only	
	P/Mtr	P/Set	Each				Each	
	660	5819	1897				2715	

		15	II I	-	14		-
Makes: Havells,Panasonic, Bajaj.	LED Street light 30 Watts	Supplying and fixing of LED Street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having iP65 protection and impact resistance of IK07 with 10 kV Built-in surge Protection Device. The luminaire shall have CCT of 5700K and CRI of minimum 80, PF>0.95 and THD>10%. LED shall be compliant with Useful L70 life of 50000 Hrs. Driver efficiency should be 85% to operate in input voltage range of 100V to 270V.(With 5 Years Warranty)	Makes: Bajaj (Model-BPSLR Surface 15W LED RD SD)/Panasonic & Wipro.	LED Downlighter 15Watts	Providing and installation of following type of surface mounting square/round type LED panel Light with aluminium die cast housing in white finish with anti glare polycarbonate diffuser and seprated energy efficient constant current, nonintegral, electronic driver; suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing etc. as required.(With Five years warranty)	Makes: Havells,Panasonic (5700 K PBTM 1722822W )& wipro.	LED Tube Light 4 Feet Long
				4		15	
3272				1107		1622	
Rupees Three Thousand Two Hundred Seventy Two Only				Rupees One Thousand One Hundred Seven Only		Rupees One Thousand Six Hundred Twenty Two Only	
Each				Each		Each	
3272				4428	i	24330	

			-	16
Total		Make:- Usha(Technix Plus ),Bajaj,Havells	Ceiling Fan 1200 mm sweep, Category-A	Providing, Installation, testing and commissioning of ceiling fan without regulator,including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mmtwin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required: (With Five years warranty)
September 1		8		
		3191		
		Thousand One Hundred Ninety One Only	Thron	
		Each		
14466	144221	25528		

Executive Engineer Electrical Division HPPWD Palampur

NAME	SCHEDULE OF QUANTI	NAU	TITY			
NAME ( Tehsil F Veranda	NAME OF WORK :-C/O Five Rooms in Govt. Sr. Sec. School at Sihor Balla in Tehsil Khundian, Distt Kangra(HP)(C/O 3 Rooms in GF & 2 Rooms in FF with Verandah) (SH: Providing E.I therein).	٦	Job No 4	ESTIMATED COST: Rs.3,11,149/-only EARNEST MONEY: Rs.6300/-only TIME ALLOWED: One Year	s.3,11,149/- ls.6300/-only Year	only.
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
NO.		ļ	FIGURES	WORDS		
<b>-</b>	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.					
-	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)/SCI	66	1824	Rupees One Thousand Eight Hundred Twenty Four Only	P/Pt	120384
N	Wiring for Twin Control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with 2 Way modular switch, modular plate, suitable Gl box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.		Paris .			
-	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus),L&T(Entice)/SCI.	N	1894	Rupees One Thousand Eight Hundred Ninety Four Only	P/Pt	3788
3	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required		7			15-4
-	2X1.5Sq.mm+1X1.5Sq.mm Earth wire	1	100000000000000000000000000000000000000			
	Makes: Plaza/KEI/SCI	35	361	Rupees Three Hundred Sixty One Only	P/Mtr	12635

			APPEND -	,	_									
		<b>6</b>	-	7		=:	-	6		-	5		-	4
	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	grand(Myrius),Sci	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.	Makes: Plaza/KEI/SCI	3X2.5Sq.mm	3X1.5 Sq.mm	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.	Makes: Plaza/KEUSCI	Armoured Cable 10Sq.mm (Twin Core)	and PVC sheathed / XLPE power cable of 1.1 KV grade of following size on wall surface as required.	Makes: Plaza/KEI/SCI	ZXZ.5Sq.mm+1X2.5Sq.mm Earth wire	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.
	10		ۍ			25	15		A 148	20		70		
	265		582			171	111		200	285	1	395		
City	Rupees Two Hundred Sixty Five		Rupees Five Hundred Eighty Two Only		City	Rupees One Hundred Seventy One	Rupees One Hundred Eleven Only		Ì	Rupees Two Hundred Eighty Five Only		Rupees Three Hundred Ninety Five Only		
	Each		Each			P/Mtr	P/Mtr			P/Mtr		P/Mtr		
	2650		2910			4275	1665			5700		27650		

40		Services Services	П		T						1
<b>3</b>	12	<b>-</b>		3			10		-	9	
Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required.	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. (but with charcoal/ coke and salt) as required.		Makes: Legrand,Schiender,L&T.	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required.(But without MCB/RCCB/Isolator).	Makes: Legrand,Schiender,L&T.	40Amps. Cat-A.	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes:- Legrand,Schiender,L&T.	40 Amps. Cat-A.	supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Wakes: Legrand, Schiender, L&I.
20	_	1		4		1			-	0.5	
33	6188	2954			_	2715			488		
Rupees Thirty Three Only	Rupees Six Thousand One Hundred Eighty Eight Only	Rupees Two Thousand Nine Hundred Fifty Four Only				Rupees Two Thousand Seven Hundred Fifteen Only			Rupees Four Hundred Eighty Eight Only		
P/Mtr	P/Set	Each				Each			Each		
660	6188	2954	1			2715			488		

		16		-	15		-	14
Makes: Havells,Panasonic, Bajaj.	LED Street light 30 Watts	Supplying and fixing of LED Street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having iP65 protection and impact resistance of IK07 with 10 kV Built-in surge Protection Device. The luminaire shall have CCT of 5700K and CRI of minimum 80, PF>0.95 and THD>10%. LED shall be compliant with Useful L70 life of 50000 Hrs. Driver efficiency should be 85% to operate in input voltage range of 100V to 270V.(With 5 Years Warranty)	Makes:-Bajaj ,Havells,wipro,Panasonic	Round/Square LED Surface/Recess Panel Light 18/20 Watts	Providing and fixing surface/Recess mounted Round/Square downlighter with die cast Al housing in white powder coated finish, anti glare diffuser and and energy efficient electronic driver, suitable for surface application with the use of the latest technology 18watt (1800 Lumen) 6000K and it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion <10% and efficacy > 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. With 5 year waranty	Makes: Havells,Bajaj,wipro	LED Tube Light 4 Feet Long	Supplying and fixing of LED Batten along with 20Watt LED Tube Light ,6500K ,(Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9,Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V,50/60Hz, complete with all accessories, connections, testing and commissioning etc.Makes: Havells ,Bajaj ,wipro With 5 year waranty
2	- T			7		37		
3272	MICE SEC. 01.			1562		875		
Rupees Three Thousand Two Hundred Seventy Two Only				Rupees One Thousand Five Hundred Sixty Two Only		Rupees Eight Hundred Seventy Five Only		
Each			行の歌作	Each		Each		
6544				10934		32375		

_			_	_		
		-	18		<u> </u>	17
Total	Make:- Usha(Technix Plus ),Bajaj,Crompton	Ceiling Fan 1200 mm sweep, Category-A	Providing, Installation, testing and commissioning of ceiling fan without regulator, including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mmtwin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required: (With Five years warranty) with not less then 3 rated star	Makes: Bajaj ,Havells ,wipro	LED 10 Watt Bulk Head	system Lumen efficiencyof 100lm/W with and P.F.0.95 with THD,10%,CCT 5700K,CRI 70,Surge protection 4KV. The LED with useful life of 50000 Hrs. at L70. The input voltage range shall be 150V to 270V complete with all accessories, connections, testing and commissioning etc.as required. With 5 year waranty
	20				2	<del>-</del>
	3191				1407	
	Rupees Three Thousand One Hundred Ninety One Only	STREET, ST. ST.			Rupees One Thousand Four Hundred Seven Only	
1,000,000	Each				Each	
311149	63820				2814	V

short schedule of spentil checkend and

Executive Engineer Electrical Division HPPWD Palampur

2 Sizes of FRLS PVC insulated of surface/ recessed medium class surface/ recessed medium class 2.1 2x1.5 Sq. mm. 2.2 2x4 Sq. mm. 2.4 4x4 Sq. mm.	A N N	N N			Schliener (Fixialisch	(Make:-KEI,Anchor,Pi	1.1 Group A	Wiring for light point/ sq.mm FRLS PVC i surface /recessed med 1.5 sq.mm. FRLS PVC as required.	NO.	SR.	Name of Work :- Repair and Boys Hostel Dr. RPGMC To	
Supplying and drawing following size of PVC insulated, heat resistant, flame retardant (HRFR) and low smoke single core (flexible) copper	Plaza/SCI)				Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.	(Make:-KEI,Anchor,Plaza) Legrand (Myrius), L&T(Entice), Schneider(Livia)/SCI		Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface /recessed medium class PVC conduit and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.		DESCRIPTION	Name of Work :- Repair and Maintenance of Toilet Block at Main Boys Hostel Dr. RPGMC Tanda at Kangra (SH:-Providing El therein).	SCHEDULE OF QUANT
		50	45	95	g!		104			QTY.	į	QUAN
		607	348	212	1000		946		FIGURES		job No 🗧	TITY
		Rupees Six Hundred Seven Only	Rupees Three Hundred Forty Eight Only	Rupees Two Hundred Twelve Only			Rupees Nine Hundred Forty Six Only		WORDS	RATES	ESTIMATED COST: Rs.4,88,856/-only EARNEST MONEY: Rs.9800/-only TIME ALLOWED: Three Months	
	100000	P/Mtr	P/Mtr	P/Mtr			P/Pt			TINU	ts.4,88,856/- ts.9800/-onl	
	の発展が	30350	15660	20140			98384			AMOUNT	only.	

					_							_	
	9.1	ဖ	8.7	8		7		თ		5.1	Ω		3.1
Makes:- Legrand/L&T/Schneider.	63 Amps. Double Pole	Supplying and fixing following rating, following pole, 240/415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	Makes:- Anchor/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps, modular switch, connections etc. as required.	Makes:- Anchor/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps, modular switch, connections etc. as required.	Makes:- L&T/Legrand/Schneider.	S.P. 5/ 10Amps one way Modular switch.	Supplying and fixing following rating Modular switch /socket in the existing switch box / cover plate including connections etc. as required.	(Make:-KEI / Anchor / Plaza/SCI)	3x1.5 Sq. mm.
	œ		24			16		16		24			55
	616		265			750		582	-	130			111
	Rupees Six Hundred Sixteen Only		Rupees Two Hundred Sixty Five Only	1		Rupees Seven Hundred Fifty Only		Rupees Five Hundred Eighty Two Only		Rupees One Hundred Thirty Only			Rupees One Hundred Eleven Only
	Each		Each			Each		Each		Each			P/Mtr
	4928		6360			12000		9312		3120			6105

r e some en		T	1	T		
ಚ	12.1	12	11.1	⇒ =	10	10
Providing and installation of following wattage LED square/round surface downlighter with minimum system lumen efficacy of 100 lm/W with and P.F. >0.95 with THD<10%, CCT 6000 K, CRI 80. The LED with useful life of 50000 hrs. at L70. The input voltage range shall be 150V to 270V as required with 5 years warranty.	Exhaust Fan, Heavy duty 300 mm sweep	Providing and installation exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections testing and commissioning etc. as required:	Double door-8 way	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	63 Amps. Cat-A.  Makes:- L&T/Legrand/Schneider.	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.
	ω		∞		8	
	4347		1897		3616	
	Thousand Three Hundred Forty Seven Only	Dipolo	Thousand Eight Hundred Ninety Seven Only		Rupees Three Thousand Six Hundred Sixteen Only	
	Each		Each		Each	
	34776		15176		28928	

16	15.1	15		14.1	14		13.1
Makes:- Phillips/Wipro/Bajaj  Providing and installation of stationary storage type Electric water heater (Geyser) of various Sizes by means of expansion-bolts with nuts and washers, including embedding of expansion bolts in the wall, making good the damages, electrical connections, testing etc. complete as required-	LED Mirror Light 10 W	Providing and fixing LED Mirror Light of IP20, LED fixture 10 W+/- 1W with Surface Mounted 2 feet with Polycarbonate diffuser with Extruded aluminium housing having minimum system lumen output 1000 lumens and system lumen efficacy of 100 lm/W with P.F.>0.95 with THD 20%, CRI 80 .The LED with Useful life of 50000 Hrs. at L70 with five years warranty. The LEDs used in the luminaire shall have CCT of ANSI Bin 6500 K with CRI of minimum 80.The Input voltage range shall be 150V to 270V, 50/60 HZ complete with all accessories, including connections, testing and commissioning etc.as required with 5 years warranty complete in all respects.	Makes: Bajai/ Wipro/Havells	LED Bulk Head 10 Watt	Providing and fixing of LED Bulkhead 10W +/- 1W with minimum system lumen efficacy of 100 lm/W with and P.F. >0.95 with THD<10%, CCT 5700 K, CRI 70, surge protection 4 kV. The LED with useful life of 50000 hrs. at L70. The input voltage range shall be 150V to 270V as required with 5 years warranty.	Makes: Bajaj/ Wipro/Havells	LED Surface mounting Square/Round downlighter 18 Watt
	24			72			ω
	801			1432			1562
	Rupees Eight Hundred One Only			Rupees One Thousand Four Hundred Thirty Two Only			Rupees One Thousand Five Hundred Sixty Two Only
	Each			Each			Each
	19224			103104			12496

		- COL
	100	Total
		Make:- Finolex/Polycab/Havells
Rupees One 1703 Thousand Seven Hundred Three Only	4	17.1 32 Amp Power Unit
		Supplying and fixing of power unit of following capacity suitable for air conditioning units / geyser along with cable output including connections etc. as required.
		Makes:- Usha/Bajaj/Racold
Rupees Thirteen Thousand Four 13418 Hundred Eighteen Only	5	16.1 35 Liter capacity water heater (Cat-A)

Braft should of shart y cheeled 188856 Executive Engineer Electrical Division HPPWD Palampur

		N	N	(a = 3			<u>`</u>	7 10	the Ka	
	ω	22	2.1	N		- 11	<b>-</b>	NO.	Name of Kangra a therein.).	
25 mm. dia	Make:-KEI / Anchor / Plaza /Havells  Supplying and fixing of following sizes of medium class PVC conduit along with the accessories in surface / recess including cutting the wall and making good the same in case of recessed conduit as required:-	2x 4 Sq. mm. + 1x 4 sq.mm. earth wire	2x1.5 Sq. mm. + 1x1.5 sq.mm. earth wire	Wiring for circuit/sub-main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor single core cable in Surface / recessed medium class PVC conduit as required.	Make:-KEI,Anchor,Plaza / Havells) Legrand (Myrius), L&T(Oris), Anchor (Roma plus).	Group C	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.	DESCRIPTION	Name of Work :- C/O P.G. Hostel for Boys and Girls at Dr. RPGMC Kangra at Tanda. (SH:- Providing El to Security Posts near Main Gate therein.).	SCHEDULE OF QUANT
232		12	10			16		QTY.	jċ	QUAN
135.00		353.00	217.00			1345.00		FIGURES	job No 6	YTIT
Rupees One Hundred Thirty Five Only		Rupees Three Hundred Fifty Three Only	Rupees Two Hundred Seventeen Only			Rupees One Thousand Three Hundred Forty Five Only		RATES WORDS	ESTIMATED COST: Rs.2,19,728/-only: EARNEST MONEY: Rs.4400/-only TIME ALLOWED: Three Months	
Per Meter		Per Meter	Per Meter		SPR	Per Point		UNIT	s.2,19,728/-or s.4400/-only e Months	
31320		4236	2170			21520		AMOUNT	nly	

	Ι	7 AMERICA			Т	-			Т		Т		
	8.1	ω		7.1	7		6.1	б		51		4	
Makes:- L&T/Legrand/Schneider.	Double door-8 way	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	Makes:-L&T/Legrand/Schneider.	63 Amps. Cat-A.	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes:- L&T/Legrand/Schneider.	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	Makes:- L&T/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps, modular switch, connections etc. as required.	Makes:- L&T/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps, modular switch, connections etc. as required.	(Make:-BEC / Anchor / Diplast / Polyfit)
	22		17.0	N			6		Section 1	ν		თ	
	1641.00			531.00			229.00	v.	24 100 500	992.00		663.00	
	Rupees One Thousand Six Hundred Forty One Only			Rupees Five Hundred Thirty One Only			Rupees Two Hundred Twenty Nine Only			Rupees Nine Hundred Ninety Two Only		Rupees Six Hundred Sixty Three Only	
	Each			Each		1110000	Each			Each		Each	
	3282			1062			1374			1984		3978	

_							
	11.1	3	10.1	10		9.1	ω
Makes: Bajaj/ Wipro/Havells	18 Watt LED Tube fixture with rod	Providing and fixing decorative extruded tube fixture having high quality design suitable for LED tube up to 18Watt (1800 lumen) 6500K and it should be compatible with specifications i.e. power factor ≥ 0.9, harmonic distortion ≤ 10% and efficacy ≥ 100 lumens per watt, CRI > 80, suitable for input voltage AC 220-240V, 50/60 Hz, including one no. tube rod 18 Watt complete with all accessories, connections, testing and commissioning etc. as required. complete in all respects with 5 years warranty.	Armoured cable 10 sq. mm (2 core)	Providing and laying of one No. aluminium conductor, PVC insulated and PVC sheathed, armoured/XLPE power cable, working voltage 1100 volts grade of following size direct in ground; but excluding excavation, sand cushioning and protective covering and refilling the trench etc. as required.	Makes:- Usha / Bajaj/ Crompton.	Ceiling Fan 1200 mm sweep, Category-A	Providing, Installation, testing and commissioning of ceiling fan with BLDC 5 Star two module modular step type electronic fan regulator, including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mm twin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required with not less than 3 rated star.
	4		270			N	
	1402.00		352.00			4386.00	
	Rupees One Thousand Four Hundred Two Only		Rupees Three Hundred Fifty Two Only		To State of the St	Rupees Four Thousand Three Hundred Eighty Six Only	
	Each		P/Mtr		5	Each	
	5608		95040			8772	

219728	100 St. 100 St				Total	
	A Kentago				Makes:- Panasonic/Wipro/Bajaj	
30892	Each	Rupees Seven Thousand Seven Hundred Twenty Three	7723.00	4	LED 50/60 Watt Flood light	13.1
>					Supplying and fixing of LED flood light luminaire with die cast aluminium housing with frame toughened glass with PC Lens, cradle mounting and protecting including connections etc. complete with all accessories, connections, testing and commissioning as required.with 5 year waranty.	13
				10000	Makes: Bajaj/ Wipro/Havells	
8490	Each	Rupees One Thousand Four Hundred Fifteen Only	1415.00	6	LED Bulk Head 10 Watt	12.1
					Providing and fixing of LED Bulkhead 10W +/- 1W with minimum system lumen efficacy of 100 lm/W with and P.F. >0.95 with THD<10%, CCT 5700 K, CRI 70, surge protection 4 kV. The LED with useful life of 50000 hrs. at L70. The input voltage range shall be 150V to 270V as required with 5 years warranty.	12

opproved to have of sugarity checked and

Executive Engineer
Electrical Division
HPPWD Palampur

	SCHEDULE OF QUANTIT	NAUS	YTIT			
Name	Name of Work :- C/O Veterinary Dispensary building at JAROT in			ESTIMATED COST: Rs.1,19,984/-onfy.	s.1,19,984/-	only.
Tehsil	Tehsil Jawali Distt. Kangra (HP) (SH:-Providing E.l. therein)	<u>_</u> .	job No 7	TIME ALLOWED: Two Years	s.2400/-only Years	14
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
NO.			FIGURES	WORDS		
_	Wiring for light point fan point exhaust fan point call bell point with 1.5		1			
	sq.mm FRLS PVC insulated copper conductor single core cable in					
	surface / recessed steel conduit, with piano type switch, phenolic		To the target			
	laminated sheet, suitable size MS box and earthing the point with 1.5					
	sq.mm. FRLS PVC insulated copper conductor single core cable etc as					
	required. Make: KEI/ Plaza/Anchor & Anchor/SSK					
ij				Rupees One		
	Group C.	17	1712.00	Thousand Seven Hundred Twelve Only	Point	29104
2	Wiring for circuit/ submain wiring alongwith earth wire with the following					
	sizes of FRLS PVC insulated copper conductor, single core cable in					
	surface/ recessed steel conduit as required. Make: KEI/Plaza/Anchor.					
(i	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	32	335.00	Rupees Three Hundred Thirty Five Only	Meter	10720
ij	2 X 10 sq. mm + 1 X 6 sq. mm earth wire	3	793.00	Rupees Seven Hundred Ninety Three Only	Meter	2379
3	Wiring for power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith	20	473.00	Rupees Four Hundred Seventy	Meter	9460
	for loop earthing as required Make: KEI/Plaza/Anchor			Three Only		
	lor loop earning as required, make. Neur lazar incline.					

ij	10	ij	9	8	7	6	<i>σ</i> ι	4
40 Amps. (Make:- Schneider/ Legrand/L&T))	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Single pole (Make:-Schneider/ Legrand/L&T)	Supplying and fixing 6 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Supplying and fixing Ding-Dong / Electronic musical bell, suitable for D.C./A.C. single phase, 230 volts complete as required:- Make :- Gold Medal /Anchor/SSK	Supplying and fixing bakelite batten/angle holder including connections etc. as required:-	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required. Make: Anchor/SSK	Supplying and fixing metal box of 150mm X 75mm X 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps piano type switch, connection, painting etc. as required. Make: Anchor/SSK	Wiring for power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required. Make: KEI/Plaza/Anchor.
/ بد		4		1	1	2	N	ω
488.00		265.00		182.00	94.00	485.00	290.00	755.00
Hundred Eighty Eight Only	ם י	Rupees I wo Hundred Sixty Five Only		Rupees One Hundred Eighty Two Only	Rupees Ninety Four Only	Rupees Four Hundred Eighty Five Only	Rupees Two Hundred Ninety Only	Rupees Seven Hundred Fifty Five Only
Each	100	Each		Each	Each	Each	Each	Meter
488		1060		182	94	970	580	6040

-	1. 13.19278.2.5				
14	13	(1	12	ij	3
Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required.	Supply, Erection, Installation and Commissioning of UniEarth Maintenance free chemical earthing system consisting of environment friendly ground enhancing compound 'G.E.C' 50 kg or as required at site having anticorrosive and hygroscopic properties to replace excavated soil. It should consist of "Uniearth" Copper bonded electrodes, as per site conditions and soil resistivity at various depth levels and different terrains. The electrodes should have coating of 250 microns of molecularly bonded pure electrolytic copper (99.9%) in 2 metre length, 17.2 mm diameter, Terminal joint 200x25x6mm GI Strip with exothermic welds. The electrode should be duly tested and certified by CPRI for 30 kA short time current test for 1 sec rms.	Double door-8 way (Make:- Schneider/ Legrand/L&T)	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)	40 Amps. (Make:- Schneider/ Legrand/L&T)	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.
20		_		-	
45.00	23475.00	1897.00		2715.00	
Rupees Forty Five Only	Rupees Twenty Three Thousand Four Hundred Seventy Five Only	Rupees One Thousand Eight Hundred Ninety Seven Only		Rupees Two Thousand Seven Hundred Fifteen Only	
Meter	Se et	Each		Each	
900	23475	1897		2715	

		<u> </u>			1,000	
18	O.	17	i)	16	=	<u></u>
Providing and installation of Back Light (Non slim model)15 W +/- 1 W LED round Surface/recess Mounted Downlighter with minimum system lumen efficacy of ≥110 lm/W with and P.F.>0.95 with THD<10% ,CCT 5700 K,CRI 80.The LED with Useful life of 50000 Hrs at L70 with 5-years warranty.The Input voltage range shall be 150V to 270V , 50/60 HZ complete with all accessories, including connections, testing and commissioning etc.as required complete in all respects.	LED Batten 20W, 4 feet long Make: Crompton (Cat no. CCS-100-20-65-HL2-DP-NWH)/Bajaj/Wipro	Supplying & fixing following type of Surface mounted luminaires, white power coated CRCA housing diffusser to avoid glaire, it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion < 10% and efficacy ≥100 Lumens per watt, CRI rating >70 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required.with 5- years warranty	Ceiling Fan 1200 mm sweep BLDC 5 Star rating (Make: Usha Model: Technoair BLDC 5 Star without remote)/ Bajaj/Crompton.	Providing, Installation, testing and commissioning of BLDC ceiling fan with socket type regulator, including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mm twin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required. 5 Star rating with Five years warranty.	Exhaust Fan, Light duty, (Domestic) 225 mm sweep (Make: Crompton, Model : Flux Air metal)/Usha/ Bajaj	opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and commissioning etc. as required: of Approved Make.
	4		ω		<u> </u>	
	761.00		4386.00		1945.00	
	Rupees Seven Hundred Sixty One Only		Rupees Four Thousand Three Hundred Eighty Six Only		Rupees One Thousand Nine Hundred Forty Five Only	
	Each		Each		Each	
	3044		13158		1945	

	e Militaria					
Ð	2	i)	20	=	2)	19 =
Wall Bracket light 9 W x1 LED Makes:- Havells cat no. LHFOFUE1TZ1W012/Jaquar/Philips	Providing and Fixing Following type of LED Wall bracket light coated CRCA Sheet steel housing, diffuser to avoid glaire, should be compatible with specifications i.e. Power factor > 0.9, Harmonic distortion < 10% and efficacy > 100 Lumens per watt, CRI >80, sultable for Input voltage AC 220-240 V, 50/60 HZ complete with all accesseries, including connections, testing and commissioning etc.as required complete in all respect.	40 mm dia. G.I. pipe, heavy class	Supplying and erection of street light bracket made of G.I. pipe 'A' class of suitable length and dia, the pipe bended to give an angle of 100 to 110 degree fitted with bolt & nuts at the top of existing pole or wall including painting the pipe with two coats of approved paint over priming coat complete in all respects as required:-	Street light fixture 20 watt LED with Lens, Make: Crompton (cat No. LSTS-20-CDL-M)/Bajaj/Wipro	Crompton Greaves Electric having cat No. /ordering code LSTS-20-CDL-M, powder coated pressure die-cast aliminium SMDLED streetlight with heat resistant toughened glass it should be compatible with specification i.e. power factor ≥ 0.9, Harmonic Distortion < 10% and efficiency ≥ 100 Lumens per watt, CRI rating> 70 suitable for input voltage: AC 220-240 V, 50 Hz,including connection, testing and commisioning etc. as required.with 5- years warranty	
_	ı	N		2		2
737.00		787.00		1902.00		1432.00
Rupees Seven Hundred Thirty Seven Only		Rupees Seven Hundred Eighty Seven Only		Rupees One Thousand Nine Hundred Two Only		Rupees One Thousand Four Hundred Thirty Two Only
Each		Each		Each		Each
737		1574	100	3804		2864

	23	Ð	ž.
Total	Providing and fixing LED Bulb 9 watts to 10 watt, B22 base in the exising fixture as requaired complete in all respect.	Bulk Head Light LED 10 W (Make:- Bajaj Cat no.BIBWP 10W LED)/Wipro/Panasonic.	rroviding and fixing LED Bulk head of following rating and it should be compatible with specification i.e. Power Factor ≥ 0.9, Harmonic Distortion <20% and efficacy ≥ 100 Lumens per watt, CRI rating> 70 suitable for input voltage: 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required.
	_	2	
	150.00	1322.00	-1
	Rupees One Hundred Fifty Only	Rupees One Thousand Three Hundred Twenty Two Only	
	Each	Each	
119984	150	2644	

choraves his 119784/2 Executive Engineer

Executive Engineer
Electrical Division
HPPWD Palampur

NAME	SCHEDULE OF QUANTI	INAU	YTI	ESTIMATED COST: Rs 2 33.143/-only.
Assistant En Kangra (HP)	NAME OF WORK :- Replacement of Electrical wiring in the Office of the Assistant Engineer N.H. Sub Division,HPPWD Dehra in Tehsil Dehra Distt Kangra (HP)	Job	8 on	ESTIMATED COST: Rs.2,33,143/-o EARNEST MONEY: Rs.4700/-only TIME ALLOWED: Three Months
SR.	DESCRIPTION	ΩΤΥ.		RATES
NO.			FIGURES	WORDS
_	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.			
	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus),L&T(Entice)/SCI	29	1824	Rupees One Thousand Eight Hundred Twenty Four Only
2	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required			
i	2X1.5Sq.mm+1X1.5Sq.mm Earth wire			
	Makes: Plaza/KEI/SCI	60	335	Rupees Three Hundred Thirty Five Only
ω	Wiring for circuit submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in		ř	
	ava for my for my fath wire			
-	2X2.5Sq.mm+1X2.5Sq.mm Earth Wire  Makes: Plaza/KEI/SCI	40	395	Rupees Three Hundred Ninety Five Only
4	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.			Total Technology

	=		9	_							_		
3	1.5		<u>.</u>	8	-	7		-	6	-		55	-
Makes: Plaza/KEI/SCI	3X4Sq.mm	3X2.5Sq.mm	3X1.5 Sq.mm	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.	Makes: Plaza/KEI/SCI	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	Makes: Plaza/KEI/SCI	2 X 10 sq. mm + 1 X 6 sq. mm earth wire	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	Makes: Plaza/KEI/SCI	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	Makes: Plaza/KEI/SCI
	15	15	20		10		100	3		15			55
4	253	171	111		771	nda z		793		657			471
	Rupees Two Hundred Fifty Three Only	Rupees One Hundred Seventy One Only	Rupees One Hundred Eleven Only		Rupees Seven Hundred Seventy One Only		11. 改善	Rupees Seven Hundred Ninety Three Only		Rupees Six Hundred Fifty Seven Only			Rupees Four Hundred Seventy One Only
	P/Mtr	P/Mtr	P/Mtr		P/Mtr		10.37	P/Mtr		P/Mtr			P/Mtr
	3795	2565	2220		7710			2379		9855			25905

	100		<u> </u>	Ι	1	Ι	Т	1				
	13		12	-	==		-	10		=	-	9
Makes: Anchor/Goldmedal/SSK.	Supplying and fixing Ding dong bell suitable for single phase, 230 volts, complete as required.	Makes: Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)	Supplying and fixing suitable size GI box with modular plate and cover in FRLSont on surface or in recess, including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required.	Makes: Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.	Makes:- Legrand(Myrius),L&T(Oris),Anchor Roma(Plus),L&T(Entice).	12 Module (200mmX150mm)	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3Nos 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.(For light plugs to be used in NR Buildings).	Makes:- Legrand(Myrius),L&T(Oris),Anchor Roma(Plus),L&T(Entice).	5 pin, 5/ 6 Amps Modular socket outlet.	S.P. 5/ 6 Amps one way Modular switch.	Supplying and fixing following rating Modular switch /socket in the existing switch box / cover plate including connections etc. as required.
	თ	7		œ		5				_	4	
	187	750		582		1366				187	130	
	Rupees One Hundred Eighty Seven Only	Rupees Seven Hundred Fifty Only		Rupees Five Hundred Eighty Two Only		Rupees One Thousand Three Hundred Sixty Six Only	STANTA TO STANTA			Rupees One Hundred Eighty Seven Only	Rupees One Hundred Thirty Only	
	Each	Each		Each		Each				Each	Each	
	935	5250		4656		6830				187	130	

		17		-	16			15			14
Double door-4way	Makes: Legrand,Schiender,L&T.	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required.(But without MCB/RCCB/Isolator).	Makes: Legrand,Schiender,L&T.	63 Amps. Cat-A.	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes:- Legrand,Schiender,L&T.	63 Amps. Cat-A.	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes: Legrand, Schiender, L&T.	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:
1							-			13	
1572				3616			616			265	
Rupees One Thousand Five Hundred Seventy Two Only				Rupees Three Thousand Six Hundred Sixteen Only			Rupees Six Hundred Sixteen Only			Rupees Two Hundred Sixty Five Only	
Each	90000S131		1000000	Each			Each			Each	
1572				3616	1 1		616			3445	

				1				
	= -	21			20	19	18	=:
Providing, Installation, testing and commissioning of ceiling fan without regulator, including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mmtwin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required:	LED Mirror Light 10Watts Makes:-Havells,Wipro,Bajai.	Supplying and fixing of LED Batton/LED Mirror Light 10WAtts, 6500K ,(Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9,Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing and commissioning etc as required of Approved Makes.(Including 5Years Warranty).	Make:Usha(AEROCLEAN PLUS DBB ),Bajaj,Crompton	Exhaust Fan, Light duty, (Domestic) 300 mm sweep	Providing and installation exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good thedamages, connections, testing and commissioning etc. as required:	Providing and fixing 6SWG G.I. wire at 0.50 mtr. Below ground level for earth electrode conductor including soldering etc. as required.	Earthing with G.I. earth pipe 4.5 Mtr. Long 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	door-16 way
	_			20		25	_	1
	482			2269		41	6188	2954
	Rupees Four Hundred Eighty Two Only			Rupees Two Thousand Two Hundred Sixty Nine Only		Rupees Forty One Only	Rupees Six Thousand One Hundred Eighty Eight Only	Rupees Two Thousand Nine Hundred Fifty Four Only
	Each		12.00	Each		P/Mtr	P/Set	Each
	482			4538		1025	6188	2954

										Γ	l	
26		25	=		24			23		<b>=</b>	==	
Supplying and fixing LED lamp 9 watts on the existing batten holder/Fancy wall bracket as required complete in all respects.	Makes: Anchor/SSK/Goldmedal	Supplying and fixing brass batten/ angle holder including connection etc. as required.	Makes: Havells,Bajaj,wipro or as approved by Engineer-in-Charge	LED Tube Light 4Feet Long	Supplying and fixing of LED Batten along with 20Watt LED Tube Light ,6500K ,(Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9,Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing and commissioning etc.Makes: Havells ,Bajaj ,wipro or its equivalent as approved by Engineer-in-Charge	Make:Bajaj(ESTEEM 400MM WALL FAN), Usha, Cromptons.	Wall fan 400mm Sweep	Providing, Installation, testing and commissioning of wall fan of following size by means of suitable rag bolts/nuts, connections, testing and commissioning etc. as required complete in all respects to the best satisfaction of Engineer in Charge of approved make.(With Five years warranty)	Make:- Bajaj Speedster,Bajaj,Crompton	Ceiling Fan 1400 mm sweep, Category-A	Make:- Usha(Technix Plus ),Bajaj,Crompton with not less than 3 rated star	Ceiling Fan 1200 mm sweep, Category-A
		_	7				_			1		ω
		94	875				3032			3252		3191
		Rupees Ninety Four Only	Rupees Eight Hundred Seventy Five Only				Rupees Three Thousand Thirty Two Only			Rupees Three Thousand Two Hundred Fifty Two Only		Rupees Three Thousand One Hundred Ninety One Only
		Each	Each				Each			Each		Each
		94	6125	の経過機能が行う		2000	3032			3252		9573

	29	-	28		-	27	
Makes: Legrand,Schiender,L&T.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 25 amps modular socket outlet and 25 amps modular SP MCB "C" curve including connection, painting etc. as required.	LED Surface 1X1 Luminaire-24Watts	Providing and fixing LED fixture 300mmX300mm 24 Watt+/-1Watt with surface mounted having minimum system lumen output 100lumens/Watt with CRCA housing and P< <a diffuser="" pf="" with="">0.95 with THD,20%,CCT 5700K,CRI&gt;80. The LED shall be tested with LM80-08 standard with useful life of 50000 Hrs. at L70. The input voltage range shall be 150V to 270V,50 Hz with all accessories, connections, testing and commissioning etc as required complete in all respects. with 5 year waranty.</a>	Makes: Bajaj ,Havells ,wipro	LED 10 Watt Bulk Head	Supplying and fixing of bulk head fitting LED 10 watt+/-1W with minimum system Lumen efficiencyof 100lm/W with and P.F.0.95 with THD,10%,CCT 5700K,CRI 70,Surge protection 4KV. The LED with useful life of 50000 Hrs. at L70. The input voltage range shall be 150V to 270V complete with all accessories, connections, testing and commissioning etc.as required.with 5 year waranty.	Makes:-Havell/Bajaj/Philips.
_		4		Total Section 1	2		_
775		2657		日本のでは	1407		150
Hundred Seventy Five Only		Thousand Six Hundred Fifty Seven Only	Rippes Two		Rupees One Thousand Four Hundred Seven Only		Hundred Fifty Only
Each		Each		Carona	Each		each
775		10628			2814		150

	استند					
			31			30
Total	Makes: Bajaj (Model -Cat No -GLEAM F 55L WH SY PC SD V2-50W)/Panasonic/wipro	LED Flood Light 50 Watts	Supplying and fixing of LED Flood light Luminaire comprises of Al Die cast Housing with frame, High Purity PC lens Diffuser, cradle mounting, minimum system lumens of 5000. The luminaire shall have CCT of 5700K and CRI of minimum 80, PF>0.95 and THD>10%. The luminaire shall have IP66 and IK08 protection. The LED shall be compliant with Useful L70 life of 50000 Hrs. Driver efficiency should be 85% to operate in input voltage range of 100V to 270V (nominal rated voltage – 240V) with 4 KV internal surge protection.(With 5 Years Warranty)	Makes: Havells,Panasonic, Bajaj.	LED Street light 45 Watts	Supplying and fixing of LED Street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having iP65 protection and impact resistance of IK07 with 10 kV Built-in surge Protection Device. The luminaire shall have CCT of 5700K and CRI of minimum 80, PF>0.95 and THD>10%. LED shall be compliant with Useful L70 life of 50000 Hrs. Driver efficiency should be 85% to operate in input voltage range of 100V to 270V.(With 5 Years Warranty)
	_			1		
	6069	*		4982		
	Rupees Six Thousand Sixty Nine Only	2		Rupees Four Thousand Nine Hundred Eighty Two Only	1	
	Each			Each		
233143	6069			4982		

approves this 253/43/ Executive Engineer

Executive Engineer Electrical Division HPPWD Palampur

	SCHEDULE OF QUANT	NAUC	TTY			1
NAME Sub D Chami	NAME OF WORK :-Replacement of E.I and Switchgear system into new one Sub Division officer(C) Residence at Bharmour In Tehsil Bharmour Distt. Chamba (H.P)	٦	Job No 9	ESTIMATED COST: Rs.1,55,398/-only. EARNEST MONEY: Rs.3200/-only TIME ALLOWED: Six Months	s.1,55,398/-o ls.3200/-oդJy Months	nly.
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
NO.			FIGURES	WORDS		
_	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed					
	steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.					
	Make:- Legrand (Myrius)/ Schneider(Livia)/Anchor Roma (Plus)/SCI	- 1				
	Group A.	28	1271	Rupees One Thousand Two Hundred Seventy One Only	Per point	35588
12	Wiring for twin control light point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with 2-way, 5/6 amps. modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.					
	Make:- Legrand (Myrius)Schneider(Livia)//Anchor Roma (Plus)/SCI	4				
	Group A.	7	1463	Rupees One Thousand Four Hundred Sixty Three Only	Per point	1463
ω	Supplying and drawing following size of PVC insulated, heat resistant, flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in existing surface / recessed, Steel/PVC conduit as required.Make: KEI/Plaza/Anchor/SCI				i je i s	

				- 63					3		I		T
			7		6		Ch.		4	=			
Telephone Socket outlet, modular.	Makes:- Legrand (Myrius)/Schneider(Livia)/Anchor Roma (Plus)/SCI	existing switch box / cover plate including connections etc. as required.	Supplying and fixing following rating Modular switch /socket in the	Make:- Legrand (Myrius)/Schneider(Livia)/Anchor Roma (Plus)	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 2 nos. 3 pin 5/6 amps modular socket outlets and 2 nos 5/6 amps modular switches, connection etc. as required. (For light plugs to be used in non residential buildings).	Make:- Legrand (Myrius)Schneider(Livia)/ /Anchor Roma (Plus)	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps, modular switch, connections etc. as required.	Make:- Legrand (Myrius)/Schneider(Livia) /Anchor Roma (Plus)	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps, modular switch, connections etc. as required.	3x10 Sq. mm.	3x4 Sq. mm.	3x2.5 Sq. mm.	r ve ilisulated mere to copper conductor 1.5 sq. mm.
2		1			2		6		12	ω	37.458	38	
157					930	ř	750	3	582	618	253	171	
Rupees One Hundred Fifty Seven Only					Rupees Nine Hundred Thirty Only		Rupees Seven Hundred Fifty Only		Rupees Five Hundred Eighty Two Only	Rupees Six Hundred Eighteen Only	Rupees Two Hundred Fifty Three Only	Rupees One Hundred Seventy One Only	
Each		1 1			Each		Each		Each	Per metre	Per metre	Per metre	
314	7		5		1860		4500		6984	1854	9477	6498	

				6				_									_	-	_			
					12	5	-		<u> </u>		10		_			ď	,					00
LED 12 Watt Round	Make:-Bajaj/Panasonic/ Wipro	and commissioning etc. as required.with 5 year waranty.	efficacy ≥ 100 lumens per watt, CRI > 80, suitable for input voltage AC 220-240V, 50/60 Hz complete with all accessories, connections, testing	with specifications i.e. power factor ≥ 0.9, harmonic distortion ≤ 10% and	suitable for surface application with the use of the latest technology (2/14) Wat (200/1200/1800 lumen) 6500K and it should be compatible	Constitution of the second of	Exhaust Fan, Light duty, (Domestic) 300 mm sweep		Providing and installation of exhaust fan of following sizes in the existing opening, including making the hole to suit the size of the above fan, making good the damages, connections, testing and commissioning etc. as required:- Make:-Usha/Bajaj/Crompton	al/SSK/Anchor	nusio			Anchar/BEC/Diplast/PolyFit	good the same in case of recessed conduit as required: Make:	accessories in surface / recess including cutting the wall and making		III ANGUN TING I PIAZA / OCI	Make: Anchor/KEI/Bland (SC)	and protected with PVC sheath in the existing surface / recessed, steel /	copper conductor PE insulated, shielded with fine tinned copper braid	Supplying and drawing co-axial TV cable, RG-6 grade, 0.7mm (75 Ohms)
œ			ı.				ω		:1		•	20								20	3	
782	1800						2269			Ş	187	113		24						36	)	
Rupees Seven Hundred Eighty Two Only					1	Only	Thousand Two Hundred Sixty Nine	Bunees Two		Seven Only	Rupees One Hundred Fighty	Hundred Thirteen Only	Rupees One		V					Only	Rupees Thirty Six	
Each							Each	OK TROPEN TO		1	Fach	Per mtr								Per mtr.		
6256					W. 18.39		6807				187	2260								720	700	

7							Ι		
	-	<i>5</i> 1		-	4		-		13
Cat No: LL20-111-111-XXX-65NE3	Mirror lightLED 10Watt	Providing and fixing decorative extruded tube fixture having high quality design suitable for LED tube up to 10Watt (Mirror Light)(1000 lumen) 6500K and it should be compatible with specifications i.e. power factor 2 0.9, harmonic distortion ≤ 10% and efficacy ≥ 100 lumens per watt, CRI > 80, suitable for input voltage AC 220-240V, 50/60 Hz, including one no. tube rod 10 Watt complete with all accessories, connections, testing and commissioning etc. as required with 5 year waranty. Make-Jaquar,Panasonic,Wipro	Cat No: BCLAB 20W LED P	Fancy Wall Bracket Cat. No.JNL-CHR-WLRB0480SE27	Supplying and fixing of fancy wall bracket suitable for input voltage/AC 220-240V,50/60Hz, complete with all accessories including making connectons,testing etc. as required with 5 year waranty. Make:-Jaquar/Philips/Bajaj	Cat No: BCLAB 20W LED P	LED Tube Fixture 20Watt	Make:-Bajaj/Panasonic/Wipro.	Cat No: PPAM17127R1  Providing and fixing decorative extruded tube fixture having high quality design suitable for LED tube up to 20Watt (2000 lumen) 6500K and it should be compatible with specifications i.e. power factor ≥ 0.9, harmonic distortion ≤ 10% and efficacy ≥ 100 lumens per watt, CRI > 80, suitable for input voltage AC 220-240V, 50/60 Hz, including one no tube rod 20 Watt complete with all accessories, connections, testing and commissioning etc. as required with 5 year waranty.
	2			ω			3		
	532			1645			975		
が記載され	Rupees Five Hundred Thirty Two Only			Rupees One Thousand Six Hundred Forty Five Only		T. A. Marine	Rupees Nine Hundred Seventy Five Only		
	Each			Each		B	Each		
	1064		7	4935			2925		

			Т		Г	Γ	T
18	17			16	15		9
Providing and installation of stationary storage type Electric water heater (Geyser) of various sizes by means of Expansion-bolts with nuts and washers, including embedding of expansion-bolts in the wall, providing and fixing of Non-return valve, Dead weight safety valve, 2 No C.P. connection rods 18" long, making good the damages, electrical connections, safety valve connections, testing and commissioning etc. as required:- Make:-Usha /Recold/Bajaj	Supplying & fixing suitable size GI box wih modular plate and cover in front on surface or in recess i/c providing and fixing 25 amp modular socket outlet and 25 Amps modular SP MCB, "C" curve including connection, painting etc. as required:- Make:- Legrand (Myrius)Schneider(Livia)/Anchor Roma (Plus)	Makes:- Tisva (Cat.No.AL916611R 9W/ B22) /Panasonic / Osram.	9 Watt LED, B-22	Supplying and fixing LED retrofit lamp suitable for B-22 holder base fittings with polycarbonate diffuser and aluminium heat sink as required complete in all respects. Make:- Osram/Philips/Panasonic	Supplying and fixing bakelite batten/angle holder including connections etc. as required:- Make:- GoldMedal/SSK/Anchor	LED Bulk head 10Watt Cat No: BIBWP 10W LED	Providing and fixing LED Bulk head of following rating with pressure die casting aluminium housing and it should be compatible with specification i.e. Power Factor ≥ 0.9, Harmonic Distortion <20% and efficacy ≥ 100 Lumens per watt, CRI rating> 70 suitable for input voltage: 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required with 5 year waranty. Make-Bajaj,Panasonic,Wipro
	ω		ω		ω	6	
	775		199	.7	94	1305	je j
	Rupees Seven Hundred Seventy Five Only		Rupees One Hundred Ninety Nine Only		Rupees Ninety Four Only	Rupees One Thousand Three Hundred Five Only	
	Each		Each		Each	Each	
	2325		597		282	7830	

					-		
22	21	20	=:		19	=:	-
Supplying and fixing 63 Amps. rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make:-L&T/Legrand/Schneider)	Supplying and fixing 63 Amps. rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make:-L&T/ Legrand/ Schneider)	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of Single pole in the existing MCB DB complete with connections etc. as required:- Cat-A. (Make:-L&T/ Legrand/ Schneider)	Double door-16 way	Double door-4 way	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:- (Make:-L&T/ Legrand/ Schneider)	25 Liter capacity water heater (Cat-A)	10 Liter capacity water heater (Cat-A)
1	<b>→</b> ,	13	4	1		20	-
616	3616	265	2954	1572		10250	8319
Rupees Six Hundred Sixteen Only	Rupees Three Thousand Six Hundred Sixteen Only	Rupees Two Hundred Sixty Five Only	Rupees Two Thousand Nine Hundred Fifty Four Only	Rupees One Thousand Five Hundred Seventy Two Only		Rupees Ten Thousand Two Hundred Fifty Only	Rupees Eight Thousand Three Hundred Nineteen Only
Each	Each	Each	Each	Each		Each	Each
616	3616	3445	2954	1572		20500	8319

1 7	1825398/	no approved to 11 122398	and of		the contracter in the final bill Amounting to Rs. 1201/- as per estimate	
culces)	1 2 to 2	000000	-		Total	
155398					carai ciccada comación, incidallig soldening etc. as required.	
		Only			parth electrode conductor including soldering etc. as required	
820	Per metre	Rupees Forty One	41	20	supplying and laying a save G.I. wire at 0.50 mtr. below ground level for	44
					Complaine and louine a CNIC OI with a to 50 at the louine at level for	2
		nullated thirty only			charcoal/ coke and salt ) as required.	
		Lindrad Thirty Only	8830	_	locking arrangement and watering pipe of 2.7 metre long etc. with	
8830	Set	Thousand Eight	0	93	accessories and providing masonry enclosure with cover plate having	
		П П П			Earthing with G.I. earth plate 600 mmx600 mmx 6 mm thick, including	23

Executive Engineer
Electrical Division
HPPWD Palampur

Name in HP	SCHEDULE OF QUANTITY  Name of Work :- Repair and Maintenance of various Sets (First Floor) in HP PWD Rest House at Khundian in Tehsil Khundian Distt. Kangra job No (H.P.) (SH: Providing El therein)	QUA		NTITY job No /0	0	OB NO /0 EARNEST MONEY: Rs.4,78,222/-only
SR.	DESCRIPTION	QTY.			RATES	RATES UNIT
3			ы	FIGURES	IGURES WORDS	
_	Wiring for light point / fan point / exhaust fan / call bell point with 1.5 Sq. mm. PVC insulated heat resistant flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in surface/recessed steel conduit with modular switch, modular plates, suitable G.I. box and earthing the light point with 1.5 Sq.mm. HRFRLS/PVC insulated single core copper conductor cable as required.		人名其内 医			
-	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus),L&T(Entice).	65		1858	Rupees One Thousand Eight 1858 Hundred Fifty Eight Only	1.7
N	Wiring for Twin Control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with 2 Way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.					
	Group C. Makes:- Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus),L&T(Entice).	ы		1929	Rupees One Thousand Nine 1929 Hundred Twenty Nine Only	
မ	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	76.2				
-	2X1.5Sq.mm+1X1.5Sq.mm Earth wire					
	Makes: Plaza/KEI/Havells	56		340	340 Rupees Three Hundred Forty Only	
4	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.			4		
-	2X2.5Sq.mm+1X2.5Sq.mm Earth wire					THE REPORT OF THE PARTY OF THE

,

					_		T		_				
=	-	9		8			7	-		6		On	
3X2.5Sq.mm	3X1.5 Sq.mm	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.	Makes: Plaza/KEI/Havells	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	Makes: Plaza/KEI/Havells	2 X 10 sq. mm + 1 X 6 sq. mm earth wire	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	Makes: Plaza/KEI/Havells	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	Makes: Plaza/KEI/Havells	conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq.mm FRLS PVC insulated copper for loop earthing as required.	Makes: Plaza/KEI/Havells
15	20		17			34		38	NO 8 108		42		89
172	112		779			800		664	Bed State of the S		477		401
Rupees One Hundred Seventy Two Only	Rupees One Hundred Twelve Only		Rupees Seven Hundred Seventy Nine Only			Rupees Eight Hundred Only		Rupees Six Hundred Sixty Four Only			Rupees Four Hundred Seventy Seven Only		Rupees Four Hundred One Only
P/Mtr	P/Mtr		P/Mtr			P/Mtr		P/Mtr			P/Mtr		P/Mtr
2580	2240	12	13243		1823	27200		25232			20034		27268

					T	_	1		- 1		,	_	
		14		-	13		12	-	=	-	10		≡
Makes:- Legrand,Schiender,L&T.	63 Amps. Cat-A.	Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes:- Legrand,Schiender,L&T.	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	Makes: Anchor/Goldmedal/SSK.	Supplying and fixing Ding dong bell suitable for single phase, 230 volts, complete as required.	Makes: Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)	Supplying and fixing suitable size GI box with modular plate and cover in FRLSont on surface or in recess, including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required.	Makes: Legrand(Myrius),Schiender(Livia),Anchor Roma(Plus)	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required.	Makes: Plaza/KEI/Havells	3X4Sq.mm
	2			26			ω	9		22			12
	619			268			189	760		591			254
	Rupees Six Hundred Nineteen Only			Rupees Two Hundred Sixty Eight Only			Rupees One Hundred Eighty Nine Only	Rupees Seven Hundred Sixty Only		Rupees Five Hundred Ninety One Only			Rupees Two Hundred Fifty Four Only
	Each			Each	*		Each	Each		Each			РЛМЪ
	1238	2.0 15 10 10		6968			567	6840	1	13002			3048

EBB		V					
JA-351	7	18	17	16	-		15
Makes: Clair, Havells & wipro.	LED Tube Light 4Feet Long	Supplying and fixing of Surface mounting LED Batten 40Watt with housing Aluminium diecast and Virgin Polycarbonates diffuser for best diffused light (With Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9, Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing and commissioning etc.Makes: Clair ,Havells ,wipro or as approved by Engineer-in-Charge.	Providing and fixing 4.00 mm dia copper wire on surface or in recess for loop earthing as required.	including with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	Double door-16 way	Makes:- Legrand,Schiender,L&T.	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required.(But without MCB/RCCB/Isolator).
თ			25	-	2		
2809			171	19075	2971		
Rupees Two Thousand Eight Hundred Nine Only	501516256381158585814305		Rupees One Hundred Seventy One Only	Rupees Nineteen Thousand Seventy Five Only	Rupees Two Thousand Nine Hundred Seventy One Only		
Each	A TRANSPORT OF THE PARTY OF THE		P/Mtr	P/Set	Each		
14045	の変化を		4275	19075	5942		,

=:		20	=:		19
Makes:Wipro,Bajaj & Panasonic.	LED Round Panel Light (Recess) 15Watts	Providing and fixing recess mounted Round downlighter 15W with die cast Al housing in white powder coated finish, anti glare diffuser and and energy efficient electronic driver ,suitable for surface application with the use of the latest technology 15watt (1500 Lumen) 6500K and it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion <10% and efficacy > 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. With Five YEAR WARRANTY	Makes:Wipro,Bajaj & Panasonic.	Round New age premium COB titable downlighter 6W	Providing and fixing recess mounted round New age premium COB titable downlighter 6W which creates contemporary spaces with die cast AI housing in white powder coated finish, anti glare diffuser and and energy efficient electronic driver ,suitable for surface application with the use of the latest technology 6watt (600Lumen) 4000K and it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion <10% and efficacy > 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. With Five YEAR WARRANTY
	7		4		
	1144		1192	10 despt 2005	
	Rupees One Thousand One Hundred Forty Four Only		Rupees One Thousand One Hundred Ninety Two Only		
	Each		Each	A	
	8008		4768		

	,							
=	ij	23	==		22	=	-	21
Makes:Wipro,Bajaj & Panasonic.	Decorative Bed/wall light	Supplying and fixing of Decorative Bed/wall light suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, lamp holder, but excluding lamp including making connections, testing etc. as required of Approved Makes.(Including 5Years Warranty).	Makes:Wipro,Bajaj & Panasonic.	LED Strip Light 5Watts	Providing and fixing Non integral, flexible LED strip light 5W with high brightness suitable for indoor and outdoor application with the use of the latest technology 5watt (500 Lumen) 3000K and it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion <10% and efficacy > 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. With Five YEAR WARRANTY	Makes:Wipro,Bajaj & Panasonic.	LED Round Panel Light (Recess) 18Watts	Providing and fixing recess mounted Round downlighter 18W with die cast Al housing in white powder coated finish, anti glare diffuser and and energy efficient electronic driver, suitable for surface application with the use of the latest technology 18watt (1800 Lumen) 6500K and it should be compatible with specification i.e. Power Factor > 0.9, Harmonic Distortion <10% and efficacy > 100 Lumens per watt, CRI rating> 80 suitable for input voltage: AC 220-240 V, 50 Hz, complete with all accessories, connections, testing and commissioning etc. as required. With Five YEAR WARRANTY
თ		n/c		4		KOP TO THE	18	
1393				1557			1343	
Rupees One Thousand Three Hundred Ninety Three Only				Rupees One Thousand Five Hundred Fifty Seven Only			Rupees One Thousand Three Hundred Forty Three Only	
Each			1865	Each			Each	
8358			100 March 100 Ma	6228			24174	

=:	-	26	=:	-	25	=		24
Make:- Usha(BLDC ),Bajaj	Ceiling Fan 1200 mm sweep, Category-A	Providing, Installation, testing and commissioning of BLDC ceiling fan with fan regulator, including wiring the down rods of standard length (up to 30 cm) with 16/0.20 mmtwin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required:	Makes:Wipro,Bajaj & Panasonic.	LED 10 Watt Bulk Head	Supplying and fixing of bulk head fitting LED 10 watt+/-1W with minimum system Lumen efficiencyof 100lm/W with and P.F.0.95 with THD,10%,CCT 5700K,CRI 70,Surge protection 4KV. The LED with useful life of 50000 Hrs. at L70. The input voltage range shall be 150V to 270V complete with all accessories, connections, testing and commissioning etc.as required. With Five YEAR WARRANTY	Makes:Wipro,Bajaj & Panasonic.	LED Mirror light	Supplying and fixing of LED Batton/LED Mirror Light 5watts, 6500K (Five YEAR WARRANTY) and it should be compatible with specification e.i. Power Factor > .9, Harmonic Distortion<10% and efficacy >100 Lumens per watt, suitable for input voltage: AC 220-240 V, 50/60Hz, complete with all accessories, connections, testing and commissioning etc. Makes: Wipro/Bajaj/Panasonic as approved by Engineer-in-Charge.With Five YEAR WARRANTY
	œ			_		o		
	4386			1155		337		
	Rupees Four Thousand Three Hundred Eighty Six Only			Rupees One Thousand One Hundred Fifty Five Only		Rupees Three Hundred Thirty Seven Only		
	Each		2000	Each		Each		
	35088			1155		2022		

	_										
		791	30	_	29	=	-	28	=:		27
The Dismental metrial deducted from the contractor that is Rs. 2500/- in the Final will	Total	Makes: Legrand,Schiender,L&T.	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 25 amps modular socket outlet and 25 amps modular SP MCB "C" curve including connection.painting etc. as required.	Makes: Bajaj ,Racold,Usha.	Providing and installation of Stationary storage type electric water heater(Geyser) of various sizes by means of expansion bolts with nuts and washers, including embedding of expansion bolts in the wall, making good the damages, electrical connections, testing etc. complete as required.	Make:Usha(AEROCLEAN PLUS DBB ),Bajaj,Anchor	Exhaust Fan, Light duty, (Domestic) 300 mm sweep	Providing and installation exhaust fan of following sizes in the existing opening including making the hole to suit the size of the above fan, making good thedamages, connections, testing and commissioning etc. as required:	Make:Usha(300MM Helix Hi Speed), Bajaj & Cromptons.	Wall fan 400mm Sweep	Providing and installation Wall fan of following sizes in the existing opening including making the hole to suit the size of the above fan, making good thedamages, connections, testing and commissioning etc. as required: Make:-Usha(300MM Helix Hi Speed),Bajaj,Crompton.
_		4			ω		ω			ω	
Storally	1,1874	785			10298		2289			3042	
Horacotuly 478 200%,		Rupees Seven Hundred Eighty Five Only			Rupees Ten Thousand Two Hundred Ninety Eight Only		Rupees Two Thousand Two Hundred Eighty Nine Only			Rupees Three Thousand Forty Two Only	
いったない。		Each		100	Each	2000	Each	Mr.		Each	
Cheele	478222	3140		A 48550 T	30894		6867			9126	

Executive Engineer Electrical Division HPPWD Balampur

		NAUC	YTIT			
Name of Tanda Emerg	Name of Work :- C/o School of Nursing at Dr. RPGMC Kangra at Tanda in Distt. Kangra (H.P.) (SH: Providing E.I. to Director Room, Emergency Room, Store room & PICU at Critical Care Skill Lab/Simulation Lab therein)	job	b No //	ESTIMATED COST: Rs.4,95,438/-only. EARNEST MONEY: Rs.10,000/-only TIME ALLOWED: Three Months	4,95,438/-or .10,000/-onl Months	nly.
SR.	DESCRIPTION	QTY.		RATES	TINU	AMOUNT
Ç	Military Control of the Control of t		FIGURES	WORDS		
<b>-</b>	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface /recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.					J
11	Group C	27	1345.00	Rupees One Thousand Three Hundred Forty Five Only	P/Pt	36315
	(Make:-KEI,Anchor,Plaza) Legrand (Myrius), L&T(Entice), Schneider(Livia)		0			
2	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.	1 1				
2.1	2x1.5 Sq. mm.	37	217.00	Rupees Two Hundred Seventeen Only	P/Mtr	8029
2.2	2x2.5 Sq. mm.	72	277.00	Rupees Two Hundred Seventy Seven Only	P/Mtr	19944
2.3	2x4 Sq. mm.	62	353.00	Rupees Three Hundred Fifty Three Only	P/Mtr	21886
2.4	2x6 Sq. mm.	48	491.00	Rupees Four Hundred Ninety One Only	P/Mtr	23568

				500 141	_		_			_	,			
6.2	6.1	თ		cn		4		3.1	ω		2.8	2.7	2.6	2.5
6 Modules	2 Modules	Supplying & fixing of G.I. modular boxes of following sizes along with modular base and cover plate for modular switches in recess as required:-	Makes:- L&T/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps, modular switch, connections etc. as required.	Makes:- L&T/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps, modular switch, connections etc. as required.	(Make:-KEI / Anchor / Plaza)	3x1.5 Sq. mm.	Supplying and drawing following size of PVC insulated, heat resistant, flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in existing surface / recessed, Steel/PVC conduit as required.	(Make:-KEI / Anchor / Plaza)	4x4 Sq. mm.	4x2.5 Sq. mm.	2x16 Sq. mm.	2x10 Sq. mm.
4	ω			11		Sī		26		SOUTH STATE	65	40	1	21
545.00	385.00			760.00	7730	591.00	A C	112.00	¥.	The state of the s	612.00	460.00	953.00	678.00
Rupees Five Hundred Forty Five Only	Rupees Three Hundred Eighty Five Only			Rupees Seven Hundred Sixty Only		Rupees Five Hundred Ninety One Only		Rupees One Hundred Twelve Only			Rupees Six Hundred Twelve Only	Rupees Four Hundred Sixty Only	Rupees Nine Hundred Fifty Three Only	Rupees Six Hundred Seventy Eight Only
Each	Each			Each		Each		P/Mtr		11 3/24/2	P/Mtr	P/Mtr	P/Mtr	P/Mtr
2180	3080		100000	8360		2955	A	2912			39780	18400	10483	14238

		1		1	T	1			T	
9	8.1	8	7.6	7.5	7.4	7.3	7.2	7.1	7	6. <sub>\omega</sub>
Makes:- Legrand/L&T/Schneider.  Supplying and fixing following rating, following pole, 240/415 volts, isolator in the existing MCB DB complete with connections, testing and	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	25 amp socket	25 Amp switch	6 pin, 15 amp modular socket outlet	S.P. 15/ 16 Amps one way Modular switch.	5 pin, 5/ 6 Amps Modular socket outlet.	S.P. 5/10 Amps one way Modular switch.	Supplying and fixing following rating Modular switch /socket in the existing switch box / cover plate including connections etc. as required.	8 Modules Makes:- L&T/Legrand/Schneider.
	26		4	4	œ	8	42	28	(D	14
	268.00		350.00	383.00	343.00	228.00	189.00	133.00		667.00
	Rupees Two Hundred Sixty Eight Only		Rupees Three Hundred Fifty Only	Rupees Three Hundred Eighty Three Only	Rupees Three Hundred Forty Three Only	Rupees Two Hundred Twenty Eight Only	Rupees One Hundred Eighty Nine Only	Rupees One Hundred Thirty Three Only		Rupees Six Hundred Sixty Seven Only
	Each		Each	Each	Each	Each	Each	Each		Each
	6968		1400	1532	2744	1824	7938	3724		9338

				Makes:- Usha Technix Plus 3 Star/ Bajaj/ Crompton.  Providing and fixing of LED fixture 600mm x 600mm 36Watt +/- 1W recess mounted having minimum system lumen efficacy of 100lm/W with with CRCA housing and PMMA diffuser with P.F. >0.95, THD<10%, CCT 5700K, CRI 80. The LED shall be tested with LM80-08 standard with useful life of 50000 hrs. at L70. The input voltage range shall be 150V as	12
	のおける 日本の 日本の 一人			Makes:- L&T/Legrand/Schneider.	
Each	Rupees Two Thousand Nine Hundred Seventy One Only	2971.00	2	Double door-16 way	
3 A 1				Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	1 1
				Makes: L&T/Legrand/Havells	
No.	State of the Second			Makes:- L&T/Legrand/Schneider.	
Each	Rupees Two Thousand Nine Hundred Eighty One Only	2981.00	ω	63 Amps. Cat-A.	
				Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.	10
				Makes:- Legrand/L&T/Schneider.	
Each	Rupees Five Hundred Thirty One Only	531.00	ω	63 Amps. Double Pole	9.1

_				_				
			14			13		
Total	Makes:- Fuji Electic/Numeric/Emerson- Virtiv/APC/Microtek/Zebronics/Delta	3 KVA Online UPS System	Supplying, erection, testing and commissioning of 3 kVA online pure sine wave UPS with enclosure suitable for 1 phase input - 1 phase output, inbuilt isolation transformer, IGBT technology Based online UPS, along with MS rack, interlinks & cables, installation etc. as required complete in all respects and to the best satisfaction of Engineer-in-charge.	Make; Wipro / Havells/ Bajaj	18 Watt LED, fixture round / square	Providing and istallation of LED fixtures 18 W +/- 1 W LED round/Square surface mounted downlighter with minimum system lumenefficacy of 85 lm/W with and PF >095 with THD <20%, CCT 6000K, CRI 80 the LED with useful life of 500000Hrs. At L70. The input voltage range shall be 150 V as required complete with connections testing etc.with 5 year waranty.	Makes:- Philips/ Wipro/Bajaj	LED Panel 2'x2' 36 watt
			-		2			16
			155802.00		1564.00			4527.00
			Rupees One Lacs Fifty Five Thousand Eight Hundred Two Only		Rupees One Thousand Five Hundred Sixty Four Only			Rupees Four Thousand Five Hundred Twenty Seven Only
THE PERSON		THE PRINTS	Per Set	118463	Each			Each
495438			155802		3128			72432

proximation character char

		OF QUANT	YTIT			
Name Tanda Confer Lab/Si	Name of Work :- C/o School of Nursing at Dr. RPGMC Kangra at Tanda in Distt. Kangra (H.P.) (SH: Providing E.I. to Entrance Area, Conference Room, Faculty Room, Reception area at Critical Care Skill Lab/Simulation Lab therein)	<u></u>	job No /2	ESTIMATED COST: Rs.4,93,348/-only. EARNEST MONEY: Rs.9900/-only TIME ALLOWED: Three Months	.4,93,348/-oi .9900/-only Months	nly.
SR.	DESCRIPTION	YTO		RATES	UNIT	AMOUNT
,			FIGURES	WORDS		
	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface /recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.					
=======================================	Group C	20	1345.00	Rupees One Thousand Three Hundred Forty Five Only	P/Pt	26900
	(Make:-KEI,Anchor,Plaza) Legrand (Myrius), L&T(Entice), Schneider(Livia)					
N	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.	-				
2.1	2x1.5 Sq. mm.	35	217.00	Rupees Two Hundred Seventeen Only	P/Mtr	7595
22	2x2.5 Sq. mm.	70	277.00	Rupees Two Hundred Seventy Seven Only	P/Mtr	19390
2.3	2x4 Sq. mm.	60	353.00	Rupees Three Hundred Fifty Three Only	P/Mtr	21180
2.4	2x6 Sq. mm.	45	491.00	Rupees Four Hundred Ninety One Only	P/Mtr	22095

6.2	6.1	Harris I		1	Т				1	т -		
		0	Ŋ	4		3.1	ω		2.8	2.7	2.6	2.5
8 Modules	2 Modules	Supplying & fixing of G.I. modular boxes of following sizes along with modular base and cover plate for modular switches in recess as required:-	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps, modular switch, connections etc. as required.  Makes:-L&T/Legrand/Schneider.	Supplying and fixing G.I. Modular box of (140mmx78mmx50mm) size with modular plate and cover in recess including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps, modular switch, connections etc. as required.  Makes:- L&T/Legrand/Schneider.	(Make:-KEI / Anchor / Plaza)	3x1.5 Sq. mm.	Supplying and drawing following size of PVC insulated, heat resistant, flame retardant (HRFR) and low smoke single core (flexible) copper conductor cable in existing surface / recessed, Steel/PVC conduit as required.	(Make:-KEI / Anchor / Plaza)	4x4 Sq. mm.	4x2.5 Sq. mm.	2x16 Sq. mm.	2x10 Sq. mm.
2	თ		16	17		25	N.		98	38	10	20
667.00	385.00	200	760.00	591.00		112.00			612.00	460.00	953.00	678.00
Rupees Six Hundred Sixty Seven Only	Rupees Three Hundred Eighty Five Only		Rupees Seven Hundred Sixty Only	Rupees Five Hundred Ninety One Only		Rupees One Hundred Twelve Only			Rupees Six Hundred Twelve Only	Rupees Four Hundred Sixty Only	Rupees Nine Hundred Fifty Three Only	Rupees Six Hundred Seventy Eight Only
Each	Each		Each	Each		P/Mtr			P/Mtr	P/Mtr	P/Mtr	P/Mtr
1334	2310		12160	10047		2800	, 1		59976	17480	9530	13560

9		8.1	ω	3	7.4	7.3	7.2	7.1	7	
supplying and fixing following rating, following pole, 240/415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.	egrand/L&T/Schneider.	Single pole. Cat-A.	Supplying and erection of 6 amps. to 32 amps. rating, 10 KA breaking capacity, 240 volts, 'C' curves, miniature circuit breaker of following poles in the existing MCB DB complete with connections etc. as required:	&T/Legrand/Schne	25 Amp socket	25 Amp switch	5 pin, 5/ 6 Amps Modular socket outlet.	S.P. 5/ 10Amps one way Modular switch.	Supplying and fixing following rating Modular switch /socket in the existing switch box / cover plate including connections etc. as required.	Makes:- L&T/Legrand/Schneider.
		26	nus.	曹	ω	ω	თ	4		
		268.00	8.0		350.00	383.00	189.00	133.00		
	A Propagation Control	Rupees Two Hundred Sixty Eight Only			Rupees Three Hundred Fifty Only	Rupees Three Hundred Eighty Three Only	Rupees One Hundred Eighty Nine Only	Rupees One Hundred Thirty Three Only		
	100	Each	1		Each	Each	Each	Each		
		6968			1050	1149	1134	532		

11.2	= = = = = = = = = = = = = = = = = = = =	=			10		9.1
Double door-16 way	Double door-12 way	Supplying and fixing of following way, single pole and neutral sheet steel MCB distribution board, 240 volts, on surface / recess, complete with tinned copper bus- bar, wire-set, neutral link, earth bar, din-bar, detachable gland plate, blanking plate, cable, identification labels interconnections, phosphatized and powder painted, including earthing etc. as required:-	Makes:- L&T/Legrand/Schneider.	63 Amps. Cat-A.	Supplying and fixing following rating, double pole (single phase & neutral) 240 volts, residual current circuit breaker (RCCB), having a sensitivity current up to 300 miliampers in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Makes:- Legrand/L&T/Schneider.	63 Amps. Double Pole
-	<b>-</b>		A. P	3			ω
2971.00	2326.00			2981.00			531.00
Rupees Two Thousand Nine Hundred Seventy One Only	Rupees Two Thousand Three Hundred Twenty Six Only			Rupees Two Thousand Nine Hundred Eighty One Only			Rupees Five Hundred Thirty One Only
Each	Each			Each			Each
2971	2326			8943			1593

14			13		12.1	12	
Providing and istallation of LED fixtures 18 W +/- 1 W LED round/Square surface mounted downlighter with minimum system lumenefficacy of 85 lm/W with and PF >095 with THD <20%, CCT 6000K, CRI 80 the LED with useful life of 500000Hrs. At L70. The input voltage range shall be 150 V as required complete with connections testing etc.with 5 year waranty.	Makes:- Philips/ Wipro/Bajaj	LED Panel 2'x2' 36 watt	Providing and fixing of LED fixture 600mm x 600mm 36Watt +/- 1W recess mounted having minimum system lumen efficacy of 100lm/W with with CRCA housing and PMMA diffuser with P.F. >0.95, THD<10%, CCT 5700K, CRI 80. The LED shall be tested with LM80-08 standard with useful life of 50000 hrs. at L70. The input voltage range shall be 150V as required complete with connections, testing etc.	Makes:- Usha / Havells/ Crompton - BLDC.	Ceiling Fan 1200mm sweep (BLDC)	with socket type regulator, including wiring the down rods of strandard length (upto 30cm) with 16/0.20mm twin twisted flexible, cotton braided, copper cable, including providing and fixing phenolic laminated sheet cover on the fan box and earthing etc. as required with five years warranty.	Makes:- L&T/Legrand/Schneider.
180		14			N		
		4527.00			4386.00		
	W. C.	Rupees Four Thousand Five Hundred Twenty Seven Only			Rupees Four Thousand Three Hundred Eighty Six Only		
		Each	Y		Each		
	Service Control	63378		77	8772 .		la la

	-	EW.				
17		16		15		
Providing and fixing Double door following way PPI DBs, Available in CRCA sheet steel, RAL 9003, powder coated Provided with 100A insulated phase bus-bars, neutral bars with shrouds, earth bars, sticking saddles, cement spill protector, color-coded interconnecting wire set, cable ties, blanking plates and circuit identification labels With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoings as required complete in all respects. with 5 year waranty.	2 KVA Online UPS System  Makes:- Fuji Electic/Numeric/Emerson- Virtiv/APC/Microtek/Zebronics/Delta	Supplying, erection, testing and commissioning of 2 kVA online pure sine wave UPS with enclosure suitable for 1 phase input - 1 phase output, inbuilt isolation transformer, IGBT technology Based online UPS, along with MS rack, interlinks & cables, installation etc. as required complete in all respects and to the best satisfaction of Engineer-in-charge.	25 Liter capacity water heater (CAT-A)	Providing and installation of stationary storage type Electric water heater (Geyser) of various sizes by means of expansion-bolts with nuts and washers, including embedding of expansion-bolts in the wall, making good the damages, electrical connections, testing etc. complete as required:-	Make; Wipro / Havells/ Bajaj	18 Watt LED, fixture round / square
		<u> </u>	7			6
		130686.00	10298.00			1564.00
		Rupees One Lacs Thirty Thousand Six Hundred Eighty Six Only	Rupees Ten Thousand Two Hundred Ninety Eight Only			Rupees One Thousand Five Hundred Sixty Four Only
		Per Set	Each			Each
		130686	10298			9384

		17.2			17.1
Total	Makes: L&T/Legrand/Havells	17.2 VTPN DB 4 Way	Makes: La I/Legrand/Havells	Makaci 187/1 anno illi	17.1 Tier PPI DB - 12 Way with MCCB incomer
1000000		_			_
		4640.00			13167.00
		Rupees Four Thousand Six Hundred Forty Only		Cilly	Rupees Thirteen Thousand One Hundred Sixty Seven
		Each			Each
493348		4640			13167

Open + Schedule of swamp

Executive Engineer
Electrical Division
HPPWD Palampur