

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**


Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan** on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **23.02.2024** up to **11:00 A.M.** And the same shall be opened on the same day at **04:00 P.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **22.02.2024** up to **4:00 P.M.** and the application for issue of tender form shall be received on **21.02.2024** up to **12:00 noon**. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1.	Restoration of rain Damages on Kandi to Danoa via bhorla road Km 0/000 to 5/000 in Distt Kangra (HP) (SH:-Improvement of road width by providing retaining wall in wire crate at RD 3/955 to 3/980) Under DC Deposit)	482897/-	9700/-	Two months
2.	Restoration of rain Damages on Balugloa Gheena Khabal Kholi road Km 0/000 to 7/400 in Distt Kangra (HP)(SH:-Improvement of road width by providing retaining wall in wire crate work at RD 0/600 to 0/625 (Under DC Deposit)	485343/-	9700/-	One month
3	Restoration of rain damages on Balugloa Gheena Khabal Kholi road Km 0/000 to 7/400 in Distt Kangra (HP) (SH:-Improvement of road width by providing retaining wall in wire crate work at RD 3/525 to 3/550)Under DC Deposit)	483993/-	9700/-	Two months
4	Restoration of rain damages on Kandi to Danoa via Bhorla road Km 0/000 to 5/000 in Distt Kangra (HP) (SH:-Improvement of road width by providing retaining wall in wire crate work at RD 3/930 to 3/9550(Under SC Deposit)	483437/-	9700/-	Two months
5.	Repair of road from Radh Ustehar Mundla Daulatpur road in Distt kangra (HP) (SH:- Providing & Laying cement concrete pavement road at various reaches between Km 2/000 to 3/000) Under DC Deposit).	493725/-	9900/-	Two months
6.	Repair of road from Jalot Hardu Mangrela road Km 0/000 to 3/000 in Distt Kangra (HP) (SH:-Providing and erate work/ Protection at RD 3/015 to 3/040(Under DC Deposit)	424903/-	8500/-	Two months
7.	Repair of road from Jalot Hardu Mangrela road Km 0/000 to 3/000 in Distt Kangra (HP) (SH:-Providing and crate work/ Protection at RD 2/805 to 2/830(Under DC Deposit)	423553/-	8500/-	Two months
8.	Repair of road from Jalot Hardu Mangrela road Km 0/000 to 3/000 in Distt Kangra (HP) (SH:-Providing and crate work/ Protection at RD 2/415 to 2/430(Under DC Deposit)	252419/-	5000/-	Two months

Terms & Conditions:-)

1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason.
5. The Contractor will have to submit affidavit along with application for issue of tender that he has not more than two works in hand.
6. Next tender will be issued only after completion of previous works in hand.


Executive Engineer
H.P.P.W.D. Tanda Division
at Nagrota Bagwan


(On behalf of Governor of Himachal Pradesh)
Dated/ 16.02.2023

HIMSUCHANA AVAM & JAN SAMPARK

No.PW/NBD/TA/Tender/NIT/2023-24- 16872-16901

Copy to the following for information and necessary action:-

1. The Principal Secy. (PW) to the Govt. of H.P. Shimla.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (KZ), HPPWD, Dharamshala.
4. The Director, Information & Publications Department, H.P. Shimla
5. The Executive Engineer (IT), Nigam Vihar Shimla 2 for information. He is requested to upload the same on the department website.
6. The Superintending Engineer, 5th Circle, HPPWD, Palampur.
7. The Principal, Dr. RPGMC, Tanda.
8. The Deputy Commissioner, Kangra at Dharamshala.
9. All the S.E.s/E.E.s under North Zone.
10. The Sub-Divisional Officer(C) Nagrota Bagwan.
11. The Block Development Office Nagrota Bagwan
12. All the Assistant Engineer under this Division.
13. The Drawing /Accounts Branch in this office.
14. The Contractors concerned.
15. Notice Board.


Executive Engineer
H.P.P.W.D. Tanda Division
at Nagrota Bagwan

D NIT

ESTIMATED COST:- Rs. 482897.00
EARNEST MONEY :- Rs. 9700.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Restoration of Rain Damages on Kandi to Danua via Bhorla Road Km 0/00 to 5/00 in Distt. Kangra (H.P)
S.No. 10010 Improvement of road width by providing retaining wall in wire cutta work on RD 3/955 to 3/980 (Under D.C. Deposit)

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	32.81 Cubic meters			Per cubic metre	
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, MORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (ID/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(ID/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer-in-charge.	175.78 Cubic metres			Per cubic metre	
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer -in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer -in - charge.	42.00 Cubic metres			Per cubic metre	
TOTAL:-						

Executive Engineer,
H.P.P.W.D. Division Tanda,
At Nagrota Bagwan.

D NIT

ESTIMATED COST:- Rs. 485343.00
EARNEST MONEY :- Rs. 9700.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Restoration of Rain Damages on Balugloa Gheena Khabal Kholi Road Km 0/00 to 7/400 in Distt. Kangra (H.P.)
Improvement of road width by providing retaining wall in water cut work at RD 04/00 to 04/25 (Under D.C. Deposit)

1	2	3	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	39.38 cubic metres			Per cubic metre	
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, MORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (ID/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(ID/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer-in-charge.	175.78 Cubic metres			Per cubic metre	
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer -in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer-in-charge.	45.00 Cubic metres			Per cubic metre	
TOTAL:-						

Executive Engineer,
HP PWD, Division Tanda,
At Nagroa Bagwan.

DNIT

ESTIMATED COST:- Rs. 483993.00
EARNEST MONEY :- Rs. 9700.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Restoration of Rain Damages on Bahugloa Cheena Khabal Kholi Road Km 0/00 to 7/400 in Distt. Kangra (H.P.)
STEP III (D) Improvement of road width by providing retaining wall in upto water level of P.D. 34535 to 34550 (Under D.C. Deposit)

S. No	Description of items	Quantity	In fig.		Rate		Unit	Amount
			3	4	5	6		
1	Excavation work by mechanical means (Hydraulic excavator) mechanical means in foundation trenches on drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plants, including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	39.78 Cubic metres				Per cubic metre		
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, MORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (ID/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(ID/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer-in-charge.	175.78 Cubic metres				Per cubic metre		
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer -in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer -in - charge.	37.50 Cubic metres				Per cubic metre		
TOTAL:-								

Executive Engineer,
HP.P.W.D. Division Tanda,
At Nagrota Bagwan

DNIT

ESTIMATED COST:- Rs. 483437.00
EARNEST MONEY :- Rs. 9700.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Restoration of Rain Damages on Kandri to Danoa via Bhorla Road Km 0/00 to 5/00 in Distt. Kangra (H.P)
STP/PT/ID :- Improvement of road width by providing retaining wall in wire crate work at RD 30020 to 30955 (Under D.C. Deposit)

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	32.61 Cubic metres			Per cubic metre	
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, MORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (1D/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(1D/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer-in-charge.	175.78 Cubic metres			Per cubic metre	
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer-in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer-in-charge.	45.00 Cubic metres			Per cubic metre	
TOTAL:-						


Executive Engineer,
HP.PWD, Division Tanda,
At Nagroja Bagwan.

D N I T

ESTIMATED COST: - Rs. 493725.00
EARNEST MONEY : - Rs. 9900.00
TIME LIMIT : - TWO MONTHS

NAME OF WORK :- Repair of road from Radh Ustihar Mundla Daulatpur Road in Distt. Kangra (H.P)
SUB-HEAD :- *Providing & Laying Cement concrete pavement road at various reaches between Km 2/00 to 3/00 (Under D.C. Deposit)*

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	Providing laying, spreading and compacting stone aggregate of specified sizes to WPM specifications in uniform thickness, hand packing, rolling with 3 wheeled road's trolley roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Grading-2 (two) 63 mm to 45 mm (Sixty three millimetre to forty five millimetre) size stone aggregate complete within all leads, lifts, carriage of material and other incidental charges.	14.10 Cubic meters	1950.00	Rupees one thousand fifty and paise nil only	Per cubic metre	27651.00
2	Providing & laying Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete within all leads, lifts, carriage of material and other incidental charges.	75.60 Cubic metres	5750.00	Rupees five thousand seven hundred fifty and paise nil only	Per cubic metre	434700.00
3	Steel work welded in built up sections in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete and applying a coat of approved steel primer after pretreatment of the surface as directed by the Engineer-In-Charge complete within all leads, lifts, carriage of material and other incidental charges.	298.80 Kg	105.00	Rupees one hundred five and paise nil only	Per kilogram	31374.00
TOTAL:-						493725.00


Executive Engineer,
HP PWD. Division Tanda,
At Nagrota Bagwan.

D N I T

ESTIMATED COST:- Rs. 424903.00
EARNEST MONEY :- Rs. 8500.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Repair of road from Jalot Hardu Mangrela Road Km 0/000 to 3/000 in Distt. Kangra (H.P)

SUB-HEAD :- Providing wire crate work/ protection at RD 3/015 to 3/040(Under D.C. Deposit)

S. No.	Description of items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	2	3	4	5	6	7
1	Excavation work by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in- Charge complete within any lead, lift and carriage of material and other incidentals.	18.75 Cubic meters			Per cubic metre	
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012,MORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (ID/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(ID/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer- in-charge.	156.25 Cubic metres			Per cubic metre	
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer -in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer -in - charge.	30.00 Cubic metres			Per cubic metre	
TOTAL:-						

Executive Engineer,
HP P.W.D. Division Tanda,
At Nagrota Bagwan.

D N I T

ESTIMATED COST:- Rs. 423553.00
EARNEST MONEY :- Rs. 8500.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Repair of road from Jalot Hardu Mangrela Road Km 0/000 to 3/000 in Distt. Kangra (H.P)

SUB-HEAD :- Providing wire crate work/ protection at RD 2/805 to 2/830(Under D.C. Deposit)

S. No.	Description of Items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	2	3	4	5	6	7
1	Excavation work by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	18.75 Cubic meters			Per cubic metre	
2	Providing & making Gabion structure with Mechanically Woven Double Twisted Hexagonal Shaped Wire mesh Gabion Boxes as per IS 16014:2012, NORTH Clause 2500, of required size, Mesh Type 10x12(D=100 mm with tolerance of $\pm 2\%$), Zinc+10% Al alloy+PVC coated, Mesh wire diameter 2.7/3.7mm (ID/OD), mechanically edged/ selvedged with partitions at every 1m interval and shall have minimum 10 numbers of openings per meter of mesh perpendicular to twist, tying with lacing wire of diameter 2.2/3.2mm(ID/OD), supplied @3% by weight of Gabion boxes, filled with boulders with least dimension of 200 mm, as per drawing, all complete as per directions of Engineer-in-charge.	156.25 Cubic metres			Per cubic metre	
3	Filling with available excavated earth (excluding rock) trenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer -in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer-in-charge.	22.50 Cubic metres			Per cubic metre	
TOTAL:-						

Executive Engineer,
H.P.W.D. Division Tanda,
At Nagrota Bagwan.

D N I T

ESTIMATED COST:- Rs. 252419.00
EARNEST MONEY :- Rs. 5000.00
TIME LIMIT :- TWO MONTHS

NAME OF WORK :- Repair of road from Jalot Hardu Mangrela Road Km 0/00 to 3/00 in Distt. Kangra (H.P.)
SUB-HEAD :- Construction of Breast Wall at 2/415 to 2/430) (Under D.C. Deposit)

S. No.	Description of Items	Quantity	Rate		Unit	Amount
			In fig.	In words		
1	2	3	4	5	6	7
1	Excavation work by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains not exceeding 1.50m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed by Engineer-in-Charge complete within any lead, lift and carriage of material and other incidentals.	22.82			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. Cement concrete 1:5:10 (1 Cement : 5 coarse sand) : 10 graded stone aggregate 40 mm nominal size) as directed by the Engineer- in-charge including carriage of materials within all leads, lifts and other incidentals.	63.89			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 including entire carriage of materials within all leads and lifts and other incidentals.	34.50			Per running metre	
TOTAL:-						


Executive Engineer,
HP.PWD. Division Tanda,
Al Nagrola Bagwan.