




Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

**CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-
17532 - 01 DATED 07-02-2024 ARE URGENT NATURE
AND PUBLIC INTEREST.**


**Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.**



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate of tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **19.02.2024** up to **11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **17.02.2024** between **2.00 PM** up to **4.30 P.M** and the application for issue of tender forms shall be received on **16.02.2024** up to **12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of work.	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	C/O Link road from Sakri to Deora Basti (SH: P/L WBM G-II at RD 1/00 to 1/400)	Rs.2,59,426/-	Rs.5,200/-	Rs.350/-	One Month
2	Construction of Salehra Dagoh Road km 0/00 to 1/675 (SH: Construction of 2.00 mtr span RCC slab culvert at RD 0/705)	Rs.4,35,381/-	Rs.8,800/-	Rs.350/-	Two Months
3	C/O Danpathar to Babal Maila Road km 0/00 to 1/450 (SH: Providing and Laying Cement Concrete & WBM G-II at RD 0/00 to 0/120)	Rs.4,23,327/-	Rs.8,500/-	Rs.350/-	Two Months
4	C/O Chadhiar to Katcha Khoo Road (SH: Providing and Laying Cement Concrete Pavement at RD 0/130 to 0/230)	Rs.3,71,757/-	Rs.7,500/-	Rs.350/-	Two Months
5	Restoration of rain damages on Utrala to Surahi Pass Road (km 0/00 to 13/00) (SH: Removal of slips at various reaches)	Rs.4,25,321/-	Rs.8,600/-	Rs.350/-	Two Months
6	Balance work for C/O R/Wall and culvert at Govt. High School Sehal Distt. Kangra (SH: C/O R/Wall, culvert and P/L Hume Pipe culvert)	Rs.4,99,681/-	Rs.10,000/-	Rs.350/-	Two Months
7	C/O Link road from Bhirdi Balh to Sunka Ram House 0/00 to 2/00 (SH: Improvement of curve from RD 0/00 to 0/025, C/O R/Wall from RD 0/00 to 0/006 & RD 0/183 to 0/195)	Rs.3,98,118/-	Rs.8,000/-	Rs.350/-	Two Months
8	C/O Ambulance road from Rain Shelter Bhiot to Village Bhiot (SH: Formation and Cutting at Km 0/00 to 0/350 & C/O R/Wall at RD 0/200 to 0/213)	Rs.4,94,486/-	Rs.9,900/-	Rs.350/-	Two Months
9	C/O R/Wall and Protection Work of Cremation Center at W.No. 5 Ghirtholi (SH: P/L Interlocking Paver, Blocks, U-Shape Drain, R/Wall)	Rs.1,48,842/-	Rs.3,000/-	Rs.350/-	Two Months
10	C/O Pucca Path from Satish Kumar House to Dalku Nallah (SH: Providing and Laying Cement Concrete Pavement & Kharanja Soiling at RD 0/00 to 0/125)	Rs.97,352/-	Rs.2,000/-	Rs.350/-	Two Months
11	C/O Pucca Path from Prem Chand House to Kailasha Devi House Village Nohra (SH: Providing and Laying Cement Concrete Pavement & Kharanja Soiling at RD 0/00 to 0/040)	Rs.96,711/-	Rs.2,000/-	Rs.350/-	Two Months
12	C/O Link road from Pantehar to Railway Station Ward No.1 Ghirtholi road km 0/00 to 1/00 (SH: Providing and Laying Cement Concrete Pavement & Kharanja Soiling at RD 0/510 to 0/625 & 0/625 to 0/640)	Rs.4,94,130/-	Rs.9,900/-	Rs.350/-	Two Months
13	Restoration of Rain Damages on Link road to Village Khalenu km 0/00 to 1/00 (SH: C/O E/Wall, R/Wall at RD 0/710 to 0/733)	Rs.1,94,708/-	Rs.3,900/-	Rs.350/-	One Month
14	R/R Damages on Barot Polling Road km 0/00 to 8/050 (SH: Construction of R/Wall in wire crates protection wall at km 3/645 to 3/655)	Rs.1,96,732/-	Rs.4,000/-	Rs.350/-	One Month
15	R/D on Barot to Nalhota road km 0/00 to 16/00 (SH: C/O B/Wall at RD 4/450 to 4/470)	Rs.2,73,992/-	Rs.5,500/-	Rs.350/-	Two Months
16	C/O Link road to Sunchar km 0/00 to 0/180 (SH: Improvement of Road and CC Pavement in Km 0/00 to 0/110)	Rs.4,57,140/-	Rs.9,200/-	Rs.350/-	Two Months
17	C/O Link Road from Chobin Bus Stand to Lower Chobin (SH: C/O B/Wall at RD 0/135 to 0/146)	Rs.1,42,624/-	Rs.2,900/-	Rs.350/-	Two Months

E.E.

18	R/R Damages on Bir Palampur Road km 0/00 to 40/00 (SH: C/O R/Wall at RD 1/125 to 1/135)	Rs.2,49,869/-	Rs.5,000/-	Rs.350/-	Two Months
19	Improvement of Road Damaged due to laying of OFC on Bajjnath Chobin Balander Road km 0/00 to 14/200 (SH: C/O Edge Wall at RD 4/460 to 4/490 & C/O 8 Nos Parapets)	Rs.2,34,347/-	Rs.4,700/-	Rs.350/-	Two Months
20	R/O R/D on link road form Chaugan to Village Chaugan Km 0/00 to 1/00 (SH: Providing and Laying Cement Concrete at RD 0/470 to 0/520)	Rs.2,01,160/-	Rs.4,000/-	Rs.350/-	Two Months
21	C/O link Road form Chadhiar Changan Harizan Basti Barkut Dharon Km 0/00 to 0/500 (SH: P/L C.C. Pavement & WBM G-II at Km 0/210 to 0/365)	Rs.4,95,532/-	Rs.10,000/-	Rs.350/-	Two Months
22	C/O Mahila Mandal Bhawan Lower Chobin (SH: C/O Room 1 st Floor Prepainted Sheet Roofing, Distemping etc.)	Rs.4,88,526/-	Rs.9,800/-	Rs.350/-	Two Months
23	Restoration of Rain Damage on Chobin Sansai Road (SH: C/O B/Wall for Protection of House of Smt. Sushma Devi at RD 3/450 to 3/465)	Rs.1,94,426/-	Rs.3,900/-	Rs.350/-	Two Months
24	C/O Balance work from Sansai Dhandhole to Jamthala Road Km 0/00 to 1/00 (SH: P/L Cement Concrete Pavement and WBM G-II at RD 0/670 to 0/720 and V-Shape Drain at RD 0/660 to 0/710)	Rs.3,32,275/-	Rs.6,700/-	Rs.350/-	Two Months
25	Pucca Path form House of Shri Ilam Chand to House of Shri Kamlesh Chand Mohal Kudail (SH: P/L C.C. Pavement)	Rs.95,012/-	Rs.1,900/-	Rs.350/-	One Month
26	C/O link road Harizan Basti Bhirdi Km 0/00 to 0/287 (SH: C/O R/wall at RD 0/255 to 0/287 & C.C. Pavement at RD 0/110 to 0/160)	Rs.3,91,017/-	Rs.7,900/-	Rs.350/-	Two Months

Terms and conditions:-

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
5. Only two tenders form will be issued to the contractor/firm which may be noted.
6. The contractor will also have to attach the labour employer license from the labour office with the application.
7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
9. The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Bajjnath Division.,
H.P.PWD. Bajjnath.

For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2023-24/- 17532- 81

Dated:- 07-02-2024

- 1 Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR, Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
Bajjnath Division.,
H.P.PWD. Bajjnath.


DNIT/DRAFT SCHEDULE OF QUANTITY

①

Name of Work : C/O Link road form Sakri to Deora Basti .
(SH:-P/L WBM G-II at RD 1/00 to 1/400)

Estimate Cost: 2,59,426.00/-
Earnest Money: 5,200.00/-
Time Limit :One Month

SCHEDULE OF WORKS						
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	96.08	Per Cubic Metre			
Total						


 Executive Engineer
 Bijnath Division
 Hq. P.W.D., Bijnath

(2) (a)

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work: - Construction of Salehra Dagoh Road km 0/00 to 1/675.
(SH:- Construction of 2.00 mtr span RCC slab culvert at RD 0/705.)

Estimate Cost: 4,35,381.00
Earnest Money: 8,800.00
Time Limit : Two Months


Sl. No.	Description of work	No. or Qty.	Unit	Rate to be entered by the		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	74.91	Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, or other taxes imposed by the government.	5.74	Per Cum			

(2) (b)

3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in foundations for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	43.75	Cum			
4	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less than 330 kg (three hundred and thirty kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but including curing complete as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.56	Cum			
5	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause ,800 and 1206.3 RCC M-25 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.12	Cum			
6	Supplying, fitting, and placing HYSD bar reinforcement in sub structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.47	Tonne			
7	Supplying, fitting, and placing HYSD bar reinforcement in super structure complete as per drawing and technical specifications Clauses 1002, 1005,1010 and 1202 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.240	Tonne			

(2) (c)

8	Backfilling behind abutment, wing wall and return wall complete as per drawings & technical specification Clause 1204.3.8 Granular material and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.20	Cum			
9	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.00	Each			


 Executive Engineer
 Baljnath Division
 H.P.P.W.D., Baljnath

D.N.I.T/ SCHEDULE OF QUANTITY						
Name of Work:- C/O Danpathar to Babal Maila Road Km 0/00 to 1/450. (SH:- Providing and Laying Cement Conrete & WBM G-II at RD 0/00 to 0/120.)				Estimated Cost	423327.00	
				Earnest Money	8500.00	
				Time limit	Two Months	
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (Eighty to One Hundred Kilo Newton) static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading-II as per Technical Specification Clause 405.(63mm to 45mm) (sixty three millimeter to forty five millimeter).The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	2.88	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	57.65	Per Cubic Meter			

Executive Engineer
Road Division
B.M.D., Baijnath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- C/O Chadhiar to Kutcha Khoo Road .
(SH:- Providing and Laying Cement Conrete Pavement at RD 0/130 to 0/230.)

Estimated Cost 371757.00
Earnest Money 7500.00
Time limit Two Months

Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (Eighty to One Hundred Kilo Newton) static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading-II as per Technical Specification Clause 405.(63mm to 45mm) (sixty three milimeter to forty five milimeter).The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	22.88	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	45.75	Per Cubic Meter			

Executive Engineer
 Baljnath Division
 H.P.R.W.D., Baljnath

D.N.I.T/ SCHEDULE OF QUANTITY						
Name of Work:-Restoration of rain damages on uttrala to surahi pass road (km 0/00 to 13/00)				Estimated Cost:- 4,25,321.00		
(SH:- Removal of slips at various reaches .)				Earnest Money:- 8,600.00		
				Time:- Two Month		
SR. No.	Description of work	No.or Qty.	Unit	Rate		AMOUNT Rs. P
				In Figure	Figures	
1	Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slops and disposal of cuut material with in lift upto 1.50 mtr. And less than 100 mtr. As per technical specification 302.3.5 and 1611. Including carriage of materials within leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3515.05	Per cum			
Total:-						

Executive Engineer
Bajnath Division
H.P.R.W.D. Bajjnath

(6) (a)

SCHEDULE OF QUANTITY

Name of Work: Balance work for C/O R/Wall and culvert at Govt. High School Sehal Distt.
Kangra (SH: C/O R/Wall, culvert and P/L Hume Pipe culvert.

Estimated Cost: Rs. 499681/-
Earnest Money: Rs. 10000/-
Time Limit : Two Months

SCHEDULE OF WORKS

S No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) for retaining walls, breast walls culverts, bridges, drains and parapets etc as per drawing an M.O.R.D.technical specification clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable approved materials to the original surface in layers not exceeding 150 (one hundred fifty) millimeter compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) up to any depth and any quantum of water including cleaning of slush which may arise out during dewatering and within all leads and lift complete in all respect as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	32.51	Per Cum			
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering, all work up to plinth level 1:4:8 (one cement four sand eight graded stone) aggregate 40mm (forty) millimeter nominal size and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	59.43	Per Cum			
3	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.62	Per Cum			
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	26.00	Each			

(6) (5)

5	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200. and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	14.14	Per Cum			
6	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-twenty) designed mix with minimum cement contents of 320 kgs (Three hundred twenty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	3.12	Per Cum			
7	Providing and Laying reinforced cement concrete pipe 600mm (six hundred) millimeter dia for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 (one cement two sand) but excluding excavation, protection work, back filling concrete and masonry work in head walls and parapets clause 1108 complete in all respect and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	2.50	Rmt			
8	Providing and laying cement concrete 1:6:12 (One cement isto six sand isto twelve aggregate) graded crushed/broken stone aggregate 40mm (forty millimeter) nominal size mechanically mixed and curing complete, excluding cost of form work in foundation and plinth. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, and as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	2.49	Cum			


 Executive Engineer
 Rajput
 Rajput

7 (a)

D.N.I.T/SCHEDULE OF QUANTITY

Name of Work:- C/O Link Road From Bhirdi Bath to Sunka Ram House 0/00 to 2/00.

(SH:- Improvement of C/O Link Road From RD 0/00 to 0/025 , C/O R/Wall From RD 0/00 to 0/006 & RD 0/183 to 0/195).

Estimate Cost:- 398118.00/-

Earnest Money: 8000.00 /-

Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge.	37.08	cum			
2	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone agreggate) 40mm (forty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	71.76	cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.	26.00	Each			
4	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.	7.56	cum			
5	Providing, laying, spreading and compacting stone aggregates of specific sizes (90mm to 45mm) (ninety milimeter to forty five milimeter) to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 1 as per Technical Specification Clause 405.The rate including Locality, waikhana, Octroi, toll tax, GST or other taxes imposed by the Government	3.875	cum			

⑦ (b)

6	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge. The rate inclusive royalty malkana, toll texes, GST and other taxes imposed by the Govt.	3.875	cum			
	Total					

Executive Engineer
Public Works Division
H.P. Road, Bangalore

(8) (a)

D.N.I.T/SCHEDULE OF QUANTITY

Name of work :- C/O Ambulance Road From Rain Shelter Bhiot to Village Bhiot.

(SH:- Formation and Cutting at Km 0/00 to 0/350 & C/O R/Wall at RD 0/200 to 0/213). (DEPOSIT KDRIL)

Estimate Cost:- 494486.00/-

Earnest Money: 9900.00 /-

Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P	
				Figures	Words		
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 33.40 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	668.13	cum				
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of transportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge.	16.90	cum				
3	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone agreegate)40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	58.11	cum				

(2) (6)

4	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.	22.23	cum			
5	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.	10.00	Each			

Executive Engineer
 Baljnath Division
 H.P.R.W.D., Baljnath

D.N.I.T/SCHEDULE OF QUANTITY


(9) (9)

Name of work:- C/O R/Wall and Protection Work of Cremation Center at W. No.5 Ghirtholi.
(SH:- P/L Interlocking Paver, Blocks, U-Shape Drain, R/Wall.) *(DEPOSIT WORK)*

Estimate Cost:- 148842.00/-
Earnest Money:- 3000.00 /-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing and laying Stone soling properly hand- packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling o binding materials moorum or earth 100mm (one hundred) millimetre spread thickness finished work complete as per MORD technical specification section 1600 & 300 including materials and labour. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.97	cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete 1:4:8 (one cement : four sand: eight stone agreegate) 40 mm (forty mili meter)nominal size as per drawing and technical specification clause 802, 803, 1202 & 1203 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	3.54	cum			
3	Providing and Laying factory made chamfered edge cement concrete Interlocking Paver Block in Foot path, parks ,lawns, drive ways or light traffic parking etc. of required strength, thickness 60mm thick cement concrete paver block of M-35 grade with approved colour design and pattern laid over 50mm thick compacted bed of sand. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	48.48	Sqm			
4	Providing and laying damp proof course 40 mm (forty milimetre) thick with cement concrete 1:2:4 (one cement isto two sand isto four aggregate) graded crushed stone aggregate 12.5mm (tewelve decimal five milimeter) nominal size mechanically mixed and curing complete as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.The rate inclusive royalty malkana, toll texes, GST and other taxes imposed by the Govt.	0.228	Cum			
5	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, (Fifty meters) dressing of sides and bottom and backfilling in trenches with excavated suitable material. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	7.90	Cum			

6	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete nominal mix 1:3:6 . 20mm nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.87	Cum			
7	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge . including carriage of material within all leads and lifts and other incidentals .The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	3.15	Cum			
8	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidation with road roller including making good the undulation etc. and re-rolling the sub grade and disposal of surplus earthwith lead upto 50 meters.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	21.83	Sqm			



 Executive Engineer
 P. W. Division
 H.P.P.W.D., Rajinath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- C/O Pucca Path from Satish Kumar House to Dalku Nallah.
(SH:- Providing and Laying Cement Concrete Pavement & Kharanja Soiling at RD 0/00 to 0/125). (Deposit Work).

Estimated Cost 97352.00
Earnest Money 2000.00
Time limit Two Months

Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing and laying Stone soling properly hand- packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling o binding materials moorum or earth 100mm (one hundred) millimetre spread thickness finished work complete as per MORD technical specification section 1600 & 300 including materials and labour. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.32	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	11.32	Per Cubic Meter			



 Executive Engineer
 Division
 Baljnath

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- C/O Pucca Path from Prem Chand House to Kailasha Devi House Village Nohra.
(SH:- Providing and Laying Cement Concrete Pavement & Kharanja Soiling at RD 0/00 to 0/040). (Deposit Work).


Estimated Cost 96711.00
Earnest Money 2000.00
Time limit Two Months

Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Stone soling properly hand- packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and camber including spreading watering and rolling o binding materials moorum or earth 100mm (one hundred) millimetre spread thickness finished work complete as per MORD technical specification section 1600 & 300 including materials and labour. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.30	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	12.60	Per Cubic Meter			


 Executive Engineer
 P. N. D., B. G. Path

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- C/O link road from Pantehar to Railway Station Ward No.1 Ghirtholi Road Km 0/00 to 1/00. (SH:- Providing and Laying Cement Conrete Pavement & Kharanja Soiling at RD 0/510 to 0/625 & 0/625 to 0/640.) (SCSP)					Estimated Cost	494130.00
					Earnest Money	9900.00
					Time limit	Two Months
Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Stone soling properly hand- packed filling interstices with Kharanja stone and consolidating with power road roller to the requested gradient and comber including spreading watering and rolling o binding materials moorum or earth 100mm (one hundred) millimetre spread thickness finished work complete as per MORD technical specification section 1600 & 300 including materials and labour. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	54.60	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	54.60	Per Cubic Meter			


 Executive Engineer
 Bajnath Division
 H.P.P.W.D., Bajnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- Restoration of Rain Damages Link road to village Khalenu km 0/00 to 1/00 . (SH:- C/O E/Wall & R/Wall at RD 0/710 to 0/733) under SDRF (Deposit work)						Estimate Cost: 1,94,708.00/- Earnest Money: 3,900.00/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P		
				Figures	Words			
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	11.50	Per Cum					
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royalty, Malkana, or other taxes imposed by the government.	31.05	Per Cum					
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	15.18	Per Cum					
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	22.00	Each					
Total								

Engineer
Bijnath Division
H.P.R.W.D., Bijnath

(14)

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: R/R Damages on Barot Polling Road km 0/00 to 8/050 (SH : Construction of R/wall in wire crates protection wall at km 3/645 to 3/655)					Estimate Cost: 1,96,732.00/- Earnest Money: 4,000.00/- Time Limit : One Month		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	14.40	Per Cubic metre				
2	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	62.50	Per Cubic metre				
3	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	8.60	Per Cubic metre				

Executive Engineer,
Barot Polling Road
District, Jammu & Kashmir

D.N.I.T/SCHEDULE OF QUANTITY

15

Name OF work :R/D on Barot to Nalotha road km 0/00 to 16/00 .
(SH :- C/O B/Wall at RD 4/450 to 4/470).

Estimate Cost: 273992.00/-
Earnest Money: 5500/-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point fifty meter) in width or 10 sqm), including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point fifty meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in - charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	15.00	cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	52.40	cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1204.3.7 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	16.00	Each			
Total						-

Executive Engineer
Roads, Division
H.N. S.D., Baljnath

(16) (9)

SCHEDULE OF QUANTITY

Name of Work: C/O Link Road to Sunehar Km 0/0 to 0/180

(SH: Improvement of Road and CC Pavement in Km 0/0 to 0/110)

Estimated Cost: Rs. 457140/-

Earnest Money: Rs. 9200/-


Time Limit: Two Months

SCHEDULE OF WORKS

S No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Excavation in earthwork in hilly areas in all heights and depths, in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution, etc. and to protect stability of hill side. Rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation, including rock excavation shall be carried out true to lines, grades, side slopes, width, camber, super-elevation and levels as shown on the drawings or as directed by the Engineer-in-charge, in conformity with the requirement of technical specification clause 1603.1 and 1603.2 to achieve designed formation width including hauling and stacking of material useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, up to all leads & lift and finishing of the road to specified dimensions or as directed by the Engineer-in charge for smooth riding. Any loss to the public and private property during the course of excavation shall be the absolute responsibility of the contractor, which shall have to be duly compensated by him in all cases. The recovery @ Rs. 300.00 per cubic metre for 14.42 cubic metre useful stones already deducted in the preparing of estimate. The rate including of octroi, royalty, Malkana, tolltax, GST or other taxes imposed by the government.	82.45	Per Cubic Meter			
2	Providing and Laying, spreading and compacting stone aggregates size 63mm to 45 mm (Sixty three millimeter to forty five millimeter) grading-II (75 mm Consolidated compacted thickness withness) to water bound macadam specification including spreading in uniform compacted thickness withness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading II & III @ 0.22 cum (zero point two two cubic meter) per ten square meter and binding material at the rate of 0.06 cum (Zero point zero Six Cubic meters) per ten Sqm (ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD technical specification clause no 405 and as per directions of Engineer in charge .	31.76	Per Cubic Meter			

(16) (b)

3	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-twenty) designed mix with minimum cement contents of 320 kgs (Three hundred twenty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203. within all leads and lift complete in all respect as per direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	47.65	Per Cubic Meter			
---	---	-------	-----------------	--	--	--


Executive Engineer
Bajjnath Division
H.P.P.W.D. Bajjnath

D.N.IT/SCHEDULE OF QUANTITY

Name of work:- C/O Link Road from Chobin Bus Stand to Lower Chobin .
(SH:- C/O B/wall at RD 0/135 to 0/146.)

Estimate Cost:- 142624.00/-
Earnest Money:- 2900.00 /-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfaction of Engineer -in -charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.56	cum			
2	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete1:5:10 (one cement: five sand: ten graded stone agreegate)40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	28.82	cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.00	Each			

Executive Engineer
Bajnath Division
H.P.P.W.D., Bajnath

D.N.I.T/SCHEDULE OF QUANTITY

18

Name of work:- R/R Damages on Bir Palampur Road Km 0/00 to 40/00 .
(SH:- C/O R/wall at RD 1/125 to 1/135.)

Estimate Cost:- 249869.00/-
Earnest Money:- 5000.00 /-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satsifation of Engineer -in -charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	17.20	cum			
2	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone agreegate)40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	46.70	cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	20.00	Each			
4	Back filling with granular material behind abutment wing walls, return wall complete as per drawing and MORD technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.	8.10	cum			

Executive Engineer
Division
Bajnath

DNIT/DRAFT SCHEDULE OF QUANTITY


(13) (4)

Name of Work : Improvement of Road Damaged due to laying of OFC on Baijnath Chobin Balandar Road km 0/00 to 14/200 . (SH:-C/O Edge Wall at RD 4/460 to 4/490 & C/O 8 Nos Parapets) (Deposi work)	Estimate Cost: 2,34,347.00/- Earnest Money: 4,700.00/- Time Limit :Two Months
---	--

SCHEDULE OF WORKS						
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	12.90	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate including of octroi, royalty, Malkana, or other taxes imposed by the government.	33.30	Per Cum			
3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.79	Per Cubic metre			
4	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.	9.00	Per Cum			
5	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.	15.00	Each			

(13) (b)

6	Construction of embankment with approved material deposited at site from road way cutting and excavation from drain and foundation or other structures graded and compacted to meet requirement of table 300.1 and 300.2 as per technical specification clause 301.5 with in all leads, lifts and other incidental.	27.00	Per Cum			


Executive Engineer
on
H.P.W.D., Buljnat

20

D.N.I.T/ SCHEDULE OF QUANTITY

Name of Work:- R/O R/D on link road from Chaugan to Village Chaugan Km 0/00 to 1/00.
(SH:- Providing and Laying Cement Concrete at RD 0/470 to 0/520.)

Estimated Cost 201160.00
Earnest Money 4000.00
Time limit Two Months

Sr No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	
1	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN (Eighty to One Hundred Kilo Newton) static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading-II as per Technical Specification Clause 405.(63mm to 45mm) (sixty three millimeter to forty five millimeter).The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	2.40	Per Cubic Meter			
2	Providing concrete for plain / reinforced concrete PCC Grade M-20 Nominal Mix 1:2:4 (one cement two sand four graded stone aggregate 20mm nominal size) in pavements, laid to required slop and camber in panels required including consolidation finishing and temping complete as per the direction of Engineer-in-charge including entire carriage of materials within all leads and lifts and other incidentals.The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government	25.60	Per Cubic Meter			

Executive Engineer
Bajinath Division
HPPWD, Bajinath

DNIT/DRAFT SCHEDULE OF QUANTITY

21

Name of Work : C/O link Road from Chadhiar Changan Harizan Basti Barkut Dharon km 0/00 to 0/500
(SH:-P/L C. C Pavement & W B M G-II at km 0/210 to 0/365) (SCSP)

Estimate Cost: 495532.00/-
Earnest Money: 10000.00/-
Time Limit :Two Months

SCHEDULE OF WORKS

Sr	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.55	Per Cubic Metre				
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	70.91	Per Cubic metre				


Engineer
Division
M.P.W.D., Baljnath

D.N.I.T/SCHEDULE OF QUANTITY

Name of work:- C/O Mahila Mandal Bhawan Lower Chobin.
(SH:- C/O Room 1st Floor Prepainted Sheet Roofing, Distempering etc.)

Estimate Cost:- 488526.00/-
Earnest Money:- 9800.00 /-
Time Limit : Two Months /

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Brick work using common burnt clay building bricks in foundation and plinth in cement mortar 1:6 (one cement : six sand) second class bricks. Extra for brick work in super-structure above plinth level upto floor two level (second class bricks).The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	12.93	Cum.			
2	Providing woodwork in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position. 2nd class deodar wood. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.29	Cum.			
3	Providing and fixing panelled glazed or panelled and glazed shutters for doors windows and clerestory windows. Including black enamelled iron butt hinges with necessary screws. 40mm thick 2nd class deodar wood. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.64	Sqm			
4	Steel work welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of red lead paint. In gratings framed guard bars, ladders, railing, brackets and similar works. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1476.00	kg			
5	Providing and fixing pre-painted sheet roofing of kotar metal single skin trapezoidal sheeting 0.45mm (sixty millimetre) thickness having 1060mm (one thousand sixty millimetre) cover width cover all width 1126mm (one thousand one hundred twenty six millimetre) , 28mm (twenty eight millimetre) crest depth at 353mm (three hundred fifty three millimetre) 2.50mm (two point fifty millimetre) the main crest with at top 25mm (twenty five) and at lower 81mm (eighty one millimetre) base metal of coil rolled steel coil with zinc waiting top coat with regular modified polysters coating of approved shade and balancing reverse coat with self topping screws 5.5mm (five decimal five millimetre) dia and 55mm (fifty five millimetre) length with EPDM seal complete in all respect as per approved drawing design and in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	73.80	Per square metre			

6	Providing and fixing ridges or hips 60 cm overall with 0.60mm thick prepainted steel sheets in roofing with hot dipped metallic zinc coated sheets with top coat of regular modified polyester organic coating of 20 microns over 5 microns primer coating + back coat of polyester of 5 microns over 5 microns primer coating i/c fixing with prepainted iron J or L hooks, bolts & nuts 6mm dia & prepainted G.I. limpet and bitumen washers complete with all accessories as required as per the direction of Engineer in Charges. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	20.00	Rmt			
7	Providing and fixing 15 cm. wide 45 cm. overall semicircular plain G.I. sheetgutter with iron brackets 40x3mm size bolts and nuts and washers etc. Including making necessary connections with rain water pipe complete as per design. 0.63mm thick sheet. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	20.00	Rmt			
8	15mm cement plaster in single coat on the rough side of brick/concrete/stone walls for interior plastering above floor two level to floor three level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm in girth and finished even and smooth in cement mortar 1:6 (one cement : six sand). The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	135.63	Sqm			
9	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finish with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc completed. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	34.91	Sqm			
10	Distemping (Two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar droopings and other foreign matter and also including preparing the surface even and sand papered smooth on walls. Priming coat with distemper primer. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	135.63	Sqm			

(22)(c)

II	Painting two coats(excluding coat) on previously painted wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping With enamel paint other than white complete in all respect as per design and in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	13.27	Sqm			


Executive Engineer
Public Works Division
R.P.W.D., Bijnor

D.N.I.T/SCHEDULE OF QUANTITY

23

Name of work:- Restoration of Rain Damage on Chobin Sansai Road.
(SH:- C/O B/wall for Protection of House of Smt. Sushma Devi at RD 3/450 to 3/465.)

Estimate Cost:- 194426.00/-
Earnest Money:- 3900.00 /-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter).All kinds of soil.with in all leads by any mode of trasportation and other incidental ,as per direction and entire satisfation of Engineer -in -charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	13.80	cum			
2	Proiding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone agreegate)40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	39.30	cum			
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	14.00	Each			

Executive Engineer
Public Works Division
H.P.R.V.D., Baljnath

D.N.I.T/SCHEDULE OF QUANTITY						
Name of work:- C/O Balance Work From Sansai Dhandhole to Jamthala Road Km 0/00 to 1/00. (SH:- P/L Cement Concrete and WBM G-II at RD 0/670 to 0/720 and V-Shape Drain at RD 0/660 to 0/710.)				Estimate Cost:- 332275.00/- Earnest Money:- 6700.00 /- Time Limit : Two Months		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	12.60	cum			
2	Construction of un-reinforced, plain cement concrete pavement thickness as per design, over a prepared sub base with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS: 383, maximum size of coarse aggregate not exceeding 25 mm mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weight batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling theforma work as per drawing spreading the concrete with shovels rakes compact using needle,screed and plate vibratorand finishing in continouse operation including construction joints , admixtures as approved, curing the concrete slab for 14 days using curing compound (where specified) and water finishing to lines and grade as per drawing and technical specification clause 1501 The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	33.60	cum			

3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.77	cum			
4	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, (Fifty meters) dressing of sides and bottom and backfilling in trenches with excavated suitable material. The rate including Royalty, Malkhana, Octroi, toll tax, GST or other taxes imposed by the Government.	4.75	cum			
5	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete nominal mix 1:3:6 . 20mm nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.44	cum			
Total						

Executive Engineer
 Ballari Division
 Ballari, Karnataka

25

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : Pucca Path from House of Shri Ilam Chand to House of Shri Kamlesh Chand Mohal Kudail . (SH:-P/L C. C Pavement) (DEPOSIT WORK)				Estimate Cost: 95,012.00/- Earnest Money: 1,900.00/- Time Limit : One Month		
SCHEDULE OF WORKS						
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	13.87	Per Cubic metre			
Total						

Executive Engineer
Bajnath Division
H.P.P.W.D. Bajnath


DNIT/DRAFT SCHEDULE OF QUANTITY

(26) (a)

Name of work :- C/O link road Harizan Basti Bhirdi Km 0/00 to 0/287. (Silt:- C/O R/wall at RD0/255 to 0/287 & C C pavement at RD 0/110 to 0/160) (Deposit work)						Estimate Cost:3,91,017.00/- Earnest Money: 7,900.00/- Time Limit : Two Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.20	Per Cum				
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	46.72	Per Cum				
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7 including entire carriage of materials within all leads and lifts and other incidentals. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	27.00	Each				
4	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K N static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government	1.14	Per Cubic Metre				

26 (b)

5	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	22.87	Per Cubic metre			
Total						


Executive Engineer
Buldhara Division
H.P.R.V.D., Buldhara
