

**Himachal Pradesh
Public Works Department
NOTICE INVITING TENDER**

Sealed tenders on item rates on PWD form 6 & 7 are hereby invited by the Executive Engineer, Tauni Devi Division, and HPPWD Tauni Devi for the following works. The tender shall be received in this office on or before 12.02.2024 up to 11:00 AM and the same shall be opened on the same day at 11:30AM in the presence of the contractor/first. The application for the issue of tender document shall be received on dated 08.02.2024 upto 3:30 PM and the tender form will be sold on cash payment (non refundable) on dated 09.02.2024 from 10.30 AM to 4:00 PM.

Sr. No.	Name of Work	Estimated Cost (Rs.)	Earnest Money	Time limit	Cost of form
1.	C/O link road Shiv Mandir Bharmeli to Pastal via Harizan Basti Majhog Khas and village Chalad km 0/0 to 4/0 (SH:- P/L GSB at RD 2/200 to 2/300 and WMM at RD 2/00 to 2/300 (Under SCSP)	3,52,216	6500/-	Two months	350/-
2	R/R damages on link road from Karot to Longni km 0/0 to 1/500 (SH:- C/O C.C pavement at RD 1/315 to 1/430 along with C/O horizontal bed of PCC drain at RD 1/315 to 1/430)	4,35,996	8700/-	Two months	350/-
3	R/R damages on Barin Dhawal via Siswan Ghalot road in km 0/00 to 5/00 (SH:- P/L paver block at RD 4/410 to 4/435 ,C/O R/wall at RD 4/470 to 4/484)	4,79,499	9600/-	Two month	350/-
4	C/O link road from Dangoo to Kohliwin km 0/00 to 0/310 (SH:- FC C/O R/wall at RD 0/210 to 0/218 and 0/220 to 0/225) D.W	3,72,574	7500/-	Two months	350/-
5	Imp. Of black spot on Uhal to Baghera via Jandroo km 0/00 to 27/00 (SH:- C/O R/wall ,crash Barrier at RD 24/899 to 24/909.5) Deposit Work	4,54,093	9100/-	Two months	350/-
6	R/R damages on link road Kakkar to Bakkar Khad via Ghodlamber km 0/00 to 2/200 (SH:- C/O B/wall near the house of sint Rasma Devi W.O Sanjay Kumar at RD 0/350 to 0/385) Deposit work	1,36,037	2700/-	Two months	350/-
7	R/R damages on Nadaun- Sujanpur road km 14/600 to 21/00 (SH:- C/O R/wall at RD 20/690 to 20/703) Deposit work	2,14,682	4500/-	Two months	350/-
8	R/R damages on Nadaun- Sujanpur road km 14/600 to 21/00 (SH:- C/O R/wall at RD 19/195 to 19/202) (Deposit work)	2,15,701	4300/-	Two months	350/-
9	C/O staff Quarter at PHC Gubbar (SH:- C/O R/wall in front side) (Deposit work) JOB No.1	4,70,560	9400/-	Two months	350/-
10	C/O staff Quarter at PHC Gubbar (SH:- C/O R/wall in front side) (Deposit work) JOB No.2	4,70,560	9400/-	Two months	350/-
11	C/O staff Quarter at PHC Gubbar (SH:- C/O R/wall in front side) (Deposit work) JOB No.3	4,70,560	9400/-	Two months	350/-
12	R/R damages on Patliander to Lohar Basti road km 0/00 to 0/900 (SH:- C/O R/wall at RD 0/600 to 0/623) Deposit work	3,83,418	7700/-	Two months	350/-
13	R/R damages on Patliander to Lohar basti road km 0/00 to 0/900 (SH:- Installation of crash barriers valley side at RD 0/575 to 0/643) Deposit work	2,78,899	5600/-	Two months	350/-
14	R/R damages to village Marhana km 0/00 to 1/345 (SH:- C/O retaining wall from RD 0/664 to 0/668.50)	4,30,426	8600/-	Two months	350/-
15	R/R damages on link road to village Marhana km 0/00 to 1/345 (SH:- C/O retaining wall from RD 0/668.50 to 0/672.50)	3,80,441	7600/-	Two months	350/-
16	R/R damages on Barara to Bakkar Khad via Patnour road km 0/0 to 7/875 and link road to Badredu km 0/00 to 0/500 (SH:- P/L interlocking paver block at RD 0/300 to 0/365) Deposit work	4,45,102	8900/-	Two months	350/-
17	R/R damages on Tauni Devi Uhal Kakkar Bajrol Jungle Beri road km 0/00 to 30/915 (SH:- C/O R/wall at RD 0/450 to 0/465)	2,24,992	4500/-	Two months	350/-
18	R/R damages on Hirn Nagar Ropa road km 0/0 to 10/615 (SH:- C/O R/wall at RD 1/420 to 1/439) Deposit work	2,63,154	5300/-	Two months	350/-
19	R/R damages on Tauni Devi Uhal Kakkar Bajrol Jungle Beri road km 0/0 to 30/915 (SH:- C/O R/wall at RD 12/915 to 12/922)	1,70,055	3400/-	Two month	350/-
20	R/R damages on link road Kakkar to Bakkar khad via Ghodlamber 0/00 to 2/200 (SH:- C/O PCC R/wall at km 0/735 to 0/745)	2,79,756	5600/-	Two months	350/-
21	R/R damages on link road Kakkar to Bakkar Khad via Ghodlamber 0/00 to 2/200 (SH:- C/O PCC R/wall at km 0/900 to 0/908)	2,79,756	5600/-	Two months	350/-
22	R/R damages on Tauni Devi Uhal Kakkar Bajrol Jungle Beri road km 0/0 to 30/915 (SH:- C/O R/wall at RD 10/020 to 10/030)	1,92,266	3800/-	Two months	350/-
23	C/O link road from Bharmar to Bhaletth via Miana in km 0/00 to 4/00 (SH:- 5/7 mtr .wide formation cutting from RD 0/231 to 0/285) Under OTMNP	4,94,165	9900/-	Two months	350/-
24	C/O link road from Bharmar to Bhaletth via Miana in km 0/00 to 4/00 (SH:- 5/7 mtr .wide formation cutting from RD 0/285 to 0/350) Under OTMNP	4,99,299	9900/-	Two months	350/-
25	R/R damages on Uhal to Baghera via Jandroo road (MDR-106) km 22/00 to 27/00 (SH:-C/O PCC R/wall at RD 25/932 to 25/955	4,47,784	9000/-	Two month	350/-

26	R/R damages on Sujapur Sandhole road km 3/00 to 10/00 (MDR-38) (SH:- P/L interlocking cement concrete paver block in km 4/150 to 4/197.50)	3,58,570	7200/-	Two month	350/-
27	R/R damages on Sujapur Sandhole road km 3/00 to 10/00 (MDR-38) (SH:- P/L interlocking cement concrete paver blocks in km 4/100 to 4/147)	4,76,175	9500/-	Two month	350/-
28	C/O link road to village Ropri in Gram Panchyat Charain -Di- Dhar (SH:- C/O 5/7 mtr .wide formation cutting at RD 0/00 to 0/030) Deposit work	1,97,436	4000/-	Two months	350/-
29	R/R damages on link road from Baghera bridge to Harizan Basti Jol via Samouna km 0/00 to 1/200 (SH:- C/O road embankment in km 1/100 to 0/300, 0/520 to 0/560)	2,46,087	4900/-	Two month	350/-
30	(i) C/O 66.40 mtr .span box cell bridge over Jamiri Khad on Jandral Lambri road at RD 1/630 (SH:- Preparation of deailed project report (ii) C/O link road from Dhanotu to village Ropa road km 0/00 to 1/800 (Sh:- Preparation of detailed project report) (iii) C/O link road from Lambri Nalahi Asthatha to Kangri via Khaneu including 2 Nos Bridge km 0/00 to 4/00 (Sh:- Preparation of detailed project report and Hydraulic Data)	4,99,920	10000/-	Two month	350/-
31	R/R damages to Hindu Di Dhar via Jandroo road km 0/00 to 27/00 (Sh:- C/O R/wall at RD 7/05 to 7/020)	2,19,544	4400/-	Two months	350/-
32	Repair and maintenance of Mehroo bridge on link road village Mehroo km 0/0 to 3/0 (Sh:- P/L bitumen mastic asphalt 25mm thick and paint of railing of Mehroo bridge at RD 0/300 to 0/334)	2,48,936	5000/-	Two month	350/-
33	Repair and maintenance of bridge on Sujapur section -II Under Sujapur Sub-Division (SH:- P/L bitumen mastic asphalt 25mm thick on Sujapur Sandhole road at RD 0/00 to 3/00 ,Bridge on Mehlu khad at RD 2/876 to 2/920 and 2/922 to 2/960)	4,78,893	9600/-	Two month	350/-
34	Repair and maintenance of Bridge on Sujapur Section under Sujapur Sub-Division (SH:- P/L bitumen mastic asphalt 25mm thick on Sujapur Sandhole road at RD 0/00 to 3/00 Bridge on Mehlu khad at RD 2/960 and Sujapur Hamirpur road 16/00 to 24/785 on Alampur bridge at RD 24/760)	4,83,148	9700/-	Two month	350/-
35	R/R damages on Lagdevi to Chouri road km 0/0 to 0/500 (Sh:- Repair of pot holes at RD 0/0 to 0/500)	3,44,043	6900/-	Two month	350/-
36	R/R damages on Tauni Devi Uhal Kakkar Bajrol Jungle Beri road km 0/0 to 30/915 (SH:- Repair of pot holes at RD 12/00 to 14/00)	4,99,508	10000/-	Two month	350/-
37	R/R damages on link road from Charian -Di-Dhar to Lambran Di Dhar via Bouru km 0/00 to 2/00 (SH:- ROFD at RD 0/540 to 0/585)	4,67,747	9400/-	Two month	350/-
38	R/R damages on link road from Charian -Di-Dhar to Lambran Di Dhar via Bouru km 0/00 to 2/00 (SH:- ROFD at RD 0/585 to 0/630)	3,44,969	6900/-	Two month	350/-
39	R/R damages on various roads under Chabutra Section Sujapur Sub-Division (SH:- Hiring of JCB/front loader for removal of slips dressing of berms clearance of drains)	4,81,000	9600/-	Two month	350/-
40	C/O link road Kakru to Harizan Basti Nadiana Sadiana km 0/00 to 1/00 (SH:- P/L roller compacted concrete pavement from 0/230 to 0/340) (Under SCSP)	4,92,800	9900/-	Two months	350/-
41	C/O link road Majhog Gulu to Amroh via Kalsai Sayal km 0/0 to 4/0 (Sh:- P/L 80mm thick interlocking cement concrete paver block at RD 1/025 to 1/095) (Under SCSP)	4,78,920/-	9600/-	Two months	350/-
42	C/O link road to village Jandroo to Sukhani km 0/0 to 1/735 (SH:- Supplying and installation of one all in one computer and Multi -function laser printer and UPS for HPPWD sub Division Tauni Devi HP:PWD ,Tauni Devi	3,08,000	6200/-	Two month	350/-
43	R/R damages on Nanot to Bakkar Khad via Jamli road km 0/0 to 4/0 (SH:- ROFD at RD 1/900 to 2/030 and 2/390 to 2/431)	4,92,654	9900/-	Two month	350/-
44	R/R damages on Nanot to Bakkar Khad via Jamli road km 0/0 to 4/0 (SH:- ROFD at RD 1/660 to 1/855)	4,82,946	9700/-	Two month	350/-
45	R/R damages on Phonaj to Andral road km 0/00 to 3/695 (SH:- C/O wire crate wall at RD 1/120 to 1/147.50)	4,94,673	10000/-	Two month	350/-
46	R/R damages on Phonaj to Andral road km 0/00 to 3/695 (SH:- C/O wire crate wall at RD 1/148 to 1/175)	4,85,740	9700/-	Two month	350/-
47	R/R damages on link road Chaleli to Tikkar via Debra km 0/0 to 3/500 (Sh:- C/O R/wall at RD 1/476 to 1/490)	4,72,430	9400/-	Two month	350/-
48	A/R & M/O various road under Tauni Devi Sub-Division (SH:- Painting writing ,sign board etc & Bridges)	4,99,495	9900/-	Two months	350/-
49	R/R damages on link road to village Sharghoon km 0/0 to 1/00 (SH:- C/O PCC Drain at various RD's)	2,51,026	5000/-	Two months	350/-
50	R/R damages on Hamirpur Sujapur Thural Maranda road (MDR-86) km 2/600 to 16/00 (Sh:- C/O R/wall at RD 12/015 to 12/025)	1,33,858	2700/-	Two months	350/-
51	R/R damages on link road from Chamb to Kujabali via Ropri from km 0/0 to 2/360 (SH:- C/O R/wall wire crate at RD 1/480 to 1/500 & 1/505 to 1/530)	1,45,903	2900/-	Two months	350/-

52	C/O link road from Dudhla Bhatlamber to house of smt Rajo Devi village Bhagnal Bhatlamber ward No.2 (Sh:- C/O PCC R/wall at RD 0/600 to 0/615) Deposit work	98,126	2000/-	Two months	350/-
53	R/R damages on link road from Charian Di-Dhar to Lambran Di Dhar via Bouru km 0/0 to 2/00 (Sh:- C/O PCC pavement i/c edge wall at RD 0/750 to 0/773)	4,67,129	9300/-	Two months	350/-
54	R/R damages on link road from Charian Di-Dhar to Lambran Di Dhar via Bouru km 0/0 to 2/00 (Sh:- C/O PCC pavement i/c edge wall at RD 0/773 to 0/796)	4,67,129	9300/-	Two months	350/-
55	R/R damages on Sujapur to Sandhole road km 3/00 to 20/00 (SH:- C/O PCC B/wall at various RD's i.e 18/105 to 18/120 & Edge wall at RD 15/585 to 15/595 & 16/900 to 16/909)	4,93,843	9900/-	Two months	350/-
56	R/R damages on link road Beri to Kudana 0/00 to 3/00 (SH:- C/O causeway at km 0/210 to 0/222 and edge wall)	1,82,161	2000/-	Two months	350/-
57	R/R damages on Kalanjhari Kangri road km 0/0 to 8/00 (SH:- C/O R/wall from RD 5/510 to 5/530)	4,54,066	9100/-	Two months	350/-
58	C/O link road Majhog Galu to Amroh via Kalsai Sayal km 0/0 to 4/0 (Sh:- P/L 80mm thick interlocking cement concrete paver block at RD 1/095 to 1/165) (Under SCSP)	4,78,920/-	9600/-	Two months	350/-

TERMS AND CONDITIONS:-

The tender documents shall be issued only to those contractors/firms who fulfill the following criteria and submit documents with the application. The valid enlistment/registration of contractor in appropriate class. Permanent Account Number (PAN). Earnest money in the shape of National saving certificate/Time deposit Account in any of the Post office in H.P./F.D.R from any Nationalized Bank (I/c Kangra Central Cooperative Bank) duly pledged in favour of the Executive Engineer. Other special terms and condition can be seen/obtain in this office on any working day. Any ambiguous/telegraphic conditional tenders by fax shall not be

Excutive Engineer
TauniDevDivision,
HPPWDTauniDevi.

No. PW/TDD/GA/N.I.T./2023-24

18633-682

Dated:- 02.02.2024


Copy forwarded for infomation & necessary action.

- 1 The Engineer-in-Chief, HP:PWD, Shimla.
- 2 The Chief Engineer (HZ), HP:PWD, Hamirpur.
- 3 The Superintending Engineer, 8th Circle, HP:PWD Hamirpur.
- 4 All the Superintending Engineers/Executive Engineers in HP:PWD.
- 5 The Deputy Commissioner, Hamirpur(HP)
- 6 ✓ The Director, Information and Public Relations, Suchna Avam Jan Sampark Bhawan, HP Shimla-2.
- 7 The Tehsildar, Tauni Devi.
- 8 The B.D.O Tauni Devi.
- 9 The Municipal Committee, Hamirpur(HP)
- 10 All the Assistant Engineers working under this Division.
- 11 Account Branch/Drawing Branch/Notice Board.
- 12 Lok Mitra, Tauni Devi.
- 13 Various Contractors/ Firms.

Am P Chon
Excutive Engineer
TauniDevDivision,
HPPWDTauniDevi.

CERTIFICATE

Certified that the tender for job No. 1 to 58 are called vide this office letter No. PW/TDD/GA/2023-24-18633-682 dated 02.02.2024 are an urgent nature and in public interest.


Executive Engineer,
Tauni Devi Division,
HP:PW/TDD Tauni Devi.

NAME OF WORK:- C/O BNS road Shiv Man-Jir Bharnadi to Patal via Harizan Bast Majling khas and village Chaid km. 0/0 to 4/0 (5th- P/L
GSB at RD. 2/200 to 2/300 and WMM at RD. 2/00 to 2/300). (Under SCSP).

Schedule of Quantity

G/SB at RD. 2/200 to 2/300 and WMM at RD. 2/00 to 2/300). (Under SCSP).									
Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount			
			In Fig.	In Words					
							Earliest Money:-	Time:-	
1	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm (Twenty two point five centimeter) depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earthwith lead upto 50 metres (fifty meter) as per direction of Engineer-in-Charge, including entire carriage of material within all leads and lifts and other incidentals.	335.00			Per cubic metre				
2	Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications. With material conforming to Grade-II (size range 53 mm to 0.075 mm) (Fifty three millimeter to zero point zero seven five millimeter) having CBR Value-25 as per the direction of the Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals.	43.97			Per cubic metre				
3	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver/finisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge, including entire carriage of material within all leads and lifts and other incidentals.	96.08			Per cubic metre				
Terms and Condition						Total			

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tajul Devi Division
H.P.W.D. Tami Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road from Karot to Longajal km. 0/0 to 1/500 (SR)- C/O cement concrete pavement at RD. 1/315 to 1/430, along with C/O horizontal bed of PCC drain at RD. 1/315 to 1/430.

Rs. 435996.00

Rs. 8700.00

Two Months

Unit

Amount

Sr No.	Description of Items	Qty.	In Fig.	Rate		Per Cubic metre	Amount
				In Words	Time		
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:4.8 (one cement four sand, eight graded stone aggregates 40mm (forty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	35.85				Per Cubic metre	
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:1.5:3 (one cement, one part, five coarse sand, three graded stone aggregates 20 mm (twenty millimeters) nominal size) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	25.65				Per Cubic metre	
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:3:6 (one cement, three sand, six graded stone aggregates 20mm (twenty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	7.76				Each	
4	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position, and binding all completed upto plinth level as per direction of Engineer-in-charge, including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	94.15				Per cubic metre	
	Total						

Terms and Condition

1. Work shall be executed as per PWD specifications.

2. Steel will be issued departmentally.

Executive Engineer,
Tasul Devi Division
HPPWD, Tasul Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on **Road in** **Bales Dhawal** via Siswan Gahlot road in Km 0/00 to 5/00. (SH-1)
Providing and laying paver block at RD 4/410 to 4/435, Construction of retaining wall at RD 4/470 to 4/484)

Estimated Cost:- Rs.479499.00
Earnest Money:- Rs 9600.00
Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and rraming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malhama,toll tax, GST or other taxes imposed by the Government.	35.08			Per cubic metre	0.00
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:3:6 (one Cement : three coarse sand : six graded stone aggregate 20 mm (twenty millimetre)as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malhama,toll tax, GST or other taxes imposed by the Government.	15.75			Per cubic metre	0.00
3.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malhama,toll tax, GST or other taxes imposed by the Government.	2.00			Per cubic metre	0.00
4.00	Providing and laying heavy duty precast cement concrete interlocking paver blocks vibro compacted upto M-50 (M-fifty) grade including border or kurb block grey or coloured over sub base of concrete with 25mm (twenty millimetre) thick average thickness of cement 1:4 (one cement: four sand) laid over and jointed with neat cement slurry mixed with pigment to match the shade of blocks including curing, rubbing and polishing complete (sub base concrete) floor to be paid for 80mm (eighty millimetres) thick inter locking blocks (PVC) and as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malhama,toll tax, GST or other taxes imposed by the Government.	157.50			Per Square metre	0
5.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malhama,toll tax, GST or other taxes imposed by the Government.	35.89			Per cubic metre	0.00

Schedule of Quantity


NAME OF WORK-Construction of link road from Dangoo to Kolhwin Km 0/00 to 0/310. (Sh- FC, Construction of Estimated Cost- Rs.372574.00
retaining wall at RD 0/210 to 0/218 and 0/220 to 0/225)(Deposit Work) Earnest Money:- Rs.7500.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1.00	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1.1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 28.50 cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs 8550/- only).	171.00				Per cubic metre	
2.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	51.80				Per cubic metre	
3.00	Providing and laying in position cement concrete of specified grade, including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	83.58				Per cubic metre	

4.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimeter) dia PVC pipe De plast /finolox/vectus having pressure 4kg per sqm (four kilogram) per square meter extending through the full width of the structures with slopes of 1(V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire carriage of material within all heads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,roll tax, GST or other taxes imposed by the Government.	39.00					Each	
							Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 PWD, Tauni D.A.

Schedule of Quantity

NAME OF WORK:- Improvement of black spot on Uhal to Bhaghera via Jandroo Km 0/00 to 27/00. (SH- Construction of retaining wall, crash barrier at RD 24/899 to 24/909.5)

Sr. No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			In Fig.	Rate In Words		
1.00	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50m(fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3m(three metre) depth as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all loads, lifts and other incidents. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	42.21			Per cubic metre	
2.00	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302,1603.1,1603.2 sorting out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including load haul or animals transport or mechanical means along with its leveling line dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts. (Recovery of useful stone i.e. 21.31cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs.6393/- only)	148.65			Per cubic metre	
3.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:4:8 (one Cement : four coarse sand : eight graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	70.88			Per cubic metre	
4.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred millimetre) dia PVC pipe the plaster/floors/verruas having pressure 4kg per sqm (four kilogram) per square meter extending through the full width of the structures with slopes of (H/V): 20(10/20) (twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	30.00			Each	

5.00	Providing and erecting 'W' metal beam crash barrier comprising of 3mm (three millimetres) thick corrugated sheet metal beam rail 70mm (seventy centimetres) above road/gravel level, fixed on ISMC section vertical post 150x75x75 mm (one hundred fifty into seventy five into seventy five millimetres) spaced 2.00m (two point zero metre) centre to centre, 1.80m (one point eighty metre) high & 1.10m (one point ten metre) below ground/road level all steel parts and fittings to be galvanized by hot process all fittings to conform to IS:1367 & IS:1364 metal beam rail to be fixed on the vertical post with a spacer or channel section 150x75x5 mm (one hundred fifty into seventy five into five millimetres) long completed as per clause 810 as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all loads, lifts and other incidents. The rates are inclusive of petrol, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	15.00					per running metre	
Total								

Terms and Condition

1. Work shall be executed as per PWD specification.

A. D. Chavhan
Executive Engineer,
Tauni Devi Division,
HPPWD, Tauni Dist.

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road Kalkar to Bahkar Khad via Choudamher km. 0/00 to 2/200 (SIH- C/O B/Wall near the house of Smt. Rasma devi W.O. Sanjay Kumar at RD. 0/350 to 0/385). (Deposit work).

Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			In Fig.	In Words		
1	Providing and laying in position cement concrete of specified grade excluding the cost of carting and shunting - All work up to depth level 1:4:8 (one cement, four sand, eight graded stone aggregated 40mm (forty millimeters), nominal size, as per the direction of the Engineer-in-charge including with carriage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	28.35			Per Cubic metre	
3	Providing weep holes in brickwork masonry/ plaster reinforced concrete abutment, wing wall, return wall, retaining wall and breast wall with 110mm/ one hundred ten millimetre) dia PVC pipe. De-plastering/ wetting pipe having pressure 4kg per centimeter square, (four kilograms per centimeter square) extending through the full width of the structures with slopes of (V) 20(H) towards drainage base complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-charge, including entire carriage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	20.00			Each	
	Total					

Terms and Condition
1. Work shall be executed as per PWD specifications.

Executive Engineer,
Tamil Devt Division,
HPPWD, Tamil Nadu

NAME OF WORK:- Restoration of rain damages on Madam Sujapur road km. 14/600 to 21/600 (S&T- C/O R/W) at RD. 20/6/90
to 20/7/03). (Deposit Work).

Schedule of Quantity

Sr. No.	Description of Items	Qty.	Estimated Cost:-		Rs. 214692.00	Amount
			Time:-	Unit		
			In Fig.	In Words	Unit	Amount
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m post the meter) in width or 10 sqm ten square metre on plan) including dewatering of sides and carrying of bottom, at upto 1.5 m, (one post the meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a limit of 50 m (fifty metres) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Mahasulat tax, GST or other taxes imposed by the Government.	17.56			Per Cubic metre	
2	Providing and laying cement concrete in retaining wall with, with (any thickness) including attached plinth, columns, pier, abutment, pillars, posts, chutes, buttresses, string or heavy courses, parapet coping, laid blocks, anchor blocks, plain window sills, floor, window floor etc., up to four any level including the cost of centering, shuttering and bracing 1:5:10 (one cement : two coarse sand : ten graded stone aggregate 40 mm (forty millimeters nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Mahasulat tax, GST or other taxes imposed by the Government.	46.80			Per Cubic metre	
3	Providing work holes in brick/masonry/plaster/reinforced concrete abutment, wing wall, return wall, retaining wall and breast wall with 150mm (one hundred ten millimeter) dia PVC pipe (De-galvanized) with 10mm (ten millimeter) pressure ring per centimeter square, (four kilograms per centimeter square) extending through the full width of the structure with slopes of 1:10/2014 towards drawing back complete as per drawing and technical specification clauses 614, 708, 1204.3.7 as per direction of Engineer-in-charge, including entire cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Mahasulat tax, GST or other taxes imposed by the Government.	22.00			Each	
4	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600mm (six hundred millimeters) with similar size towards the soil and bigger size towards the well and providing over the entire surface bedded abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification clause 1204.3.8 as per direction of Engineer-in-charge, including entire cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Mahasulat tax, GST or other taxes imposed by the Government.	8.73			Per cubic metre	
Total						

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Nadu District,
HPPWD, Tamil Nadu.

NAME OF WORK:- Restoration of rain damages on Naddaun Sujanpur road km. 14/660 to 21/600, (SH- C/O.R./Wall at RD. 19/195 to 19/202). (Deposit Work).

Estimated Cost:
Estimated Minutes:
Time:

10

1. Work shall be executed as per FWD specification

Executive Engineer,
Tandem Data Division,
Hewlett-Packard Co.

Schedule of Quantity
NAME OF WORK:- C/O Staff Quarter at PHC Gubhar (SR:- C/O R/W all in front side) (Deposited Work) (506N1)

Sr.No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Earnest Money:-	Rs. 470560.00		
				Time:-	Rs. 9400.00	Two Months	
Rate	In Words						
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m) (one point five metre) in width or 10 sqm) ten square metre on plan (including dressing of sides and narrowing of bottom, fit upto 1.5 m, (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a limit of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all loads and its and other incidentals. The rates are inclusive of octol, royalty, Mahanulol tax, GST or other taxes imposed by the Government.	51.70				Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pillars, columns, girth, abutments, pillars, posts, steps, buttresses, sitting or facing courses, parapets, coping, bed blocks, anchor blocks, plan window sills, floor, sunken floor etc., up to floor any level, including the cost of centering, shoring and finishing 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (forty millimetre nominal size) as per the direction of the Engineer-in-charge including entire cartage of material within all loads and its and other incidentals. The rates are inclusive of octol, royalty, Mahanulol tax, GST or other taxes imposed by the Government.	108.40				Per Cubic metre	
3	Providing weep holes in brickstone masonry (plan) reinforced concrete abutment, wing wall, return wall, retaining wall and breast wall with 110mm/ one hundred ten millimetre) dia P.V.C. pipe. De-plasticized vertical pipe having pressure 4kg per centimeter square, (four kilograms per centimeter square) extending through the full width of the structures with slopes of 1% (1/100) towards drainage face complete as per drawing and technical specification clauses 614, 709, 1204, 3.7 as per direction of Engineer-in-charge, including entire cartage of material within all loads and its and other incidentals. The rates are inclusive of octol, royalty, Mahanulol tax, GST or other taxes imposed by the Government.	10.00				Each	
Total							

Terms and Conditions
 1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamsil Development Division,
 HPPWD, Tamsil District.

Schedule of Quantity

NAME OF WORK:- C/O Staff Quarter at PHC Gubbar (SR- C/O R/Wall in front side), (Deposit Work) (56N22)

Estimated Cost:-	Rs. 470560.00
Earnest Money:-	Rs. 9400.00
Time:-	Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m (five meter) in width or 10 sqm (ten square meter) on plan) including dressing of sides and raising of bottom, till upto 1.5 m (one point five meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m (fifty meter) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and the and other incidentals. The rates are inclusive of octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	51.70			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, with (any thickness) including abraded platforms, columns, piers, abutments, piers, posts, shafts, buttresses, wing or backing courses, parapets, coping, head blocks, anchor blocks, plan window sills, steps, surface floor etc., up to four any level, including the cost of centering, shuttering and finishing 1:5:10 (one cement, five coarse sand) : ten graded stone aggregate 40 mm (forty millimeters nominal size) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and the and other incidentals. The rates are inclusive of octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	102.40			Per Cubic metre	
3	Providing deep holes in brickwork masonry/ plain reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 115mm (one hundred ten millimeter) dia PVC pipe. Co-plant/under/ section pipe having pressure 8kg per centimeter square (four kilogram per centimeter square) extending through the full width of the structures with slopes of (V) 20(H) towards drainage face complete as per drawing and technical specification clauses 614, 709, 1204.2.7 as per direction of Engineer - in - Charge, including entire cartage of material within all limits and the and other incidentals. The rates are inclusive of octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	10.00			Each	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamsil Dist Division,
 HPPWD, Tamsil

Schedule of Quantity
NAME OF WORK:- C/O Staff Quarter at PHC Gubhar (SH- C/O R/Wall in front side). (Deposit Work). (56 No 3)

Sr.No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Earnest Money:-	Rs. 470560.00		
				Time:-	Two Months		
				Rate	In Words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m post five metre) in width or 10 sqm (ten square metre on plan) including dewatering of sides and removing of bottom, up to 1.5 m (one post five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a bed of 50 mm (fifty mm) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and the and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	51.70				Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pillars, columns, piers, abutments, pillars, posts, shafts, buttresses, strong or facing courses, parapets, coping, lead blocks, anchor blocks, plain window sills, sills, sockets floor etc., up to four any level, including the cost of centering, shuttering and finishing 1:5:10 (one cement : two coarse sand) : ten graded stone aggregate 40 mm (ten millimetre nominal size) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and the and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	108.40				Per Cubic metre	
3	Providing deep holes in brickwork masonry joint reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimetre) dia P.V.C. pipe (De-plate/steel) section pipe having pressure 8kg per centimeter square (four kilogram per centimeter square) extending through the full width of the structures with slopes of (1V) 20H1) towards drawing back complete as per drawing and technical specification clauses 514, 705, 1224.17 as per direction of Engineer-in-charge, including entire cartage of material within all limits and the and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	10.00				Each	
3						Total	

Terms and Condition
 1. Work shall be executed as per PWD specification.

A. B. Chav
 Executive Engineer,
 Tamsil Dist Division,
 HPPWD- Tamsil Dist

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Palurander to Lohar Baeli road km. 0/00 to 0/900 (SH- C/O R/Wall at RD. 0/600 to 0/623). Deposit work).

Schedule of Quantity									
NAME OF WORK:- Restoration of rain damages on Patbander to Lohar Road km. 0/00 to 0/900.(Sht. C/O R/Wall at RD. 0/600 to 0/623). Deposit work).									
Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount			
			Earnest Money-	Time-					
			In Fig.	In Words					
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m) (one point five meters) in width or 10 sqm) in square meters on plan,including dewatering of sides and opening of bottom, till depth 1.5 m. (one point five meters) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a limit of 50 m.(fifty meters) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahakasa tal tax, GST or other taxes imposed by the Government.	42.09			Per cubic metre				
2	Providing and laying cement concrete in retaining walls,return walls, walls (any thickness) including attached plasters, columns, piers, abutments, pillars, posts, buttresses, sitting or facing courses, parapets,coping, bed blocks, anchor blocks, plain window sill,finish, sunken floor etc. up to floor any level, including the cost of centering, shuttering and finishing 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (four millimeters nominal size) as per the direction of the Engineer-in-charge including entire cartage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahakasa tal tax, GST or other taxes imposed by the Government.	82.80			Per cubic metre				
3	Providing wing holes in brickwork masonry/ plain reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeters) dia PVC pipe. De-gasification/ vacuum pipe having pressure 4kg per centimeter square. (four kilograms per centimeter square) extending through the full width of the structures with slopes of (1V) 20(H) towards drawing back complete as per drawing and technical specification clauses 614, 705, 1204.3.7 as per direction of Engineer- in -charge, including entire cartage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahakasa tal tax, GST or other taxes imposed by the Government.	38.00			Each				
4	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 100mm (ten hundred millimeters) with smaller size towards the soil and bigger size towards the wall and providing over the entire surface behind abutment, wing wall, return wall to the full height, conforming to firm condition complete as per drawing and technical specification clause 1204.3.8 as per direction of Engineer- in -charge, including entire cartage of material within all limits and its and other incidentals. The rates are inclusive of octroi, royalty, Mahakasa tal tax, GST or other taxes imposed by the Government.	18.40			Per cubic metre				
Total									

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Eerst Division,
P.W.D., Tamil Nadu

NAME OF WORK:- Restoration of rain damages on Palander to Jhar Basti road km. 0/00 to 0/900 (SI:- Installation of crash barriers valley side at RD. 0/575 to 0/643). Deposit work).

Schedule of Quantity

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977.5 to 976.43). Deposit work).

Barriers valley side at RL= 977

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Nadu Division,
M&W.D., Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages to Village Marhanna Km 0/00 to 1/345. (SH:- Construction of retaining wall from RD 0/664 to 0/668.5)

Sr. No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Earliest Money:-	Time:-		
				Rate	In Words		
1.00	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of sheeting and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50m(fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3m(three metre) depth as directed by Engineer-in-Charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents. The rates are inclusive octroi, royalty, Malkanahull tax, GST or other taxes imposed by the Government.	24.75				Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. All work up to plinth level 1:5:10 (one cement : five coarse sand: ten graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkanahull tax, GST or other taxes imposed by the Government.	94.50				Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred millimetre) dia PVC pipe. The plant /finoles/weducts having pressure 4kg per sqm (four kilogram) per square meter extending through the full width of the structures with slopes of (V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkanahull tax, GST or other taxes imposed by the Government.	32.00				Each.	
4.00	Backfilling granular material behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8 (granular Material) and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkanahull tax, GST or other taxes imposed by the Government.	20.25				Per cubic meter	
	Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

A.2004
Executive Engineer,
Tamil Nadu Division,
Tamil Nadu
Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road to village Marhana km. 0/0 to 1/345.(SH- C/O R/Wall from RD. 0/668.50 to 0/672.50).

NAME OF WORK:- Restoration of rain damages on link road to village Marhana km. 0/0 to 1/345.(SH- C/O R./Wall from RD. 0/668.50 to 0/672.50).						
STATEMENT OF WORKS						
Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			Earnest Money:-	Rs. 7600.00		
			Time:-	Two Months		
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m/one foot five metre) in width or 10 sqm/ ten square metre on plan,including dressing of sides and raining of bottoms. fill upto 1.5 m. (one foot five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a head of 50 m.(fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana,toll tax, GST or other taxes imposed by the Government.	22.00			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls,return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, slabs, buttresses, string or facing courses, parapets,coping, bed blocks, anchor blocks, plain window sills,flash, sunken floor etc. up to floor any level, including the cost of cementing, shuttering and finishing 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (forty millimeters nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all leads and lifts and other incidentals.	64.00			Per Cubic metre	
3	Providing wirep holes in brickwork masonry/ plain reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm/ one hundred ten millimeter dia P.V.C pipe. De-classified/ vedus pipe having pressure 4kg per centimeter square. (four kilogram per centimeter square) extending through the full width of the structures with slopes of (1V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge, including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana,toll tax, GST or other taxes imposed by the Government.	21.00			Each	
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MORD technical specifications clause 1204.3.6 as per direction of Engineer- in -Charge, including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana,toll tax, GST or other taxes imposed by the Government.	18.00			Per Cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tegal Dowl Division,
 Bhubaneswar, Odisha-751005

Schedule of Quantity

NAME OF WORK:- Restoration of rain drainages on Barrera to Bahkar Road via Patnoua road km. 0/0 to 7/875 and link road to Bahredu km. 0/00 to 0/500. (Sht:- P/L interlocking paver block at RD. 0/300 to 0/365). (Deeproot work).

Sr.No.	Description of Items	Qty.	Time:-		Unit	Amount
			Rate			
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means at foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm. ten square metre on plan) including dressing of sides and surmising of bottoms. At upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a limit of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	20.25			Per Cubic metre	
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. At work up to depth level 1:1.5 (one cement three sand; six graded stone aggregate 20mm (twenty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	18.00			Per Cubic metre	
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. At work up to depth level 1:2.4 (one cement two coarse sand four graded stone aggregate 20 mm nominal size) (Twenty millimeters nominal size), as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	3.90			Per Cubic metre	
4	Providing and laying heavy duty precast cement concrete interlocking paver blocks when compacted upto M-50(M-40) grade including border or curb block grey or coloured over sub base of concrete with 25mm (Twenty millimeters) thick average thickness of cement 1:4 (one cement four sand) laid over and jointed with neat cement slurry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete (sub base concrete) floor to be laid for 80mm (eight millimeters) thick inter locking blocks of M.T.C. make or its equivalent BIS certified blocks and as per direction of the Engineer-in-charge including entire carriage of materials within all heads and its. The rates are inclusive octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	224.25			Per Cubic metre	
	Total					

Terms and Conditions

1. Work shall be executed as per PWD specifications.

Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Tauni Devi thal Kakhar Bajrol Jungle Beri road km 0/00 to 30/915.
(SH:- Construction of retaining wall at RD 0/450 to 0/465)

Sr.No.	Description of items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Rate	In Words		
				Time:-		Two Months	
				Rate			
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan)including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	21.89				Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	50.71				Per cubic metre	
3.00	Providing sweep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimeter) dia PVC pipe De plast./linolex/vecus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of 1(V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire cartage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	25.00				Each	
	Total						

Terms and Condition
1. Work shall be executed as per PWD specification.

A. K. Singh
Executive Engineer,
Tauni Devi Division,
HPPWD, Tauni Dist.

NAME OF WORK:- Restoration of rain damages on Hira Nagar Ropa road km. 0/0 to 10/615 (SR: C/O R/Wall at RD. 1/420 to 1/439) (Deposit Work).

Schedule of Quantity

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words	Estimated Cost- Exarment Money-> Time:-		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding upto 1.5 m. (five feet) the depth) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a limit of 50 m. (fifty meters) as per the direction of the Engineer-in-charge including within carriage of material within all loads and its and other incidentals. The rates are inclusive octroi, royalty, Mahanulal tax, GST or other taxes imposed by the Government.	34.01				Per Cubic metre	
2	Providing and laying concrete concrete in retaining walls, return walls, walls (any thickness) including attached pillars, columns, piers, abutments, gables, posts, steps, buttresses, string or facing courses, girders, coping, buttresses, anchor blocks, plain window sills, floor, window floor etc., up to four any level, including the cost of centering, shuttering and bracing, 1:5:10 (one cement : two coarse sand : ten graded stone aggregate 40 mm (fifty millimeters nominal size)) as per the direction of the Engineer-in-charge including within carriage of material within all loads and its and other incidentals. The rates are inclusive octroi, royalty, Mahanulal tax, GST or other taxes imposed by the Government.	58.00				Per Cubic metre	
3	Providing sweep holes in brick/masonry (plain/reinforced concrete abutment, wing walls, return walls, retaining walls and breast walls with 110mm) (one hundred two millimeter) dia P.V.C. pipe. The plaster/brick/masonry (any bearing pressure 4kg per centimeter square (four kilograms per centimeter square)) extending through the full width of the structure with slopes of 1V/20H towards drainage line complete as per drawing and technical specification clauses 614, 709, 1254.17 as per direction of Engineer-in-charge, including within carriage of material within all loads and its and other incidentals. The rates are inclusive octroi, royalty, Mahanulal tax, GST or other taxes imposed by the Government.	38.00				Each	
						Total	

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Nadu Division,
HYDRO, Tamil Nadu

Sl. No.	Description of items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m (one point five metre) in width or 10 sqm (ten square metre on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	17.14			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached piers, columns, piers, abutments, pillars, posts, shafts, buttresses, string of facing courses, parapets, coping, top blocks, anchor blocks, plan window sills, steps, surface floor etc., up to floor any level, including the cost of centering, shuttering and finishing, 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (forty millimeters nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	37.00			Per Cubic metre	
3	Providing weep holes in brickstone masonry/ plaster reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe (De-glassfibre) vector pipe having pressure 4kg per centimeter square (four kilogramme per centimeter square) extending through the full width of the structures with slopes of 1(V: 20(H) towards down slope complete as per drawing and technical specification clauses 614, 709, 1204.1.7 as per direction of Engineer-in-charge, including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	5.00			Each	
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MOPED technical specifications clause 1204.3.8 as per direction of Engineer-in-charge, including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	8.65			Per Cubic metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamsil Devi Division,
 Hyderabad Tamsil Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road Kakkar to Bakkar Khud via Ghodlamber 0/00 to 2/200.

(SH:- Construction of PCC Retaining wall at Km 0/735 to 0/745)

Sr. No.	Description of Items	Qty.	Earnest Money:-		Unit	Amount
			Time:-			
			In Fig.	In Words		
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	31.52			Per cubic metre	
2.00	Providing and laying cement concrete 1:5:10 (one cement : five coarse sand: ten graded stone aggregate 40 mm(forty millimetre) nominal size curing complete the cost of form work plain/reinforced concrete in retaining walls, breast walls as per drawing and HPPWD Technical Specification direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	63.60			Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimeter) dia PVC pipe De plast /finolex/vecrus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of (V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	23.00			Each	
Terms and Condition					Total	

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauri Devi Division,
 HPPWD, Tauri Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road Kakkar to Bakkar Khud via Ghodlamber 0/00 to 2/200.
(Sht:- Construction of PCC Retaining wall at Km 0/900 to 0/908)

NAME OF WORK:- Restoration of rain damages on link road Kakkar to Bakkar Khad via Ghodlamber 0/00 to 2/200.									
(SIt:- Construction of PCC Retaining wall at Km 0/900 to 0/908)									
Sr. No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount		
				Earnest Money:-					
				Time:-					
				Rate	In Words				
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	31.52				Per cubic metre			
2.00	Providing and laying cement concrete 1:5:10 (one cement : five coarse sand: ten graded stone aggregate 40 mm(forty millimetre) nominal size curing complete the cost of form work plain/reinforced concrete in retaining walls, breast walls as per drawing and HPPWD Technical Specification direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	63.60				Per cubic metre			
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimeter) dia PVC pipe De plast /finishes/vents having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of 1(V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	23.00				Each.			
Total									

Terms and Condition

1. Work shall be executed as per PWD specification.

Amr
 Executive Engineer,
 Tanni Devi Division,
 HPPWD, Tanni De

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Tausal Devi Uhal Kakkar Bajrol Jungle Berti road km. 0/0 to 36/915. (SH- C/O R/Wall at RD. 10/020 to 10/030).

NAME OF WORK:- Restoration of rain damages on Tausi Dera Ubal Kakkar Bajrol Jungle Berti road km. 0/0 to 30/915. (Sht:- C/O R/Wall at RD. 10/020 to 10/030).									
Schedule of Quantity									
Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount			
			Earnest Money:-						
			Time:-	Rate					
			In Fig.	In Words					
1	Excavation work by mechanical means (Hydraulic excavator/ manual means in foundation trenches or drains (not exceeding 1.5m (one point five metre) in width or 10 sqm) ten square metre on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	18.77			Per Cubic metre				
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached plasters, columns, piers, abutments, plan, posts, struts, buttresses, string or ledger courses, parapets, coping, bed blocks, anchor blocks, plain window sills, flint, sunken floor etc., up to four any level, including the cost of carting, shuttering and dressing; 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (forty millimeters nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	41.52			Per Cubic metre				
3	Providing weep holes in brickstone masonry/ plaster reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. De-plaster/roove/ vecus pipe having pressure 4kg per centimeter square. (four kilograms per centimeter square) extending through the full width of the structures with slopes of (1V): 20(H) towards drainage base complete as per drawing and technical specification clauses 614, 708, 1204.3.7 as per direction of Engineer-in-charge, including entire cartage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	7.00			Each				
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MORD technical specifications clause 1204.3.8 as per direction of Engineer-in-charge, including entire cartage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	10.82			Per Cubic metre				
				9	Total				

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
 Tausal Devi Division,
 HPPWD, Tausal Devi

A-2020

Schedule of Quantity

NAME OF WORK:- Construction of link road from Bharnar to Bhaileth via Miana in Km 0/00 to 4/00(SH- 5/7mtr. Wide formation cutting from RD 0/231 to 0/285)(Under OTMNP)

Sr. No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiselling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or an approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 119.94 cubic metre shall be made from the contractor @ Rs. 300/- net cubic metre amounting to Rs.35,982/- only).	1713.47			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tauni Devl Division,
HPPWD Tauni Devl.

Schedule of Quantity

NAME OF WORK:- Construction of link road from Bhurmar to Bhalath via Miara in Km 0/00 to 4/00.(Sft:- 5/7mt. Wide formation cutting from RD 0/285 to 0/350) (Under OTMNP)

Estimated Cost:- Rs.499299.00
Earnest Money:- Rs.9900.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1.1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidents necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 125 cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs. 37500/- only).	1698.99				Per cubic metre	
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tauni Devi Division,
HPPWD Tauni Devi

Draft Schedule of Quantity
 from road (MDR-106) km. 22/00 to 27/00 (SH-C/O

Estimated Cost:	Rx. 457784.00
Earned Money:	Rx. 9000.00
Time:	Two Months
	Unit

--	--	--	--	--

Terms and Conditions
1. Work shall be executed as per PWD specification.

7

Executive Engineer,
Tamil Nadu PWD,
Tamil Nadu

Schedule of Quantity

NAME OF WORK: Restoration of rain damages on Sujangpur Sandhol road Km 3/00 to 10/00 (MDR-38) (SH:- Providing Estimated Cost:- Rs.358570.00
and laying interlocking cement concrete paver blocks in km 4/150 to 4/197.5) Earliest Money:- Rs.7200.00

Sr. No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words	Time:-		
1.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:4:8 (one Cement : four coarse sand) : eight graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	29.69				Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand) : four graded stone aggregate 20 mm(twenty millimetre) nominal size) as directed by Engineer-in-Charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	2.85				Per cubic metre	
3.00	Providing and laying of interlocking concrete block pavements of M-40 (M- forty) having thickness 80mm(Eighty millimeters) as per drawing and technical specification clause 1504 (NTC tiles or its equivalent laid in required colour & pattern over 25mm (twenty five millimetre) thick compacted bed of sand, compacting and proper embedding/laying of interlocking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand, finishing and sweeping extra sand complete all as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	150.00				Per Square metre	
Total							

Terms and Condition
1. Work shall be executed as per PWD specification.

Executive Engineer,
Tauni Dauli Division,
HPPMD, Tauni

Schedule of Quantity

NAME OF WORK: Restoration of rain damages on Solanjpur Santhol road Km 3/00 to 10/00.(MDR-38) (SH- Providing and laying interlocking cement concrete paver blocks in km 4/100 to 4/147)

Sr. No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Time:-	Rate		
				In Words	In Words		
1.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:4:31 (one Cement : four coarse sand) : eight graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	29.38				Per cubic metre	Rs.476175.00
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand) : four graded stone aggregate 20 mm(twenty millimetre) nominal size) as directed by Engineer-in-Charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	2.85				Per cubic metre	Rs.9500.00
3.00	Providing and laying of interlocking concrete block pavements of M-40 (M- forty) having thickness 80mm(Eighty millimeters) as per drawing and technical specification clause 1504 (MTC tiles or its equivalent laid in required colour & pattern over 25mm (twenty five millimetre) thick compacted bed of sand, compacting and proper embedding/laying of interlocking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand, finishing and sweeping extra sand complete all as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	235.00				Per Square metre	
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauri Devi Division,
 HP PWD, Tauri Dist.

Schedule of Quantity

NAME OF WORK:- C/O link road to village Ropart in Gram Panchayat Charlan-Di-Dhar (SH:- C/O 5/7mtr. Wide formation cutting at RD. 0/00 to 0/030). (Deposit work).

Estimated Cost:- Rs. 197436.00

Earnest Money:- Rs. 4000.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling, wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and cartage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including cartage of material within all leads and lifts. (Recovery of useful stone i.e. 62.20/- cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 18,560/- only.	932.93			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Nadu Division,
H.P.W.D. Tamil Nadu

NAME OF WORK: Restoration of rain damages on link road from Baghera bridge to Harizan Bazar jol via Samousa km. 0/00 to 1/200 (SR: C/O road embankment in km. 0/100 to 0/300, 0/520 to 0/560).

Sr. No.	Description of Items	Qty.	In Pkg.	Rate		Unit	Amount
				In Words	Time:-		
1.	Construction of embankment with approved material obtained from borrow pits with a lift upto 1.5mt. (one point five meter) transporting to site, spreading, grading to required slope and compacting to meet requirement of tables 300.1 and 300.2 with a load upto 1000mt. (one thousand meter) as per technical specification clause 201.5, as per direction of Engineer-in-Charge, including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive octroi, royalty, Mahanulul tax, GST or other taxes imposed by the Government.	1108.50				Per Cubic metre	
Total							

Terms and Condition

1. Work shall be executed as per FWD specification.

Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu.

Schedule of Quantity

NAME OF WORK:- (i) C/O 66.40mtr. Span box cell bridge over Janarti Khad on Janarti Lambri road at RD. 1/630 (SH)- Preparation of detailed project report; (ii) C/O link road from Dhanotu to village Ropa road km. 0/00 to 1/800 (SH)- Preparation of detailed project report; (iii) C/O link road from Lambri Nahali Aetholia to Kangri via Khanu including 2 Nos. bridge km. 0/00 to 4/00 (SH)- Preparation of detailed project report and Hydraulic Data).				Estimated Cost:-	Rs. 499920.00
				Earnest Money:-	Rs. 10000.00
				Time:-	Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Preparation of detailed project report and drawing complete including consultancy service for survey investigation etc. in manuscript form and submission of the same in higher office for approval. If any correction/amendment required by the higher office the same may be corrected to the satisfaction of Engineer-in-Charge complete in all project. After approval of the same should be submitted in five copies in fair manner completed in all respect as per direction of Engineer- in -Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	5.800			Per Km	
2	Preparation of detailed project report and drawings approved from competent authority including consultancy service for estimate etc. in manuscript form and submission of the same in higher office for approval. If any correction/amendment is required by the higher office the same may be corrected as per direction of Engineer- in -Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1.000			Per Bridge	
3	Preparation of Hydraulic data report and drawing complete including consultancy service for topographical survey etc. in manuscript form and submission of the same in higher office for approval. If any correction/amendment required by the higher office the same may be corrected to the satisfaction of Engineer-in-charge complete in all projects. After approval of the same from S.E. office should be submitted in three copies in fair manner complete in all respect as per direction of Engineer- in -Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	2.000			Per Bridge	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tarni Devi Division,
 H.P.W.D. Tarni Devi

Schedule of Quantity


NAME OF WORK:- Restoration of rain damages to Hindu Di Dhar via Jandroo road Km 0/00 to 27/00. (SH- Construction

of retaining wall at RD 7/05 to 7/020)

Sr. No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Earnest Money:-	Time:-		
				In Words			
1.00	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50m(fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3m(three metre) depth as directed by Engineer-in-Charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents. The rates are inclusive octroi, royalty, Malabar toll tax, GST or other taxes imposed by the Government.	20.73				Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malabar toll tax, GST or other taxes imposed by the Government.	47.29				Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred millimetre) dia PVC pipe the phast /linolex/vercas having pressure 4kg per sqm (four kilogram) per square meter extending through the full width of the structures with slopes of (1V: 20(H))(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malabar toll tax, GST or other taxes imposed by the Government.	12.00				Each	
4.00	Backfilling Granular material behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8 (granular Material) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malabar toll tax, GST or other taxes imposed by the Government.	13.91				Per cubic metre	
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tarpal Devi Division,
 Hyderabad, Tamil Nadu.

Schedule of Quantities

NAME OF WORK:- Repair and Maintenance of Mehroo bridge on link road to village Mehroo km. 0/0 to 3/0. (SH- P/L Mehroo) mastic asphalt 25mm thick and paint of railing of Mehroo bridge at RD. 0/300 to 0/334).

Estimated Cost:-	Rs 24F 736.00
Earnest Money:-	Rs. 5000.00
Time:-	Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing and applying tack coat with bitumen emulsion using emulsion (RS-1) distributor at the rate of 0.20 to 0.25 kg (zero point two zero to zero point two five kilogramme) per sqm on the prepared bitumen surfaces cleaned with hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.	196.00			Per Square metre	
2	Providing and laying 25mm (twenty five millimetre) thick bitumen mastic wearing course (as per specifications) with industrial bitumen of grade 85/25 conforming to IS : 702, prepared by using mastic cooker and laid to required level and slope, including providing antisid surface with bitumen precoated fine grained hard stone chipping of approved size at the rate of 0.005 cum (zero point zero zero five cubic metre) per 10 sqm (ten square metre) and at approximate spacing of 10 cm (ten centimetre) centre to centre in both directions, pressed into surface protruding 1 mm to 4 mm (one millimetre into four millimetre) over mastic surface, including cleaning the surface, removal of debris etc. all complete. (Considering bitumen using 10.2% as per MORTH specification) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.	196.00			Per Square metre	
3	Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new plastered/concrete surfaces as per drawing and technical specification clause 1701, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.	203.22			Per square metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tansa Devi Division,
 HPPWD, Tansa Devi

Schedule of Quantity

NAME OF WORK:- Repair and Maintenance of bridges on Sujangpur section-II under Sujangpur Sub-Division, (Sst. P/L bitumen mastic asphalt 25mm thick on Sujangpur Santhal road at RD. 0/10 to 3/06, Bridge on Melhru Khad at RD. 2/876 to 2/920 and 2/922 to 2/960).

Sr.No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			Earnest Money:-	Two Months		
		In Fig.	Rate			
			In Words			
1	Providing and applying tack coat with bitumen emulsion using emulsion (RS-1) distributor at the rate of 0.20 to 0.25 kg. (zero point two zero to zero point two five kilogramme) per sqm on the prepared bitumen surfaces cleaned with Hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	348.50			Per Square metre	
2	Providing and laying 25mm (twenty five millimetre) thick bitumen mastic wearing course (as per specifications) with industrial bitumen of grade 85/25 conforming to IS : 702, prepared by using mastic cooker and laid to required level and slope, including providing antisid surface with bitumen provided five graded hard stone chipping of approved size at the rate of 0.005 cum (zero point zero zero five cubic metre) per 10 sqm (ten square metre) and at approximate spacing of 10 cm (ten centimetre) centre to centre in both directions, pressed into surface protruding 1 mm to 4 mm (one millimetre into four millimetre) over mastic surface including clearing the surface, removal of debris etc. at complete (Considering bitumen using 10.2% as per MORTH specification) as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	348.50			Per Square metre	
3	Painting two coats including primer coat after filling the surface with synthetic material paint in all shades on new plastered concrete surfaces as per drawing and technical specification clause 1101, as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	656.00			Per square metre	
	Total					

Terms and Conditions

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamsil Devi Division,
 Highway, Tamsil Devi

Schedule of Quantity

NAME OF WORK:- Repair and Maintenance of bridges on Sujapur section under Sujapur Sub-Division, (SI:- P/L bitumen mastic asphalt 25mm thick on Sujapur Sandhol road at RD. 6/00 to 3/00, Bridge on Meluru Khad at RD. 2/960 and Sujapur Hanthapur road 16/00 to 24/785 on Alamapur bridge at RD. 24/760).

Estimated Cost:- Rs 483148.00
Earnest Money:- Rs. 9700.00
Time:- Two Months

Sr No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing and applying tack coat with bitumen emulsion using emulsion (RS-1) distributor at the rate of 0.20 to 0.25 kg. (zero point two zero to zero point two five kilogramme) per sqm on the prepared bitumen surfaces cleaned with Hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	287.50			Per Square metre	
2	Providing and laying 25mm (twenty five millimeter) thick bitumen mastic wearing course (as per specifications) with industrial bitumen of grade 85/25 conforming to IS : 702, prepared by using mastic cooker and laid to required level and slope, including providing anti-skid surface with bitumen precoated fine graded hard stone chipping of approved size at the rate of 0.005 cum (zero point zero zero five cubic metre) per 10 sqm (ten square metre) and at approximate spacing of 10 cm (ten centimetre) centre to centre in both directions, pressed into surface protruding 1 mm to 4 mm (one millimeter into four millimetre) over mastic surface including cleaning the surface, removal of debris etc. all concrete, (Consolidating bitumen using 10.2% as per MCRTM specification) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	287.50			Per Square metre	
3	Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered concrete surfaces as per drawing and technical specification clause 1701, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	1176.96			Per square metre	
4	25mm (Twenty millimetre) cement plaster of max 1:4 (one cement, four coarse sand) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	11.70			Per Square metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 TAMIL DEPT DIVISION,
 HEPW&S, TAMIL DEPT

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Lag Devi to Chourai road km. 0/0 to 0/500 (SH- Repair of pot holes at RD. 0/0 to 0/500).

Estimated Cost:-	Rs. 344043.00
Earnest Money:-	Rs. 6900.00
Time:-	Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing, laying and rolling of built up spray groud layer over prepared base consisting of a two layer composite construction of crushed coarse aggregates using motor grader for aggregates. Key stone chips spreader may be use with application of bituminous binder after each layer and with key aggregates placed on top of the second layer to serve as a base conforming to the line grades and cross section specified the compacted layer thickness being 75mm (seventy five millimeter) as per technical specification clause 505 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	177.87			Per cubic metre	
2	Repair to patch/pot holes (any depth) in connection with repairing including seeping free from dust and mud, scoring sunkeda in road, paths etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.30kg/sqm (zero point three zero zero kilograms per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.45kg/sqm (one point four five kilograms per square metre) and seal coat type-B with VG-10 bitumen @ 0.58kg/sqm (zero point six eight kilograms per square metre) as per technical specification clause 1904.2.503 and 508.2 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	803.89			Per square metre	
Total						

9

Terms and Condition

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.

Executive Engineer,
 Tamsil Devi Division,
 H.P.D.M.O. Tamsil D.C.

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Tausi Devi Urial Kalkar Bajrol Jungle Bari road km. 0/0 to 30/915. (SH:-
Repair of pot holes at RD. 12/00 to 14/00).

Estimated Cost:-	Rs. 499508.00
Earnest Money:-	Rs. 10000.00
Time:-	Two Months

Sr. No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1	Providing, laying and rolling of built up spray grout layer over prepared base consisting of a two layer composite construction of crushed coarse aggregates using motor grader for aggregates. Key stone chips spreader may be use with application of bituminous binder after each layer and with key aggregates placed on top of the second layer to serve as a base conforming to the line grades and cross section specified the compacted layer thickness being 75mm (seventy five millimeter) as per technical specification clause 505 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	94.29				Per cubic metre	
2	Repair to patch/pot holes (any depth) in connection with repairing including sweeping free from dust and mud, scoring surkeda in road, patches etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.300kg/sqm. (zero point three zero zero kilogramme per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.45kg/sqm (one point four five kilogramme per square metre) and seal coat type-B with VG-10 bitumen @ 0.55kg/sqm (zero point six five kilogramme per square metre) as per technical specification clause 1904.2.503 and 508.2 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	1345.36				Per square metre	
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.


 Executive Engineer,
 Tausi Devi Division,
 HPPWD, Tausi Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road from Charlan-Di-Dhar to Lambrian Di Dhar via Bouru km. 0/00 to 2/00 (SH- R.O.F.D at RD. 0/540 to 0/585).

Sr.No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Rate	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling (wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2 setting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 280 gbi-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 84,294/- only.	1204.20				Per cubic metre	
	Total						

Terms and Condition

1. Work shall be executed as per FWD specification.

Executive Engineer,
Tamil Nadu Division,
HPPWD: Tamil Nadu


Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road from Chartan-Di-Dhar to Lashbran Di Dhar via Boura km. 0/00 to 2/00 (5th:- R.O.F.D at RD. 0/585 to 0/630).

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canner, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts.(Recovery of useful stone i.e. 216.20/- cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs.64,878/-only.	763.29			Per cubic metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Desi Division,
 HPFWD: Tauni Dist

Estimated Cost:-	Rs.481000.00
Earnest Money:-	Rs.9600.00

Total	
-------	--

Executive Engineer,
Tamil Devl Division,
HDPWD-Tammi Devl.

NAME OF WORK:- C/O link road Kakra to Harizan Bost Nadia Sadhana km. 0/00 to 1/00.(St:- P/L roller compacted concrete pavement from RD 0/230 to 0/340). (Under SCSP)

Terms and Condition
1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Devt Divisn,
HPPWD, Tamil Devt

Schedule of Quantity

NAME OF WORK:- Construction of link road from 100m to 150m Malhog Gali to Amroh via Kalasi Sayal Km 0/0 to 4/0. (SH:-
Providing and laying 80mm thick interlocking cement concrete paver block at RD 1/025 to 1/095)(Under SCSP)

Estimated Cost:- Rs.478920.00
Earnest Money:- Rs.9600.00
Time:- Two Months

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1.00	Excavation work by mechanical means (Hydraulic excavator) / manual means in foundation trenches for drains (not exceeding 1.5m/one point five metre) in width or 10 sqm(one square metre) on plan, including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soil as directed, within all limits (Ordinary rock) as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of petrol, royalty, Mahanul, toll tax, GST or other taxes imposed by the Government.	9.10				Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1-3-6 (one cement : three coarse sand : six graded stone aggregate 20 mm (twenty millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of petrol, royalty, Mahanul, toll tax, GST or other taxes imposed by the Government.	21.00				Per cubic metre	
3.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1-2-4 (one cement : two coarse sand : four graded stone aggregate 20 mm (twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of petrol, royalty, Mahanul, toll tax, GST or other taxes imposed by the Government.	13.02				Per cubic metre	
4.00	Providing and laying 80mm (eighty millimetre) thick factory made cement concrete interlocking paver block of M-40 (M- forty) grade made by block making machine with strong vibratory compaction, of approved size, laid in required colour and pattern over and including 40mm (forty millimetre) thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of petrol, royalty, Mahanul, toll tax, GST or other taxes imposed by the Government.	210.00				Per Square metre	
	Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

A. K. Singh
Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu

NAME OF WORK:- C/O link road to village Jandruvo to Subhant km. 0/0 to 1/735. (Sht:- Supplying and installation of one all in one computer and Multi-function laser printer and UPS for HPPWD Sub Division Tauri Devi, HP-PWD, Tauri Devi).

Sr No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	All in one computer Desktop with Intel 15-10700-10th Generation Processor, 8 GB RAM (13 HD Drive (7200 rpm), 512 GB SSD) LED color display with FHD (1920x1080) integrated HD Graphics and Webcam, 2xusb 3.0, 2xusb 2.0 card reader, Auto Link VGA/HDMI/DP port, 10/100/1000 M (IPv6) compliant LAN, USB keyboard and mouse, steel speakers 16000 Hz, 100Watt, 10 Pro 64 bit OS with three years onsite warranty as per the direction of the Engineer-in-charge including entire carriage of material within all lands and its and other incidentals. The rates are inclusive of octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	2.00			Each	
2	Laser MFC Printer with print scan and copy and Fax with A4 size paper, printing speed 20PPM, resolution 600x600 DPI, Memory 64 MB, AIR-DNAF Wireless connectivity, paper tray capacity 150 pages, USB 2.0 port with one year warranty as per the direction of the Engineer-in-charge including entire carriage of material within all lands and its and other incidentals. The rates are inclusive of octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	2.00			Each	
3	UPS 1 KVA as per the direction of the Engineer-in-charge including entire carriage of material within all lands and its and other incidentals. The rates are inclusive of octroi, royalty, Mahasabai tax, GST or other taxes imposed by the Government.	2.00			Each	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tauri Devi Division,
HPPWD, Tauri Devi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Nanot to Bakkar Khad via Jamli road km. 0/0 to 4/0 (SH- R.O.F.D at RD. 1/900 to 2/030 and 2/390 to 2/431).

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302, 1603.1, 1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all lead, and lifts (Recovery of useful stone i.e. 127 1/2-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 38, 148/- only.	1059.83			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamsi Dargi Division,
 HPPWD, Tamsi Dargi

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Nanot to Bakkar Khad via Jamli road km. 0/0 to 4/0 (SH- R.O.F.D at RD. 1/660 to 1/855).

Estimated Cost:-	Rs. 482946.00
Earnest Money:-	Rs. 9700.00
Time:-	Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2, sorting out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts. (Recovery of useful stone i.e. 124.66-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs.37,398/-only.	1038.75			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tandi Deot Division,
 HPPWD, Tandi Dga.

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Pothan to Andral road km. 0/00 to 3/695 (SH- C/O wire crate wall at RD. 1/120 to 1/147.50).

NAME OF WORK:- Restoration of rain damages on Pothaji to Andral road km. 0/00 to 3/595 (Sht:- C/O wire crate wall at RD. 1/120 to 1/147.50).										ESTIMATE OF WORKING	
Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount	Estimated Cost:-			
				In Words	Earnest Money:-						
					Time:-			Two Months	Rs. 3,00,000.00		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m/one point five metre) in width or 10 sqm/ ten square metre on plan,including dressing of sides and returning of bottoms. At upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a band of 50 m.(fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all loads and its and other underlies. The rates are inclusive octroi, royalty, Mahanala toll tax, GST or other taxes imposed by the Government.	79.87				Per cubic metre					
2	Providing and laying laid in wire crabs with 4mm (four millimeters) dia G.I. wire conforming to IS 250 and IS 4826 in 100x100mm (one hundred into one hundred millimeters) mesh including ten percent extra for laps and joints laid with stone boulders weighing not less than 25kg. (twenty five kilograms) each as per drawing and technical specification clause 1301, as per the direction of the Engineer-in-charge including entire cartage of material within all loads and its and other underlies. The rates are inclusive octroi, royalty, Mahanala toll tax, GST or other taxes imposed by the Government.	159.83				Per cubic metre					
Total											

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Tarni DPS Division,
 HPPW/B/7 saur

NAME OF WORK:- Restoration of rain damages on Pokhant to Andral road km. 0/10 to 2/675 (SR- C/O wire crate wall at RD, 1/1448 to 1/1751).

Estimated cost:- Rs. 485740.00
Earnest Money:- Rs. 97000.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m/one point five metre) in width or 10 sqm/ten square metre on plan) including dressing of sides and ransoming of bottoms, up to 1.5 m, (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a limit of 50 m/50 metre) as per the direction of the Engineer-in-charge including entire cartage of material within all heads and its and other incidental. The rates are inclusive of octroi, royalty, Mahatma tax, GST or other taxes imposed by the Government.	78.67			Per cubic metre	
2	Providing and laying laid in wire crates with 4mm (four millimeter) dia G.I. wire conforming to IS:280 and IS: 4825 in 100x100mm (one hundred mm one hundred millimeter) mesh including ten percent extra for laps and joints laid with stone boulders weighing not less than 25kg (twenty five kilogram) each as per drawing and technical specification clause 1301, as per the direction of the Engineer-in-charge including entire cartage of material within all heads and its and other incidental. The rates are inclusive of octroi, royalty, Mahatma tax, GST or other taxes imposed by the Government.	156.92			Per cubic metre	
Total						

Terms and Conditions
1. Work shall be executed as per FWD specification.

Executive Engineer,
Tamil Nadu Division,
Hapurth Tamil Nadu

NAME OF WORK:- Restoration of rain damages on link road Chahli to Tinkar via Dehra km. 0/0 to 3/500, SR- C/O B/Wall at RD.
1/476 to 1/490.)

Schedule of Quantities

Schedule of Quantities									
NAME OF WORK:- Restoration of rain damages on link road Chalehi to Tibkar via Debra km. 0/0 to 3/50th (SR- C/O R/Wall at RD. 1/476 to 1/490.)									
Sr.No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount		
				Earnest Money:-					
				Time-	Rate				
1	Excavation work by mechanical means (Hydraulic excavator/ manual means in foundation trenches or drains (not exceeding 1.5 metre (one point five metre) in width or 10 sqm, two square metres on plan) including dressing of sides and leveling of bottoms, etc. upto 1.5 m, (one point five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a total of 50 m (fifty metre) as per the direction of the Engineer-in-charge including earth carriage of material within at least and its and other incidental. The rates are inclusive of cart, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	28.29				Per Cubic metre			
2	Providing and laying cement concrete in retaining wall/stream wall, with (any face) including attached pillars, columns, base, (GST or other taxes imposed by the Government). Providing weep holes in brickwork masonry (plain) concrete retaining wall, with, stream wall, retaining wall and breast wall with 110mm (one hundred ten millimetre) dia PVC pipe. De-gasification valve pipe having pressure 4kg per centimetre square, (four kilogram per centimetre square) extending through the full width of the structure with slope of (1/4): 20(1) towards drainage base complete as per drawing and technical specification clauses 614, 700, 1264.17 as per direction of Engineer-in-charge, including earth carriage of material within at least and its and other incidental. The rates are inclusive of cart, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	108.36				Per Cubic metre			
3	Providing and laying cement concrete in retaining wall/stream wall, with (any face) including attached pillars, columns, base, (GST or other taxes imposed by the Government). Providing weep holes in brickwork masonry (plain) concrete retaining wall, with, stream wall, retaining wall and breast wall with 110mm (one hundred ten millimetre) dia PVC pipe. De-gasification valve pipe having pressure 4kg per centimetre square, (four kilogram per centimetre square) extending through the full width of the structure with slope of (1/4): 20(1) towards drainage base complete as per drawing and technical specification clauses 614, 700, 1264.17 as per direction of Engineer-in-charge, including earth carriage of material within at least and its and other incidental. The rates are inclusive of cart, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	30.00				Per Cubic metre			
	Total								

Terms and Conditions

1. Work shall be executed as per PWD specifications.

Executive Engineer,
Tamil Desi Division,
MPPWD, Tamil Desi

Schedule of Quantity

NAME OF WORK:- A/R & M/O various road under Tauri Devi Sub-Division. (SH:- Painting, writing, Sign Board etc & Bridges)

Sr. No.	Description of Items	Qty.	In Fig.	Estimated Cost:-		Unit	Amount
				Rate	In Words		
1.00	Removing old paint from Steel and other metal surfaces & making the surface even with flamm cleaning as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	76.44				Per square metre	
2.00	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade one or more coats on old work as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	76.44				Per square metre	
3.00	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1857.78				Per square metre	
4.00	Providing and applying white cement based putty of average thickness 1 mm (one millimetre), of approved brand and manufacture, over the plastered wall surface to prepare the surface even and smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	306.48				Per square metre	
5.00	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content With water thinnable cement primer on wall surface having VOC content less than 50 (fifty) grams/litre as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1857.78				Per square metre	

6.00	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade New work (Two or more coats applied @ 1.43 lit/10 sqm(one point forty three litre per ten square metre) over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm(two point twenty kilogram per ten square metre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1857.78				Per square metre	
7.00	Writing letters or figures on any surface with black Japan paint (stop, comas, hyphens and the like not to be measured and paid separately) Block letters/figures as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	15624.00				per letter per centimetre height	
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.


Executive Engineer,
Tauni Devi Division,
HPPMD, Tauni Devi

Schedule of Quantities

0.0 to 1.00 (SH-C/O PCC drain at various P.D's).

ESTIMATE OF WORKS:- Restoration of main drainage on link road to village Sharphoon km. 0/0 to 1/00 (SH- C/O PCC drain at various FID's).						
Sr.No.	Description of Items	Qty.	Rate		Estimated Cost:-	Amount
			In Fig.	In Words	Earnest Money:-	
					Two Months	
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding upto 1.5 m. (one point five metre) in width or 10 sqm; two square metre (on plan) including dewatering of sides and ramming of bottom, lift head of 50 m.(fifty metre) as per the direction of the Engineer-in-charge including entire carriage of material within all heads and other incidentals. The rates are inclusive of cost, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	35.00			Rs. 251026.00	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level : 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm nominal size) (Twenty millimeters nominal size), as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive of cost, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	43.00			Rs. 5000.00	
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and tending at complete above plinth level Mild steel and Medium Tensile steel bars, as per the direction of the Engineer-in-charge including entire carriage of material within all heads and its and other incidentals. The rates are inclusive of cost, royalty, Mahanadi tax, GST or other taxes imposed by the Government.	246.80				
Terms and Condition						Total
Work shall be executed as per the terms and conditions of the contract.						

Terms and Condition

1. Work shall be executed as per FWD specification.

A. K. Kulkarni
Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Hampapur Sajanpur Thural Muranda road (MDR-86) Km 2/600 to 16/00. (SH:- Construction of retaining wall at RD 12/015 to 12/025)

Sr. No.	Description of Items	Qty.	Estimated Cost:-		Unit	Amount
			In Fig.	In Words		
1.00	Excavation work by mechanical means (hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	12.25			Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	30.53			Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm (one hundred ten millimetre) dia PVC pipe De plast /finoles/sectus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of (1V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	10.00			Each	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Devl Division,
UPWD, Tamil De

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road from Chumb to Kulabath via Roypr from km. 0/0 to 2/360 (SH- C/O R/Wall wire crate at RD. 1/480 to 1/500 & 1/505 to 1/530).

Estimated Cost:- Rs. 145903.00
Earnest Money:- Rs. 2900.00
Time:- Two Months

Sr No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (hydraulic excavatory) manual means in foundation trenches or drains (not exceeding 1.5m (one point five metre) in width or 10 sqm ten square metre on plan), including dressing of sides and ramming of bottom, fill upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals The rates are inclusive octroi, royalty, Mahanul tax, GST or other taxes imposed by the Government.	32.81			Per cubic metre	
2	Providing and laying laid in wire crabs with 4mm (four millimetre) dia G.I. wire conforming to IS-280 and IS- 4526 in 100x100mm (one hundred into one hundred millimetre) mesh including ten percent extra for laps and joints laid with stone boulders weighing not less than 25kg. (twenty five kilograms) each as per drawing and technical specification clause 1301, as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals The rates are inclusive octroi, royalty, Mahanul tax, GST or other taxes imposed by the Government.	45.31			Per cubic metre	
					Total	

Terms and Conditions

1. Work shall be executed as per PWD specification.

Executive Engineer,
Tamil Dept Division,
HPPWD, Tamil De

Schedule of Quantity

NAME OF WORK:- C/O link road from Eudutha Bharanambur to house of Smt. Raju Devi, village Eudutha Bharanambur Ward No.2 (SRM- C/O PCC M/Wall at RD. 0/600 to 0/651) (Deposit work).

NAME OF WORK:- C/O link road from Budhia Bhatlambher to house of Smt. Raju Devi, village Bhugal Bhatlambher Ward No.2.(Shr- C/O PCC M./wall at RD. 0/600 to 0/615).(Deposit work).						Estimated Cost:-		Rs. 90126.00
						Estimated Money:-		Rs. 2000.00
						Time:-		Two Months
Sr.No.	Description of Items	Qty.	Rate		Unit	Amount		
			In Fig.	In Words				
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m wide) in width or 10 sqm area on plan,including dewatering of sides and raising of bottom, till upto 1.5 m, (one post five meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a limit of 50 m (five meter) as per the direction of the Engineer-in-charge including cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	11.40			Per Cubic metre			
2	Providing and laying current concrete in retaining wall, return wall, wall (any thickness) including attached pillars, columns, piers, abutments, galls, posts, struts, buttresses, string or facing courses, parapets coping, bed blocks, anchor blocks, plain window sills, bling, curtain floor etc. up to four any level, including the cost of curing, shading and feeding; 1:5:10 (one cement : two coarse sand) : two graded stone aggregate 40 mm (two rubbles nominal size) as per the direction of the Engineer-in-charge including cartage of material within all limits and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	22.70			Per Cubic metre			
Total								

Terms and Condition

1. Work shall be executed as per FWD specification.

Executive Engineer,
Muzil Devi Division,
Bapatpur, Tezpur Dist.

NAME OF WORK:- Restoration of rain damages on link road from Charyan Di-Dhar to Lamberan Di Dhar via Bournu km. 0/0 to 2/00, SH- C/O MCC government i/c edge wall at RD. 0/750 to 0/773)

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5 metre post two metres) in width or 10 depth (not square metres on plan) including dishing of sides and removing of boulders, all upto 1.5 m. (five point two metres) including getting out the excavated soil and disposal of surplus excavated soils as directed within a lead of 50 m. (fifty metres) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and the and other incidentals.	100.97			Per Cubic metre	
2	Forming and laying in position concrete of specified grade including the cost of casting and shuttering - At work up to depth level 1.35 (one point three five) metre above aggregate 20mm (twenty millimetres) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and the and other incidentals.	60.50			Per Cubic metre	
3	Forming and laying in position concrete of specified grade including the cost of casting and shuttering - At work up to depth level 1.35 (one point three five) metre above aggregate 20mm (twenty millimetres) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and the and other incidentals.	14.32			Per Cubic metre	
4	Construction of granular aggregate sub-base/bed by providing well graded material of normal maximum size grading B200 (highly recommended) as per table 2.3 of IRC: SP 71-2008, spreading in uniform layers with tucker mount appropriate roller attachment, arrangement on prepared surface, mixing by sea in place method at OMC, with tucker mount appropriate roller attachment, and compaction with three wheel BS-100 (highly recommended) roller roller capacity to achieve the desired density complete as per specification contained in para 2.2.3.5 and 2.7 of IRC: SP 71-2008, as per direction of Engineer-in-charge including entire carriage of material within all loads and the and other incidentals.	22.08			Per Cubic metre	
Total					Total	

1. Work shall be executed as per PWV specification.

Executive Engineer,
Tamil Nadu Development
Corporation, Tamil Nadu

NAME OF WORK:- Restoration of rain damages on link road from Charyan Di-Dhar to Lamberan Di-Dhar via Bouaru km. 0/0 to 2/00 (SH- C/O PCC pavement i/c edge wall at RD. 0/773 to 0/796).

Schedule of Quantity

a/004/SH-1/C/O PCC, pavement 1/c edge wall at RD-0/773 to 0/796).									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									
to									

1. Work shall be executed as per PWD specifications.

Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Suljanpur to Sandhal road km. 3/00 to 20/00 (SH- C/O PCC B/Wall at various RD's i.e. 18/105 to 18/120 & Edge wall at RD.15/585 to 15/595 & 16/900 to 16/909).

Estimated Cost:- Rs. 493843.00
Earnest Money:- Rs. 9900.00
Two Months

Sr No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m (one point five metre) in width or 10 sqm) ten square metre on plan) including dressing of sides and rammings of bottom. In upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals the rates are inclusive octroi, royalty, Mahakul tax, GST or other taxes imposed by the Government.	75.40			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached piers, columns, piers, abutments, pillars, posts, struts, buttresses, sills or locking courses, parapets, coping, bed blocks, anchor blocks, plain window sills, floors, sunken floor etc., up to floor line level, including the cost of centering, shuttering and finishing: 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm. (any millimeters nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals the rates are inclusive octroi, royalty, Mahakul tax, GST or other taxes imposed by the Government.	108.56			Per Cubic metre	
3	Providing weep holes in brick/stone masonry/ plain/reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. Be plastic/wood/ uhdas pipe having pressure 4kg per centimeter square. (four kilogram per centimeter square) extending through the full width of the structures with slopes of (1V: 20H) towards drainage base complete as per drawing and technical specification clauses 614, 705, 1204.3.7 as per direction of Engineer-in-charge, including entire cartage of material within all leads and its and other incidentals the rates are inclusive octroi, royalty, Mahakul tax, GST or other taxes imposed by the Government.	87.00			Each	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.

A. J. Patil
 Executive Engineer,
 Tamil Desal Division,
 HPPWD, Tamil Desal.

Schedule of Quantity

NAME OF WORK:- R/R Damages on link road Beri to Kudana 0/00 to 3/00.(SH-Construction of Causeway at KM 0/210 to 0/222 and edge wall)

Sr. No.	Description of Items	Qty.	Earliest Money:-		2000.00	
			Time:-		Two Months	
			In Fig.	Rate In Words	Unit	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm(thirty centimetre) in depth, 1.5 m(one point five metre) in width as well as 10 sqm(ten square metre) on plan) including getting out and disposal of excavated earth lead upto 50 m(fifty metre) and lift upto 1.5 m(one point five metre), as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	21.78			Per cubic metre	
2	Providing and laying cement concrete 1:4:8 (one cement :four sand :eight graded crushed/broken stone aggregate 40mm(forty millimetre) nominal size and curing complete, excluding cost of form work in foundation and plinth as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	34.26			Per cubic metre	
3.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering, all works upto plinth level 1:1½:3 (one Cement : one and half coarse sand : three graded stone aggregate 20 mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the	3.66			Per cubic metre	
C. Condition of the work.						
Terms and Condition					Total	

1. Work shall be executed as per PWD specification.


Executive Engineer,
Tauni Devi Division,
HPPWD, Tauni Rd.

Schedule of Quantity
NAME OF WORK: Restoration of rain drainages on Kalamangur Kungri road km. 0/0 to 0/00, (SH-1, C/O R/Wall from RD. 5/510 to 5/530).

Sr.No	Description of Items	Qty	In Fig.	Estimated Cost:-		Unit	Amount
				Rate	In Words		
				Time	Estimated Money:-		
					Rs. 9100.00	Two Months	
1	Excavation work by mechanical means (hydraulic excavator) manual labour in foundation excavation or drains put secondary, with 1.5 m (one foot) the existing footing going out the excavated soil and disposal of surplus excavated soil as directed, within a limit of 50 m (fifty meters) in the direction of the Engineer-in-charge including within carriage of material within all limits and the other materials. The rates are inclusive of fuel, rigidity, Machine, oil tax, GST or other taxes imposed by the Government.	13.20			Per cubic meter		
2	Graveling and laying cement concrete in repairing sub-grade work, with grey bedded) including attached platform, columns, pillars, abutments, piers, etc., etc., baffle-piers, sitting or heavy concrete, parapets, coping, foot stone, and/or blocks, plain concrete (RCC/brick, rubble etc. up to four dry level, including the cost of carting, dumping and loading 1.5-10 tons in charge including extra carriage of material within all limits and the other materials. The rates are inclusive of fuel, rigidity, Machine, oil tax, GST or other taxes imposed by the Government.	102.18			Per cubic meter		
3	Reinforcing concrete in foundation masonry (plain reinforced concrete) with, with, when with, including with, and concrete with (11mm, one hundred mm diameter) (6-12) (10) (20) (30) (40) (50) (60) (70) (80) (90) (100) (110) (120) (130) (140) (150) (160) (170) (180) (190) (200) (210) (220) (230) (240) (250) (260) (270) (280) (290) (300) (310) (320) (330) (340) (350) (360) (370) (380) (390) (400) (410) (420) (430) (440) (450) (460) (470) (480) (490) (500) (510) (520) (530) (540) (550) (560) (570) (580) (590) (600) (610) (620) (630) (640) (650) (660) (670) (680) (690) (700) (710) (720) (730) (740) (750) (760) (770) (780) (790) (800) (810) (820) (830) (840) (850) (860) (870) (880) (890) (900) (910) (920) (930) (940) (950) (960) (970) (980) (990) (1000) (1010) (1020) (1030) (1040) (1050) (1060) (1070) (1080) (1090) (1100) (1110) (1120) (1130) (1140) (1150) (1160) (1170) (1180) (1190) (1200) (1210) (1220) (1230) (1240) (1250) (1260) (1270) (1280) (1290) (1300) (1310) (1320) (1330) (1340) (1350) (1360) (1370) (1380) (1390) (1400) (1410) (1420) (1430) (1440) (1450) (1460) (1470) (1480) (1490) (1500) (1510) (1520) (1530) (1540) (1550) (1560) (1570) (1580) (1590) (1600) (1610) (1620) (1630) (1640) (1650) (1660) (1670) (1680) (1690) (1700) (1710) (1720) (1730) (1740) (1750) (1760) (1770) (1780) (1790) (1800) (1810) (1820) (1830) (1840) (1850) (1860) (1870) (1880) (1890) (1900) (1910) (1920) (1930) (1940) (1950) (1960) (1970) (1980) (1990) (2000) (2010) (2020) (2030) (2040) (2050) (2060) (2070) (2080) (2090) (2100) (2110) (2120) (2130) (2140) (2150) (2160) (2170) (2180) (2190) (2200) (2210) (2220) (2230) (2240) (2250) (2260) (2270) (2280) (2290) (2300) (2310) (2320) (2330) (2340) (2350) (2360) (2370) (2380) (2390) (2400) (2410) (2420) (2430) (2440) (2450) (2460) (2470) (2480) (2490) (2500) (2510) (2520) (2530) (2540) (2550) (2560) (2570) (2580) (2590) (2600) (2610) (2620) (2630) (2640) (2650) (2660) (2670) (2680) (2690) (2700) (2710) (2720) (2730) (2740) (2750) (2760) (2770) (2780) (2790) (2800) (2810) (2820) (2830) (2840) (2850) (2860) (2870) (2880) (2890) (2900) (2910) (2920) (2930) (2940) (2950) (2960) (2970) (2980) (2990) (3000) (3010) (3020) (3030) (3040) (3050) (3060) (3070) (3080) (3090) (3100) (3110) (3120) (3130) (3140) (3150) (3160) (3170) (3180) (3190) (3200) (3210) (3220) (3230) (3240) (3250) (3260) (3270) (3280) (3290) (3300) (3310) (3320) (3330) (3340) (3350) (3360) (3370) (3380) (3390) (3400) (3410) (3420) (3430) (3440) (3450) (3460) (3470) (3480) (3490) (3500) (3510) (3520) (3530) (3540) (3550) (3560) (3570) (3580) (3590) (3600) (3610) (3620) (3630) (3640) (3650) (3660) (3670) (3680) (3690) (3700) (3710) (3720) (3730) (3740) (3750) (3760) (3770) (3780) (3790) (3800) (3810) (3820) (3830) (3840) (3850) (3860) (3870) (3880) (3890) (3900) (3910) (3920) (3930) (3940) (3950) (3960) (3970) (3980) (3990) (4000) (4010) (4020) (4030) (4040) (4050) (4060) (4070) (4080) (4090) (4100) (4110) (4120) (4130) (4140) (4150) (4160) (4170) (4180) (4190) (4200) (4210) (4220) (4230) (4240) (4250) (4260) (4270) (4280) (4290) (4300) (4310) (4320) (4330) (4340) (4350) (4360) (4370) (4380) (4390) (4400) (4410) (4420) (4430) (4440) (4450) (4460) (4470) (4480) (4490) (4500) (4510) (4520) (4530) (4540) (4550) (4560) (4570) (4580) (4590) (4600) (4610) (4620) (4630) (4640) (4650) (4660) (4670) (4680) (4690) (4700) (4710) (4720) (4730) (4740) (4750) (4760) (4770) (4780) (4790) (4800) (4810) (4820) (4830) (4840) (4850) (4860) (4870) (4880) (4890) (4900) (4910) (4920) (4930) (4940) (4950) (4960) (4970) (4980) (4990) (5000) (5010) (5020) (5030) (5040) (5050) (5060) (5070) (5080) (5090) (5100) (5110) (5120) (5130) (5140) (5150) (5160) (5170) (5180) (5190) (5200) (5210) (5220) (5230) (5240) (5250) (5260) (5270) (5280) (5290) (5300) (5310) (5320) (5330) (5340) (5350) (5360) (5370) (5380) (5390) (5400) (5410) (5420) (5430) (5440) (5450) (5460) (5470) (5480) (5490) (5500) (5510) (5520) (5530) (5540) (5550) (5560) (5570) (5580) (5590) (5600) (5610) (5620) (5630) (5640) (5650) (5660) (5670) (5680) (5690) (5700) (5710) (5720) (5730) (5740) (5750) (5760) (5770) (5780) (5790) (5800) (5810) (5820) (5830) (5840) (5850) (5860) (5870) (5880) (5890) (5900) (5910) (5920) (5930) (5940) (5950) (5960) (5970) (5980) (5990) (6000) (6010) (6020) (6030) (6040) (6050) (6060) (6070) (6080) (6090) (6100) (6110) (6120) (6130) (6140) (6150) (6160) (6170) (6180) (6190) (6200) (6210) (6220) (6230) (6240) (6250) (6260) (6270) (6280) (6290) (6300) (6310) (6320) (6330) (6340) (6350) (6360) (6370) (6380) (6390) (6400) (6410) (6420) (6430) (6440) (6450) (6460) (6470) (6480) (6490) (6500) (6510) (6520) (6530) (6540) (6550) (6560) (6570) (6580) (6590) (6600) (6610) (6620) (6630) (6640) (6650) (6660) (6670) (6680) (6690) (6700) (6710) (6720) (6730) (6740) (6750) (6760) (6770) (6780) (6790) (6800) (6810) (6820) (6830) (6840) (6850) (6860) (6870) (6880) (6890) (6900) (6910) (6920) (6930) (6940) (6950) (6960) (6970) (6980) (6990) (7000) (7010) (7020) (7030) (7040) (7050) (7060) (7070) (7080) (7090) (7100) (7110) (7120) (7130) (7140) (7150) (7160) (7170) (7180) (7190) (7200) (7210) (7220) (7230) (7240) (7250) (7260) (7270) (7280) (7290) (7300) (7310) (7320) (7330) (7340) (7350) (7360) (7370) (7380) (7390) (7400) (7410) (7420) (7430) (7440) (7450) (7460) (7470) (7480) (7490) (7500) (7510) (7520) (7530) (7540) (7550) (7560) (7570) (7580) (7590) (7600) (7610) (7620) (7630) (7640) (7650) (7660) (7670) (7680) (7690) (7700) (7710) (7720) (7730) (7740) (7750) (7760) (7770) (7780) (7790) (7800) (7810) (7820) (7830) (7840) (7850) (7860) (7870) (7880) (7890) (7900) (7910) (7920) (7930) (7940) (7950) (7960) (7970) (7980) (7990) (8000) (8010) (8020) (8030) (8040) (8050) (8060) (8070) (8080) (8090) (8100) (8110) (8120) (8130) (8140) (8150) (8160) (8170) (8180) (8190) (8200) (8210) (8220) (8230) (8240) (8250) (8260) (8270) (8280) (8290) (8300) (8310) (8320) (8330) (8340) (8350) (8360) (8370) (8380) (8390) (8400) (8410) (8420) (8430) (8440) (8450) (8460) (8470) (8480) (8490) (8500) (8510) (8520) (8530) (8540) (8550) (8560) (8570) (8580) (8590) (8600) (8610) (8620) (8630) (8640) (8650) (8660) (8670) (8680) (8690) (8700) (8710) (8720) (8730) (8740) (8750) (8760) (8770) (8780) (8790) (8800) (8810) (8820) (8830) (8840) (8850) (8860) (8870) (8880) (8890) (8900) (8910) (8920) (8930) (8940) (8950) (8960) (8970) (8980) (8990) (9000) (9010) (9020) (9030) (9040) (9050) (9060) (9070) (9080) (9090) (9100) (9110) (9120) (9130) (9140) (9150) (9160) (9170) (9180) (9190) (9200) (9210) (9220) (9230) (9240) (9250) (9260) (9270) (9280) (9290) (9300) (9310) (9320) (9330) (9340) (9350) (9360) (9370) (9380) (9390) (9400) (9410) (9420) (9430) (9440) (9450) (9460) (9470) (9480) (9490) (9500) (9510) (9520) (9530) (9540) (9550) (9560) (9570) (9580) (9590) (9600) (9610) (9620) (9630) (9640) (9650) (9660) (9670) (9680) (9690) (9700) (9710) (9720) (9730) (9740) (9750) (9760) (9770) (9780) (9790) (9800) (9810) (9820) (9830) (9840) (9850) (9860) (9870) (9880) (9890) (9900) (9910) (9920) (9930) (9940) (9950) (9960) (9970) (9980) (9990) (10000) (10010) (10020) (10030) (10040) (10050) (10060) (10070) (10080) (10090) (10100) (10110) (10120) (10130) (10140) (10150) (10160) (10170) (10180) (10190) (10200) (10210) (10220) (10230) (10240) (10250) (10260) (10270) (10280) (10290) (10300) (10310) (10320) (10330) (10340) (10350) (10360) (10370) (10380) (10390) (10400) (10410) (10420) (10430) (10440) (10450) (10460) (10470) (10480) (10490) (10500) (10510) (10520) (10530) (10540) (10550) (10560) (10570) (10580) (10590) (10600) (10610) (10620) (10630) (10640) (10650) (10660) (10670) (10680) (10690) (10700) (10710) (10720) (10730) (10740) (10750) (10760) (10770) (10780) (10790) (10800) (10810) (10820) (10830) (10840) (10850) (10860) (10870) (10880) (10890) (10900) (10910) (10920) (10930) (10940) (10950) (10960) (10970) (10980) (10990) (11000) (11010) (11020) (11030) (11040) (11050) (11060) (11070) (11080) (11090) (11100) (11110) (11120) (11130) (11140) (11150) (11160) (11170) (11180) (11190) (11200) (11210) (11220) (11230) (11240) (11250) (11260) (11270) (11280) (11290) (11300) (11310) (11320) (11330) (11340) (11350) (11360) (11370) (11380) (11390) (11400) (11410) (11420) (11430) (11440) (11450) (11460) (11470) (11480) (11490) (11500) (11510) (11520) (11530) (11540) (11550) (11560) (11570) (11580) (11590) (11600) (11610) (11620) (11630) (11640) (11650) (11660) (11670) (11680) (11690) (11700) (11710) (11720) (11730) (11740) (11750) (11760) (11770) (11780) (11790) (11800) (11810) (11820) (11830) (11840) (11850) (11860) (11870) (11880) (11890) (11900) (11910) (11920) (11930) (11940) (11950) (11960) (11970) (11980) (11990) (12000) (12010) (12020) (12030) (12040) (12050) (12060) (12070) (12080) (12090) (12100) (12110) (12120) (12130) (12140) (12150) (12160) (12170) (12180) (12190) (12200) (12210) (12220) (12230) (12240) (12250) (12260) (12270) (12280) (12290) (12300) (12310) (12320) (12330) (12340) (12350) (12360) (12370) (12380) (12390) (12400) (12410) (12420) (12430) (12440) (12450) (12460) (12470) (12480) (12490) (12500) (12510) (12520) (12530) (12540) (12550) (12560) (12570) (12580) (12590) (12600) (12610) (12620) (12630) (12640) (12650) (12660) (12670) (12680) (12690) (12700) (12710) (12720) (12730) (12740) (12750) (12760) (12770) (12780) (12790) (12800) (12810) (12820) (12830) (12840) (12850) (12860) (12870) (12880) (12890) (12900) (12910) (12920) (12930) (12940) (12950) (12960) (12970) (12980) (12990) (13000) (13010) (13020) (13030) (13040) (13050) (13060) (13070) (13080) (13090) (13100) (13110) (13120) (13130) (13140) (13150) (13160) (13170) (13180) (13190) (13200) (13210) (13220) (13230) (13240) (13250) (13260) (13270) (13280) (13290) (13300) (13310) (13320) (13330) (13340) (13350) (13360) (13370) (13380) (13390) (13400) (13410) (13420) (13430) (13440) (13450) (13460) (13470) (13480) (13490) (13500) (13510) (13520) (13530) (13540) (13550) (13560) (13570) (13580) (13590) (13600) (13610) (13620) (13630) (13640) (13650) (13660) (13670) (13680) (13690) (13700) (13710) (13720) (13730) (13740) (13750) (13760) (13770) (13780) (13790) (13800) (13810) (13820) (13830) (13840) (13850) (13860) (13870) (13880) (13890) (13900) (13910) (13920) (13930) (13940) (13950) (13960) (13970) (13980) (13990) (14000) (14010) (14020) (14030) (14040) (14050) (14060) (14070) (14080) (14090) (14100) (14110) (14120) (14130) (14140) (14150) (14160) (14170) (14180) (14190) (14200) (14210) (14220) (14230) (14240) (14250) (14260) (14270) (14280) (14290) (14300) (14310) (14320) (14330) (14340) (14350) (14360) (14370) (14380) (14390) (14400) (14410) (14420) (14430) (14440) (14450) (14460) (14470) (14480) (14490) (14500) (14510) (14520) (14530) (14540) (14550) (14560) (14570) (14580) (14590) (14600) (14610) (14620) (14630) (14640) (14650) (14660) (14670) (14680) (14690) (14700) (14710) (14720) (14730) (14740) (14750) (14760) (14770) (14780) (14790) (14800) (14810) (14820) (14830) (14840) (14850) (14860) (14870) (14880) (14890) (14900) (14910) (14920) (14930) (14940) (14950) (14960) (14970) (14980) (14990) (15000) (15010) (15020) (15030) (15040) (15050) (15060) (15070) (15080) (15090) (15100) (15110) (15120) (15130) (15140) (15150) (15160) (15170) (15180) (15190) (15200) (15210) (15220) (15230) (15240) (15250) (15260) (15270) (15280) (15290) (15300) (15310) (15320) (15330) (15340) (15350) (15360) (15370) (15380) (15390) (15400) (15410) (15420) (15430) (15440) (15450) (15460) (15470) (15480) (15490) (15500) (15510) (15520) (15530) (15540) (15550) (15560) (15570) (15580) (15590) (15600) (15610) (15620) (15630) (15640) (15650) (15660) (15670) (15680) (15690) (15700) (15710) (15720) (15730) (15740) (15750) (15760) (15770) (15780) (15790) (15800) (15810) (15820) (15830) (15840) (15850) (15860) (15870) (15880) (15890) (15900) (15910) (15920) (15930) (15940) (15950) (15960) (15970) (15980) (15990) (16000) (16010) (16020) (16030) (16040) (16050) (16060) (16070) (16080) (16090) (16100) (16110) (16120) (16130) (16140) (16150) (16160) (16170) (16180) (16190) (16200) (16210) (16220) (16230) (16240) (16250) (16260) (16270) (16280) (16290) (16300) (16310) (16320) (16330) (16340) (16350) (16360) (16370) (16380) (16390) (16400) (16410) (16420) (16430) (16440) (16450) (16460) (16470) (16480) (16490) (16500) (16510) (16520) (16530) (16540) (16550) (16560) (16570) (16580) (16590) (16600) (16610) (16620) (16630) (16640) (16650) (16660) (16670) (16680) (16690) (16700) (16710) (16720) (16730) (16740) (16750) (16760) (16770) (16780) (16790) (16800) (16810) (16820) (16830) (16840) (16850) (16860) (16870) (16880) (16890) (16900) (16910) (16920) (16930) (16940) (16950) (16960) (16970) (16980) (16990) (17000) (17010) (17020) (17030) (17040) (17050) (17060) (17070) (17080) (17090) (17100) (17110) (17120) (17130) (17140) (17150) (17160) (17170) (17180) (17190) (17200) (17210) (17220) (17230) (17240) (17250) (17260) (17270) (17280) (17290) (17300) (17310) (17320) (17330) (17340) (17350) (17360) (17370) (17380) (17390) (17400) (17410) (17420) (17430) (17440) (17450) (17460) (17470) (17480) (17490) (17500) (17510) (17520) (17530) (17540) (17550) (17560) (17570) (17580) (17590) (17600) (17610) (17620) (17630) (17640) (17650) (17660) (17670) (17680) (17690) (17700) (17710) (17720) (17730) (17740) (17750) (17760) (17770) (17780) (17790) (17800) (17810) (17820) (17830) (17840) (17850) (17860) (17870) (17880) (17890) (17900) (17910) (17920) (17930) (17940) (17950) (17960) (17970) (17980) (17990) (18000) (18010) (18020) (18030) (18040) (18050						

Schedule of Quantity

NAME OF WORK:- Construction of link road										Location:- Anna Nagar, Chennai										Contract No.:- 0/0 to 4/0. (SH-1)										Estimated Cost:- Rs.478920.00									
Providing and laying 80mm thick interlocking cement concrete paver block at RD 1/095 to 1/165 (Under SCSP)																				Earnest Money:- Rs.9600.00																			
																				Time:- Two Months																			
Sr.No.	Description of Items										Qty.	In Fig.	Rate		Unit	Amount																							
													In Words																										
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m/one point five metre) in width or 10 sqm(ten square metre) on plan,including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all loads (Ordinary rock)as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents.The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.										9.10				Per cubic metre																								
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:3:6 (one Cement : three coarse sand : six graded stone aggregate 20 mm (twenty millimetre)as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents.The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.										21.00				Per cubic metre																								
3.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents.The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.										13.02				Per cubic metre																								
4.00	Providing and laying 80mm (eighty millimetre) thick factory made cement concrete interlocking paver block of M-40 (M-forty) grade made by block making machine with strong vibratory compaction, of approved size, laid in required colour and pattern over and including 40mm (forty millimetre) thick compacted bed of coarse sand, filling the joints with fine sand etc all complete as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents.The rates are inclusive octroi, royalty, Mahanadi tax, GST or other taxes imposed by the Government.										210.00				Per Square metre																								
Total																																							

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamil Devi Division,
 HPPWD, Tamil Nadu