

**Himachal Pradesh
Public Works Department
NOTICE INVITING TENDER**

Sealed tenders on item rates on PWD form 6 & 7 are hereby invited by the Executive Engineer Tauni Devi Division, HPPWD Tauni Devi for the following works. The tender shall be received in this office on or before 14.03.2024 up to 11:00 AM and the same shall be opened on the same day at 11:30 AM in the presence of the contractor/firm. The application for the issue of tender document shall be received on dated 12.03.2024 upto 2:30PM and the tender form will be sold on cash payment (non refundable) on dated 13.03.2024 from 10.30 AM to 4:00 PM.

Sr. No.	Name of Work	Estimated Cost (Rs.)	Earnest Money	Time limit	Cost of form
1.	C/O main road to Chamarda via village Bhatlamber -II in km 0/00 to 4/500 (MDR-105) (SH:- C/O PCC R/wall at RD 1/405 to 1/423) (Under MMGSY)	4,46,015	8900/-	Two month	350/-
2.	C/O main road to Chamarda via village Bhatlamber -II in km 0/00 to 4/500 (MDR-105) (SH:- 5/7 mtr .wide Formation cutting at RD 1/400 to 1/800) (Under MMGSY)	4,85,855	9700/-	Two month	350/-
3.	C/O main road to Chamarda via village Bhatlamber -II in km 0/00 to 4/500 (MDR-105) (SH:- C/o hume pipe culvert 900mm dia at RD 0/250 and 0/500) (Under MMGSY)	4,66,109	9300/-	Two month	350/-
4.	C/O main road to Chamarda via village Bhatlamber -II in km 0/00 to 4/500 (MDR-105) (SH:- C/O PCC R/wall at RD 1/435 to 1/453) (Under MMGSY)	4,66,015	8900/-	Two month	350/-
5	C/o link road from main road to house of Daulat Ram and Mukesh Kumar village Chaloh in km 0/00 to 0/600 (SH:- C/o PCC v-shape drain 500mtr at various RD,s)	2,03,600	4000/-	Two month	350/-
6	C/o link road from Dangoo to Kohlwin km 0/0 to 0/310 (Sh:- P/L cement concrete pavement from RD 0/00 to 0/125) Under MMGSY	4,15,675	9700/-	Two month	350/-
7	C/o link road from Dangoo to Kohlwin km 0/0 to 0/310 (Sh:- P/L cement concrete pavement from RD 0/125 to 0/205 and C/O R/wall at RD 0/160 to 0/180) (Under MMGSY)	4,54,386	9100/-	Two month	350/-
8	C/o link road Jandroo to village Ropa km 0/0 to 1/000 (Sh:- F/C .wide road in km 0/480 to 0/495) (Under MMGSY)	4,25,974	8500/-	Two month	350/-
9	C/o link road Jandroo to village Ropa km 0/0 to 1/000 (Sh:- F/C .wide road in km 0/495 to 0/510) (Under MMGSY)	4,26,580	8300/-	Two month	350/-
10	C/o link road Jandroo to village Ropa km 0/0 to 1/000 (Sh:- F/C .wide road in km 0/468 to 0/480) (Under MMGSY)	4,80,975	9600/-	Two month	350/-
11	C/o link road Jandroo to village Ropa km 0/0 to 1/000 (Sh:- F/C .wide road in km 0/525 to 0/540) (Under MMGSY)	4,29,352	9100/-	Two month	350/-
12	C/o link road Jandroo to village Ropa km 0/0 to 1/000 (Sh:- F/C .wide road in km 0/510 to 0/525) (Under MMGSY)	4,53,914	9100/-	Two month	350/-
13	C/o link road from Bhaletth to Bharmar km 0/00 to 4/00 (SH:- 5/7 mtr .wide formation cutting from RD 0/231 to 0/285) (Under MMGSY)	4,94,162	9900/-	Two month	350/-
14	C/o link road from Upper Harizan Basti to Lower Harizan Basti Saphal km 0/00 to 1/060 (Sh:- C/O 5/7 mtr.wide formation cutting at RD 0/105 to 0/165) (Under MMGSY)	4,34,690	9800/-	Two month	350/-
15	C/o link road Kakru to Harizan Basti Nadiana Sadiana km 0/0 to 1/500 (Sh:- C/o PCC darin at RD 1/200 to 1/345) (Under MMGSY)	4,14,252	8300/-	Two month	350/-
16	C/O link road from Dhar to Dhrug Khad via Grauru km 0/0 to 2/00 (Sh:- P/L WMM at RD 0/00 to 0/750) (Under MMGSY)	4,92,387	9800/-	Two month	350/-
17	A/R & M/O Executive Engineer residence building at Tauni Devi (SH:-Painting on doors,steel painting brick work railing and other minor repairs	2,95,590	6000/-	Two month	350/-
18	A/R & M/O Executive Engineer residence Building at Tauni Devi (SH:- Demolishing of flooring ,wall tiling ,P/F tile flooring and sanitary installation in toilets)	1,77,561	3600/-	Two month	350/-
19	R/R damages on link road from Bhatlamber to Kheri via Lower Dudhla km 0/00 to 1/00 (SH:- C/O PCC R/wall in km 0/280 to 0/290 & 0/550 to 0/556)	3,91,895	7800/-	Two month	350/-
20	C/o link road from Chmyani -Di- Khanauli km 0/0 to 4/00 (Sh:-P/L GSB,WMM and metalling & Tarring in km 0/365 to 0/530) Under OTMNP	4,98,717	10000/-	Two month	350/-

21	C/o link road from Chmyani -Di- Khanauli km 0/0 to 4/00 (Sh:-P/L GSB,WMM and metalling & Tarring in km 0/200 to 0/365) Under OTMNP	4,97,601	10000/-	Two month	350/-
22	R/R damages on Sujanpur to Sandhole road km 0/00 to 20/00 (MDR-38) (SH:- C/O PCC R/wall at RD 17/915 to 17/928)	4,64,351	9300/-	Two month	350/-
23	C/O diversion /shifting of Garne-Da Galu to Kuthera road in km 0/00 to 0/210 (Sh:- ROFD and imp of grade in km 0/00 to 0/210) (Under OTMNP	3,66,896	7300/-	Two month	350/-
24	C/O diversion /shifting of Garne-Da Galu to Kuthera road in km 0/00 to 0/210 (Sh:- C/O retaining wall at RD 0/012 to 0/014.50,back filling and providing and erecting w-metal crash berrier 0/00 to 0/028) (Under OTMNP	4,94,024	9900/-	Two month	350/-
25	C/o link road from Banalag to Ranger G.P.Pohanj km 0/0 to 5/00 (Sh:- formation cutting 5/7 mtr wide at RD 0/822 to 0/915) (Under OTMNP)	4,88,799	9800/-	Two month	350/-
26	C/o link road from Banalag to Ranger G.P.Pohanj km 0/0 to 5/00 (Sh:- formation cutting 5/7 mtr wide at RD 0/672 to 0/822) (Under OTMNP)	4,98,124	10000/-	Two month	350/-
27	C/o link road from Banalag to Ranger G.P.Pohanj km 0/0 to 5/00 (Sh:- formation cutting 5/7 mtr wide at RD 0/915 to 1/015) (Under OTMNP)	4,89,381	9800/-	Two month	350/-
28	C/o link road from upper Harizan Basti to Lower Harizan Basti Saphal km 0/00 to 1/060 (Sh:- C/O 5/7mtr wide formation cutting at RD 0/00 to 0/035.70) Deposit work	1,99,301	4000/-	Two month	350/-
29	R/R damages on Jhanari Darveli-Chhabot Majhog Kalasai road 3/960 to 5/300 (Sh:- C/O retaining wall at RD 4/840 to 4/848 and 4/890.10 to 4/895.10)	2,08,470	4200/-	Two month	350/-
30	R/R damages on Lambri Nalahi Asthotha road km 0/00 to 6/00 (Sh:- C/O PCC R/wall at RD 1/583.50 to 1/592.20) (Deposit work)	2,49,476	5000/-	Two month	350/-
31	R/R damages on Patlander to Lohar Bali road km 0/00 to 0/900 (SH:- C/O R/wall at RD 0/190 to 0/198.50) (Deposit work)	1,42,367	2800/-	Two month	350/-
32	A/R & M/O (i) link road Ranger to Dhail km 0/00 to 3/300 (ii) link road Dhail to Naglamber km 0/00 to 3/200 under Patlander section Sub-Division Sujanpur (Sh:- P/L patch work)	4,25,889	8500/-	Two month	350/-
33	A/R & M/O (i) link road to village Dhamriana km 0/00 to 0/400 (ii) link road to house of Daulat Ram and Mukesh kumar Chaloh km 0/0 to 0/600 under Patlander section Sub-Division Sujanpur (Sh:- P/L patch work)	4,51,629	9000/-	Two month	350/-
34	A/R & M/O (i) link road Banal to Chamiana via Maglehar Daddar road km 0/00 to 4/500 (ii) Link road Chamiana to Bhadheen via Tarymbli km 0/00 to 2/675 under Patlander section Sub-Division Sujanpur (Sh:- P/L patch work)	4,93,150	9900/-	Two month	350/-
35	A/R & M/o Hamirpur Sujanpur Thural Maranda road in km 2/00 to 16/00 (Sh:- Repair of pot holes)	4,99,553	10000/-	Two month	350/-
36	R/R damages on link road chowki to Bahal km 0/0 to 1/500 (Sh:- C/O roller compacted pavement in km 0/480 to 0/585)	4,80,149	9600/-	Two month	350/-
37	R/R damages on Sujanpur to Sandhole road 3/00 to 20/00 (Sh:- C/O PCC V-shape drain at RD 14/015 to 14/115 and PCC edge wall at km 14/440) Deposit work	3,06,051	2000/-	Two month	350/-
38	C/o Motorable link road 5/7 mtr wide from Dosarka to village Ropa (Sh:- formation cutting from RD 1/710 to 1/800) Deposit work	1,84,472	3700/-	Two month	350/-
39	R/R damages on link road to village Chhail to Kot km 0/00 to 0/800 (Sh:- P/L interlocking pavement at RD 0/183 to 0/246 0 (Deposit work)	2,88,042	5800/-	Two month	350/-
40	R/R damages on link road to village Chhail to Kot km 0/00 to 0/800 (Sh:- P/L interlocking pavement at RD 0/183 to 0/246 0 (Deposit work)	2,88,042	5800/-	Two month	350/-
41	R/R damages on Hamirpur to Ropa in km 0/00 to 10/615 (SH:- C/O retaining wall at RD 2/900 to 2/915)	2,86,769	5600/-	Two month	350/-
42	A/R & M/O HPPWD Rest House at Sujnapur Tiha Dist Hamirpur (Sh:- Distempering and painting etc)	2,63,550	5300/-	Two month	350/-
43	A/R & M/O Holi Mela stage at Sujanpur Thira Dist Hamirpur (HP) (SH:- Painting and distempering)	1,29,577	2600/-	Two month	350/-
44	A/R & M/O Murl Manohar Temple at Sujanpur Thira Dist Hamirpur (SH:- White washing painting distempering etc)	1,33,904	2700/-	Two month	350/-
45	C/O Balance work of Mini Secretariat building at Sujanpur Tiha (Sh:- C/O wooden board almirah in various rooms in BDO office and construction of pantry adjacent to the chamber of BDO office) D.W	3,85,830	7700/-	Two month	350/-

46	Repalcement of old CGI sheet roofing of 2 Nos Hall in Sanik School Sujnapur Tihra (Sh:- C/O boundary wall) (Deposit work)	3,80,046	7600/-	Two month	350/-
47	R/R damages on link road to village Khanpal in km 0/00 to 1/00 (Sh:- C/o wire crates at km 0/420 to 0/430 & 0/550 to 0/575) Under SCSP	3,32,412	6700/-	Two month	350/-
48	C/o link road from main road to Shamshan Ghat Dharol in km 0/0 to 2/200 (Sh:- C/O 5/7 mtr F/C from RD 0/180 to 0/255) Under MMGSY	4,87,084	9700/-	Two month	350/-
49	C/o link road from main road to Shamshan Ghat Dharol in km 0/0 to 2/200 (Sh:- C/O 5/7 mtr F/C from RD 0/059.5 to 0/120) Under MMGSY	4,87,083	9700/-	Two month	350/-
50	C/o link road from main road to Shamshan Ghat Dharol in km 0/0 to 2/200 (Sh:- C/O 5/7 mtr F/C from RD 0/120 to 0/180) Under MMGSY	4,65,612	9300/-	Two month	350/-

TERMS AND CONDITIONS:-

The tender documents shall be issued only to those contractors/firms who fulfill the following criteria and submit documents with the application. The valid enlistment/registration of contractor in appropriate class. Permanent Account Number (PAN). Earnest money in the shape of National saving certificate/Time deposit Account in any of the Post office in H.P./F.D.R from any Nationalized Bank (i/c Kangra Central Cooperative Bank) duly pledged in favour of the Executive Engineer. Other speical terms and condition can be seen/obtain in this office on any working day. Any ambiguous/telegraphic conditional tenders by fax shall not be

Excutive Engineer
TauniDevDivision,
HPPWDTauniDevi.

No. PW/TDD/GA/N.I.T./2023-24

22389-438

Dated:- 05-03-2024

Copy forwarded for infromation & necessary action.

- 1 The Engineer-in-Chief, HP:PWD , Shimla.
- 2 The Chief Engineer (HZ), HP:PWD, Hamirpur.
- 3 The Superintending Engineer, 8th Circle, HP:PWD Hamirpur.
- 4 All the Superintending Engineers/Executive Engineers in HP:PWD.
- 5 The Deputy Commissioner, Hamirpur(HP)
- 6 The Director, Information and Public Relations, Suchna Avam Jan Sampark Bhawan, HP Shimla-2 .
- 7 The Tehsildar, Tauni Devi.
- 8 The B.D.O Tauni Devi.
- 9 The Municipal Committee, Hamirpur(HP)
- 10 All the Assistant Engineers working under this Division.
- 11 Account Branch/Drawing Branch/Notice Board.
- 12 Lok Mitra, Tauni Devi.
- 13 Various Contractors/ Firms.

Excutive Engineer
TauniDevDivision,
HPPWDTauniDevi.

CERTIFICATE

Certificate that the tender for JOB NO. 1 to 50 are called vide this office Letter NO. 22389-438 dated 05-03-2024 are an urgent nature and in public interest .


Excutive Engineer
TauniDevDivision,
HPPWDTadniDevi.


Schedule of Quantity

NAME OF WORK:- C/O main road to Chamaarda via village Bhatlamber-II in km. 0/70 to 4/500 (PCC R/Wall at

HD. 1/405 to 1/423) (Under MGSY).

**Estimated Cost-
Earnest Money:-
Time:-**

**Rs. 446015.00
Rs. 8900.00
Two Months**

Sr.No.	Description of Items	Qty	Rate		Unit	Amount
			In Fig.	In Words		
1	Earth work in excavation by mechanical means (hydraulic excavator) manual means over areas (excluding 30 cm (thirty centimeters) in depth, 1.5 metre point five metre) in width as well as 10 sqm (ten square metres) in plan) including getting out and disposal of excavated earth upto 50 m and 18 upto 1.5 m (one point five metre) as directed by Engineer-in-charge. All kinds of soil, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	26.52			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached plasters, columns, piers, abutments, pillars, posts, buttresses, string or facing courses, parapets, coping, bed floors, and/or blocks, plain window sills, facia, subsoil floor etc., up to floor level, excluding the cost of centering, shuttering and finishing. 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (thirty millimeters nominal size) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	56.22			Per Cubic metre	
3	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MCD technical specifications clause 1204.3.6 as per direction of Engineer in Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	32.40			Per cubic metre	
4	Providing wing holes in brickwork masonry/panel reinforced concrete abutment, wing walls return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. (Di-plate/curved section pipe having pressure 4kg per centimeter square. (Four kilograms per centimeter square) extending through the full width of the structures with slopes of (1/5: 20/1) towards drawing face complete as per drawing and technical specification clause (194, 7/5, 1204.3.7 as per direction of Engineer-in-charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	40.00			Each	
					Total	

Terms and Conditions

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Tarnati Dist Division,
 (PPW&S, Tarnati 1411).

Schedule of Quantity

NAME OF WORK:- C/O main road to Chamarda via village Bhatdamber-II in km. 0/00 to 4/500(MDR-105),(SR:- 5/7mtr. wide Farmation cutting at RD. 1/400 to 1/900) (Under MMGSY).

Estimated Cost:- Rs. 485855.00
Earnest Money:- Rs. 9700.00
Time:- Two Months

Sr.No.	Description of Items	QTY.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas at all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, causing wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all kinds and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, canber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidents necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts.(Recovery of useful stone i.e.138.151-cubic metre shall be made from the contractor @ Rs. 300/-three hundred only per cubic metre) amounting to Rs.41,445/- only.	1726.87			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 T. Amal Devi Division,
 HPPWD, Tammil

Schedule of Quantity

NAME OF WORK:- C/O main road to Chamarda via village Bhaatamber-II In km. 0/00 to 4/500(MDR-105) (SH- C/O hame pipe culvert 900mm dia at RD. 0/250 and 0/500) (Under MIMGSY).

Estimated Cost:-
Rs. 466109.00
Earnest Money:-
Rs. 9100.00
Time:-
Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount	
			In Fig.	In Words			
1	Earth work in excavation by mechanical means (hydraulic excavator/manual means over areas (exceeding 30 cm (thirty centimeter) in depth, 1.5 metre post five metre) in width as well as 10 sq(metre square metre) in plan) including getting out and disposal of excavated earth load upto 50 m and till upto 1.5 m (one point five metre) as directed by Engineer-in-charge. All kinds of soil, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidentals. The rates are inclusive of octroi, royalty, Mahana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	74.00			Per Cubic metre		
2	Providing and laying in position concrete of specified grade excluding the cost of forming and shuttering. All work up to plinth level 1:3:6 (one cement three sand six graded stone aggregate 20mm (twenty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidentals. The rates are inclusive of octroi, royalty, Mahana, toll tax, GST or other taxes imposed by the Government.	37.51			Per cubic metre		
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached plinths, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor level, excluding the cost of cementing, shuttering and bracing. 1:3:10 (one cement, five coarse sand, ten graded stone aggregate 4) mm (thirty millimeters nominal size) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidentals. The rates are inclusive of octroi, royalty, Mahana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	49.50			Per Cubic metre		
4	Providing and laying non-pressure MP2 class (light duty) R.C.C. pipes with collars jointed with stiff mortars of cement mortar in the proportion of 1:2 (one cement two fine sand) including bedding of joints etc. (minimum 800mm (three hundred millimeters) dia R.C.C. pipe as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidentals. The rates are inclusive of octroi, royalty, Mahana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	15.00			Per running metre		
Terms and Condition						Total	

1. Work shall be executed as per PWD specifications


 Executive Engineer,
 Canal Devt Division,
 BPPWD, Tonk

Schedule of Quantity

NAME OF WORK:- C/O main road to Chamarda via village Bhurdamber-II in km. 0/00 to 4/500(MDIT-105), (SI)- C/O P.C.R./Wall at RD, 1/435 to 1/453) (Under MMGSY).

Rs. 446015.00

Rs. 0900.00

Two Months

Estimated Cost:-

Earliest Money:-

Time:-

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Pkg.	In Words		
1	Earth work in excavation by mechanical means (Hydraulic excavator/manual means over areas (exceeding 30 cm (thirty centimetres) in depth, 1.5 metre point two metres) in width as well as 10 (ten) square metres) on (s/s) including getting out and disposal of excavated earth upto 50 m and 18 upto 1.5 m (one point five metre) as directed by Engineer-in-charge. All kinds of soil, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	25.50			Per Cubic metre	
2	Providing and laying cement concrete in retaining walls, retaining walls (any thickness) including attached pillars, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets, coping, tied beams, anchor blocks, plain window sills, blebs, surbain floor etc., up to floor level, excluding the cost of centering, shoring and finishing; 1:5:10 (one cement, five coarse sand, ten graded stone aggregate 40 mm (thirty millimetres nominal size) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	95.22			Per Cubic metre	
3	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MORD technical specifications clause 1204.3.8 as per direction of Engineer in Charge, including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	32.40			Per cubic metre	
4	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 150mm (one hundred ten millimeter) dia PVC pipe. On (steel/brass) valves pipe having pressure 4kg per centimeter square (four kilogram per centimeter square) extending through the full width of the structures with slopes of (1V, 20H) towards drawing face complete as per drawing and technical specification clauses (114, 708, 1204.3.7 as per direction of Engineer in Charge, including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	40.00			Each	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specifications.

A. S. Das

Executive Engineer,
Tamil Nadu Irrigation,
APPWB - Tamil Nadu

Schedule of Quantity

NAME OF WORK:- C/O link road from Dangoo to Kothwin km. 0/0 to 0/310.(NH- P/1 Consent concrete pavement from RD. 0/100to 0/125).(Under MMGSY).

Rs. 415675.00

Rs. 83000.00

Two Months

Estimated Cost:-

Earliest Money:-

Title:-

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means. (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1 metre post five metre) in width or 10 top ten square metre on plan) including digging of sides and ransing of bottoms, till upto 1.5 m; (one point five metre) including getting out the excavated soil and deposit at suitable excavated sills as directed within a lead of 50 m. (fifty metre) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive of octroi, royalty, Malkans, toll tax, sales tax, good service tax or other taxes imposed by the Government.	34.00			Per Cubic metre	
2	Providing and laying in position cement concrete of specified grade excluding the cost of casting and shuttering - All work up to plinth level 1:3:6 (one cement three sand six graded stone aggregate) 20mm (twenty millimeter) nominal size, as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive of octroi, royalty, Malkans, toll tax, sales tax, good service tax or other taxes imposed by the Government.	16.25			Per Cubic metre	
3	Quarry filling dry hard packed tightly as per direction of Engineer-in-charge, including entire cartage of material within all leads and its and other incidentals. The rates are inclusive of octroi, royalty, Malkans, toll tax, sales tax, good service tax or other taxes imposed by the Government.	48.75			Per Cubic metre	
4	Providing and laying in position cement concrete of specified grade including the cost of casting and shuttering - All work up to plinth level 1:4:8 (one cement four sand eight graded stone aggregate) 20mm (twenty millimeter) nominal size, as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive of octroi, royalty, Malkans, toll tax, GST or other taxes imposed by the Government.	15.60			Per Cubic metre	
5	Providing and laying in position cement concrete of specified grade including the cost of casting and shuttering - All work up to plinth level 1:1.5:3 (one cement one point five coarse sand three graded stone aggregate) 20 mm (twenty millimeter) nominal size) as per the direction of Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive of octroi, royalty, Malkans, toll tax, GST or other taxes imposed by the Government.	30.50			Per Cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per (MMGSY) specification.


 Executive Engineer,
 Taunat West Division,
 HGSWD, Taunat West

Schedule of Quantity
NAME OF WORK:- C/O Link road from Dangoo to Kollwain km. 0/0 to 0/310 (S&P) Cement concrete pavement from RD. 0/125 to 0/205 and C/O R/Wall at RD. 0/160 to 0/180). (Under MEMGSY).

Estimated Cost:-
 Rs. 454386.00
 Earnest Money:-
 Rs. 9100.00
 Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m wide) in width or 10 sqm (in square metres) including dressing of sides and removal of bottom, till within a limit of 50 m (fifty metres) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, sale tax, good service tax or other taxes imposed by the Government.	13.74			Per Cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centring and shuttering - All work up to plinth level 1:4.8 (one cement : four sand : six graded stone aggregate 40mm (forty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, sale tax, good service tax or other taxes imposed by the Government.	10.40			Per Cubic metre	
3	Boulder filling dry hand packed lightly as per direction of Engineer-in-charge, including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, sale tax, good service tax or other taxes imposed by the Government.	31.20			Per Cubic metre	
4	Providing and laying in position cement concrete of specified grade including the cost of centring and shuttering - All work up to plinth level 1:4.8 (one cement : four sand : eight graded stone aggregate 40mm (forty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, GST or other taxes imposed by the Government.	15.60			Per Cubic metre	
5	Providing and laying in position cement concrete of specified grade including the cost of centring and shuttering - All work up to plinth level 1:1.5:2 (one cement : one part fine coarse sand : three graded stone aggregate 20 mm (twenty millimeters) nominal size) as per the direction of Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, GST or other taxes imposed by the Government.	20.80			Per Cubic metre	
6	Providing and laying cement concrete in retaining wall, column walls (dry pack) including attached plinths, columns, piers, abutments, pillars, posts, struts, buttresses, girders or joist supports, parapets, coping, lead blocks, anchor blocks, plain window sills, sills, floor etc., up to floor level, excluding the cost of centring, shuttering and finishing. 1:5:10 (one cement : five coarse sand) in graded stone aggregate 40 mm (forty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, sale tax, good service tax or other taxes imposed by the Government.	38.20			Per Cubic metre	
7	Providing work hours in brickwork masonry plain reinforced concrete abutment, wing wall, return wall, retaining walls and counter square (four kilograms per centimeter square) dia PVC pipe (or plastic) with joint having pressure dia per 200(H) brands drawing (see complete as per drawing and technical specification clauses 014, 018, 024, 027 as per direction of Engineer-in-charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Mahars, toll tax, sale tax, good service tax or other taxes imposed by the Government.	14.00			Each	
Terms and Condition					Total	

1. Work shall be executed as per PWV specifications.

(Signature)
 Executive Engineer,
 Tarnet Area (Babalgarh)
 (PPWD), Tarnet Div.

Schedule of Quantity

NAME OF WORK:- C/O link road Jandroo to village Ropa km. 0/0 to 1/000. (SH- F/C 5/7 intr. Wide road in km. 0/480 to 0/495). (Under MMSY).

Estimated Cost:- Rs. 42,5974.00

Earnest Money:- Rs. 85,19,00.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including subsoiled soil comprising of ordinary soil, soft rocks, hard rocks, chipping, wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302, 1503.1, 1503.2, sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including hand load or animals transport or mechanical means along with its leveling, fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 92.68-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 27,804/- only.	1208.78		Per cubic metre		
Terms and Condition					Total	

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Tamsi Deel Division,
 HPPWD- Tamsi Dool

Schedule of Quantity

NAME OF WORK:- C/O link road Jandroo to village Ropa km. 0/0 to 1/000. (SH- F/C 5/7mtr. Wide road in km. 0/495 to 0/510). (Under MMSY).

Estimated Cost:-
Earnest Money:-
Time:-

Rs. 426580.00
Rs. 8300.00
Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in billy areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302, 1603.1, 1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling, fine dressing and cartage of machines materials, tools, equipments and safety measures and incidents necessary to complete the work by mechanical means and/or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including cartage of material within all leads and lifts. (Recovery of useful stone i.e. 94.60-cubic metres shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 28,407/- only.	5014.45			Per cubic metre	
						Total

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Taum Devi Division,
 HPPWD, Taum Devi

Schedule of Quantity

NAME OF WORK:- C/O link road Jandroso to village Ropa km. 0/0 to 1/000. (SH:- F/C 5/7) mtr. Wide road in km. 0/468 to 0/480). (Under MMGSY).

Estimated Cost:- Rs. 480975.00
 Earnest Money:- Rs. 9600.00
 Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chipping, wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1503.1.5603.2 sorting out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling, dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts. (Recovery of useful stone i.e. 138.60-cubic metre shall be made from the contractor @ Rs. 300-(three hundred only per cubic metre) amounting to Rs. 41,580-only.	1123.80			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taamir Devt Division,
 HPPWD, Taamir Dept.

Schedule of Quantities

NAME OF WORK:- C/O link road Jandron to village Roppa km. 0/0 to 1/000.(SH:- F/C.5/7mtr. Wide road in km. 0/5.2.5 to 0/5.40). (Under MMGSY).

Estimated Cost- Rs. 429352.00

Earnest Money:- Rs. 9100.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Amount
			In Fig.	In Words	
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1503.1, 1503.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines, materials, tools, equipments and safety measures and incidents necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 104.85-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs. 31,455/- only)	1208.75		Per cubic metre	
Total					

Terms and Conditions

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devt Division,
 HPPWD, Tauni Dept.

Schedule of Quantity

NAME OF WORK:- C/O link road Jandroo to village Ropa km. 0/0 to 1/000. (SH:- F/C 5/7mtr. Wide road in km. 0/510 to 0/525). (Under MMGSY).

Estimated Cost:- Rs. 453914.00
Earnest Money:- Rs. 9100.00
Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chipping /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2 setting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling line dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 100.84/cubic metre shall be made from the contractor @ Rs. 300/-three hundred only per cubic metre) amounting to Rs. 30,252/-only.	1074.48			Per cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taunt Devi Division,
 HPPWD, Taunt Devi

Schedule of Quantity

NAME OF WORK:- C/O link road from Bhaiaeth to Bhammar Jns. 0/00 to 4/00 (SR:- 5/7mtr. Wide formation cutting from RD. 0/231 to 0/285) (Under MMGSY)

Estimated Cost:- Rs. 494162.00


Earnest Money:- Rs. 9900.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount	
				In Words				
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1.1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 119.941 cubic metre shall be made from the contractor @ Rs. 300/-/three hundred only per cubic metre) amounting to Rs. 35,982/-only.	1713.46				Per cubic metre		
Total								

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 T. Tamil Devi Division,
 HPPWD, Tamil Devi

Schedule of Quantity

NAME OF WORK:- C/O link road from Upper Harizan Basti to Lower Harizan Basti Supahal km. 0/00 to 1/060.(SH:- C/O 5/7mtr. Wide formation cutting at RD. 0/105 to 0/165) (Under MMGSY).		Estimated Cost:- Rs. 434690.00 Earned Money:- Rs. 90000.00 Time:- Two Months				
Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /digging out of rock (where blasting is prohibited) and other appropriate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2 setting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including load load or animals transport or mechanical means along with its leveling line dressing and carriage of machines materials, tools, equipments and safety measures and incidents necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 110.13-cubic metre shall be made from the contractor @ Rs. 300-(three hundred only per cubic metre) amounting to Rs 33,039-only	1501.78			Per cubic metre	
						Total

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni West Division,
 RPPWD, Tauni Devi

Schedule of Quantities

NAME OF WORK:- C/O link road Kibera to Harizan Basti Nodilana Sadilana km. 0/0 to 1/500.(SI)- C/O PCC Drain at RD. 1/200 to 1/345).(Under MMSY).

Estimated Cost:-
Earliest Money:-
Time:-

Rs. 414252.00
Rs. 8300.00
Two Months

Sr.No	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavatory) manual means in foundation trenches or drains (not exceeding 1.5m (one point five metre) in width or 10 sqm (ten square metre on plan), including dressing of sides and ramming of bottoms, up to 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidents. The rates are inclusive of octroi, royalty, Maliana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	117.45			Per cubic metre	
2	Providing and laying in position concrete of specified grade including the cost of centering and shuttering. All work up to plinth level 1:3:6 (one cement, three sand, six graded stone aggregated 20mm (twenty millimeters) nominal size, as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fits and other incidents. The rates are inclusive of octroi, royalty, Maliana, toll tax, GST or other taxes imposed by the Government.	78.30			Per cubic metre	
Terms and Condition					Total	

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taunt Dist Division,
 HPPWD, Taunt Dist

Schedule of Quantity

NAME OF WORK:- C/O link road from Dhar to Drug Khad via Grauru km. 0/0 to 2/00.(SH- P/L WMM at RD. 0/100 to 0/750). (Under MMGSY)

Estimated Cost:- Rs. 492387.00
 Earnest Money:- Rs. 9000.00
 Time:- Two Months

Sr.N	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) (W/ff) three millimeter to zero point zero seven five millimeter) to wet mix macadam (WMM) specification including premium for material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve desired density, complete as per specifications and directions of Engineer-in-Charge. Including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Mahana, toll tax, sale tax, good service tax or other taxes imposed by the Government.	234.47			Per cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD, Tauni Devi

Schedule of Quantity


NAME OF WORK:- A/R & M/O Executive Engineer residence building at Tauni Devi. (SH:- Painting on doors, steel painting, brick work calling and other minor repairs)

Estimated Cost:- Rs.295590.00
Earnest Money:- Rs.6000.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (seven point five) in superstructure above plinth level up to floor level second class of brick work in Cement mortar 1:6 (one cement : six coarse sand) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.46			Per cubic metre	
2.00	15 mm(three millimetre) cement plaster on the rough side of single or half brick wall of mix 1:4 (one cement : six fine sand) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	34.29			Per square metre	
3.00	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	075.16			Per square metre	
4.00	Distempering with all bound washable distemper of approved brand and manufacture to give an even shade (two or more coats) over and including water thinnable priming coat with cement primer as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	246.03			Per square metre	
5.00	Providing and applying white cement based putty of average thickness 1 mm(one millimetre), of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	150.84			Per square metre	
6.00	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade New work (Two or more coats applied @ 1.43 ltr/10 sqm(one point forty three litre per ten square metre) over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm(two point twenty kilogram per ten square metre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	629.13			Per square metre	
7.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using primer as per manufacturers specifications painting wood work with Deluxe Multi Surface Paint of required shade Two or more coat applied @ 0.90 ltr/10 sqm(zero point ninety litre per ten square metre) over an under coat of primer applied @0.75 ltr/10 sqm(zero point seventy five litre per ten square metre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	137.20			Per square metre	

8.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using primer as per manufacturers specifications painting steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 lit/ 10 sqm(zero point ninety litre per ten square metre) over an under coat of primer applied @ 0.80 lit/ 10 sqm(zero point eighty litre per ten square metre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	71.27	Per square metre
9.00	Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade. New work (two or more coats) including a coat of approved steel primer but excluding a coat of mordant solution as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	143.10	Per square metre
10.00	Painting two or more coats on rain water, soil waste and vent pipes and fittings with synthetic enamel paint of approved brand and manufacture and required colour over a priming coat of approved steel primer on new work 100 mm(one hundred millimetre) diameter pipes as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	34.20	Per Running metre
11.00	Providing and fixing chip board shutters 25 mm(twenty five millimetre) thick, with Pre-laminated flat pressed three layer particle board or graded wood particle board IS: 12023 marked, exterior grade (Grade 1 Type B), having one side decorative lamination and other side balancing lamination, including flat class teak wood lipping of 25 mm(twenty five millimetre) wide x 12 mm(twelve millimetre) thick with necessary screws and bright finished stainless steel piano hinges, complete as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	10.35	Per square metre
12.00	Providing and fixing 125 mm (one hundred twenty five millimetre) bright finished brass handles with screws etc as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	12.00	Each
13.00	Steel (Tara/Sal) work welded in built up sections/ framed work, including cutting, beaming, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladders, railings, brackets, gates and similar works as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.	205.46	Per kilogram
Terms and Condition			Total

1. Work shall be executed as per PWD specification.


Executive Engineer,
Tamil Nadu Division,
HPPWD, Tamil Nadu.

Schedule of Quantity

NAME OF WORK:- A/R & M/O Executive Engineer building at Tannu Devi. (SH:- Demolishing of flooring, wall tiling, P/F flooring and sanitary installation in toilets)

Estimated Cost:- Rs.177561.00

Earnest Money:- Rs.36000.00

Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50(fifty) metres lead. Nominal concrete 1:1.6 or richer mix (including equivalent design mix) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.77			Per cubic metre	
2.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50(fifty) metres lead. For thickness of tiles above 25 mm (twenty five millimetre) and up to 40 mm (forty millimetre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	50.51			Per square metre	
3.00	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50(fifty) metres lead above 40 mm (forty millimetre) nominal bore as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	26.00			Per running metre	
4.00	Dismantling of flushing cisterns of all types (C.I./PVC/Various China) including stacking of useful materials near the site and disposal of unserviceable materials within 50(fifty) metres lead as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	3.00			Each	
5.00	Providing and laying in position cement concrete of specified grade including four coarse sand : eighty graded stone aggregate 40 mm (forty millimetre) nominal size) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.33			Per cubic metre	
6.00	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm (ten millimetre) gap for thermal expansion, (1) Single socketed pipes 110 mm (one hundred ten millimetre) diameter as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	8.10			Per running metre	

6.01	75 mm(seventy five millimetre) diameter		8.10		Per running metre
7.00	Providing and fixing on wall face unplasticised PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13522 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm(ten millimetre) gap for thermal expansion Single tee with door 75x75x75 mm]seventy five into seventy five into seventy five millimetre]as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.		2.00		Each
7.01	110x110x110 mm(one hundred ten into one hundred ten into one hundred ten millimetre)		2.00		Each
7.02	Bend 07.5° 75mm (eighty seven point five degree seventy five millimetre) bend		2.00		Each
7.03	110 mm(one hundred ten millimetre)bend		2.00		Each
8.00	Providing and laying Vitrified tiles in floor with sizes 400x400mm(four hundred into four hundred millimetre)(thickness to be specified by the manufacturer), with water absorption less than 0.08%(zero point zero eight percent)and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm(six millimetre) thickness, including grouting of joints (Payment for grouting of joints to be made separately) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.		18.71		Per square metre
9.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC, plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m (one point zero zero metre)spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete Corroded work, including cutting chases and making good the walls etc. 20 mm(twenty millimetre) nominal outer dia Pipes as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malikana, toll tax, sale tax, GST or other taxes imposed by the Government.		39.20		Per running metre

10.00	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm (six millimetre) thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile: 450x300 mm (four hundred, fifty into three hundred millimetre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	38.82		Per square metre
11.00	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.00		Each
12.00	Providing and fixing wash basin with C.I. brackets, 15 mm (fifteen millimetre) C.P. brass pillar taps, 32 mm (thirty two millimetre) C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require White Vitreous China Flat back wash basin size 550x 400 mm (five hundred fifty into four hundred millimetre) with single 15 mm (fifteen millimetre) C.P. brass pillar tap as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.00		Each
13.00	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 [ten] litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required W.C. pan with ISI marked white solid plastic seat and lid as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	3.00		Each
14.00	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete Flexible pipe 32 mm (thirty two millimetre) dia as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	3.00		Each

15.00	Providing and fixing 8 mm(eight millimetre)dia C.P. / S.S. jet with flexible tube upto 1 (one)metre long with S.S. triangular plate to Eurospan type W.C. of quality and make as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	3.00	Each
16.00	Providing and fixing ball valve (balls) of approved quality, High or low pressure, with plastic floats complete 20 mm(twenty millimetre) nominal bore as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.00	Each
17.00	Providing and fixing C.P. brass air cock of approved quality conforming to IS:8931.15 mm(fifteen millimetre) nominal bore as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	4.00	Each
18.00	Providing and fixing brass stop cock of approved quality 20 mm(twenty millimetre) nominal bore as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	10.00	Each
Terms and Condition		Total	

1. Work shall be executed as per PWD specification.


A. K. Ch
 Executive Engineer,
 Tauri Civil Division,
 HPPWD, Tauri

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road from Bhatlamber to Kheri via tower Dudhla Km 0/00 to Estimated Cost: Rs.391895.00
1/90. (SH)- Construction of PCC Retaining wall in Km 0/280 to 0/290 & 0/550 to 0/556) Earnest Money:- Rs.7800.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Earthwork in excavation for structures as per drawing and technical specifications Clause 105.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a load of 50mm(fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3m(three metre) depth as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed	28.35			Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(fourty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	84.64			Per cubic metre	
3.00	Backfilling Granular material behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.B (granular Material) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	21.12			Per cubic metre	
4.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 10mm (one hundred ten millimeter) dia PVC pipe De plast /finalex/votus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of (V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	40.00			Each	
Terms and Condition					Total	

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devl Division,
 HPPWD, Tauni Dabul

Schedule of Quantity

Link road from Charmyani Di-Khanatuli km. 0/0 to 4/00.(SH)- P/L GSB,VMM and metalling & tarring in km. 0/365 to 0/366

Estimated Cost:-
Rs. 498717.00

Earnest Money:-
Rs. 10000.00


Time:-
Two Months

NAME OF WORK:- C/O link road from Charmyani Di-Khanatuli km. 0/0 to 4/00.(SH)- P/L GSB,VMM and metalling & tarring in km. 0/365 to 0/366 (Under OTMNP)

Sl. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm (ten to two point five centimeter) depth, dressing to center and consolidating with road roller excluding making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with load upto 50 metres (fifty meter) as per direction of Engineer-in-Charge, including entire carriage of material within all loads and lifts and other incidentals.	528.00			Per square metre	
2	Construction of granular sub-base by providing well graded material, using in a mechanical mix plant at CMC, carriage of mixed material to work site upto all loads and lifts, spreading in uniform layers with motor grader on prepared surface and compacting with smooth wheel roller to achieve the desired density, complete as per technical specification clause 451 (Grading-1) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahikura, toll tax, sale tax, GST or other taxes imposed by the Government.	70.20			Per cubic metre	
3	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including providing the material with water at CMC, in mechanical mixer (Pug Mill), carriage of mixed material by lorry to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN (eighty to hundred weight) to achieve the desired density including lighting, tarmac and maintenance of diversion, etc. as per Tables 400.11 & 400.12 and Technical Specification Clause 406 (By Mechanical means) and as per direction of Engineer-in-Charge including entire carriage of materials within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Mahikura, toll tax, sale tax, GST or other taxes imposed by the Government.	52.80			Per cubic metre	
4	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer @ 0.70-1.0 kilogram (zero point seven to one point zero kilogram per square meter) using mechanical means as per technical specification clause -552 and as per direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Mahikura, toll tax, sale tax, good service tax or other taxes imposed by the Government.	506.25			Per Square metre	
5	Providing and applying tack coat with bitumen emulsion using emulsion (RS-1) distributor at the rate of 0.25 to 0.30 kg. (zero point two five to zero point three zero kilogram) per sqm on the prepared bitumen surface cleaned with Hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Mahikura, toll tax, sale tax, good service tax or other taxes imposed by the Government.	506.25			Per Square metre	
6	2 cm (two centimeter) premix carpet surfacing with 1.0 cum (one point eight cubic meter) and 0.90 cum (zero point nine cubic meter) of stone chippings of 13.2 mm (thirteen point two millimeter) size and 11.2 mm (eleven point two millimeter) size respectively per 100 sqm (one hundred square metre) and 52 kg (fifty two kilogram) and 56 kg (fifty six kilogram) of hot bitumen per cum of stone chippings of 13.2 mm (thirteen point two millimeter) and 11.2 mm (eleven point two millimeter) size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 8 tonne capacity etc. complete (tack coat to be paid for separately). Asphalt grade VG - 30 with its solvent as per direction of Engineer-in-Charge, including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahikura, toll tax, sale tax, GST or other taxes imposed by the Government.	506.25			Per Square metre	
7	Providing and laying seal coat of premixed fine aggregate (passing 2.36 mm and retained on 150 micron sieve) with bitumen using 128 kg (one hundred twenty eight kilogram) of bitumen of grade VG - 30 bitumen per cum of fine aggregate and 0.60 cum (zero point six zero only) of fine aggregate per 100 sqm of road surface, including rolling and finishing with road roller all complete as per direction of Engineer-in-Charge, including entire carriage of material within all loads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahikura, toll tax, GST or other taxes imposed by the Government.	506.25			Per Square metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taunt Devl Division,
 BHAWD: Taunt Devl

Schedule of Quantity

NAME OF WORK:- C-10 link road from Chamyan-Di-Khamanli km. 0/0 to 4/00.(SH- P/L GSB,WMM and maintaining & tarring in km. 0/200 to 0/365). (Under OTMNP)

Estimated Cost:- Rs. 497601.00


Earnest Money:- Rs. 10000.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Amount
				In Words	Unit	
1	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm (twenty two point five centimeter) depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earthwork upto 50 metres (fifty meter) as per direction of Engineer-in-Charge, including entire carriage of material within all leads and lifts and other incidentals.	526.00			Per square metre	
2	Construction of granular sub-base by providing well graded material, mixing in a mechanical mixer plant at OMC, carriage of mixed material to work site upto all leads and lifts, spreading in uniform layers with motor grader on prepared surface and compacting with smooth wheel roller to achieve the desired density, compacts as per technical specification clause 401 (Grading-1) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, sale tax, GST or other taxes imposed by the Government.	78.20			Per cubic metre	
3	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN (eighty to hundred weight) to achieve the desired density including lighting, barricading and maintenance of diversion, etc.as per Tables 400.11 & 400.12 and Technical Specification Clause 405 (by Mechanical means) and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, sale tax, GST or other taxes imposed by the Government.	52.80			Per cubic metre	
4	Providing and applying primer coat with bitumen emulsion (SS-0) on prepared surface of granular base including cleaning of road surface and spraying primer @ 0.70-1.0 kilogram (two point seven zero to one point zero kilogram per square meter) using mechanical means as per technical specification clause -602, and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, sale tax, good service tax or other taxes imposed by the Government.	503.25			Per Square metre	
5	Providing and applying tack coat with bitumen emulsion using emulsion (RS-1) distributor at the rate of 0.25 to 0.30 kg. (two point two five to zero point three zero kilogram) per sqm on the prepared bitumen surface cleaned with hydraulic broom as per technical specification clause 503 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, sale tax, good service tax or other taxes imposed by the Government.	503.25			Per Square metre	
6	12 cm (two centimeter) porous carpet surfacing with 1.8 cum (one point eight cubic meter) and 0.90 cum (zero point nine zero cubic meter) of stone chippings of 13.2 mm (thirteen point two millimeter) size and 11.2 mm (eleven point two millimeter) size respectively per 100 sqm (one hundred square meter) and 52 kg (fifty two kilogram) and 56 kg (fifty six kilogram) of hot bitumen per cum of stone chippings of 13.2 mm (thirteen point two millimeter) and 11.2 mm (eleven point two millimeter) size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 8 tonne capacity etc. complete (tack coat to be paid for separately). Asphalt grade VG - 3) with no solvent as per direction of Engineer-in-Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, sale tax, GST or other taxes imposed by the Government.	503.25			Per Square metre	
7	Providing and laying surf coat of premixed fine aggregate (containing 2.36 mm and retained on 150 micron sieve) with bitumen using 120 kg (one hundred twenty eight kilogram) of bitumen of grade VG - 3) bitumen per cum of fine aggregate and 0.60 cum (zero point six zero cum) of fine aggregate per 100 sqm of road surface, including rolling and finishing with road roller of complete, as per direction of Engineer-in-Charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malakans, toll tax, GST or other taxes imposed by the Government.	503.25			Per Square metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tamil Devt Division,
 IPWD, Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Sujapur to Sandhole road km. 0/00 to 20/00 (MDR-30) (SB:- C/D PCC R/Wall at RD. 17/915 to 17/928).

Estimated Cost:-
Rs. 464351.00

Earliest Money:-
Rs. 93000.00


Two Months

Timer:-
Rate
In Words
Unit
Amount

Sr.No.	Description of Items	Qty.	In Fig.	In Words	Unit	Amount
1	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.50m wide) in wells or 10 sqm (ten square metre or more) including dressing of sides and opening of bottom, up to 1.5 m, (one post five metres) including getting rid of the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m (fifty metres) as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	28.21			Per Cubic metre	
2	Providing and laying concrete concrete in retaining wall return walls, walls (any thickness) including attached plinths, columns, piers, abutments, pillars, posts, shafts, buttresses, string or facing courses, parapets coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor any level, including the cost of centering, shoring and finishing. 1:3:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (forty millimetres nominal size), as per the direction of the Engineer-in-charge including entire cartage of material within all leads and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	103.48			Per Cubic metre	
3	Providing sweep holes in brickwork masonry/ plain reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimetres) dia PVC pipe De-jacket/foam jacket pipe having pressure 4kg per centimeter square (four kilogram per centimeter square) extending through the full width of the structures with slopes of (V) 20(H) beneath drawing face complete as per drawing and technical specification clauses 614, 705, 1204.3.7 as per direction of Engineer-in-charge, including entire cartage of material within all leads and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	22.00			Each	
4	Back filling with granular material behind abutments, wing walls, return walls and retaining walls complete as per drawing and MCRD technical specifications clause 1204.3.3 as per direction of Engineer-in-charge, including entire cartage of material within all leads and its and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	19.50			Per cubic metre	
	Total					

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Asst. Engineer,
 T. & S. Div. T. & S. Div.,
 T. & S. Div., T. & S. Div.

Schedule of Quantity

NAME OF WORK:- C/O diversion/shifting of Garne-Da-Galu to Kuthera road in km. 0/00 to 0/210.(SH:- ROFD and Improvement of grade in km. 0/00 to 0/210).(Under OTMNP).

Estimated Cost:-
Earnest Money:-
Time:-

Rs. 366896.00
Rs. 7300.00
Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, cherting /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302,1603.1,1603.2 sorting out useful material and stacking the same in all leads and fills in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including hand load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and fills. (Recovery of useful stone i.e. 107.94-cubic metre shall be made from the contractor @ Rs. 300/-three hundred only per cubic metre) amounting to Rs. 32,382/-only.	809.64			Per cubic metre	
					Total	

Terms and Conditions

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taum Devl Division,
 HPPWD, Taum Devl

Schedule of Quantity

NAME OF WORK:- Construction of diversion/shifting of Garne-Da-Galu to Kuthera road in Km 0/00 to 0/210, (SH- Construction of Retaining Wall at RD 0/012 to 0/014-50, back filling and providing and erecting w-metal crash barrier 0/00 to 0/028) (Under OTMNP)

Estimated Cost:- Rs.494024.00
Earnest Money:- Rs.9900.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m(fifty metre) Ordinary rock as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	15.00			Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(fourty millimetre) nominal size(as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	47.70			Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 110mm(one hundred ten millimetre)dia PVC pipe the plast /fibrolex/vector having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of (1V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7,as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	12.00			Each	
4.00	Backfilling Granular material behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8 (granular Material) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	64.12			Per cubic metre	
5.00	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km(five kilogram) also including ramming and watering of the earth in layers not exceeding 20 cm(twenty centimetre) in trenches, plinth, sides of foundation etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	459.47			Per cubic metre	

6.00	<p>Providing and erecting 'W' metal beam crash barrier comprising of 3mm (three millimetres) thick corrugated sheet metal beam rail 700mm (seventy centimeters) above road/ground level, fixed on ISMC section vertical post 150x75x75 mm (one hundred fifty into seventy five into seventy five millimetre) spaced 2.00m (two point zero metre) centre to centre 1.80m (one point eighty metre) high & 1.10m (one point ten metre) below ground/road level all steel parts and fittings to be galvanized by hot process all fittings to conform to IS:1367 & IS:1364 metal beam rail to be fixed on the vertical post with a spacer or channel section 150x75x5 mm (one hundred fifty into seventy five into five millimetre) long completed as per clause 810 as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents. The rates are inclusive of octroi, royalty, Malkamattol tax, GST or other taxes imposed by the Government.</p>	28.00		Per running metre	
Total					

Terms and Condition

1. Work shall be executed as per PWD specification.

A. Khan
 Executive Engineer,
 Tamil Devl Division,
 HPPWD, Tamil Nadu

Schedule of Quantity					
NAME OF WORK:- C/O link road from Banalag to Rangan G.P. Pobanj km. 0/0 to 5/00. (SI:- formation cutting 5.7 mtr. Wide at RD. 0/822 to 0/915). (Under OTMNP).					
		Estimated Cost:-	Rs. 488799.00		
		Earnest Money:-	Rs. 9800.00		
		Time:-	Two Months		
Sr.No.	Description of Items	Qty.	Rate		Amount
			In Fig.	In Words	
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /weighting out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1, 1603.2 surfing out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and of labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts. (Recovery of useful stone i.e. 113.34-cubic metre shall be made from the contractor @ Rs. 300/-/three hundred only per cubic metre) amounting to Rs. 34,000/-only	1700.23		Per cubic metre	
Total					

DNIT No. for the year 2023-24 duly approved for Rs. 4,88,799/- (Four lac. Eighty eight thousand seven hundred ninety nine) only

Terms and Conditions
1. Work shall be executed as per PWD specifications.

A. G. Ch
Executive Engineer,
Tanjali Devd Division,
Highway, Talim

Schedule of Quantity

NAME OF WORK:- C/O link road from Banalag to Rangan G.P. (Pohaj) km. 0/0 to 5/00. (SIH:- formation cutting 5/7mtr. Wide at RD. 0/672 to 0/822). (Under OTMNP).

Rs. 498124.00

Rs. 10000.00

Two Months

Estimated Cost:-


Earnest Money:-

Time:-

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1.	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /knocking out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling the dressing and carriage of machines materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 120.00-cubic metre shall be made from the contractor @ Rs. 300/-three hundred only per cubic metre) amounting to Rs. 36,000/-only	1342.76				Per cubic metre	
Total							

Terms and Condition

1. Work shall be executed as per FWD specifications.


 Executive Engineer,
 Tqunt Devt Division,
 HPPW&T Taant

Schedule of Quantity

NAME OF WORK:- C/O Link road from Hamalag to Ranger G.P. Poham] km. 0/0 to 5/00. (SH-- formation cutting 5/7mtr. Wide at RD. 0/915 to 1/015). (Under OTMNP).

Estimated Cost:-
Rs. 489381.00
Earnest Money:-
Rs. 9000.00

Sr.No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling, wedging out of rock (when blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including hand load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful alone i.e. 111.00/cubic metre shall be made from the contractor @ Rs. 300/-[three hundred only per cubic metre] amounting to Rs. 33,324/-only.	1586.94				Per cubic metre	
Total							

Terms and Conditions

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Training Devt Division,
 HPP Sub-Talent Office

Schedule of Quantity

NAME OF WORK:- C/O link road from Upper Harizan Basti to Lower Harizan Basti Sapahal km. 0/00 to 1/060.(SH:- C/O 5/7 mtr. Wide formation cutting at RD. 0/00 to 0/035.70) (Deposit work).		Estimated Cost:- Rs. 199301.00	Unit	Amount	
		Earnest Money:- Rs. 4000.00	Two Months		
		Time:-			
Sr.No.	Description of Items	Qty.	Rate		Amount
			In Fig.	In Words	
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302, 1603.1, 1603.2 sorting out useful material and stacking the same in all kinds and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and cartage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and of labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including cartage of material within all leads and lifts. (Recovery of useful stone i.e. 56.75/-cubic metre shall be made from the contractor @ Rs. 300/- (three hundred only per cubic metre) amounting to Rs.17,025/-only.	630.60		Per cubic metre	
			Total		

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni De-4

Schedule of Quantity


NAME OF WORK:- Restoration of rain damages on Jhanari Darveli-Chhabot Majhag Katsal road 3/960 to 5/300. (SH: Construction of Retaining Wall at RD 4/840 to 4/848 and 4/890.10 to 4/895.10)

Estimated Cost:- Rs.208470.00
 Earnest Money:- Rs.4200.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) on plan),including dressing of aides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within all leads (Ordinary rock)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	27.60			Per cubic metre	
2.00	Providing and laying cement concrete 1:5:10 (one cement : five coarse sand: ten graded stone aggregate 40 mm(forty millimetre) nominal size curing complete the cost of form work plain/reinforced concrete in retaining walls, breast walls as per drawing and HPPWD Technical Specification direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	46.62			Per cubic metre	
3.00	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred millimeter) dia PVC pipe De plast /finolex/vectus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of 1(V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	15.00			Each	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni Dev

Schedule of Quantity

NAME OF WORK:- Restoration of rails damages on Lambari Nalabhi Arthebha road kms. 0/00 to 6/00.(SRI - C/O PCC H/Wall at RD, 1/583.50 to 1/592.20).(Deposit work).

Estimated Cost:-
Rs. 249476.00
Earnest Money:-
Rs. 5000.00

Two Months

Sr No.	Description of Items	Qty.	Rate		Amount
			In Fig.	In Words	
1.	Excavation work by mechanical means (hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5 metre point to point) in width or 10 sqm (ten square metres or plots) including dressing of sides and ramming of boilers, till upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a load of 50 m (fifty metre) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and its and other incidents. The rates are inclusive octroi, royalty, Maharsa bid tax, GST or other taxes imposed by the Government.	31.00		Per Cubic metre	
2.	Providing and laying cement concrete in retaining walls, walls (any thickness) including attached pillars, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets, coping, bed blocks, anchor blocks, plain whitewash, etc., up to floor level, including the cost of carting, shuffling and loading 1:5:10 (one cement: five coarse sand) 1:10:40 (one cement: ten coarse sand) 1:10:40 (one cement: ten coarse sand) as per the direction of the Engineer-in-charge including entire carriage of material within all loads and its and other incidents. The rates are inclusive octroi, royalty, Maharsa bid tax, GST or other taxes imposed by the Government.	55.59		Per Cubic metre	
3.	Construction of embankment with approved material obtained from borrow pits with a fill upto 1.5m (one point five metre) corresponding to the required slope and compacting to meet requirement of tables 300.1 and 300.2 with a load upto 1000N/m ² (one thousand newton) as per technical specification clause 301.5 as per direction of Engineer-in-charge including entire-carriage of material within all loads and its and other incidents. The rates are inclusive octroi, royalty, Maharsa bid tax, GST or other taxes imposed by the Government.	14.62		Per cubic metre	
4.	Providing weep holes in brickwork masonry plain reinforced concrete abutment, wing walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. De-pairing/roofs/sectors pipe having pressure 8kg per centimeter square, four kilograms per centimeter square) embedded through the full width of the structures with slope of 1% (one per cent) towards drawing face complete as per drawing and technical specification clause 614, 708, 1204.37 as per direction of Engineer-in-charge, including entire carriage of material within all loads and its and other incidents. The rates are inclusive octroi, royalty, Maharsa bid tax, GST or other taxes imposed by the Government.	18.00		Each	
Total					

Terms and Conditions

1. Work shall be executed as per PWD's specification.


 Executive Engineer,
 Tapti Deert Division,
 HAD/WD-Tand Deet

Schedule of Quantity

Patlander to Lohar Bazzi road km. 0/00 to 0/900.(SIH- C/O R/Wall at RD.

NAME OF WORK:- Restoration of rain damages on Patlander to Lohar Bazzi road km. 0/00 to 0/900.(SIH- C/O R/Wall at RD. /190 to 0/198.50) (Deposit work).

Estimated Cost:-
Rs. 142367.00

Earnest Money:-
Rs. 2000.00

Time:-
Two Months

No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means. (Hydraulic excavator) manual means in foundation trenches or drains for extending 1.50(metre point line means) in width or 10 sqm/ten square metre in plan), including dressing of sides and ridding of bottom, in upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m. (fifty metre) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	15.56			Per cubic metre	
2	Providing and laying cement concrete in retaining walls, return walls, wells (any thickness) including attached plasters, columns, piers, abutments, piers, posts, struts, buttresses, string or facing courses, parapets coping, bed blocks, anchor blocks, plain window sills, beds, window floor etc., up to floor any level, including the cost of obtaining, storing and finishing 1:5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm (ten millimeters nominal size) as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	30.80			Per cubic metre	
3	Providing weep holes in brick/stone masonry plain reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 150mm (one hundred ten millimeter) dia PVC pipe. Or-plastic/nylon/wedux pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (V) 2:(H) towards drawing side complete as per drawing and technical specification clauses 614, 710, 1204.37 as per direction of Engineer-in-charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	14.00			Each	
4	Providing and laying filter media with granular crushed aggregates as per specification to a thickness of not less than 600mm (six hundred millimeter) with smaller size towards the soil and bigger size towards the soil and providing over the entire surface behind abutment, wing wall, return wall to the full height, compacted to firm condition complete as per drawing and technical specification clause 1204.3.8 as per direction of Engineer-in-charge, including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Maharashtra tax, GST or other taxes imposed by the Government.	6.80			Per cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 T. J. Devt. Division,
 PWD, T. J. Devt.

Schedule of Quantity

NAME OF WORK:- A/R & M/O (I) link road Rangar to Dhail km. 0/00 to 3/300 (ii) Link road Dhail to Naglamber km. 0/00 to 3/200 under Patlander section Sub-Division Sujanpur. (SH:- P/L patch work).

Estimated Cost:- Rs. 425889.00

Earnest Money:- Rs. 8500.00

Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Repair to patch/pot holes (any depth) in connection with repairing including sweeping free from dust and mud, scoring sunesida in road, patches etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.300kg/sqm. (zero point three zero zero kilogramme per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.46kg/sqm (one point four six kilogramme per square metre) and seal coat type-B with VG-10 bitumen @ 0.68kg/sqm. (zero point six eight kilogramme per square metre) as per technical specification clause 1904.2.503 and 508.2 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.	1234.46			Per Square metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.

A. Singh

Executive Engineer,
Tauni Devi Division,
HPPWD: Tauni Dev

Schedule of Quantity

NAME OF WORK:- A/R & M/O (I) link road to village Dhamriana km. 0/00 to 0/400. (II) link road to house of Daulat Ram and Mukesh Kumar Chaloh km. 0/00 to 0/600 under Patlander section Sub-Division Sujapur. (SH:- P/I, patch work).

Estimated Cost:- Rs. 451629.00
Earnest Money:- Rs. 9000.00
Time:- Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Repair to patch/pot holes (any depth) in connection with repairing including sweeping free from dust and mud, scoring sunkeda in road, patches etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.300kg/sqm. (zero point three zero zero kilogram per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.40kg/sqm (one point four six kilogram per square metre) and seal coat type-B with VG-10 bitumen @ 0.68kg/sqm (zero point six eight kilogram per square metre) as per technical specification clause 1904.2.503 and 508.2 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.	1309.07			Per Square metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.



 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni Devi

Schedule of Quantity

NAME OF WORK:- A/R & M/O (I) link road Banal to Chamiana via Maglehar Daddar road km. 0/00 to 4/500. (II) link road Chamiana to Bhadheen via Taryambli km. 0/00 to 2/765 under Patlander section Sub-Division Sujampur. (SH-P/L patch work).						Estimated Cost:- Rs. 493150.00
P/L patch work.						Rs. 9900.00
						Two Months
Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Repair to patch/pot holes (any depth) in connection with repairing including sweeping free from dust and mud, scoring sunkeda in road, patches etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.300kg/sqm. (zero point three zero zero kilograms per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.46kg/sqm] one point four six kilograms per square metre] and seal coat type-B with VG-10 bitumen @ 0.68kg/sqm (zero point six eight kilograms per square metre) as per technical specification clause 1904.2.503 and 508.2 as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals.	1429.42			Per Square metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni Dev

Schedule of Quantity

NAME OF WORK:- A/R & M/O Hamirpur Sejanpur Thural Marwada road in km. 2/00 to 16/00. (SI:- Repair of pot holes).		Estimated Cost:-		Rs. 499553.00		
		Earnest Money:-		Rs. 10000.00		
		Time:-		Unit	Amount	
				In Words		
Sr. No.	Description of Items	Qty.	In Fig.	In Words	Unit	Amount
1	Repair to patch/pot holes (any depth) in connection with repairing including seeping free from dust and mud, scoring sunkeda in road, patches etc. cutting around edges to at least 25mm (twenty five millimeters) in depth and removal of loose material, trimming of sides, cleaning of surface and making good by providing tack coat with emulsion bitumen @ 0.300kg/sqm. (zero point three zero zero kilogramme per square metre) and then providing 20mm (twenty millimeter) thick premix carpet using VG-10 bitumen @ 1.45kg/sqm (one point four six kilogramme per square metre) and seal coat type-B with VG-10 bitumen @ 0.65kg/sqm (zero point six eight kilogramme per square metre) as per technical specification clause 1504.2.503 and 506.2 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Mahasewa, toll tax, GST or other taxes imposed by the Government.	1447.98			Per square metre	
					Total	

Terms and Conditions

1. Work shall be executed as per PWD specification.
2. The bitumen/emulsion will be procured by the contractor himself and receipt of procurement have to be produce at the time of final bill.


 Executive Engineer,
 Transport Division,
 M.P.W.D. Taunt Depo

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on link road Chawki to Bahal km. 0/0 to 1/500 (SR- C/O roller compacted pavement in km. 0/400 to 0/585).

Estimated Cost:-
Earnest Money:-
These:-

Rs. 400149.00
Rs. 9600.00
Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not exceeding 1.5m one point five metre) in width or 10 sqm (ten square metre on plan) including dressing of sides and ramming of bottoms. At upto 1.5 m. (one point five metre) including getting out the excavated soil and disposal of surplus excavated soils as directed, within a load of 50 m (fifty metre) as per the decision of the Engineer-in-charge including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive of cart, royalty, Mahana, bill tax, GST or other taxes imposed by the Government.	33.00			Per Cubic metre	
3	Construction of roller compacted concrete pavement (RCCP) with coarse and fine aggregates conforming to IS-383, the size of coarse aggregate not exceeding 25mm (twenty five millimetre) with minimum aggregate cement ratio of 5:1 mm (five - one) millimetre and with minimum cement content of 310 kg. (Three hundred ten kilogramme) per cubic metre, aggregate gradation to be as per table 602.2 after blending, mixing in concrete mixer at optimum moisture content, transporting to site, laying with wheel barrow or steel pans or with mechanical paver, compacting with 80-100 kN smooth wheel tandem vibratory roller, to achieve, the designed flexural strength, finishing and curing as per drawings and technical specification clause 1502, as per direction of Engineer-in -Charge, including entire cartage of material within all leads and lifts and other incidentals. The rates are inclusive of cart, royalty, Mahana, bill tax, GST or other taxes imposed by the Government.	67.20			Per Cubic metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Tamsil Devt Division
 BPPWD, Tamsil Devt

Schedule of Quantity

NAME OF WORK:- R/R Damages on Sujapur to Sandhole Road 3/00 to 20/00.(SH-Construction of PCC V-Shape drain at Estimated Cost:- 306051.00
 14/015 to 14/115 and PCC Edge wall at KM 14/440) Earnest Money:- 2000.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words.		
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm(thirty centimetre) in depth, 1.5 m(one point five metre) in width as well as 10 sqm(ten square metre) on plan) including getting out and disposal of excavated earth lead upto 50 m(fifty metre) and lift upto 1.5 m(one point five metre), as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government	34.65			Per cubic metre	
2	Providing and laying cement concrete in retaining walls,return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts,struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills,fillets, sunken floor etc., up to floor five level, including the cost of centering, shuttering and finishing 1.5:10 (one cement : five coarse sand) : ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.	20.70			Per cubic metre	
3	Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred millimeter) dia PVC pipe De plast /finolex/vectus having pressure 4kg per sqmt (four kilogram) per square meter extending through the full width of the structures with slopes of (V): 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	20.00			Each	
4	Providing and laying cement concrete for plain/reinforced concrete in P.C.C grade M-10(M-ten) nominal mix 1:3:6 (one cement: three sand: six graded crushed stone aggregate) 20mm (twenty millimeters) nominal size in open foundations complete as per drawings and technical specification clause- 802,803,1202 & 1203 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	42.00			Per cubic metre	
Terms and Condition					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD, Tauni Div.

Schedule of Quantity

NAME OF WORK:- C/O motorable link road 5/7mtr. Wide from Dosarka to village Ropa.(SH:- Formation cutting from RD. 1/710 to 1/800).(Deposit work).		Estimated Cost:- Earnest Money:-	Rs. 184472.00 Rs. 3700.00				
Sr.No.		Description of Items	Qty.	In Fig.	In Words	Unit	Amount
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseled, wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grade width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all loads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machinerries materials, tools, equipments and safety measures and accidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all loads and lifts. (Recovery of useful stone i.e. 65.63/- cubic metre shall be made from the contractor @ Rs. 300/-(three hundred only per cubic metre) amounting to Rs. 19,689/- only.	1063.58			Per cubic metre		
						Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tansa Dept Division,
 HPTWID, Tansa Dept.

Schedule of Quantity

NAME OF WORKS:- Restoration of rain damages on link road to village Chhail to Kot km. 0/00 to 0/800.(SH:- P/L Interlocking pavement at RD. 0/183 to 0/246).(Deposit Work).

Estimated Cost:-
Current Money:- Rs. 200042.00
Time:- Rs. 5000.00
 Two Months

Sr.No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm nominal size) (twenty millimetres nominal size), as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals.	2.54			Per Cubic metre	
2	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, paths, lanes, drive ways or light traffic parking etc. of required strength, thickness and size shape, made by table vibratory method using PU mould, laid in required colour and pattern over 50mm (fifty millimetre) thick compacted bed of sand,compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand, complete all as per direction of Engineer-in-Charge 80 mm (eighty millimetre) thick C.C. paver block of M-30 grade with approved color design and pattern, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and lifts and other incidentals.	189.00			Per Square metre	
					Total	

Terms and Conditions

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tyasa Devt Division,
 W.P.W.D. - Tyasa Dvt.

Schedule of Quantity

NAME OF WORK:- Restoration of rains damages on link road at village Chahal to Kot km. 0/00 to 0/800. (Set- P/L interlocking pavement at RD. 0/120 to 0/183). (Deposit Work).

Estimated Cost:- Rs. 200042.00
Earnest Money:- Rs. 5000.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to fifth level : 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm nominal size) twenty millimeters nominal size), as per the direction of the Engineer-in-charge including entire carriage of material within all loads and fits and other incidentals.	2.54			Per Cubic metre	
2	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, paths, lawns, drive ways or light traffic parking etc. of required strength, thickness and size shape, made by table vibratory method using PU mould, laid in required colour and pattern over 50mm (fifty millimetre) thick compacted bed of sand compacting and proper embedding/laying of interlocking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and seeping extra sand, complete all as per direction of Engineer-in-Charge 60 mm (thirty millimetre) thick C.C. paver block of M-30 grade with approved color design and pattern, as per the direction of the Engineer-in-charge including entire carriage of material within all loads and fits and other incidentals.	189.00			Per Square metre	
					Total	

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tadaal Devi Division,
 H.P.W.D. Tamil Nadu

Schedule of Quantity

NAME OF WORK:- Restoration of rain damages on Hamirpur to Ropa in Km 0/00 to 10/615 (SH). Construction of Estimated Cost:- Rs.286769.00
 retaining wall at RD 2/900 to 2/915 Earnest Money:- Rs.5600.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50m(fifty metre) dressing of sides and bottom and backfilling in trenches with excavated suitable material ordinary soil upto 3m(three metre) depth as directed by Engineer-in-charge all kinds of soil including entire carriage of material within all leads, lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	28.50			Per cubic metre	
2.00	Providing and laying in position cement concrete of specified grade including the cost of entering and shotpiling - All work up to plinth level 1:5:10 (one cement : five coarse sand): ten graded stone aggregate 40 mm(forty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	64.00			Per cubic metre	
3.00	Providing weep holes in brick/masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls with 100mm (one hundred ten millimeter) dia PVC pipe De plast /fibrela/vectel having pressure 4kg per sqm (four kilogram) per square meter extending through the full width of the structures with slopes of 1V: 20(H)(twenty) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	27.00			Each	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division
 HPPWD- Tauni Dev

Schedule of Quantity

NAME OF WORK:- A/R & M/D HPPWD Rest House at Sujapur Thira Distt. Hamirpur.(SH)- Distempering and painting etc)		Estimated Cost:-		Unit	Amount
		Earnest Money:-	Time:-		
Sr. No.		Description of Items	Qty.	In Fig.	In Words
1.00	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1312.27		Per square metre	
2.00	Repair of cement plaster 1:4 (one cement: four coarse sand) thickness 12mm (twelve millimetre) to 20mm (twenty millimetre) in patches of area 2.5 sqm (two point five square metre) and under including cutting in patches raking out joints and preparing and plastering the surface of the walls including disposal of the rubbish as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	22.65		Per square metre	
3.00	Providing and applying plaster of paris putty of average thickness 2 mm (two millimetre), of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	588.76		Per square metre	
4.00	Finishing wall with weather proof exterior grade emulsion of approved design (apex ultima asiam paint) or its equivalent on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	249.01		Per square metre	
5.00	Finishing walls with Royal luxury emulsion paint (two coats) of required shade in interior walls as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1312.27		Per square metre	

6.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications. Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm(aero paint ninety litre per ten square metre) over an under coat of primer applied @0.75 ltr/10 sqm(aero paint seventy five litre per ten square metre) of approved brand and manufacture as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive of GST, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	302.67	Per square metre	
Total				

Terms and Condition

1. Work shall be executed as per FWD specification.


 Executive Engineer,
 Tamil Devi Division,
 H&WD, Tamil Nadu

Schedule of Quantity

NAME OF WORK:- A/R & M/O Holi Mela stage at Sujapur Tihra Distt. Hamirpur(HP) (SH:- Painting and distempereing)

Estimated Cost:-
Rs.129577.00

Earnest Money:-
Rs.2600.00

Time:-
Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	715.72			Per square metre	
2.00	Finishing wall with weather proof exterior grade emulsion of approved design (apex ultima asian paint) or its equivalent on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	440.87			Per square metre	
3.00	Finishing walls with Royal luxury emulsion paint (two coats) of required shade in interior walls as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	263.20			Per square metre	
4.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications. Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 lit/10 sqm (zero point ninety litre per ten square metre) over an under coat of primer applied @ 0.80 lit/10 sqm (zero point eighty litre per ten square metre) of approved brand and manufacture as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.	558.03			Per square metre	
5.00	15 mm (fifteen millimetre) cement plaster on rough side of single or half brick wall of mix 1:4 (one cement: four coarse sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	9.60			Per square metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD: Tauni Dept.

Schedule of Quantity

NAME OF WORK:- A/R & M/O Murlī Manohar Temple at Sojanpur Tihra Dist. Hamirpur. (SI)- White washing painting, Estimated Cost:- distemping etc)		Earnest Money:-		Time:-	
		Rs.133904.00	Rs.2700.00	Two Months	Amount
Sr. No.	Description of Items	Qty.	In Fig.	In Words	Unit
1.00	White washing with lime to give an oven shade (three or more coats) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	514.27			Per square metre
2.00	Finishing walls with Royal luxury emulsion paint(two coats) of required shade in interior walls as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	388.00			Per square metre
3.00	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	388.00			Per square metre
4.00	Finishing wall with weather proof exterior grade emulsion of approved design (apex ultima asian paint) or its equivalent on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	45.09			Per square metre
5.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications Two or more coats applied on walls @ 1.25 ltr/10 sqm (one coat) twenty five litre per ten square metre)over and including one coat of Special primer applied @ 0.75 ltr /10 sqm(zero point seventy five litre per ten square metre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octrol, royalty, Malkana,toll tax, GST or other taxes imposed by the Government.	534.11			Per square metre

6.00	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications Painting wood work with Deluxe Multi Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm(zero point ninety litre per ten square metre) over an under coat of primer applied @0.75 ltr/10 sqm(zero point seventy five litre per ten square metre) of approved brand and manufacture as per the direction of Engineer-in-Charge including entire carriage of material within all loads and lifts and other incidents.The rates are inclusive octroi, royalty, Maliana,toll tax, GST or other taxes imposed by the Government.	1112.52		Per square metre
Total				

Terms and Condition

1. Work shall be executed as per PWD specifications.



Executive Engineer,
Tauni Devi Division,
HPPWD, Tauni Devi.

175

Schedule of Quantity of

NAME OF WORK:- Construction of balance work Mini Secretariat building at Sujapur Tibra (SH:- Construction, wooden board almirah in various rooms in BDO office and construction of pantry adjacent to the Chamber of BDO Office)(Deposit Work)


Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50(fifty) metres lead For thickness of tiles above 25 mm(twenty five millimetre) and up to 40 mm(forty millimetre) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	2.97			Per square metre	Rs.385830.00
2.00	Providing and fixing 1st (first) quality vitrified floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dadas over 12 mm(twelve millimetre) thick bed of cement Mortar 1:3 (one cement: three coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm(three point three kilogram per squaremetre) including pointing in white cement mixed with pigment of matching shade complete (Kajaria, NITCO, Somany, orient) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	2.97			Per square metre	Rs.7700.00
3.00	Providing and laying in position specified grade of reinforced cement concrete, including the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level 1:1.5:3 (one cement : one part five coarse sand: three graded stone aggregate 20 mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	1.42			Per cubic metre	
4.00	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:4 (one cement : four coarse sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	0.83			Per cubic metre	
5.00	Steel reinforcement (Tata Tiscon/sail make) for Reinforced cement concrete work including straightening, cutting, bending, placing in position and binding all complete above plinth level Mild steel and Medium Tensile steel bars as per the direction of Engineer-in-Charge including all incidents. The rates are inclusive of octroi, royalty, malbana toll tax, sale tax, GST or other taxes imposed by the Government.	170.10			Per Kilogram	
6.00	12 mm(twelve millimetre) cement plaster of mix 1:4 (one cement: four fine sand) as per the direction of Engineer-in-Charge including all incidents. The rates are inclusive of octroi, royalty, malbana toll tax, sale tax, GST or other taxes imposed by the Government.	8.12			Per square metre	

7.00	Providing and fixing 15mm (fifteen millimetre) thick gang saw cut, mirror polished, prestressed and pre-painted, machine cut for kitchen platforms, vanity counters, window sills, fascia and similar locations of required size, approved shade, colour and texture laid over 20 mm (twenty millimetre) thick base cement mortar 1:4 (one cement : four coarse sand), joints treated with white cement mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels Granite of any colour and shade Area of slab upto 0.50 sqm (zero point fifty squaremetre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.00			Per square metre
8.00	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc External work 15 mm dia nominal bore as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	6.00			Per running metre
9.00	Providing and fixing uplandised PVC connection pipe with brass unions 45 cm (forty five centimetre) length 35 mm (fifteen millimetre) nominal bore Coru/Jaguar Finoles or Hindware make as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2.00			Each
10.00	Providing and fixing 15 mm (fifteen millimetre) nominal bore C.P. brass ring nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. (eight hundred ten grams) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.00			Each
11.00	Providing and fixing 15mm (fifteen millimetre) nominal bore C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.00			Each
12.00	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931, 15 mm (fifteen millimetre) dia. Jal, Jaquar, ESS or its equivalent as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.00			Each
13.00	Providing and fixing kitchen sink including making all connections excluding cost of fittings: White glazed fire clay sink of size 640x450x250 mm (six hundred into four hundred fifty into two hundred fifty millimetre) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.00			Each
14.00	Providing and fixing PTMT Bottle Trap for Wash basin and sink bottle trap 38 mm (thirty eight millimetre) single piece moulded with height of 270 mm (two hundred seventy millimetre), effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm (seventy seven millimetre) breadth with 25 mm (twenty five millimetre) minimum water seal, weighing not less than 263 gm (two hundred sixty three grams) as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1.00			Each

15.00	Providing and fixing 125 mm(one hundred twenty five millimetre) chromium plated brass handles with necessary screws etc. complete as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	25.00			Each
16.00	Providing and fixing action tessa HDHMR board 18 mm(eighteen millimetre) thick board pre laminated both side IS : 3097 marked, exterior grade (Grade I), of approved make, including lind class teak wood lipping of 25 mm (twenty five millimetre) wide x 12 mm(twelve millimetre) thick with necessary screws and bright finished stainless steel butt hinges barnish make 3x12cm (three into twelve centimetre) size hinges complete with decorative veneering on one side and commercial veneering on other side as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	80.77			Per square metre
17.00	Providing and fixing action tessa HDHMR board 8 mm(eight millimetre) thick board pre laminated board IS : 3097 marked, exterior grade (Grade I), of approved make, including lind class teak wood lipping of 25 mm (twenty five millimetre) wide x 12 mm(twelve millimetre) thick with necessary screws and bright finished stainless steel piano hinges complete with decorative veneering on one side and commercial veneering on other side as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	21.87			Per square metre
18.00	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete Triple strap vertical type as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	45.00			Each
19.00	Providing and fixing bright finished 100 mm(one hundred millimetre) nutrice lock with 6 (six) levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	20.00			Each
20.00	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately) Second class teak wood Sal wood as per the direction of Engineer-in-Charge including all incidentals. The rates are inclusive of octroi, royalty, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	0.29			Per cubic metre
					Total

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Taji Devi Division,
 H.P.W.D.-Tajm Ddg.

Schedule of Quantity

**NAME OF WORK:- Replacement of old CGI sheet roofing of 2 Nos. Hall in Sanik School Sujjanpur Tihra .
(SH:- Construction of boundary wall)(Deposit Work)**

Estimated Cost:-
Earnest Money:-
Time:-

Rs.380046.00
Rs.7600.00
Two Months

Sr. No.	Description of Items	Qty.	In Fig.	Rate		Unit	Amount
				In Words			
1.00	Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50(fifty) metres lead in cement mortar as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	6.08				Per cubic metre	
2.00	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50(fifty) metres lead in mud mortar as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	4.79				Per cubic metre	
3.00	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m(one point five metre) in width or 10 sqm(ten square metre) in plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m(one point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m(fifty metre) Ordinary rock as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	9.40				Per cubic metre	
4.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (one cement : five coarse sand); ten graded stone aggregate 40 mm(forty millimetre) nominal size)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	2.70				Per cubic metre	
5.00	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (one cement : six coarse sand : twelve graded stone aggregate 20 mm nominal size) upto plinth level with cement mortar 1:6 (one cement : six coarse sand)as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	42.12				Per cubic metre	
6.00	Brick work with common burnt clay F.P.S. (non modular) bricks of second class designation 7.5(seven point five) in foundation and plinth in Cement Mortar 1:6 (one cement : six coarse sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents.The rates are inclusive octroi, royalty, Malkana.toll tax, GST or other taxes imposed by the Government.	11.58				Per cubic metre	

7.00	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (one cement : two coarse sand : four graded stone aggregate 20 mm(twenty millimetre) nominal size) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	1.64			Per cubic metre
8.00	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	74.10			Per Kilogram
9.00	Supply and fixing galvanized steel bar-bed wire (IS:278-1962 Type-I) weighing 9.38kg (nine point thirty eight kilogram) per 100m (one hundred metre) straining and fixing to any type of standard rails, straining bolts including securing with and provision of galvanized mild steel wire, staples or steel pins etc. as directed post and struts of wood concrete, steel etc. straining bolts shall be paid for separately as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	191.00			Per running metre
10.00	15 mm(fifteen millimetre) cement plaster on the rough side of single or half brick wall of mix 1:4 (one cement: four fine sand) as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	103.20			Per square metre
11.00	Applying one coat of Acrylic primer (Spectrum or equivalent of Superior quality) on new concrete/masonry/plastered surfaces after and including preparing the surface by thoroughly brushing the surface free from mortar droppings and other foreign matters, sand papering the surface smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	103.20			Per square metre
12.00	Applying one coat of Acrylic Washable emulsion Spectrum quartz king or equivalent finish for interior painting with brushes plain smooth finish composed of acrylic polymere in emulsion inorganic/special pigment siliceous aggregate anti fungicides anti-rusting & foaming in two coat including necessary putty to give smooth even surface, sand papered smooth complete as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	103.20			Per square metre
Total					Total

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 PWD-Tauni Dev.

Sub road
Schedule of Quantity

NAME OF WORK:- Restoration of rain damage on Village Khanpal in Km 0/00 to 1/00. (SH- Construction of wire crates Estimated Cost:- Rs.332412.00
at Km 0/420 to 0/430 & 0/550 to 0/575) Earnest Money:- Rs.6700.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount	
			In Fig.	In Words			
1.00	Earth work in excavation for all types of road structures such as retaining walls, breast walls, Culverts, drains and parapets etcetera in all types of classification of soil comprising of ordinary soil, ordinary rock, hard rock, cherting/wedging out or rock (where blasting is prohibited) as per drawing and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of soles and bottom and black filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an strutting and pumping and balling out water (surface and sub soil water) up to any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	67.50			Per cubic metre		
2.00	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) dia G wire conforming to IS:280 and IS:4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10(ten) per cent extra for laps and joints laid with stone boulders weighing not less than 25 kg (twenty five kilogram) each as per drawing and technical specifications Clause 1301 as per drawing and technical specification clauses 614, 709, 1204.3.7 and as per the direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidents. The rates are inclusive octroi, royalty, Malkana toll tax, GST or other taxes imposed by the Government.	109.38			Per cubic metre		
Total							

Terms and Condition

1. Work shall be executed as per PWD specification.


Executive Engineer,
Tauni Devt Division,
HPPWD, Tauni Dist.


Schedule of Quantity

NAME OF WORK:- Construction of link road from main road to Shamshan Ghat Dharol in Km 0/0 to Estimated Cost:- Rs-487084.00
2/200. (SH- Construction of 5/7mtr. Formation cutting from RD 0/180 to 0/255) (Under MMGSY) Earnest Money:- Rs-9700.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades with cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or an approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 123.40 cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs 37,020/- only).	1682.79			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD Tauni Dist.

Schedule of Quantity

NAME OF WORK:- Construction of link road from main road to Shamshan Ghat Dharol in Km 0/00 to Estimated Cost:- Rs.487083.00
 2/200, (SM):- Construction of 5/7mtr. Formation cutting from RD 0/059.5 to 0/120) (Under MMGSY) Earnest Money:- Rs.9700.00
 Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wedging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1,1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 118.33 cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs.35,499/- only).	1734.38			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specification


 Executive Engineer,
 Tauni Devi Division,
 HPPWD Tauni Dist.


Schedule of Quantity

NAME OF WORK:- Construction of link road from main road to Shamsan Ghat Dharol in Km 0/00 to Estimated Cost:- Rs.465612.00
2/200. (SH:- Construction of 5/7 mtr. Formation cutting from RD 0/120 to 0/180) (Under MMGSY) Earnest Money:- Rs.9300.00
Time:- Two Months

Sr. No.	Description of Items	Qty.	Rate		Unit	Amount
			In Fig.	In Words		
1	Excavation in hilly areas in all heights and depths and in all kinds of soil by manual/mechanical means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling /wrdging out of rock (where blasting is prohibited) and other intermediate classification of soil setting out true to the required line, grades width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the technical specification clause 302.1603.1.1603.2 sorting out useful material and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankment for grade improvement and disposal of all un-useful material to required width of the road or an approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and carriage of machineries materials, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and or labour if required. Any loss to the public/private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases as per direction of the Engineer-in-Charge including carriage of material within all leads and lifts. (Recovery of useful stone i.e. 117.96 cubic metre shall be made from the contractor @ Rs. 300/- per cubic metre amounting to Rs. 35,388/- only).	1608.61			Per cubic metre	
Total						

Terms and Condition

1. Work shall be executed as per PWD specifications.


 Executive Engineer,
 Tauni Devi Division,
 HPPWD Tauni D.A.