Himachal Pradesh Public Works Department

NO. PW-BHD -TA- Tender / 2024

2506-08

To

The Executive Engineer (IT)
Nigam Bihar Shimla-2

Subject -

Publishing of Tender Notice.

Sir.

Enclosed please find herewith the tender Notice of works as given the Notice inviting Tender for uploading on website as per notification Principal Secretary (PW) to the Govt. of Himachal Pradesh Letter No. PBW-(b)A9(3)1/2020 dated Shimla -2 the 16July 2021 for favour of further necessary action at your end please. DA:- As above.

Executive Engineer, Bhoranj Division HPPWD Bhoranj

dated: - 26-7- 9924

Copy forwarded to the Superintending Engineer, 8<sup>th</sup> Circle HPPWD Hamirpur (HP) for information please.

Copy forwarded to the computer Cell O/O Executive Engineer, (IT) Cell Nigam Bihar Shimla -2 for information and further necessary action.

Executive Engineer, Bhoranj Division HPPWD Bhoranj

### HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT E-Procurement Notice INVITATION FOR BIDS (IFB)-

The Executive Engineer, Bhoranj Division HP:PWD, Bhoranj on behalf of Governor of H.P invites the Item rate/ Percentage rate bids, in electronic tendering system from the eligible class of contractors registered with HPPWD for the work as per detail given below:-

Sr. No.	Name of Work	Estimated cost (In Rs.)	Earnest Money (in Rs.)	Cost of Tender	Starting date for downloading Bid	Deadline for submission of Bid
1	Additional Kms for Annual Maintenance Plan for the year 2024-25 on Dungrin to Tooh road (VR080) Km 1/00 to 3/00 ( SH:- P/L 25mm thick B.C)	20,49,497/-	39000/-	1500/-	02-08-2024	09-08-2024
2	Additional Kms for Annual Maintenance Plan for the year 2024-25 on Patta to Ladwin road ( VR060 ) Km 0/00 to 1/00 ( SH:- P/L 25mm thick B.C.)	10,24,662/-	21000/-	500/-	02-08-2024	09-08-2024
3	Additional Kms for Annual Maintenance Plan for the year 2024-25 on (1) Sulgwan Jahu road via Dogh Hour road (VR-202) Km. 2/00 to 3/570 (2) Manoh to Lagmanwin via Palasi road (HP-0304) Km 0/00 to 1/00 (SH:-P/L 25 mm thick B.C)	26,00,381/-	47000/-	1500/-	02-08-2024	09-08-2024
4	Annual miantenace Plan for the year 2024-25 on (1) Lajyani to Balwani via Kalyal Bartwan Kakrot road ( VR-0037 ) Km 3/00 to 5/00 (2) Vety. Hospital Bhareri to Amroh via Jaroh Namlakh ( 10-095) Km 1/00 to 2/00 ( SH:- P/L 25mm thick BC)	30,11,850/-	53000/-	1500/-	02-08-2024	09-08-2024

The bidders are advised to note all details of tenders, changes, if any i.e. date, amount etc. from the department website www.hptenders.gov.in.

1. If opening day is a holiday, the tenders shall be opened on next working day at the same time.

2. The officer inviting tender shall not be held liable for any delay due to system failure beyond its control. It is the bidder's responsibility to verify the website for the latest information related to the tender. HIM SUCHANA AVAM IAN SAMPARK

For details log on to website https://hptenders.gov.in.

Executive Engineer, Bhoranj Division,

HPPWD Bhoranj, Pin Code 176045

Tel. No. 01972-266099

e mail : eepwd-bhoranj-hp@gov.in For and on behalf of Governor of HP.

### DRAFT SCHEDULE OF QUANTITY

Name of work:- Additional Kms for Annual Maintenance Plan for the Year 2024-25 on Dungrin to Tooh road (VR080). KM 1/00 to 3/00 (SH:-P/L 25 mm Thick B.C.).

Earnest Money Estimated Cost

Rs 20,49,497/-Rs. 39000-

			The state of the state of		Work shall be executed as per PWD specification.	STATE OF STATE OF
DNIT . NO:- 5 / for the year 2024-25 duly approved to Rs. 20,49,497/-{Rupees Twenty lacs forty nine thousand four hundred ninety seven only).	for the year 2024-25 duly approved fo enty lacs forty nine thousand four hu	for the yea venty lacs 1	Supees Tw	DNIT . NO:- 20,49,497/-(F seven only).	Terms and Condition:	
20.00						
2049497.00	Total Rs				Total	
1819077.00	(Rupees Eleven thousand three hundred sixty) only	11360.00	160.13 Per Cubic Meter	160.13	Providing and laying 25mm (Twenty five millimetre) compacted thickness with bitumen of grade VG-30 (Viscosity grade -thirty) @ 5.5% (Five point five percent) (percentage by weight of total mix) and lime filler @ 2% (two percent) (percentage by weight of Aggregate) using crushed stone aggregates of specified grading, premixed with bituminous binder and filler prepared in batch Type hot mix Plant of 100-120 (Hundred two hot mix to work site by tippers,laying with paver finisher equiped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction and density as per specification, complete and as per directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royality, GST or other taxes imposed by the Government.	w
134200.00	(Rupees Twenty two ) only	22.00	Per Square metre	6100.00	Providing and applying tack coat with bitumen emulsion RS-1 using emulsion distributor at the rate of 0.25 Kg to 0.30 Kg per sqm (Zero point two five kilogram to zero point three zero kilogram per square metre) on prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification clause 503 and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	2
96220.00	(Rupees two thousand ) only	2000.00	Per Cubic Meter	48.11	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) (fifty three millimetres to zero point zero seven five millimetres) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne (eight to ten tonne) capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge appropriate including entire carriage of materials within all leads and lifts nd other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	1
Amount	Rate in words	Rate in figure	Unit	Qty.	Description	Sr. No
2 Months	Time					

### **DRAFT SCHEDULE OF QUANTITY**

Name of work:- Additional Kms for Annual Maintenance Plan for the Year 2024-25 on Patta to Ladwin road (VR060). KM 0/00 to 1/00 (SH:- P/L 25 mm Thick B.C.).

Estimated Cost Rs 10,24,662/-Earnest Money Rs. 21000/-

					Time	2 Months
Sr. No	Description	Qty.	A STATE OF THE PARTY OF THE PAR	Rate in figure	Rate in words	Amount
1	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) fifty three millimetres to zero point zero seven five millimetres) to wet mix macadam (WMM specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne (eight to ten tonne) capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge as pr direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts nd other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	) i i i	Per Cubic Meter	2000.00	(Rupees two thousand ) only	48080.00
2	Providing and applying tack coat with bitumen emulsion RS-1 using emulsion distributor at the rate of 0.25 Kg to 0.30 Kg per sqm (Zero point two five kilogram to zero point three zero kilogram per square metre) on prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification clause 503 and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.		Per Square metre	22.00	(Rupees Twenty two ) only	67100.00
3	Providing and laying 25mm (Twenty five millimetre) compacted thickness with bitumen of grade VG-30 (Viscosity grade -thirty) @ 5.5% (Five point five percent) (percentage by weight of total mix) and lime filler @ 2% (two percent) (percentage by weight of Aggregate) using crushed stone aggregates of specified grading, premixed with bituminous binder and filler prepared in batch Type hot mix Plant of 100-120 (Hundred two hot mix to work site by tippers, laying with paver finisher equiped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction and density as per specification, complete and as per directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royality, GST or other taxes imposed by the Government.		Per Cubic Meter		(Rupees Eleven thousand three hundred sixty) only	909482.00
	Total				Total Rs	1024662.00
	Terms and Condition:-	DNIT . NO:- 10,24,662/-(R two only).	50 Lupees Ter	for the yea n lacs lacs	r 2024-25 duly appro twenty four thousa	oved fo Rs. nd six hundred si

1 Work shall be executed as per PWD specification.

Executive Engineer Bhoranj Division HF PWD Bhoran





## DRAFT SCHEDULE OF QUANTITY

P/L 25 mm Thick B.C.). Name of work: Additional Kms for Annual Maintenance Plan for the Year 2024-25 on (1)Sulgwan Jahu via Dohg Estimated Cost hour road (VR-202) KM 2/00 to 3/570 (2) Manoh to Lagmanwin via Palasi road(HP-0304), KM 0/00 to 1/00 , (SH; Earnest Money

ost Rs 26,00,381/ney Rs. 47,000/-

Total Rs	PAIL NO.	
		Total
r (Rupees Eleven thousand three hundred sixty) only	205.76 Per Cubic Meter	Providing and laying 25mm (Twenty five millimetre) compacted thickness with bitumen of grade VG-30 (Viscosity grade -thirty.) @ 5.5% (Five point five percent) (percentage by weight of total mix) and lime filler @ 2% (two percent) (percentage by weight of Aggregate) using crushed stone aggregates of specified grading, premixed with bituminous binder and filler prepared in batch Type hot mix Plant of 100-120 (Hundred two hot mix to work site by tippers,laying with paver finisher equiped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction and density as per specification, complete and as per directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octrol, royality., OST or other taxes imposed by the Covernment.
e (Rupees Twenty	7838.50 Per Square metre	Providing and applying tack coat with bitumen emulsion RS-1 using emulsion distributor at the rate of 0.25 kg to 0.30 kg per sqm (Zero point two five kilogram to zero point three zero kilogram per square metre) on prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification clause 503 and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octrol, royality, malkana, toll tax, sale tax, OST or other taxes imposed by the Government.
r (Rupees two thousand ) only	45.25 Per Cubic Meter	Providing, laving, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm.) (fifty three millimetres to zero point zero seven five millimetres.) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all lends & lifts, laying in units in layers with mechanical paver finisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne (eight to ten tonne) capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge as principle of period of Engineer-in-Charge including entire carriage of materials within all leads and lifts ind other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, OST or other taxes imposed by the Covernment.
Rate in Rate in words	Qty. Unit	Sr. No Description

<sup>1</sup> Work shall be executed as per PWD specification.



# DRAFI SCHEDULE OF QUANIIIY

Name of work:- Additional kms for Annual Maintenance Plan for the Year 2024-25 on (1)Lajyani to Balwani via

Kalyar Bartwan Kakrot road (VR-0037) KM 3/00 to 5/00 (2) Vety. Hospital Bhareri to Amroh via Jaroh Namlakh. Earnest Money (L0-095), KM \$/00 to \$/00 (SH:-P/L 25 mm Thick B.C.).

Rs 30,11,850/-

Rs. 53,000/-

Sr. No	Description	Qty.	Unit	Rate in figure	Rate in words
	Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) (fifty three millimetres to zero point zero seven five millimetres) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne (eight to ten tonne) capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge including entire carriage of materials within all leads and lifts nd other incidentals. The rates are inclusive of octroi, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	36.02 F	Per Cubic Meter	2000.00	(Rupees two thousand ) only
~	Providing and applying tack coat with bitumen emulsion RS-1 using emulsion distributor at the rate of 0.25 Kg to 0.30 Kg per sqm (Zero point two five kilogram to zero point three zero kilogram per square metre) on prepared granular surfaces treated with primer and cleaned with hydraulic broom as per technical specification clause 503 and as per direction of Engineer-in-Charge including entire carriage of materials within all leads and lifts and other incidentals. The rates are inclusive of octroi, royality,	9607.50	Per Square metre	22.00	(Rupees Twenty two ) only
u	Providing and laying 25mm (Twenty five millimetre) compacted thickness with bitumen of grade VG-30 (Viscosity grade -thirty.) @ 5.5% (Five point five percent) (percentage by weight of total mix) and lime filler @ 2% (two percent) (percentage by weight of Aggregate) using crushed stone aggregates of specified grading, premixed with bituminous binder and filler prepared in batch Type hot mix Plant of 100-120 (Hundred two hot mix to work site by tippers, laying with paver finisher equiped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction and density as per specification, complete and as per directions of Engineer-in-Charge including carriage of material within all leads and lifts and other uncidentals. The rates are inclusive of octroi, royality. GST or other taxes imposed by the Government.	240.18	240.18 Per Cubic Meter	11360.00	(Rupees Eleven thousand three hundred sixty) only
П	Total				Total Rs
	Terms and Condition:  (R	DNIT . NO:- (Rupees thirty	lacs elev	or the year 2	DNIT. NO:- for the year 2023-24 duly approved to (Rupees thirty lacs eleven thousand eight hundred fifty only).

1 Work shall be executed as per PWD specification

Executive Engineer Bhoranj Division HRPWD Bhorand