



**Office of
Executive Engineer B&R Division HP.PWD. Joginder Nagar
Himachal Pradesh Public Works Department, Mandi-175015
Phone & Fax No. 01908-222033 E-Mail:- ee-jog-hp@nic.in**

"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP.PWD. as per revised enlistment rules so as to reach in the office of under signed on 09-09-2024 up to 11:30 A.M. and will be opened on the same day at (12:00 noon) in the presence of intending contractors. The tender application will be received in this office on 06-09-2024 up to 10.00 A.M. to 12:30 P.M. and tender form can be had from this office on 07-09-2024 from 2.00 P.M. to 5.00 P.m. The earnest money as shown against each in the shape of F.D.R of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Estimated cost	Earnest Money	Cost of tender form	Eligible Class of Contractor	Time
1	Construction of 18.30 mtr. span RCC T-beam Motorable Bridge over Bhalara Khad on Kuni Katkal Bhalara Rains road at km. 2/375 in G.P. Pihar Bedhlu (SH:- Balance work of Kuni Side approach D/S/S at RD. 0/00 to 0/004.50).	Rs.2,29,181/-	Rs.4,800/-	Rs.350/-	Class "D"	Three Months
2	Restoration of Joginder Nagar Sarkaghat Ghumarwin road km. 0/00 to 34/300 (SH:- Construction of Breast wall at km. 32/450 to 32/480).	Rs.3,14,076/-	Rs.6,300/-	Rs.350/-	Class "D"	Three Months
3	Restoration of Rain Damages on various roads under Joginder Nagar Sub Division HP PWD, Joginder Nagar (Harabag Section) (SH:- Supplying and stacking of crushed/ broken stone aggregate 53mm to 22.4mm for correction of WBM surface).	Rs.99,000/-	Rs.2,000/-	Rs.350/-	Class "D"	Two Months
4	Restoration of rain damages on Dhelu Yora Tkroo road km. 0/00 to 5/525 (SH:- Construction of retaining wall at km. 4/135 to 4/145).	Rs.2,99,262/-	Rs.6,000/-	Rs.350/-	Class "D"	Three Months
5	Restoration of rain damages on various roads under Joginder Nagar Sub Division HP PWD, Joginder Nagar (Harabag Section) (SH:- Hiring of excavator cum loader for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side Katcha Drains etc).	Rs. 99,060/-	Rs.2000/-	Rs.350/-	Class "D"	One Month
6	Restoration of rain damages on Raja Bharola Nagan road upto Village Chakka km. 0/00 to 4/600 (SH:- Construction of Retaining/ protection wall with pusta at km. 3/555 to 3/360).	Rs.2,39,132/-	Rs.4,800/-	Rs.350/-	Class "D"	Three Months
7	Construction of Ambulance road from Village Garuhi to Khagrotu Makora G.P. Bhararu (Deposit) (SH:- Earth filling/ Regarding of road at various reaches between km. 0/00 to 1/500).	Rs.82,314/-	Rs.1,600/-	Rs.350/-	Class "D"	Two Months
8	Restoration of rain damages on road from Panjalag to Harizan Basti Kathoun via Nichala Panjalag km. 0/00 to 2/0 (SH:- Construction o V-shape drain at km. 1/030 to 1/060 and Providing and laying Cement Concrete pavement at km. 0/105 to 0/150).	Rs.1,21,653/-	Rs.2,400/-	Rs.350/-	Class "D"	Three Months
9	Restoration of rain damages on various roads under Joginder Nagar Sub Division No.II, HP PWD, Joginder Nagar (Bhararu Section) (SH:- Hiring of Tipper for shifting and carriage of various types of materials etc.).	Rs.99,000/-	Rs.2,000/-	Rs.350/-	Class "D"	One Month
10	Restoration of rain damages on various roads under Joginder Nagar Sub Division No.II, HP PWD, Joginder Nagar (Bhararu Section) (SH:- Hiring of excavator cum loader for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side Katcha Drains etc).	Rs.99,060/-	Rs.2000/-	Rs.350/-	Class "D"	Two months
11	Restoration of rain damages on Baijnath Lad Bhaol Kandapattan road km., 1/00 to 46/00 (SH:- Construction of Unlined drain and maintenance of Hume pipe culvert at various reds between km. 40/00 to 46/00)	Rs.98,832/-	Rs.2,000/-	Rs.350/-	Class "D"	Two Months
12	Periodical Maintenance of Bhala Ka Rihra Tikroo road HP0804VR024528201 Village road under Annual Maintenance Plan 2024-25 (SH:- Providing and Applying Thermoplastic Strips Centre break link side continuous line and Zebra Crossing between km. 0/00 to 1/00 & 3/00 to 4/00).	Rs.3,77,727/-	Rs.7,600/-	Rs.350/-	Class "D"	Three Months
13	Construction of Bridge over River Beas in G.P. Tullah near Tulne Bharari Temple in Joginder Nagar Constituency to connect the Dharampur Constituency (SH:- Formation cutting of approach road to Bridge km. 0/435 to 0/615).	Rs.4,93,364/-	Rs.9,900/-	Rs.350/-	Class "D"	Three Months

1. Certified that tender of above works are being called of emergent nature in urgency of public interest

Terms and conditions:-

1. The contractor should produce a copy of enlistment / renewal letter at time of application

2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.
4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD, Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
6. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
7. The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.
District Mandi (HP) for on behalf of
Governor of Himachal Pradesh
Ph. 01908-222033

No. PW-JND-B&R-EA-UNIT/Press/2023-24- 7322-71

Dated:- 30/07/2024


1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
5. All the Assistant Engineer working under this Division.
6. All the Contractor working under this Division.
7. Drawing Branch in this office.
8. Notice Board.
9. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.

SCHEDULE OF QUANTITY

Name of Work : Construction of 18.30 Mtr. Span RCC T-beam Motorable Bridge over Bhalara Khad on Kuni Katkal Bhalara Rains road at km 2/375 in G.P. Pilar Bedhtu (SH; Balance work of Kuni Side approach D/S/S at RD 0.00 to 0.004.50)				Estimate Cost: Earnest Money: Time Limit :			2,29,181.00 4,600.00 Three Months
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P	
				Figures	Words		
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiselling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials unsuitable for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	10.67	Per cubic metre				
2	Providing and laying cement concrete 1:5:10 (one cement: five sand: ten graded crushed broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including pumping or bailing out water, dewatering removal of slash as required at site which may arise at the time of laying under water complete for all heights depths including cost of form work as per drawings and MORD technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	41.00	Per cubic metre				

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P.
				Figures	Words	
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	12.15	Per cubic metre			
4	Providing weep holes in brick masonry stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D. technical specification clauses 614.709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	10.00	Each			
	Total					


 Engineer
 B & R Division HP, PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

Name of Work : Restoration of Joginder Ngar Sarkaghat Ghumarwin Road km 0/00 to 34/300 (SH- Construction of Breast wall at km 32/450 to 32/480)				Estimate Cost: Earnest Money: Time Limit :		3,14,076.00 6,300.00 Three Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling, wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the M.O.R.D. technical specification section 1000 & 300) and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, culverts, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling (carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	19.50	Per cubic metre				
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	37.50	Per cubic metre				

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P.
				Figures	Words	
3	Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diameter G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	93.74	Per Cubic metre			
	Total					


 Executive Engineer
 B & R Division HP.PWD,
 Jalandhar

SCHEDULE OF QUANTITY

Name of Work : Restoration of Rain Damages on Various roads under Joginder Nagar Sub Division HP.PWD Joginder Nagar (Harabag Section)(SH:-Supplying and stacking of crushed/broken stone aggregate 53 mm to 22.4 mm for correction of WBM surface)			Estimate Cost: Earnest Money: Time Limit :		99,000.00 2,000.00 Two Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1.	Supplying and stacking of Crushed broken stone aggregate-Grading III 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) nominal size at site for wearing free from dirt, dust, disintegrated pieces deleterious and organic matter in proper stacks along roadside as per HP.PWD. specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	49.50	Per Cubic Meter			
Total						


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

Name of Work : Restoration of rain Damages on Dhelu Yora Tikroo Road km 0/00 to 5/525 (SH: Construction of Retaining wall at km 4/135 to 4/145)						Estimate Cost: 2,99,262.00 Earnest Money: 6,000.00 Time Limit : Three Months
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials, and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	31.90	Per cubic metre			
2	Providing and laying cement concrete 1:5:10 (one cement: five sand: ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights depths including cost of form work as per drawings and M.O.R.D technical specifications section 800, 900, 1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	52.90	Per cubic metre			

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. p
				Figures	Words	
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	5.40	Per cubic metre			
4	Providing weep holes in brick masonry/stone masonry plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D. technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	27.00	Each			
Total						


 Executive Engineer
 B & R Division HP, PWD.
 Joginder Nagar

Schedule of Quantity

Estimated Cost:- 99060.00
 Earnest Money:- 2000.00
 Time:- one month

Name of work:- Restoration of rain damages on various roads under Joginder Nagar Sub Division No.II, HPPWD,Joginder Nagar (Harabag Section). (SH: Hiring of excavator cum loader for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side katcha drains etc.)

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In Figure	In Words		
1	Hiring of Hydraulic Excavator having capacity of 1.00 (one point zero) cubic meter loader capacity for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side katcha drains etc. i/c cost of fuel oil lubricants and wages of operating staff, any repair/breakage during operation will be carried out bt the contractor/owner at his own risk, shifting machinery from one place to other place will be absolute responsibility of the contractor, only actual working hour will be accounted for the payment. Earth cutting in all kind of soils i/c loading in to tipper/truck within all leads and lifts to the entire satisfaction of Engineer-in-Charge. The payment will be made on the submission of the copy of log book duly signed/checked by the concerned Engineer-in-Charge. The rate is inclusive of all taxes including GST levy by the Govt. time to time.	78.00			Per working hours	
Total:-						

[Signature]
 Executive Engineer,
 B&R Division HP PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

Name of Work : Restoration of rain damages on Raja Bharola Nagan road upto Village Chalka km 0/00 to 4/500 (SH: Construction of Retaining/protection wall with pusta at km 3/355 to 3/360)		Estimate Cost: Earnest Money: Time Limit :		2,39,132.00 4,800.00 Three Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate	
				Figures	Words
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc, and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines, grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	13.50	Per cubic metre		
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed broken stone aggregate 40 mm (forty millimeters) nominal size) plans and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water,dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time excluding GST.	47.85	Per cubic metre		
				Figures	Words
				AMOUNT Rs. P	

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	11.50	Per cubic metre			
4	Providing weep holes in brick masonry stone masonry plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D. technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	13.00	Each			
	Total					


 Executive Engineer
 B & R Division HP.PWD,
 Joginder Nagar

Name of Work : Construction of Ambulance road from Village Garubi to Khaprotu Makora G.P. Bhararu (Debsi)		Estimate Cost:		82,314.00			
(SH: Earth filling/ Regrading of Road at Various Reaches between km 0/00 to 1/500)		Earnest Money:		1,600.00			
		Time Limit :		Two Months			
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Filling earth in embankment, foundation trenches, behind retaining/ breast wall with marshy soil as per drawing and technical specification clause 305.3.9. complete within all leads, lifts, carriage of material and other incidentals, The rate is inclusive all taxes levy by the government time to time excluding GST.	283.50	Per cubic metre				
	Total						

Liya

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
3	Construction of un-reinforced cement concrete pavement as per design and drawing with expansion and construction joints, over a prepared sub base, with 43 (forty three) grade cement as per technical clause and specifications M-20 (twenty) grade course and fine aggregate conforming to IS-383, maximum size of coarse aggregate not exceeding 25 mm (twenty five millimetre) mixed in a concrete mixer of not less than 0.2 cum (zero point two cubic metre) capacity including form work with steel channels and plates and entire carriage of material with in all leads and lifts complete as per the direction of Engineer-in-charge. The rate is inclusive all taxes levy by the government time to time excluding GST.	15.47	Per Cubic metre			
Total						

Executive Engineer
B & R Division HP, PWD,
Joginder Nagar

Schedule of Quantity

Estimated Cost:- 99000.00
 Earnest Money:- 2000.00
 Time:- Two months

Name of work:- RRestoration of rain damages on various roads under Joginder Nagar Sub Division No.II, HPPWD,Joginder Nagar (Bhararu Section).
 Sub Head:- Hiring of Tipper for shifting and carriage of various types of materials etc.

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In Figure	In Words		
1	Hire charges of tipper for carriage/shifting of soling stone earth, moorum, premix material, seal coat etc. having capacity of 5.50 (five point five zero) cubic metre per trip and covering 70 (seventy) kilometers per day (9AM to 5PM), the contractor/owner of tipper shall bear the expensive of POL charges, repair of machineries including driver and helper wages. Any accident and other damages to private and Govt property occur during the working hours in the work shall be the responsibility of the contractor and disposal of excavated material/ slips debris with in all leads and lifts as per the direction of Engineer-in-Charge. The rates are inclusive of all taxes including GST levy by the Govt. time to time.	22.00			Per day	
				Total:-		

Executive Engineer,
 B&R Division HP.PWD,
 Joginder Nagar

Schedule of Quantity

Estimated Cost:- 99060.00
 Earnest Money:- 2000.00
 Time:- Two months

Name of work:- Restoration of rain damages on various roads under Joginder Nagar Sub Division No.II, HPPWD, Joginder Nagar (Bhararu Section). (SH: Hiring of excavator cum loader for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side katcha drains etc.)

Sr. No.	Description of item	Qty.	Rate		Unit	Amount
			In Figure	In Words		
1	Hiring of Hydraulic Excavator having capacity of 1.00 (one point zero) cubic meter loader capacity for removal of slips, dressing of berms, clearing of road side drains, debris and C/O road side katcha drains etc i/c cost of fuel oil lubricants and wages of operating staff, any repair/breakage during operation will be carried out bt the contractor/owner at his own risk shifting machinery from one place to other place will be absolute responsibility of the contractor, only actual working hour will be accounted for the payment. Earth cutting in all kind of soils i/c loading in to tipper/truck within all leads and lifts to the entire satisfaction of Engineer-In-Charge. The payment will be made on the submission of the copy of log book duly signed/checked by the concerned Engineer-In-Charge. The rate is inclusive of all taxes including GST levy by the Govt. time to time.	78.00			Per working hours	
				Total:-		


 Executive Engineer
 B&R Division HP.PWD,
 Joginder Nagar

SCHEDULE OF QUANTITY

Name of Work: Restoration of Rain Damages on Baijnath Lad Bharol Kandapattan Road km 1/00 to 46/00 (SH: Construction of Unlined Drain and Maintenance of Hume pipe Culvert at various RDs between km 40/00 to 46/00)					Estimate Cost: Earnest Money: Time Limit :		98,832.00 2,000.00 Two Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate	Words		AMOUNT	
					Figures	Words	Rs.	P
1	Maintenance of Hume pipe Culvert by way of Clearing, Cleaning, Erosion repair, repairs to cracks, parapet wall and protection work as per drawing and technical specification Clause 1908 within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	5.00	Each					
2	Construction of unlined drain of average cross section area 40sqm (fourty square meter) in soil to specified lines grade levels and dimensions. Excavated materials to be used in embankment with a lift upto 3mm (three millimeter) and lead of 50m (fifty meter) (average lead 25m (twenty five meter)) as per technical specifications clause 307(Mechanical means) within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	3750.00	Per running metre.					
Total								


 Executive Engineer
 B & R Division HP.PWD.
 Jodhpur Nagar

SCHEDULE OF QUANTITY

Name of Work : Periodical Maintenance of Bhala-ka-Rihra Tikroo Road HP0804VR024528201 Village Road under Annual Maintenance Plan 2024-25. (SH: Providing and Applying Thermoplastic Strips Centre break line, Side continuous line and Zebra Crossing between km 0/00 to 1/00 & 3/00 to 4/00)				Estimate Cost: Earnest Money: Time Limit :		3,77,727.00 7,600.00 Three Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Road marking with hot applied thermoplastic compound with relectorising glass baord on bitumenous surface. Providing and laying of hot applied thermoplastic compound 2.5mm (two point five millimeter) thick including reflectorising glass beads @ 250 gms/sqm (two hundred fifty grammes per square meter) area thickness of 2.5mm (two point five millimeter) is exclusive of surface applied glass beads as per IRC:35. The finished surface to be uniform and free from streaks and holes as per PWD specification and as directed by the Engineer-In-Charge including carriage of material with in all leads and lifts complete in all respect.The rate is inclusive all taxes levy by the government time to time excluding GST.	520.50	Per cubic metre				
Total							


 Executive Engineer
 B & R Division HP.PWD.
 Jalandhar

SCHEDULE OF QUANTITY

Name of Work: Construction of Bridge over river Beas in GP Tullah near Tuine Bhari Temple in Joginder Nagar Constituency to connect the Dharampur Constituency (Sub Head:- Formation cutting of Approach road to Bridge km 0/435 to 0/615)				Estimate Cost: Earnest Money: Time Limit :		4,93,364.00 9,900.00 Three Months	
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /cartage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 115.45 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time excluding GST.	2309.00	Per cubic metre				
		Total					


B & R Division HP.PWD,
Joginder Nagar