

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

> Executive Engineer, Baijnath Division, HP.PWD, Baijnath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 21.08.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 20.08.2024 between 2.00 PM up to 4.30 P.M and the application of the application o

the application for issue of tender forms shall be received on 19.08.2024 up to 12.00 Noon. The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	C/O Link Road from Chadhiar to Doli Khurad Km 0/00 to 2/300 (SH:	Rs.4,84,814/-	Rs.9,700/-	Rs.350/-	Two Months
	P/L C.C. Pavement & WBMG-II at Km 0/00 to 0/140)		D 7.000/	Rs.350/-	One Month
2	Detail Project report for land slide flash flood Mitigation measures on Barot Lohardi Polling road Km 0/00-8/050 (SH: Detail design and	Rs.3,50,000/-	Rs.7,000/-	KS.330/-	One mem
	Preparation of Detail Project report)	Rs.1,70,680/-	Rs.3,500/-	Rs.350/-	One Month
3	Construction of Main Road Kunni to Sh. Vinod Kumar House (SH: P/L	13.1,70,000	,		
1	60mm Interlocking Paver block (Deposit work) Link Road from Main road Holta Chadhiar to Saklani Basti G.P. Drug	Rs.3,12,078/-	Rs.6,300/-	Rs.350/-	One Month
4	(SH: C/O B/wall at Km 0/610 to 0/625)				- 11 1
5	C/O Padhiarkhar Jandpur Trehal Road Km 0/00 to 4/00 (SH: C/O E/Wall	Rs.90,495/-	Rs.1,800/-	Rs.350/-	Two Months
,	at RD 0/125 to 0/145.50) Detail Project Report for land slide flash flood mitigation measures on	Rs.4,72,500/-	Rs.9,500/-	Rs.350/-	One Month
6	Barot Lohardi Polling road Km 0/0 to 8/050 (SH: Bearing Capacity of Soil)	10.1,72,500			parance certific

The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.

The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.

The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.

In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.

Only two tenders form will be issued to the contractor/firm which may be noted.

The contractor will also have to attach the labour employer license from the labour office with the application.

Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.

The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.

The contractor shall have all required machinery such as Truck/ Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery

The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get 10. complete the works in hand before award of work with in schedule time.

All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.

12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Baijnath Division., H.P.R.D. Daijnath.

4322-29 For & On behalf of the governor of H.P. Dated: - 03.08.2024

Copy to the F.C. cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please. The Engineer-in-chief, HPPWD, Shimla.

The Chief Engineer (MZ), HPPWD, Mandi

The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar. All the Assistant Engineer working under this Division.

Drawing Branch in this office.

NO:-PWD/BD/TA/NIT/2024-25/-

Notice Board.

The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Baijnath Division. H.P.PWD..Baijnath.

D.N.I.T/ SCHEDULE OF QUANTITY

1

Name of work: - C/O Link road from Chadhiar to Doli Khurad Km 0/00 to 2/300. (Sh:- P/L C.C Pavement & WBM G-II at Km 0/00 to 0/140).

Estimated Cost
Earnest Money
Time limit

4,84,814.00 9700.00 Two Months

AMOUNT Estimated Rate Sr No.or Unit Description of work Rs. P Figure Words Qty. No. Providing, laying, spreading and compacting stone aggregates of specific sizes to water 3.42 Per Cum bound macadam specification including spreading in uniform thickness, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading 2 as per Technical Specification Clause 405. The rate inclusive royality malkana, toll texes, GST and other taxes imposed by the Government.. 2 Providing and laying mechanically mixed and vibrated reinforced cement concrete in open Per Cum 68.35 foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineerin-Charge including carriage of material within all leads and lifts and other incidentals satisfaction. The rate inclusive royality malkana, toll texes, GST and other taxes imposed by the Government.

> Executive Engineer Baijnath Division P.P.W.D. Baijnath

2

o 8/0	of work :- Detail Project report for land slide flash flood Mitigation measures of 50. Preparation Detail Project Report).	Estimated Cost Earnest Money Time limit	350000.00 7000.00 One Months				
Sr		No.or	Unit	Estin	ated Rate	AMOUNT	
No.	Description of work	Qty.		Figure	Words	Rs.	P
1	Preparation of Detailed Project Report and detailed design of land slide mitigation complete in all respect in manuscript from and submission of the same to higher office for approval. If any correction/amendment had desired by the head office the same may be corrected as desired and directed by the Engineer-In-Charge. After approval the same should be submitted in fair from complete and all provision as per HPPWD Specification. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.00	Each				

Ballnath Division
W.P.P.W.D. Bailnath

DNIT/DRAFT SCHEDULE OF QUANTITY Name of Work Construction of Main Road Kunni to Sh. Vinod Kumar House (SH P 1 60 mm Interlocking Paver block (Deposit work ...) Estimate Cost: 1,70,680. Farnest Money: 3,500,00/-Time Limit Que Month SCHEDULE OF WORKS Sr Description of work 1 No. or Unit Rate MOUNT Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain On -Figures Words Rs. P cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three Per Cubic metre hundred fifty kilogramms) per cubic meter with 20 mm (1 wenty Milimeters) nominal size graded crushed broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality. Malkana tolltax. Sale Lax or other taxes imposed by the government Providing and Laying of Interlocking Concrete Blook Pavements having thickness 60 mm as per 85 (0) Per Square drawing and Technical Specification Clause 1504 entire satisfaction and direction of Engineer - inmetre Charge including hauling /carriage of materials to various location through all modes of transportation in all leads. lifts and other incidental complete in all respect. The rate shall include all lead, lift and proper stacking complete in all respect as per the direction of the Engineer-in-charge. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.

Lotal

Bailing Bailing

DNIT/DRAFT SCHEDULE OF QUANTITY

(4)

Name of work: 1 mk Road from Main road Holta Chadhiar to Saklani Basti G.P Drug (Sh:- C/O B/wall at km 0/610 to 0/625-).

Estimate Cost: 3.12.078.00 -Earnest Money: 6.300.00

				Time Limit :One Month			
Sr. No.	Description of work	No. or	Unit	Rate		AMOUNT	
		Qtv.		Figures	Words	Rs. P	
	Lath work in exeavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chisching (wedging out rocks) (Where blasting is prohibited) for retaining walls breast walls, culverts, bridges, drains and parapets effected as per drawings and MORD technical specification clause 305 Land as per direction of the Engineer-In. Charge including setting out construction of shorme and bracing, removal of stumps, and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with exeavated, suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness, including shoring and strutting and pumping and bailing out water (sarface and sub-soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolliay, or other taxes imposed by the government	15 75	Per Cum				
2	Providing and laving mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1.5. (0 (one cement) five said tenerated stone agg 40mm (forty millimeter) nominal size) and curring complete as per direction of ournexer-med barge and as per the drawing and hauling carriage of labour equipments and materials to various location through all modes of transportation in all leads, lifts and other merdental complete in all respect the rate methoding of actroit royality. Malkana, tolltax, or other taxes imposed by the government	51.00	Per Cum				
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutinent wing wall, return wall with forming that PVC pipe extending through the full width of the structures with slope of 1(V)/20(11) towards drawing face complete as per drawing and technical specification clause 614–709–1204/3.7, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality. Malk mal tolltax or other taxes imposed by the government	14 00	Lach				
	Total						

Baijnath Division H.P.P.W.D., Baijnath

D.N.I.T/SCHEDULE OF QUANTITY Name of work :- C/O Padhiarkhar Jandpur Trehal Road Km 0/00 to 4/00.

(SH:- C/O E/wall at RD 0/125 to 0/145.50). Earnest Money: 1800.00 /-Time Limit: Two Months AMOUNT Sr. Rate Description of work Unit No. or No. Rs. P Qty. Figures Words Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in 10.25 cum foundation trenches or drains (not exceeding 1.5m (one point five zero meter) in width or 10 sqm), (ten square meter) including dressing of sides and ramming of bottoms, lift upto 1.5 m, (one point five zero meter) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m(Fifty meter). All kinds of soil with in all leads by any mode of trasportation and other incidental, as per direction and entire satisfation of Engineer -in -charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government. Proiding and laying mechanically mixed and vibrated plain cement concrete in open 17.22 cum foundation for all type of structure complete in plain cement concrete 1:5:10 (one cement: five sand: ten graded stone agreegate)40mm (fourty millimeters nominal size) to obtain the minimum compressive strength in or under water and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government. 3 Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete 15.00 Each abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes

Total

of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale

Tax or other taxes imposed by the government.

Baijnath Division A.P.P.W.D: Baijnath

Estimate Cost: - 90495.00/-

	SCHEDULE OF QUAN					
lame of Work: Detail Project Report for land slide flash flood mitigation measures on Barot Lohardi Polling road Km 0/0 to 8/050. SH: Bearing Capacity of Soil)				Estimated Cost: Rs. 472500/- Earnest Money: Rs. 9500/- Time Limit: One Month		
<u> </u>	SCHEDULE OF WOR	KS				
No.	Description of work	No.or Qty.	Unit	Estimated Rate		AMOUNT Rs. P
				Figure	Words	Ns. P
	Geo Tech Investigation bearing capacity of soil at site at different locations and submitted the test result complete in all respect. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-Charge. The rate is including octroi, royality, GST toll tax, Sale Tax or other taxes imposed by the Govt.	70.00	Each			

