



**HIMACHAL PRADESH  
PUBLIC WORKS DEPARTMENT**

Telephone No: 01782-233017

e-mail: ee-ram-hp@nic.in

No. PW/ RMP/TA-I/Publication/2024-

To

Dated:-

The Executive Engineer (IT Cell),  
Nigam Bihar, H.P. Shimla-2.


Subject:-

Publication of tender Notice.

Enclosed please find herewith the tender Notice of various works as given in the tender inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW(B)A(3)1/2020 dated 16<sup>th</sup> July 2021 as the works mentioned in the tender Notice are urgent nature and public interest.

DA: - As above.

Executive Engineer,  
B&R Division HPPWD,  
Rampur.



## HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Telephone No: 01782-233017  
e-mail: ce-ram-hp@nic.in

### NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No. 6 & 8 are hereby invited by the Executive Engineer, B&R Division, HPPWD, Rampur Distt. Shimla (HP) on behalf of the Governor of H.P. for the following works from registered contractors in HP.PWD (B&R) in appropriate class so as to reach in this office on **17.08.2024**, upto 10:30 A.M. and will be opened on the same day at 11:00 A.M. in the presence of contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on **16.08.2024** between 10:00 A.M. to 2:00 P.M. The tender form can be had from this office against cash payment (Non-refundable) on **16.08.2024** between 02:00 PM to 5:00 PM.

The earnest money in the shape of National Saving Certificate/Time Deposit Account/ Saving Account of the Post office in Himachal Pradesh duly pledged in favour of the Executive Engineer, B&R Division, HP. PWD, Rampur Bushahr Distt. Shimla H.P. must accompany with the tender form. Ambiguous/Telegraphically/conditional tenders or tender by FAX shall not be entertained/considered in any case. The tenders without earnest money shall summarily be rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer, B&R Division, HP.PWD, Rampur Bushahr reserve the right to reject/accept any offer of tender without assigning any reasons.

Sr. No.	Name of work	Estimated cost	Earnest money	Cost of tender form	Time limit
1	C/O Bailey Bridge over Ganvi Khad at Ganvi Tehsil Rampur Distt. Shimla H.P. (SH:- C/O abutments on Ganvi side and block on PHC side)	4,65,536/-	9,300/-	350/-	One month
2	R/R damages on Mashnoo Takleeh road Km. 0/000 to 48/000 (SH:- Deployment/Hiring of Poclain 210 excavator-cum loader for removal of slips/boulder in Km. 0/000 to 12/000)	4,02,132/-	8,000/-	350/-	One month
3	R/R damages on Jeori Nawaroo Bonda road Km. 0/000 to 7/000 (SH:- C/O B/wall in R.R. masonry at RD 2/030 to 2/040.20)	2,02,503/-	4,100/-	350/-	One month
4	C/O Rampur By pass road Km. 0/000 to 0/795 (SH:- Dismanteling/Demolishing Existing House of Sh. Purshotam Dev.)	3,70,525/-	7,400/-	350/-	One month
5	R/R damages on Sandabang Kuhal road Km. 0/000 to 3/235 (SH:- C/O R/wall at RD 1/205 to 1/220)	4,96,805/-	9,300/-	350/-	One month
6	R/R damages on link road to village Bahli road Km. 0/000 to 0/850 (Gram Panchayat Munish) (SH:- C/O R/R masonry B/wall at RD 0/625 to 0/665 to protect the House of Sh. Bhajan Dass S/O Sh. Dagu Ram)	4,58,538/-	9,200/-	350/-	One month
7	R/R damages on Kinoo Bhagawat road Km. 0/000 to 7/750 (SH:- C/O R/wall at Km. 2/120 to 2/135)	2,97,357/-	6,000/-	350/-	One month
8	R/R damages on various roads in Takleeh Section under Sub Division Takleeh (SH:- Deployment/Hiring of JCB/Excavator-cum loader for removal of slips, clearance of road side drain on various roads)	4,98,750/-	10,000/-	350/-	One month

#### **Terms and conditions:-**

1. The contractors/firms are required to quote their rates clearly both in words as well as in figures, failing which the tender is liable to be rejected.

2. The contractor will produce show their enlistment/renewal documents at the time of obtaining tender form.
3. Latest Income tax and sale tax clearance certificates as well as Pan Number and GST number must be attached with the application failing which tender documents will not be issued.
4. The tender forms will be issued to only those contractors who have not more than two works in hand in any of HP.PWD. Circles.
5. The contractor will have to submit the proof. of registration under Employees Providing Funds & Miscellaneous provision Act. 1952 at the time of tender. Failure to observe this condition shall render the tender of the contractor liable to summary rejection.

No: - RMP/Tender/2024

Copy forwarded for information:-

3. The Superintending Engineer 11<sup>th</sup> Circle HPPWD, Shimla.
4. Copy to Notice Board.

Dated:-

Executive Engineer,  
Rampur Division (B&R),  
HPPWD, Rampur Bsr.

Executive Engineer,  
Rampur Division (B&R),  
HPPWD, Rampur Bsr.

# SCHEDULE OF QUANTITY


Estimated cost:-  
Earnest money  
Time

4,65,536.00  
9,300.00  
One Month

NAME OF WORK:- Construction of Bailey Bridge over Ganvi Khad at Ganvi Tehsil Rampur Distt. Shimla (HP)  
(SH:- C/O aboutment on Ganvi side and Bed block on PHC side).

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	41.82	Per Cubic metre.			
2	Providing and laying plain concrete 1:4:8( 1 cement : 4 sand :8 graded stone aggregate 25mm nominal size) in open foundation complete as per drawings and technical specification including carriage of material within all leads and lifts and other incidentals and as per directions of Engineer-in-charge.	33.54	Per Cubic metre.			
3	Providing weep holes in brick/ stone / plain reinforced concrete abutment, wing wall, return walls with 100 mm dia PVC pipe extending through the full width of the structure with slope of 1V : 20H towards drawing face complete as per drawing and technical specifications clauses 614, 709 and 1204.3.7 including carriage of material within all leads and lifts and other incidentals. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	15.00	Each			
4	Providing and layinf concrete for Plain/reinforced concrete in substructure complete as per drawings and technical specification Clause 802,804,805,807,1202 and 1204 upto to 5.00mtr height .plain cement concrete grade M-20 Nominal mix 1:2.4( 1Cement ,2. sand 4stone aggregate) in Bed block and dirt wall .including carriage of material within all leads and lifts and other incidentals and as per directions of Engineer-in-charge.	16.23	Per Cubic metre.			

5	Providing and laying concrete for Plain/reinforced concrete in super structure complete as per drawings and technical specification Clause 800, 805, 807, 1205.4 and 1205.5 upto to 5.00mtr height .plain cement concrete grade M-25Nominal mix 1:1.5:3( 1Cement ,1.5 sand 3 stone aggregate) including carriage of material within all leads and lifts and other incidentals and as per directions of Engineer-in-charge.	5.72	Per Cubic metre.			
6	Supplying, fitting, and placing HYSD bar reinforcement in superstructure complete as per drawing and technical specifications Clauses 1002, 1010 and 1202 including carriage of material within all leads and lifts and other incidentals and as per directions of Engineer-in-charge.	248.62	Per Kg			
					<b>Total:-</b>	-

  
 Executive Engineer,  
 Rampur Division (B&R)  
 P.P.W.D., Rampur.

## SCHEDULE OF QUANTITY

Estimated cost:- 4,02,132.00  
Earnest money 8,000.00  
Time One Month

**Name of Work:- R/R damages on Mashnoo Taklech road Km 0/00 to 48/00.**

(SH:- Deployment/Hiring of Poclain 210 excavator-cum loader for removal of slips/ boulder in Km 0/0 to 12/00)).

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Hiring of earth cutting/excavating machinery Poclain 210 of 1.5 cubic metre bucket capacity @ 90 cubic metre per hour loading capacity to be deployment for earth cutting/excavation/filling/removal of slips / boulders and clearance of blocked side drain etc. Any repair/breakage during operation will be carried out by the contractor /owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same . Only actual working hours will be accounted for the payment . Cutting in earth work/ removal of slips in all kinds of soil including loading in Tippers/ Trucks, removal / disposal of the same in all leads and lifts to the entire satisfaction of Engineer-in-charge.	93.00	Per Hour			
					Total:-	

Executive Engineer,  
Rampur Division B&R,  
H.P.P.W.D., Rampur.

# SCHEDULE OF QUANTITY

Estimated cost:-

2,02,503.00

Earnest money

4,100.00

Time

One Month

NAME OF WORK:- R/R damages on Jeori nawaroo Bonda road Km 0/00 to 7/00  
(SH:- C/O B /wall in R.R.masonry at RD 2/030 to 2/040.20).


Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	18.36	per cubic metre			
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads , dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	8.57	per cubic metre			
3	Providing and laying cement concrete 1:5:10 (1 cement:5 sand : 02 graded stone 40mm agregate nominal size) for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803, 1202 and 1203.including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	3.21	Per Cubic metre			

## SCHEDULE OF QUANTITY

**Name of Work:-C/o Rampur Bypass road Km 0/000 to 0/795.**  
(SH-Dismanteling/Demolishing Existing House of Sh. Purshotam Dev).

Estimated cost:- **3,70,525.00**  
Earnest money :- **7,400.00**  
Time **One Month**

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	36.34	Per Cubic Metre			
2	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer- in-charge including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	197.55	Per Square Metre			
3	Demolishing precast masonry work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	272.72	Per Square Metre			
4	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead : For thickness of tiles above 25 mm and up to 40 mm including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	197.55	Per Square Metre			
					<b>Total:-</b>	

  
Executive Engineer,  
Rampur Division B&R,  
H.P.P.W.D., Rampur.

## SCHEDULE OF QUANTITY

Estimated cost :- **4,96,805.00**  
 Earnest money :- **10,000.00**  
 Time allowed:- **One month**

Name of Work:- R/R Damages on Sandabag Kuhal road Km 0/00 to 3/235.  
 H:- C/o Retaining wall at RD 1/205 to 1/220).

Sr. No	Description of items	Quantity	Unit	Rate ( In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	25.35	Per Cubic metre.			
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge. all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	12.00	per cubic metre			
3	Providing and laying cement concrete 1:5:10 (1 cement : 5 sand : 10 aggregate stone 40mm nominal size) including the cost of form work for plain/ reinforced concrete in retaining walls, breast walls, the size of plum should be 150 to 300 mm. as per drawing and H.P.P.W.D. technical specifications. including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	5.85	Per Cubic metre			
4	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 40mm (forty milimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts and other incidentals.	79.35	Per Cubic metre			
5	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	6.75	Per Cubic metre.			
			<b>Total:-</b>			

Executive Engineer,  
 Rampur Division (B&R)  
 UD PWD, Rampur

## SCHEDULE OF QUANTITY

Estimated cost :- **4,58,538.00**  
 Earnest money :- **9,200.00**  
 Time allowed:- **One month**

Name of Work:- R/R Damages on link road to village Bahli road Km 0/000 to 0/850. (Gram Panchayat Munish).  
 (SH:- C/o R/R Masonry/Wall at RD 0/625 to 0/665 to protect the house of Sh. Bhajan Dass S/o Sh. Dagu Ram).

Sr. No	Description of items	Quantity	Unit	Rate ( In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	39.20	Per Cubic metre.			
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads , dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	20.80	per cubic metre			
3	Random rubble stone masonry in cement mortar 1:6(1cement:6sand) for in foundation & super-structure complete like Retaining wall, breast walls, wing walls and similar works etc. in all heights complete as per drawing and technical specification for rural roads under Clauses 702, 704, 1202 & 1203 including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	28.80	Per Cubic metre			
4	Construction of dry rubble masonry for retaining walls, breast walls , revetment walls and parapets etc for substructure and superstructure complete as per drawings and technical specifications Clause 704.6& 1302.5 including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	83.20	Per Cubic metre			
					Total:-	

Executive Engineer,  
 Rampur Division (B&R)  
 HP PWD., Rampur.

## SCHEDULE OF QUANTITY

Estimated cost:-  
Earnest money  
Time


**2,97,357.00**  
6,000.00  
One Month

**NAME OF WORK:- R/R Damages on Kinnoo Bhagawat road Km 0/000 to 7/750.**

**H:- C/o R/Wall at KM 2/120 to 2/135).**

	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hard rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock( where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformity with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	22.50	Per Cubic metre.			
2	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge. all useful material such as stone, shingle, aggregates & slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases.	8.20	per cubic metre			
3	Providing and laying cement concrete 1:6:12 (1 Cement:6 Sand: 12 graded stone 40 mm nominal size) for plain /reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 . including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	3.08	Per Cubic metre.			
3	Providing and Laying cement concrete for plain/reinforced concrete 1:4:8 (one cement: four sand: eight graded stone aggregate crushed 40mm (forty millimetre) nominal size mechanically mixed and vibrated in open foundations complete as per drawing and MORD Technical Specification clauses 802, 803, 1202 and 1203 and as per the direction of the Engineer-in-Charge	47.45	Per Cubic metre			
4	Providing weep holes in brick/ stone / plain reinforced concrete abutment, wing wall, return walls with 100 mm dia PVC pipe extending through the full width of the structure with slope of 1V : 20H towards drawing face complete as per drawing and technical specifications clauses 614, 709 and 1204.3.7 including carriage of material within all leads and lifts and other incidentals. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	20.00	Each			

5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 with granular material. including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	9.00	Per Cubic metre.			
					<b>Total:-</b>	

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD, Rampur.

## SCHEDULE OF QUANTITY

Estimated cost :-

**4,98,750.00**

Earnest money :-

**10,000.00**


Time allowed:-

**Two Months**

**Name of Work:-** R/R Damages on Various roads in Taklech Sub Division.

**SH:-** Deployment/Hiring of JCB/Excavator-cum loader for removal of slips, clearance of road side drain on various Roads).

Sr. No	Description of items	Quantity	Unit	Rate ( In figure)	Rate (In Word)	Amount
1	2	3	4	5	6	7
1	Hiring of earth cutting/excavating machinery of 0.75 cubic meter bucket capacity @ 45 cubic meter per hour loading capacity to be deployed for earth cutting/excavation/ filling/slips and clearance of blocked side drain etc. including cost of fuel oil lubricant and wages of operating staff. any repair/ breakage during operation will be absolute responsibility of contractor/owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Cutting in earth work/removal of slips in all kinds of soil including loading in tipper/ truck, removal/disposal of the same in all leads and lifts to the entire satisfactions and directions of Engineer-in-Charge.	79.00	Per hour			
					<b>Total:-</b>	

  
 Executive Engineer,  
 Rampur Division (B&R)  
 HP.PWD., Rampur.