

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

Telephone No: 01782-233017 e-mail: ee-ram-hp@nic.in

No. PW/RMP/TA-I/Publication/2024- 7574

Dated: 27 - 09 - 2024

To

The Executive Engineer (IT Cell), Nigam Bihar, H.P. Shimla-2.

Subject:-

Publication of tender Notice.

Enclosed please find herewith the tender Notice of various works as given in the tender inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW(B)A(3)1/2020 dated 16th July 2021 as the works mentioned in the tender Notice are urgent nature and public interest.

DA: - As above.

Executive Engineer,
B&R Division HPPWD,



Telephone No: 01782-233017 e-mail: ee-ram-hp@nic.in

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No. 6 & 8 are hereby invited by the Executive Engineer, B&R Division, HPPWD, Rampur Distt. Shimla (HP) on behalf of the Governor of H.P. for the following works from registered contractors in HP.PWD (B&R) in appropriate class so as to reach in this office on **04.10.2024**. upto 10:30 A.M. and will be opened on the same day at 11:00 A.M. in the presence of contractors or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on **03.10.2024** between 10:00 A.M. to 2:00 P.M. The tender form can be had from this office against cash payment (Non-refundable) on **03.10.2024** between 02:00 PM to 5:00 PM.

The earnest money in the shape of National Saving Certificate/Time Deposit Account/ Saving Account of the Post office in Himachal Pradesh duly pledged in favour of the Executive Engineer, B&R Division, HP. PWD, Rampur Bushahr Distt. Shimla H.P. must accompany with the tender form. Ambiguous/Telegraphically/conditional tenders or tender by FAX shall not be entertained/considered in any case. The tenders without earnest money shall summarily be rejected. The offer of the tender shall be kept open for 90 days. The Executive Engineer, B&R Division, HP.PWD, Rampur Bushahr reserve the right to reject/accept any offer of tender without assigning any reasons.

Sr. No.	Name of work	Estimated cost	Earnest	Cost of tender form	Time limit
1	R/R damages on Samej Sarpara road Km. 0/000 to 13/450 (SH:- Deployment/Hiring of Poclain 210 excavator)	4,98,800/-	10,000/-	350/-	One month
2	C/O Dhanawati Nallah to Tanili vi Ghatti road Km. 0/000 to 1/500 (SH:- C/O PCC R/wall at RD 0/450 to 0/487)	3,51,099/-	7,000/-	350/-	One month
3	C/O Dhanawati Nallah to Tanili vi Ghatti road Km. 0/000 to 1/500 (SH:- C/O PCC R/wall at RD 0/510 to 0/525)	3,39,956/-	6,800/-	350/-	One month
4	Annual repair and maintenance of GDC Auditorium at Rampur Bsr. Tehsil Ramur Distt. Shimla H.P. (SH:- Painting in soffit and facia of existing auditorium etc.)	1,66,879/-	4,000/-	350/-	One month
5	Restoration of New alignment after flood on Jeori Ganvi road Km. 0/000 to 11/000 (SH:- C/O wire crate R/wall at RD 10/045 to 10/060 and B/wall at RD 10/060 to 10/070)	4,21,462/-	8,400/-	350/-	One month
6	R/R damages on Samej Sarpara road Km. 0/000 to 13/450 (SH:- C/O RCC Slab at 3/485 & R/wall at 3/500 to 3/545)	3,55,260/-	7,100/-	350/-	One month
7	A/R & M/O on Residential building type-III, P-7, Type-I & II P-9 A and 9-B at Patbangla (SH:-Demolition flooring P/L ceramic tile flooring, painting, distempering and sanitary works etc.)	4,88,741/-	9,800/-	350/-	One month

	R/R damages on Rohru Sungri Bahli Taklech Nogli road Km. 27/000 to 80/000 (SH:- C/O wire crate R/wall at RD 38/339 to 38/346)	3,69,705/-	7,400/-	350/-	10
)	R/wall at RD 38/339 to 38/346) A/R & M/O Root II			330/-	One
	A/R & M/O Rest House at Gaura Tehsil Rampur Distt. Shimla H.P. (SH: P/F)	4,97,075/-	0.0427		
	roofing in existing D. III prepainted sheet		9,942/-	350/-	One
0	A/R & M/O Rest House of Guilding)	2		24 BAR 1911	month
	Distt. Shimla H.P. (SH:- P/F prepainted sheet roofing in existing Rest House Port III	3,62,160/-	7,243/-	350/-	
1	roofing in existing Rest House Building)			330/-	One
		2 79 507/			month
	R/wall at RD 36/000 to 26/000 (SH:- C/O wire crate	2,78,597/-	5,600/-	350/-	One
	& B/wall at RD 36/630 to 36/345 to 36/352			12822 10832	month
	TOTA Hallages on Dobas C			The same of the sa	
	road Km. 27/000 to 80/000 (SH:- C/O wire crate	4,75,334/-	9,500/-	350/-	
	R/wall at RD 38/330 to 38/339)	m Liberton so	,- 00/	330/-	One month

Terms and conditions:-

1. The contractors/firms are required to quote their rates clearly both in words as well as in figures, failing which the tender is liable to be rejected.

2. The contractor will produce show their enlistment/renewal documents at the time of obtaining

3. Latest Income tax and sale tax clearance certificates as well as Pan Number and GST number must be attached with the application failing which tender documents will not be issued.

4. The tender forms will be issued to only those contractors who have not more than two works

5. The contractor will have to submit the proof. of registration under Employees Providing Funds & Miscellaneous provision Act. 1952 at the time of tender. Failure to observe this condition shall render the tender of the contractor liable to summary rejection.

Executive Engineer, Rampur Division (B&R), HPPWD, Rampur Bsr.

Chaliner

No: - RMP/Tender/2024 7575-76 Copy forwarded for information:-

1. The Superintending Engineer 11th Circle HPPWD, Shimla. 2. Copy to Notice Board.

Estimated cost:-

4,98,800.00 3,100.00

Earnest money Time

One Month

Name of Work:- RR damages on Samej Sarpara road km. 0/000 to 13/450

(SH:- Deployment/Hiring of Poclain 210 excavator)

	Description Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Hiring of earth cutting/excavating machinery Poclain 210 of 1.5 cubic metre bucket capacity @ 90 cubic metre per hour loading capacity to be deployment for earth cutting/excavation/filling/removal of slips / boulders and clearance of blocked side drain etc. Any repair/breakage during operation will be carried out by the contractor /owner at his own risk. Shifting of machinery from one place to other place will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Cutting in earth work/removal of slips in all kinds of soil including loading in Tippers/Trucks, removal / disposal of the same in all leads and lifts to the entire satisfaction of Engineer-in-charge.	116.00	Per Hour			
					Total:-	

- OF OUANTITY

Estimated cost:-Earnest money Time 3,51,099.00 7,000.00 One Month

NAME OF WORK:- C/O Dhanawati Nallah to Tanili vai Ghatti road Km 0/00 to 1/500. (SH:- C/O PCC R/wall at RD 0/450 to 0/487.)

Sr. No.	Description	Qty.	Unit	Rate in	Rate in words	Amount.
1	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	20.54	per cubic metre	figure		
2	Providing and laying cement concrete 1:4:8 (1 cement : 4 sand :8 Graded stone aggregate 40mm nominal size) and curing complete excluding cost of form work in foundation and plinth in breast and retaining walls etc. including carriage of material within all leads and lifts and as per HP.PWD. specifications of 1990 volume-I and as per direction of Engineer-in-charge.	54.95	Per Cubic metre			
3	Providing weep holes in brick/ stone / plain reinforced concrete abutment, wing wall, return walls with 100 mm dia PVC pipe extending through the full width of the structure with slope of 1V: 20H towards drawing face complete as per drawing and technical specifications clauses 614, 709 and 1204.3.7 including carriage of material within all leads and lifts and other incidentals. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	35.00	Each			
4	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	12.40	Per Cubic metre.			
					Total:-	

Estimated cost:-Earnest money Time 3,39,956.00 6,800.00 One Month

NAME OF WORK:- C/O Dhanawati Nallah to Tanili vai Ghatti road Km 0/00 to 1/500.

:- C/O I	PCC R/wall at RD 0/510to 0/525) Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	23.25	per cubic metre			
2	Providing and laying cement concrete 1:4:8 (1 cement: 4 sand: 8 Graded stone aggregate 40mm nominal size) and curing complete excluding cost of form work in foundation and plinth in breast and retaining walls etc. including carriage of material within all leads and lifts and as per HP.PWD. specifications of 1990 volume-I and as	53.59	Per Cubic metre			
3	Providing weep holes in brick/ stone / plain reinforced concrete abutment, wing wall, return walls with 100 mm dia PVC pipe extending through the full width of the structure with slope of 1V: 20H towards drawing face complete as per drawing and technical specifications clauses 614, 709 and 1204.3.7 including carriage of material within all leads and lifts and other incidentals. including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	36.00	Each			
4	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	9.15	Per Cubic metre.			
					Total:-	

/	SCHEDULE OF	n at Rampu	r Bsr. Teshil	Estimated Cos	st :-	1,66,879.00
Name o Rampu	f work :- Annual Repair and maintannce of GDC Auditorium r Distt Shimla H.P.(SH:- Painting in soffit and facia of exis	ting auditor	rium etc.)	Earnest Money :-		4,000.00
				Time Allowed	:-	15 Days
	Description of Items	Qty.	Ra	ate	Unit	Amount
Sr.No.	Description of Items		In figure	In words		
1	Removing white wash or colour wash by steel wire brushing and/or scrapping sand papering and preparing the wall surface smooth including necessary repairs to scratches including carriage of material within all leads and lifts and as per HP.PWD., specifications of 1990 volume-I and as per direction	406.91			P. Sqm	
2	of Engineer-in-Charge. Removing white wash or colour wash by steel wire brushing and/or scrapping sand papering and preparing the wall surface smooth including necessary repairs to scratches including carriage of material within all leads and lifts and as per HP.PWD., specifications of 1990 volume-I and as per direction	406.91			P. Sqm	
3	of Engineer-in-Charge. Scaffolding for painting in soffit and facia complete as per HP. PWD. specifications of 1990 volume-I including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	1200.00			P. Sqm	٧
				Tot	al:-	

Executive Engineer,
B & R Division, HP.PWD,
Rampur Bsr.

Estimated cost:-Earnest money Time

4,21,462.00 4,100.00 One Month

NAME OF WORK:- Restoration of New alignment after flood on Jeori Ganvi road Km 0/00 to 11/00 (SH:- C/O wire crate R /wall at at RD 10 045 to 10/060 and B/wall at RD 10/060 to 10/070)

Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	68.50	Per Cubic metre			
2	Providing and laying boulder apron laid in wire crates mate with G.I.wire confirming to IS:280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	171.45	Per Cubic metre.		,	
3	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	10.80	Per Cubic metre.			
	49				Total:-	

Estimated cost:-Earnest money 3,55,260.00

Time

7,100.00 One Month

NAME OF WORK:- R/R Damages on Samej Sarpara road Km 0/000 to 13/450.

(SH:- C/o RCC Slab at 3/485 & R/Wall at 3/500 to 3/545).

Sr.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	94.50	Per Cubic metre.	3		
2	Providing and laying boulder apron laid in wire crates mate with G.l.wire confirming to IS:280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	76.05	Per Cubic metre.		÷.	
3	Providing and laying plain cement concrete PCC Grade M -10 (Ten) nominal mix 1:3:6 (one cement: three sand: six graded crushed stone aggregate 40mm (forty milimetre) nominal size concrete for plain/reinforced concrete in open foundations complete including form work as per drawings and Technical Specifications Clause 802, 803, 1202 & 1203 and as per the direction of the Engineer-in-Charge including carriage of material through all modes of transportation within all leads and lifts	4.608	Per Cubic metre.		The state of the s	
4	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:2:4 (1 Cement: 2 coarse sand): 4 graded stone aggregate 20 mm nominal size) including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	2.70	Per Cubic metre			
5	Supplying, fitting and placing HYSD bar reinforcement in foundation complete as per drawings and technical specifications Clauses 1000 and 1202 including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	211.698	Per Kg	= V		
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 with granular material, including the cost of form work and hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge, including hauling of material in all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	54.00	Per Cubic metre.			
					Total:-	

Executive Engineer, Rampur Division (B&R)

Estimated cost:-Earnest money :-Time **4,88,741.00** 9,800.00 One Month

Name of Work:-A/R & M/O on Residentail building type-111,P-7,Type 1 &11 P-9A and 9-B at Patbangla.

(SH:- Demolation flooring, P/L ceremice tile flooring, painting, distempering and sanitary works etc)

	Demolation flooring,P/L ceremice tile flooring ,painting,distempering and sanitary works etc)	01	TY:4	Data in	Data in sucudo	Amount
Sr. No.	Description	Qty.	Unit	Rate in figure	Rate in words	Amount.
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	8.61	Cum			
2	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	99.00	Sqm			
3	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or fastener shall be paid for separately).as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	0.43	Cum			
4	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	12.66	Sqm			
5	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	8.28	Sqm			•
6	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	287.40	Sqm	8		, 8
7	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shadee including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	287.40	Sqm			
8	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	119.53	Sqm			
9	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materia including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	2.27	Cum			
10	Stone soling properly hand packed filling intersticks with kharanja stone soling and consolidation as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	6.19	Cum			

12	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	3.74	Cum		
12	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 as per direction of Engineer - in - charge 15 mm nominal bore including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	6.00	Each		
13	Random Rubble Stone masonry work in cement mortar 1:6 in foundation complete as per drawings and technical specification clauses-702,704,1202 and 1203 Random Rubble masonry in cement mortar 1:6 (2nd Sort) as per drawings and technical specification including carriage of material within all leads and lifts and other incidentals and as per directions of Engineer-in-charge. including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	7.64	Cum		
14	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS: 1328 (type-1), for plain lining / cladding with necessary screws, including priming coat on unexposed surface with including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	27.58	Sqm		
15	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms as per direction of Engineer - in - charge 15 mm nominal bore including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	2.00	Each		
16	Providing and fixing vitreous china dual purpose closet suitable for use as squatting pan or European type water closet (Anglo Indian W.C pan) with seat & lid fixed with C.P. brass hinges and rubber buffers, 10 litre low level flushing cistern with fitting and brackets, 40 mm flush bend, 20 mm over flow pipe, with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	1.00	Each		
17	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete as per direction of Engineer - in - charge 10 litre capacity - White including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	1.00	Each	=	
18	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in-Charge.	4.00	Each		
19	Providing and fixing PTMT grating of approved quality and colour as per direction of Engineer - in - charge 100 mm nominal dia including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	4.00	Each		
20	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	1.00	Each		
21	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement: 5 coarse sand) finished with a top layer 6 including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	20.24	Sqm		

予養療養療力を行いませんがある。

万字字子 サイナタのほう エス・カー・コー

可管理をサイト マンファン

22	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	34.50	Rmt		
23	Providing and ixinf high pressure PVC spigot and socket, waste and ventilating pipes ISI marked including fixing with approved adhesive etc. comlrte including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.				
A	100mm including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	12.00	Rmt		
В	75mm including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	18.00	Rmt		
24	Providing and fixing brass curtain rods of wall thickness 1.25 mm with two brass brackets fixed with brass screws and wooden plugs etc. wherever necessary complete. as per direction of Engineer - in - charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	15.80	Rmt		
	Providing and fixin aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete as per direction of Engineer - in charge including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	4.00	Each		
6	Providing and fixing brass stop cock of approved quality including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	9.00	Each		
12	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	1.00	Each		
1	providing and fixing 600x450mmbeveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	1.00	Each		v
- 10	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms. including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	2.00	Each		-
0	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel blug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required including carriage of materials, labour, tool and plant through all modes of transportation within all leads and lifts and as per direction of Engineer-in- Charge.	1.00	Each		
		-		Total:-	
				1 Otti	



Estimated cost :-

Earnest money :-

Time allowed:-

3,69,7

One

Name of Work:- R/R Damages on Rohru Sungri Bahli Taklech Nogli road Km 27/00 to 80/000. (SH:- C/o wire crate R/Wall at RD 38/339 to 38/346).

Sr. No	Description of items	Quantity	Unit	Rate (In	Rate (In Word)	Amou
	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock(where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all Earth work in severe times.	28.91	Per Cubic metre.	figure)		
5	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all	23.10	per cubic metre			
r	Providing and laying boulder apron laid in wire crates mate with G.I.wire confirming to IS:280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including the cost form work and direction of Engineer-in-Charge.	110.25	Per Cubic metre.			
	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	12.60	Per Cubic metre.	- , :		
					Total;-	

Estimated cost:-Earnest money:-Time:-

4,97,075.00 9942.00 One month.

NAME OF WORK:- A/R & M/O Rest house at Gaura Tehsil Rampur Distt Shimla(HP) (SH:-P/F Prepainted sheet Roofing in existing Rest house building)

	~-).	Rate in	Rate in word.	Unit	Amount.
Providing and fixing 0.60mm thick prepainted steel of TATA Durashine roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyster (RNP) organic coating of 20 microns over 5 microns primer coating to back coat of polyster of 5 microns over 5 microns primer coating i/c fixing with prepainted iron J or L hooks, bolts and nuts 6mm over 5 microns primer and rubber washers complete with all accesoriees as required as per the direction of Engineer-in-charge. Providing and fixing ridges or hips 60 cm overall with 0.60mm thick prepainted steel sheets of TATA Durashinein roofing with hot dipped metalic zinc coated sheets with top coat of regular modified polyster organic coating of 20 microns over 5 microns primer coating + back roat of polyster of 5 microns over 5 microns primer coating i/c fixing with prepainted iron J or L hooks, bolts & nuts 6mm dia & prepainted G.I. limpet and bitumen washers complete with all accessories as required as per the direction of Engineer in Charge.	261.32	figure.		Per Sqm.	
	15.30			RMT.	
				lotai	/- Only.

Estimated cost:-Earnest money:- 3,62,160.00 7243.00 One month.

Time:-

NAME OF WORK:- A/R & M/O Rest house at Gaura Tehsil Rampur Distt Shimla(HP)

(SH:-P/F Prepainted sheet Roofing in existing Rest house building)

S.N Description O. Providing wood work in trusses, purlins, rafters, posts, post pltes, wall plates and the like wrought framed, hoisted and fixed in position with hold fast lugs or with dash fasteners of required dia and length(hold fast lugs or desh fastener shall be paid for	. Rate in word.	Unit	Amount.
		Per Cum.	

Estimated cost:-

Earnest money:-

2,78,5

One

Time allowed:-

Name of Work:- R/R Damages on Rohru Sungri Bahli Taklech Nogli road Km 27/00 to 80/000. (SH:- C/o wire crate R/Wall at RD 36/090 to 36/098 & 36/345 to 36/352 & B/Wall at RD 36/630 to 36/640).

Sr. No	Description of items Earth work in excavation for structures as a read of the structures as a structure of the structures as a structure of the structures as a structure of the structure of t	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amou
	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all	20.88	per cubic metre	ngurej		
	Providing and laying boulder apron laid in wire crates mate with G.I.wire confirming to IS:280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including the cost form work and hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	84.00	Per Cubic metre.			
	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	9.96	Per Cubic metre.			
					Total;-	

Estimated cost:-

4,75,334.00

Earnest money:-Time allowed:- 9,500.00 One Month

Name of Work:- R/R Damages on Rohru Sungri Bahli Taklech Nogli road Km 27/00 to 80/000.

SH:- C/o wire crate R/Wall at RD 38/330 to 38/339).

Sr. No	Description of items	Quantity	Unit	Rate (In figure)	Rate (In Word)	Amount
1	Excavation in Hill area by manual/mechanical means:- Excavation in soil in hill areas all heights and depth in all kind of soil including saturated soil comprising of mixed soil, ordinary rock and hardd rock all work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side. Rock shall be excavated with chiselling and wedging out rock(where blasting is prohibited) including cutting and trimming of side slopes and disposing of excavated earth with a lift upto all heights and all leads as directed by the Engineer-in-Charge, in conformately with the requirement of technical specification of rural roads clause 1603.1 all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	37.17	Per Cubic metre.			
	Earth work in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto all leads, dressing of sides and bottom and back filling in trenches with excavated suitable material in ordinary soil upto all depth. as directed by the Engineer-in-Charge.all useful material such as stone, shingle, aggregates& slate etc. shall be sorted out and stacked along the road side properly. Any loss to the public and private property to during the course of execution shall be the absoulte responsibility of the contractor which shall have to be duly compensated by him in all cases.	29.70	per cubic metre			
	Providing and laying boulder apron laid in wire crates mate with G.I.wire confirming to IS:280 & IS 4826 in 100mmx100mm mesh (weaved diagonally including 10% extra for laps and joints laid with stone boulder weighing not less than 25 kg each as per drawing and technical specifications Clause 1301 including the cost form work and hauling of materials through all modes of transportation within all leads and lifts as per the entire satisfaction and direction of Engineer-in-Charge.	141.75	Per Cubic metre.		•	
	Backfilling /Filter media with granular material behind retaining wall/breast wall as per specification 1204.3.8 in a width of 600 mm. including hauling of material in all leads and lifts as per the entire satisfaction and direction of the Engineer-in-Charge.	16.20	Per Cubic metre.			
					Total;-	

