# HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT NOTICE INVITING TENDER

Sealed percentage basis tenders are hereby invited by Executive Engineer, NH Division, HP.PWD. Solan on behalf of Governor of Himachal Pradesh for the following works from the approved registered Contractors of appropriate class (D) enlisted with Himachal Pradesh Public Works Department, whose registration stood renewed as per revised instructions and also registered dealers under the Himachal Pradesh, General Sales Tax Act, 1968. The important dates of tender are as under:-

	Tender Schedule	Date	Time		
١.	The last date for receipt of application for tender Form.	27-08-2024	4.00 PM		
2.	The last date for issue of tender Form	28-08-2024	4.00 PM		
3.	The last date for receipt of tender.	29-08-2024	10:30 AM		
4.	The date of opening of tender.	29-08-2024	11:00 AM		

The tender forms can be obtained against payment of Rs.350/- (Non refundable) and contractor will be required to produce documents of registration in appropriate class, list of completed works and GST registration certificate. The tenders shall be opened in presence of contractor or their authorized representative.

The earnest money in shape of National Saving Certificate/Time deposit account of nationalized saving or Saving Bank account in any of the post offices and F.D.R. of Nationalized Bank duly pledged in favour of the Executive Engineer, NH Division, HP.PWD, Solan must accompany with the tender offer. The exemption from depositing the earnest money with each tender earlier granted has been withdrawn under Govt. Notification No. PWE (B&R)(B)14(18) / 98-11 dated 4.11.2003 and accordingly the tender received without Earnest Money shall be rejected without assigning any reasons thereto and shall not be entertained.

The tenders will be issued only to them who qualify the criteria after the scrutiny of application Form. The tenders not accompanying the Earnest money shall be rejected at the time of opening. The contractor shall also indicate the detail of Earnest money in the tender document. The request on prescribed application should accompany the registration of appropriate class, GST registration No.work done certificate. The tenders shall be opened on schedule date and time in presence of contractor or in the presence of the authorized representative.

The validity of tenders has been given in the tender document. If any contractor/firm withdraw the offer within validity period then their earnest money shall be forfeited and shall finally be at the disposal of State Govt. The contractors are advised to write the percentage both in figures and in words, failing which the tender shall be rejected.

Conditional and incomplete tenders shall out rightly be rejected.

Application for obtaining the tender form must accompany the latest renewal of enlistment and proof of GST No/NOC from Excise and Taxation Department regarding Tax clearance. The offer shall be kept open for 15 days.

If due to any unforeseen reasons the office of the Executive Engineer, NH Division, HP.PWD, Solan remain closed on the notified date of sale and receipt of tender, the tender will be sold and received/opened on next working day at same specified time.

The Executive Engineer reserves the right to accept or reject the tender without assigning any reason.

# scription of JOB:-

Sr. No.	Name of work	Estimated Cost (in Rs)	Earnest Money	Time
1	Restoration of rain damages on Pinjore Baddi Nalagarh Swarghat road km.35/0 to 66/275 (SH:-C/O PCC B/wall at RD 62/920 to 62/943).	4,27,359/-	9000/-	Two months

### Term and Conditions:-

The contractor will have to produce following documents and attach attested copies of the same at the time of submitting application for issue of tender Form.

i)Enlistment/renewal in appropriate class in HP.PWD.

ii)PAN Card issued by the Income Tax Department.

iii)Proof of valid GST Registration.

iv)Statement showing the ongoing works in HP.PWD.

v)E.P.F registration.

Certified that the above work is of emergent nature in exigency of Public Interest.

Executive Engineer,

Solan NH Division,
HP.PWD., Solan NH
Dated:- 21-8-2024

No. NHD/CB/TA/NIT/2024-

Copy forwarded to the following for information and necessary action:-

1. The Engineer-in-Chief, HP.PWD, Shimla.

2. The Chief Engineer, NH, HP.PWD, Shimla.

3. The Superintending Engineer, NH Circle, HPPWD Shimla

4. The Deputy Commissioner, Solan, Distt Solan.

5. All the Assistant Engineers under this Division.

6. Various registered contractors working under this Division

8. The Executive Engineer, IT Cell in the o/o Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the

2524-64

Departmental website.

# **Exigency Certificate**

It is certified that the tenders which were invited vide this office NIT No.NHD/CB/TA/NIT/2024-2524-64 dated 21-08-2024 are of emergent nature of work and in public interest.

Dated:-21-08-2024

Place:-Solan

Executive Engineer

NH Division

HPPWD, Solan

# HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

### CORRIGENDUM

The Sealed percentage basis tenders for the following work were invited vide this office N.I.T.No.NHD/CB/TA/NIT/2024-2524-64 dated 21-08-2024 which were scheduled to be opened on 29-08-2024 are hereby postponed due to some technical/administrative reasons as per schedule given below:

## Description of JOB:-

Sr. No.	Name of work	Estimated Cost (in Bo)	Earnest	Time
1	Restoration of rain damages on Pinjore Baddi Nalagarh Swarghat road km.35/0 to 66/275 (SH:-C/O PCC B/wall at RD 62/920 to 62/943).	Cost (in Rs) 4,27,359/-	9000/-	Two months

Sr.No.	Tender Schedule	Date	Time
1.	The last date for receipt of application for tender Form.	05-09-2024	4.00 PM
2.	The last date for issue of tender Form	06-09-2024	4.00 PM
3.	The last date for receipt of tender.	07-09-2024	10:30 AM
	The date of opening of tender.	07-09-2024	11:00 AM

The other terms and conditions will remain un-changed.

Executive Engineer,

Solan NH Division,

Dated:- 28/08/24

No. NHD/CB/TA/NIT/2024-

2692-99

Copy forwarded to the following for information and necessary action:-

1. The Engineer-in-Chief, HP.PWD, Shimla.

2. The Chief Engineer, NH, HP.PWD, Shimla.

- 3. The Superintending Engineer, NH Circle, HPPWD Shimla
- 4. The Deputy Commissioner, Solan, Distt Solan.
- 5. All the Assistant Engineers under this Division.
- 6. Various registered contractors working under this Division
- 7. Notice Board.

8. The Executive Engineer, IT Cell in the o/o Engineer-in-Chief, HPPWD, Shimla for uploading the corrigendum

# SCHEDULE OF QUANTITY Earnest Money Rs. 9000/-only Estimated Cost Rs.42735#/-only

	the direction of		and direction o  3 Supplying, fitt complete in for MORT&H spec				2 - 6 8 0	o - b s E	0 - 6 S E			Eart Spec brace leace exc inc cat can an a	Eart spec brace leace exc exc ca an M
	MORT&H specification as per drawing and technical specification as per MORT&H specification Clausse 1600 (Latest revision) including all leads and lifts and carriage of materials by all modes of transportation and as per the direction of Engineer-in-Charge.	lying, fitting and pla	carriage of material by all mode of trensportation to the entire satisfaction and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel reinforcement	drawing and technical specification M-15 as per MORT&H specification clause 1500,1700,and 2100 as per fifth revision including all lead lifts and carriage of material by all mode of trensportation to the entire satisfaction and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel reinforcement	including all leads, lifts and carriage of materials as per the direction/entire satisfaction of Engineer-in-charge.  Plain /Reinforeced Cement concrete in open foundation complete as per drawing and technical specification M-15 as per MORT&H specification clause 1500,1700,and 2100 as per fifth revision including all lead lifts and carriage of material by all mode of trensportation to the entire satisfaction and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel reinforcement	bracing removal of stumps and other deleterius material and disposal within leads, lifts dressing of sides and bottom and backffiling in trenches with excavated suitable material as per MORT&H Specification clause 304 including all leads, lifts and carriage of materials as per the direction/entire satisfaction of Engineer-in-charge.  Plain /Reinforeced Cement concrete in open foundation complete as per drawing and technical specification M-15 as per MORT&H specification clause 1500,1700,and 2100 as per fifth revision including all lead lifts and carriage of material by all mode of trensportation to the entire satisfaction and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel reinforcement	specifications clause 304 including setting out construction f shoring and bracing removal of stumps and other deleterius material and disposal within leads, lifts dressing of sides and bottom and backffiling in trenches with excavated suitable material as per MORT&H Specification clause 304 including all leads, lifts and carriage of materials as per the direction/entire satisfaction of Engineer-in-charge.  Plain /Reinforeced Cement concrete in open foundation complete as per drawing and technical specification M-15 as per MORT&H specification clause 1500,1700,and 2100 as per fifth revision including all lead lifts and carriage of material by all mode of trensportation to the entire satisfaction and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel reinforcement	Earth work in excavation for structures as per drawing specifications clause 304 including setting out construction bracing removal of stumps and other deleterius material and leads, lifts dressing of sides and bottom and backffiling in excavated suitable material as per MORT&H Specificationcluding all leads, lifts and carriage of materials as per the satisfaction of Engineer-in-charge.  Plain /Reinforeced Cement concrete in open foundation concluding and technical specification M-15 as per MORT& clause 1500,1700, and 2100 as per fifth revision including a carriage of material by all mode of trensportation to the en and direction of the Engineer-in-Charge.  Supplying, fitting and placing un-coated HYSD steel	work in excavation for cations clause 304 incommon clause of stumps and alternation of sides and action of Engineer-in-characteristic (Reinforeced Cement ing and technical species 1500,1700, and 2100 age of material by all numbers of the Enginee olyging, fitting and plants of the Enginee olyging, fitting and plants of the Engineer of the Engineer olyging, fitting and plants of the Engineer olyging.	work in excavation for ications clause 304 incogremoval of stumps and lifts dressing of sides ated suitable material ding all leads, lifts and faction of Engineer-in-claraction of Engineer-in-claraction and technical species 1500,1700,and 2100 age of material by all numbers of the Engineer of the Engi	work in excavation for cations clause 304 incommon gremoval of stumps and lifts dressing of sides atted suitable material ding all leads, lifts and faction of Engineer-in-charge and technical species 1500,1700, and 2100 age of material by all numbers of the Enginee of String and plant of the Engineer of the Enginee	work in excavation for ceations clause 304 incommon clause of stumps and plants and cation of Engineer-in-charaction of Engineer-in-charaction and technical species 1500,1700, and 2100 age of material by all numbers of the Engineer clause clause clause clause clause and plants clause and engineer clause	Description of Items.  Quantity Rate in Rates in Unit Goverall percantage:  Quoted by the bid above /below the estimated cost inclused is green words of stumps and other deleterius material and disposal within savated suitable material as per MORT&H Specification clause 304 luding all leads, lifts and carriage of materials as per the direction/entire isfaction of Engineer-in-charge.  In Reinforeced Cement concrete in open foundation complete as per MORT&H specification ause 1500,1700,and 2100 as per fifth revision including all lead lifts and direction of the Engineer-in-Charge.  Per cubic 211.30  Rs Two Mords  Amount Overall percantage:  GST) i.e. nearest the decimal places/anm
arriage of materials to Engineer-in-Charge	supplying. Itting and placing un-coated HYSD steel reinforcement complete in foundation as per drawing and technical specification as per MORT&H specification Clausse 1600 (Latest revision) including all leads		aterial by all mode o of the Engineer-in-Cl	reced Cement concre technical specification 700, and 2100 as per laterial by all mode of of the Engineer-in-Cl	Engineer-in-charge. Engineer-in-charge. reced Cement concretechnical specification 700, and 2100 as persaterial by all mode of the Engineer-in-Cl	Il of stumps and other ssing of sides and by able material as pereads, lifts and carriage Engineer-in-charge. Feced Cement concretechnical specification 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl	excavation for strushause 304 including il of stumps and other ssing of sides and brable material as pereads, lifts and carriage Engineer-in-charge. Feced Cement concretechnical specificatio 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl	excavation for strusiause 304 including and other sting of stumps and other ssing of sides and beable material as pereads, lifts and carriage. Engineer-in-charge. Freced Cement concretechnical specification 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl	excavation for strushause 304 including and other sting of sides and beasing of sides and beasing of sides and carriage. Engineer-in-charge. Engineer-in-charge technical specification 700, and 2100 as persaterial by all mode of the Engineer-in-Cl	excavation for strushause 304 including and other sting of sides and bable material as pereads, lifts and carriage. Engineer-in-charge. Freced Cement concretechnical specification 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl	excavation for strushause 304 including and other sting of sides and bable material as perads, lifts and carriage. Engineer-in-charge. Freced Cement concretechnical specification 700, and 2100 as peraterial by all mode of the Engineer-in-Cl	excavation for struslause 304 including all of stumps and other saing of sides and by able material as pereads, lifts and carriage. Engineer-in-charge. Freced Cement concretechnical specification 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl	excavation for struslause 304 including and other ssing of sides and bable material as pereads, lifts and carriage Engineer-in-charge. reced Cement concretechnical specification 700, and 2100 as pereaterial by all mode of the Engineer-in-Cl
rials by all modes o	or drawing and tech		ode of trensportationin-Charge.	oncrete in open fo cation M-15 as pe s per fifth revision ode of trensportatio in-Charge.	s per MORT&H rriage of materials rge.  oncrete in open fo cation M-15 as pe s per fifth revision ode of trensportatio in-Charge.	other deleterius mand bates per MORT&H arriage of materials arge.  oncrete in open for cation M-15 as per sper fifth revision ode of trensportation in-Charge.	structures as per ding setting out co other deleterius mand back and bottom and backs per MORT&H urriage of materials urge.  oncrete in open for cation M-15 as per sper fifth revision ode of trensportationin-Charge.	structures as pending setting out conther deleterius mand backs per MORT&H urriage of materials rege.  oncrete in open for location M-15 as per ser fifth revision ode of trensportation in-Charge.	structures as perding setting out coother deleterius mand bottom and backs per MORT&H rriage of materials rrge.  oncrete in open for cation M-15 as per sper fifth revision ode of trensportatio in-Charge.	structures as per iding setting out co other deleterius mand backs per MORT&H urriage of materials urge.  oncrete in open for cation M-15 as per sper fifth revision ode of trensportatio in-Charge.	structures as per Iding setting out co other deleterius mand bottom and backs per MORT&H Irriage of materials urge.  oncrete in open for leation M-15 as per sper fifth revision ode of trensportatio in-Charge.	structures as periding setting out conther deleterius mand bottom and backs per MORT&H arriage of materials urge.  oncrete in open for ication M-15 as per sper fifth revision ode of trensportationin-Charge.	structures as perding setting out conter deleterius mand bottom and backs per MORT&H urriage of materials urge.  oncrete in open for ication M-15 as per sper fifth revision ode of trensportationin-Charge.
1 technical specific est revision) includes of transportation	d HYSD steel reinforcement	, and china	rtation to the entire	en foundation com as per MORT&H ision including all	rials as per the dir roundation come en foundation come as per MORT&H ision including all	us material and dis d backffiling in track &H Specification raisls as per the direction contains as per MORT&H ision including alloration to the entirection of the e	s per drawing arout construction for us material and distending in the Specification which as per the direction of the entirection to the entire tration	s per drawing arout construction for us material and distended backffiling in tracket Specification which as per the direction of the entire tration to the entire tracket is not as per MORT&H	s per drawing ar out construction fous material and disad backffiling in trick. What Specification rials as per the direction as per MORT&H ision including allocation to the entirection to the entirection.	s per drawing ar out construction f us material and dis d backffiling in track the specification rials as per the direction as per MORT&H ision including all ortation to the entire	s per drawing arout construction for us material and distriction of the serials as per the direction corresponds to the entire of the entire o	s per drawing ar out construction f us material and dis d backffiling in treation with the direction of the entire tration to the entire tration	s per drawing ar out construction f us material and dis d backffiling in track Specification rials as per the direction as per MORT&H ision including all ortation to the entire
reinforcement cification as per cluding all leads attion and as per		all lead lifts and itire satisfaction	11 Last 116	complete as per tH specification	direction/entire	disposal within trenches with ion clause 304 direction/entire	and technical of shoring and disposal within on trenches with ion clause 304 direction/entire complete as per th specification	and technical of shoring and disposal within on trenches with ion clause 304 direction/entire complete as per th specification	and technical of shoring and disposal within on trenches with ion clause 304 direction/entire complete as per	and technical of shoring and disposal within on trenches with ion clause 304 direction/entire complete as per th specification	and technical of shoring and disposal within on trenches with ion clause 304 direction/entire complete as per	and technical of shoring and disposal within of trenches with ion clause 304 direction/entire complete as per	and technical f shoring and disposal within trenches with ion clause 304 direction/entire complete as per th specification
t 760.00 kg			_	r 44.40 m3								Quantit	Quantity  1 17.08 m3
g Per Kilogram												Figures  Figures  7  7  7  7  8  7  8  7  8  7  8  7  8  8	ty Rate ir Figure:  13 Per cubi meter  13 Per cubi
81.95				Per cubic 8141.16	ic 8141.16	ic 8141.16	Per cubic 211.30 meter	nic 211.30	ic 211.30	nic 211.30	es Words	in Rates in Rords  Words  211.30  ic 8141.16	35/0 to 66/27 in Rates in S Words S Words 211.30 ic 211.30
Rs.Eightyone and Paise Ninty five only	sixteen only	hundred forty one and Paise	thousand one	D. Ei.kt	only  Preside	hundred eleven and Paise thirty only	Rs Two hundred eleven and Paise thirty only	Rs Two hundred eleven and Paise thirty only	Rs Two hundred eleven and Paise thirty only	Rs Two hundred eleven and Paise thirty only		Unit Rs Two hundred eleven and Paise thirty only	Unit Unit Unit Rs Two hundred eleven and Paise thirty only
	62282			361468	361468	361468	361468	361468				Amount 3609	B/Wall at R Amount 3609
												Overall pe Quoted above estimated GST) i.e. decimal p	Overall pe Quoted above estimated GST) i.e decimal p
							ordes/amount	GST) i.e. nearest two decimal places/amount	estimated cost inclusive of GST) i.e. nearest two decimal places/amount	above /below the mated cost inclusive o ST) i.e. nearest two cimal places/amount	Quoted by the bidder above /below the timated cost inclusive or GST) i.e. nearest two ecimal places/amount	Overall percantage to be Quoted by the bidder above /below the estimated cost inclusive o GST) i.e. nearest two decimal places/amount	ercantage to be by the bidder /below the cost inclusive o . nearest two places/amount

Executive Engineer, NH Division, HPPWD., Solan