



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

**CERTIFIED THAT THE TENDERS OF WORKS, AS
CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-
11697-11705 DATED 29-10-2024 ARE URGENT NATURE
AND PUBLIC INTEREST.**

**Executive Engineer,
Baijnath Division,
HP.PWD, Baijnath.**



Office of
Executive Engineer Baijnath Division HP.PWD, Baijnath
Himachal Pradesh Public works Department Baijnath-176125
Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

“NOTICE INVITING TENDER”

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in H.P.PWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before **13.11.2024** up to **11.30 A.M** and will be opened on the same day at **12.00 Noon** in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on **12.11.2024** between **2.00 PM** up to **4.30 P.M** and the application for issue of tender forms shall be received on **11.11.2024** up to **12.00 Noon**.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Construction of Paprola Utrala Road Km 0/00 to 12/00 (SH: Construction of 600mm dia HP Culvert at RD 1/010 and U-Shape Drain at RD 0/960 to 1/060)	Rs.2,31,884/-	Rs.4,700/-	Rs.350/-	Two Months
2	C/O Kangoo Da Paroh to Salehra road (SH: C/O R/wall at RD 3/180 to 3/183 and C/O U-Shape drain at Km 3/130 to 3/175)	Rs.93,870/-	Rs.1,900/-	Rs.350/-	Two Months
3	C/O Govt. Degree College at Multhan (SH: Preparation and Supplying of Structural Design and Drawings)	Rs.1,88,500/-	Rs.3,800/-	Rs.350/-	Two Months
4	C/O Building work i/c Room in GPS Sangrehar (SH: C/O First (1 st) Floor in GPS Sangrehar)	Rs.3,89,158/-	Rs.7,800/-	Rs.350/-	Two Months
5	C/O Road from Bhullana to Jhikla Behru Road Km 0/00 to 2/00 (SH: P/I C.C. Pavement at RD 0/927 to 0/989 and C/O R/wall at RD 0/830 to 0/835)	Rs.1,90,179/-	Rs.3,800/-	Rs.350/-	Two Months
6	C/O Toilet Near Pihar Chobin (Deposit work SDP/2023/974) (SH: C/O Septic Tank)	Rs.49,934/-	Rs.1,000/-	Rs.350/-	Two Months
7	C/O Dharamshala Dadh Holta Chadhiar Road (SH: C/O B/Wall at RD 58/740 to 58/745 and U-Shape Drain at RD 58/640 to 58/890 and Catchpit at RD 58/410 to 58/890)	Rs.4,71,647/-	Rs.9,500/-	Rs.350/-	Two Months
8	C/O 35.00mtr. Span Steel truss bridge over Lambadug Khad on Barot Swar road at Km 0/00 (SH: Preparation of Hydraulic data of Bridge)	Rs.62,000/-	Rs.1,300/-	Rs.350/-	Three Months
9	C/O 35.00mtr Span Steel Truss Bridge over Lambadug Khad on Barot swar road Km 0/00 (SH: Investigation of Bearing Capacity of Soil at Bridge Site)	Rs.2,25,000/-	Rs.4,500/-	Rs.350/-	Three Months
10	C/O Bir Palampur Road Km 0/00 to 40/00 (SH: Construction of R/wall at Km 2/00 to 2/007 and wire crate R/wall at RD 2/705 to 2/712)	Rs.1,80,581/-	Rs.3,700/-	Rs.350/-	Two Months
11	C/O Raina Bari Balh Road Km 0/00 to 1/500 (SH: C/O R/Wall at RD 0/705 to 0/719)	Rs.4,86,562/-	Rs.9,800/-	Rs.350/-	Two Months
12	R/D Paprola to Andretta road Km 0/00 to 6/300 (SH: C/O 2.00mtr. Span Culvert at RD 3/700) (SW: Dismantling excavation and Majherna side abutment)	Rs.3,13,249/-	Rs.6,300/-	Rs.350/-	One Month
13	C/O Paprola to Utrala Road Km 0/00 to 12/00 (SH: Special repair of rain Shelter at RD 5/575)	Rs.1,52,051/-	Rs.3,100/-	Rs.350/-	Two Months
14	R/D on Bhirdi Balh to Sunka Ram House km 0/00 to 1/500 (SH: C/O R/Wall at RD 0/210 to 0/223)	Rs.3,50,594/-	Rs.7,100/-	Rs.350/-	Two Months

- The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- Only two tenders form will be issued to the contractor/firm which may be noted.
- The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.

E.E.

9. The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking affidavit regarding providing to him such machinery of owner's having such machinery.
10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Bajjnath Division.,
H.P.PWD..Bajjnath.

For & On behalf of the governor of H.P.

NO:-PWD BD/TA/NIT/2024-25/-

11697-11705

Dated:- 29.10.2024


- 1 Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
Bajjnath Division.,
H.P.PWD..Bajjnath.

DNT/DRAFT SCHEDULE OF QUANTITY

Name of work : Construcion of Paprola Utrala Road Km 0/00 to 12/00 . (SH: Construcion of 600 mm dia HP Culvert at Rd 1/010 and U shape Drain at Rd 0/960 to 1/060)				Estimate Cost: 2,31,884.00/- Earnest Money:4700.00/- Time Limit : Two Months		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	78.93	Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	25.96	Per cubic metre			

3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	9.63	Per Cubic metre			
4	laying reinforced cement concrete pipe NP2 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106, 900 mm Dia as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.50	Per Cubic metre			
Total						


 Executive Engineer
 Ballari Division
 H.P.R.D., Ballari

DNIT/DRAFT SCHEDULE OF QUANTITY

2

Name of work: C/O Kangoo Da Paroh to Salehra road


(Sh:- C/O R/Wall at RD 3/180 to 3/183 and C/O U shape drain at Km 3/130 to 3/175).

Estimate Cost: 93,870.00/-

Earnest Money: 1,900.00/-

Time Limit :Two Months


Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	19.51	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidentals complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	5.61	Per Cum			
3	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimeter) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidentals complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	10.24	Per cubic metre			
4	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	2.25	Per Cum			
5	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.00	Each			
Total						


 Executive Engineer
 Rajnath Division
 H.S.P.W.D., Rajnath

DNIT/DRAFT SCHEDULE OF QUANTITY

(3)

Name of work : C/O Govt Degree College at Multhan (SH:Preparation and Supplying of Structural Design and Drawings)				Estimate Cost: 188500.00/- Earnest Money: 3800.00/- Time Limit : Two Months		
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Preparation and supplying of Structural design including analysis, drawings etc complete for C/O Govt Degree collage at Multhan . The Job shall include submission of input data anyalsis and design data check print structural drawings 4 (Four) blue prints of each drawings along with soft copy in shape of CD as per approved structural design and drawings including proof checked from any Govt approved institute to the rank of IIT/NIT/Deemed University etc as per entire satisfaction and direction of Engineer - in - Charge. The rate including of GST or other Taxes imposed by government .	1.00	Per Job			
	Total					


 Executive Engineer
 Baljath Division
 H.P.R.V. Baljath

DNIT/DRAFT SCHEDULE OF QUANTITY

(4) (a)



Name of work :- C/o Building Work i/c Room in GPS Sangrehar (SH:- C/o First (1st) Floor in GPS Sangrehar.)				Estimate Cost: 3,89,158.00 Earnest Money: 7800.00 Time Limit : Two Months		
Sr.n	Description of work	No.or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m (one point five metre) in width or 10 sqm (ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m.(one point five metre) including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m (fifty metre). All kinds of soil. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government.	0.49	cum			
2	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in stairs cases with slopping or stepped soffits, excluding, landing. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.40	Per square metre			
3	Providing form work with steel plates 3.15mm (three point fifteen) thick welded with angle iron in frame 30x30x5mm (thirty into thirty into five) so as to give a fair finish including centring, shuttering, strutting and propping etc. with wooden battens and ballies, height of propping and centring below supporting floor to ceiling not exceeding 4 (four) Mtrs. and removal of the same for insitu-reinforced concrete & plain concrete work in Square, rectangular or polygonal in plan column pillar posts and sturts The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	25.27	Sqm			
4	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors roofs, landings and the like floor etc. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	37.45	Per square metre			
5	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in edges of slabs and breaks in floors and walls up to any width. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	40.80	Per running metre			
6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:6:12 (one cement : six coarse twelve sand) : ten graded stone aggregate 40 mm (forty milimeter) nominal size The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the government.	0.07	cum			

(2)(b)

7	cement concrete flooring of specified grade excluding the cost of centering and shuttering laid in one layer 1:2.4 (one Cement : two coarse sand) : four graded stone aggregate 40 mm (Forty millimeter) nominal size) The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	6.54	Per cubic metre			
8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	686.70	P/kg			
9	Second class brick work using common burnt clay building bricks in foundation and plinth in cement mortar 1:6 (one cement : six sand) as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.02	Cum			
10	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Sal wood The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	0.10	Cum			
11	Providing and fixing 40 mm (Forty millimetre) thick panelled glazed or panelled and glazed shutter second class Deodar wood for doors, windows and clear story windows including bright finished black enamelled iron hinges with necessary screws as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	2.12	Per Square Metre			
12	6mm (six millimeter) cement plaster 1:3 (One .Three) in ceiling as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	34.52	Sqm			
13	20mm (Twenty millimeter) thick cement plaster in single coat on the fair side of brick/concrete/stone walls for interior plastering upto any floor level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm (eighty millimeters) in girth, in rough side with cement mortar 1:6 (one cement : six sand) complete including curing as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	46.35	Per square metre			
14	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% (zero point zero eight) and conforming. to IS: 15622, of approved make, in all colours and shade, laid on 20 mm (Twenty Millimeter) thick cement mortar 1:4 (one cement : four coarse sand) , jointing with grey cement slurry @ 3.3 kg/sqm (three point three kilogram per square meter) including grouting the joints with white cement and matching pigments etc., completeng size of tile 600 x 600 mm (Six hundred into six hundred). as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	24.91	Per square metre			
15	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	81.04	Per square metre			

④ ⑤

16	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	333.90	kg			

Execd.  
Bellingham
H.P.P.

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: C/O Road from Bhullana to Jhikla Behru Road km 0/00 to 2/00.
(Sh:- P/L C C Pavement at Rd 0/927 to 0/989 and C/O R/Wall at RD 0/830 to 0/835).

Estimate Cost: 1,90,179.00/-
Earnest Money: 3800.00/-
Time Limit :Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	4.50	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone egg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	11.00	Per Cum			
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.15	Per Cum			
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V) 20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7 including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	3.00	Each			
5	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilograms) per cubic meter with 20 mm (Twenty Millimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	18.91	Per Cubic metre			
Total						

Execd by Engineer
Bulhna Division
H.P.P.W.D., Bulhna

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work :- C/O Toilet Near Pihar Chobin (Deposit work SDP/2023/974)
(SH:- C/O Septic Tank)

Estimate Cost: 49,934.00
Earnest Money: 1000.00
Time Limit : Two Months

Sr.no	Description of work	No.or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	10.14	Per Cum			
2	Random rubble masonry/polygonal rubble masonry (uncoursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (one cement : six sand : twelve graded stone aggregate 20mm (twenty) millimeter nominal size mechanical mixed in cement mortar 1:6 (one cement six sand) including curring and carriage of material within all leads and lifts complete in all respect as per direction of Engineer in Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	6.33	Per cubic metre			
3	Centering and shuttering including strutting, propping etc. and removal of form work for :Surface such as suspended floor etc The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.24	sqm			
4	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.Mild steel and Medium Tensile steel bars The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	68.00	kg			
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (one Cement : Two coarse sand) : four graded stone aggregate 40 (forty) mm nominal size in foundation Footings and Basis of columns The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	0.32	Per cubic metre			

(6) (6)

6	Providing and laying mechanically mixed and vibrated reinforced cement concrete work grade M-20 design mix to obtain the minimum compressive strength of M-20 N.mm ² with cement contents not less than of 320kg/m ³ (three hundred twenty kilogramme per cubic metre) excluding cost of form work and reinforcement for reinforced concrete work in suspended floor, roofs, landing and shelves and their support balconies beams girders bressumers and cantilevers upto floor all level and curing complete The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or	0.68	Per cubic metre			
7	Providing and Fixing 455x610 mm (four hundred fifty five into six hundred ten millimetre) light duty Rectangular C.I. manhole with frame cover weight 38 kg (thirty eight kilograms) (single seat) The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			

Executive Engineer
 Division
 H.O., Baljnath

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: C/O Dharamshala Dadh Holta Chadhiar Road
(Sb:- C/O B/Wall at RD 58/740 TO 58/745 and U shape Drain at RD 58/640 to 58/890 and Catchpit at Rd 58/410 to 58/890).

Estimate Cost: 4,71,647.00/-
Earnest Money: 9,500.00/-
Time Limit :Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	125.28	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	13.10	Per Cum			
3	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	58.16	Per cubic metre			
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilogram) per cubic metre in or under water including curing complete including pumping or bailing out water , dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	7.15	Per Cubic metre			
5	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government	4.00	Each			
	Total					

Executive Engineer
Bajinath Division
H.P.R.W.D., Bajinath

8




DRAFT NOTICE INVITING TENDER						
Name of Work: C/o 35.00 mtr span steel truss bridge over Lambadug khad on Barot swar road at km 0/00 (SH:- Preparation of Hydraulic data of Bridge)					Estimated Cost:-	62000.00
					Earnest Money: -	1300.00
					Time Limit :-	Three Month
Sr. No	Description of work	Qty	Unit	Rate		AMOUNT Rs. P
				Figure	Words	
1	Preparation of Hydraulic data of various Khads Complete in all respect, (ie Countour site Plan 300 meter Up and down stream side , Cross Section Center ,50 150 and 300 meter up and down stream side , L-Section of Khad and road). During approval of hyadraulic data from competent authourity .If any correction/amendment has desired by the head office the same may be corrected as desired and directed by the Engineer - Incharge . After approval the same should be submitted in fair form etc. complete.The rate is including GST, toll tax, Sale Tax or other taxes imposed by the government.	1.00	Each			
Total:-						

Execut Engineer
 Dalj... Division
 H.P.R. ...
 8

9


DRAFT NOTICE INVITING TENDER

Name of Work: C/o 35.00 mtr span steel truss bridge over Lambadug khad on Barot swar road at km 0/00 (SH:- Investigation of Bearing Capacity of Soil at Bridge Site)					Estimated Cost:-	225000.00
					Earnest Money: -	4500.00
					Time Limit :-	Three Month
Sr. No	Description of work	Qty	Unit	Rate		AMOUNT Rs. P
				Figure	Words	
1	Investigation Bearing capacity of soil at Bridge Site at different locations(i.e. Two Nos Abutments and One no. Pier) of minimum 15.00 (fifteen) meter depth of each bore and submitted the test result complete in all respect .The rate is including 'GST, toll tax, Sale Tax or other taxes imposed by the government.	30.00	Running Meter			
Total:-						

Execd By 
 Bdr 
 H.P. 

(10)

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work:  Bir Palampur Road km 0/00 to 40/00 (SH : Construction of R/wall at km 2/00 to 2/007 and wire crate R/wall at Rd 2/705 to 2/712)				Estimate Cost: 1,80,581.00/- Earnest Money: 3,700.00/- Time Limit : Two Months			
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P	
				Figures	Words		
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .	14.07	Per Cubic metre				
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	16.38	Per cubic metre				
3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire conforming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental.The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.Credit for useful stone of 2 crate ie 8 cum @ RS 850 / cum = Rs 6800 .	30.24	Per Cubic metre				
4	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	3.92	Per Cubic metre				

Engineer-in-Charge
Bijain Division
D.P.R.O., Bijain

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of work: C/O Rana Bari Balh Road km 0/00 to 1/500
(Sh:- C/O R/wall at RD 0/705 to 0/719.)

Estimate Cost: 4,34,56,200/-
Earnest Money: 9800.00/-
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	28.00	Per Cum				
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	91.00	Per Cum				
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	16.38	Per Cum				
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	24.00	Each				
5	Construction of embankment for roadway with approved material deposited at site from road way cutting and excavation from drain and foundation or other structures graded and compacted to meet requirement of table 300.1 and 300.2, M.O.R.D. Technical specifications to lines, grades, levels and cross sections as per Drawings or direction of the Engineer-in-Charge to specification clause Number 301 and 1603.5 and other relevant clauses including preparation of foundation for embankment in all kinds and classification of soils including saturated soil within all leads and lifts. the rate shall include carriage of machineries, equipments, tools and materials and safety measures payment of all taxes, octroi royalty and other incidentals necessary to complete the work in all respects. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	49.14	Per Cum				
Total							

Handwritten signature and stamp: H.P.W.D., Bijnor

Schedule of Quantity

Name of work : R/D Paprolato Andretta road Km 0/00 to 6/300 (SH: C/O 2.00 mtr. Span Culvert at RD 3/700).
(SW: Dismantling excavation and Majhera side abutment.

Estimate Cost: 3,13,249/-
Earnest Money: 62,400/-
Time Limit : One Month

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Dismatting RCC work by Mechincal means and stacking at disgnated locations and disposal of dismantled materail upto a lead and 1 Km stacking servicable and un serviceable material separately including cutting reinforcement bars.	4.82	Per Cum			
2	Dismantling stone rubble masonry manually/by mechanical means i/c stacking of serviceable material and disposal of unserviceable material (Credit of material cut stone 2.66 Cum at @ 1485 = 4247 recovered from contractor the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	10.5	Per Cum			
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D. technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	55.37	Per Cubic metre			
3	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm (forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	18.67	Per Cubic metre			
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	28.28	Per Cubic metre			
Total						

Executive Engineer
Baljath Division
H.P.W.D., Baljath

DNIT/DRAFT SCHEDULE OF QUANTITY

(13) (A)

Name of Work : C/o Paprola to Utrala Road km 0/00 to 12/00
(Sh:- Special repair of rain Shelter at RD 5/575)

Estimate Cost: 1,52,051.00
Earnest Money: 3100.00
Time Limit : Two Month

Sr.n	Description of work	No.or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	8.44	Cum.				
2	Providing form work with steel plates 3.15mm thick welded with angle iron in frames 30x30x5cm (thirty into thirty into five) . So as to give fair finish including centering, shuttering strutting and propping etcetera with wooden battens and ballies, height of propping and centering below supporting floor to ceiling not exceeding 4mtr and removal of the same for insitu-reinforced concrete and plain concrete work in Flat surfaces such as soffits of suspended floors, roofs, landing and the like floor etc upto 200mm (two hundred millimeter) in thickness The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	35.52	Sqm				
3	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for insitu reinforced concrete and plain concrete work in edges of slabs and breaks in floors and walls up to any width. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	20.30	Per running metre				
3. b	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:1.2:4 (one Cement : two coarse sand : four graded stone aggregate 40 mm nominal size) .The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	7.64	Cum.				
4	Providing for steel reinforcement for reinforced cement concrete work including bending, binding and placing in position complete in all respects as per drawing and design in all floor levels including the cost of binding wire as per PWD specification and approved design. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	298.75	Per kilo gram				
5	cement concrete flooring of specified grade excluding the cost of centering and shuttering laid in one layer 1:1.2:4 (one Cement : two coarse sand) : four graded stone aggregate 40 mm (Forty millimeter) nominal size) The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	9.99	Per cubic metre				
6	Square rubble masonry coursed with hard stone of approved quality in foundation and plinth including racking out joints in cement mortar 1:6 (one cement : six sand) and curing complete including carriage of materials within all leads and lifts complete in all respect as per the direction of Engineer-in-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	1.30	Per cubic metre				

(13) (6)

7	15mm (Fifteen millimeter) Cement plaster in single coat on the rough side of brick/ concrete/stone walls for interior plastering upto floor two level including arrises, internal rounded angles, chamfers and/or rounded angles not exceeding 80mm (Eighty millimeter) in girth and finished even and smooth Cement Mortar 1:6 (one Cement:six Sand). The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royalty, GST, toll tax, Sale Tax or other taxes imposed by the government.	60.36	Per square metre			
8	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete as per PWD specification. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	51.36	Per square metre			
9	Distempering (Two coats) with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade over and including a priming coat with distemper primer of approved brand and manufacture after thoroughly brushing the surface free from mortar droopings and other foreign matter and also including preparing the surface even and sand papered smooth on walls. Priming coat with distemper primer. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate including of octroi, royalty, Malkana, tolltax, Sale Tax or other taxes imposed by the government	51.36	Per square metre			
TOTAL						

Executive Engineer
Bajjnath Division
H.P.W.D., Bajjnath

DNIT/DRAFT SCHEDULE OF QUANTITY

14

Name of work: R/D on Bhirdi Balh to Sunka Ram House km 0/00 to 1/500 .

(Sh:- C/O R/Wall at RD 0/210 to 0/223).

Estimate Cost: 3,50,594.00/-

Earnest Money: 7,100.00/-

Time Limit :Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	21.32	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	65.78	Per Cum			
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	11.96	Per Cum			
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royalty, Malkana, tolltax, or other taxes imposed by the government.	24.00	Each			
Total						

Engineer
Bajpath Division
H.P.R.W.D., Ballari