

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/- 13563-41 DATED 26/11/24. ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HRPWD, Baijnath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 12.12.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 11.12.2024 between 2.00 PM up to 4.30

P.M and the application for issue of tender forms shall be received on 10.12.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender. shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	C/O ambulance Road from Rain Shelter Bhiot to village Bhiot (SH: F/C in km 0/00 to 0/350 and C/O R/Wall at RD 0/200 to 0/214)	Rs.4,88,150/-	Rs.9,800/-	Rs.350/-	Three Months
2	Restoration of Rain Damage on Baijnath Dhanag Raod Km 0/00 to 3/400 (SH: C/O R/Wall at RD 1/495 to 1/507 and 1/510 to 1/518)	Rs.3,26,342/-	Rs.6,600/-	Rs.350/-	Two Months
3	C/O link road from Bani Di Hatti to Dadin Km 0/00 to 2/00 (SH: P/L G-I at Km 1/908 to 1/938 & C.C. Pavement at Km 1/908 to 1/948)	Rs.4,99,262/-	Rs.10,000/-	Rs.350/-	Two Months
4	C/O Link road from Behru to Majherna Railway Station via Desh Raj House Km 0/00 to 0/500 (SH: P/L C.C. Pavement & Kharnja Stone Soling at Km 0/135 to 0/161) Deposit work SDP/2024/811)	Rs.99,529/-	Rs.2,000/-	Rs.350/-	Two Months
5	Restoration of Rain Damage on Kangoo Da Paroh to Rest House Chadhiar Km 0/00 to 0/650 (SH: C/O R/Wall at RD 0/005 to 0/013)	Rs.53,486/-	Rs.1,100/-	Rs.350/-	Two Months
6	C/O Community Shed Near SDPO at Baijnath (SH: Extension of Slab) back side (deposit work) SDP/2023/748	Rs.99,451/-	Rs.2,000/-	Rs.350/-	Two Months
7	R/D on Baijnath Gandhigram upperla road Km 0/00 to 5/700 (SH: Dressing of Berms at Km 0/00 to 3/00 & repair of catchpit and wing wall)	Rs:1,88,546/-	Rs.3,800/-	Rs.350/-	Two Months
8	C/O Dharamshala Dadh Holta Chadhiar Sandhole road (SH: C/O R/Wall at RD 59/120 to 59/143.25)	Rs.4,98,717/-	Rs.10,000/-	Rs.350/-	One Month

- The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- 3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- Only two tenders form will be issued to the contractor/firm which may be noted.
- 6. The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A
- The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/permit.

Executive Engineer, Baijnath Division., H.P.PWD. Baijnath. For & On behalf of the governor of H.P.

PWD/BD/TA/NIT/2024-25/- 13563-7 Dated:- 26.11.2024
Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
The Engineer (MZ) HPDVD Manual Pradesh Shimla-2 for favour of information please.

The Chief Engineer (MZ), HPPWD, Mandi.

The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar. 4

All the Assistant Engineer working under this Division.

6 Drawing Branch in this office.

NO:-PWD/BD/TA/NIT/2024-25/-

The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer, Baijnath Division.,

(L		1)
-	2	2	1	

	DNIT/DRAFT SCHEDULE OF QUANTITY	ANTITY				(2) E
Z	Name of work :- C/O Ambulance Road From Rain Shelter Bhiot to Village Bhiot			Estimate Cos	Estimate Cost: 4,88,150.00/-	
S	(SH:- F/C in km 0/00 to 0/350 and C/O R/wall at RD 0/200 to 0/214			Earnest Mon	Earnest Money:9,800.00/-	
				Time Limit:	Time Limit: Three Months	
Sr.	Description of work	No. or	Unit	Rate	ite	AMOUNT
No		Qty.		Figures	Words	Rs. P
	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means	668.13	Per cubic			
	including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging		metre			
Ì	out of rock (where blasting is prohibited) and their intermediate classification of soil, setting					
	out true to the required line, grades, width cutting and trimming of side slopes and level as					
	shown on the drawing and as directed by the Engineer-in- Charge at site according to the					
	M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and					
	stacking the same in all leads and lifts in acquired width of the road and transportation of useful					
	material for filling in road ways, camber, embankments for grade improvements and disposal					
	of all surplus material at approved dumping sites through all modes of transporation including					
	head load or animals transport or mechanical means along with its leveling fine dressing and					
	hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for					
	usefull stone of 33.40 cum @ 300/- per cum shall be effected from the contractor bill on pro-					
	rata basis for the quality of cutting in earth work executed. Any loss to the public / private					
	property during the course of execution shall be the absolute responsibility of the contractor					
	which shall have to be duly compensated by him at his own cost. The rate including of octroi,					
	royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.					

3 - 10 1		5	4	u	2
	Total	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.
		15.00	23.94	53.62	14.70
1		Each	Per Cum	Per Cum	Per Cum
Execut Beijnat H.P.P.W					
n Nivisian I.D., Baijnat	X				
M					

	, Oren mus manufacture.	(Sh:- C/O R/wall at RD 1/495 to 1/507 and 1/510 to 1/510	Name of work: Restoration of Rain Damage on Bainath Dhanag Road Lm 0/00 to 3/100
Time Limit : Two Months	Earnest Money: 6,600.00/-	Estimate Cost: 3,26,342.00/-	

	4			2		1	Sr.		(Sh:
1810 1	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of I(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals including entire carriage of leads and lifts and other incidentals including entire carriage of materials within all leads and other incidentals. The rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing and laving mechanically mixed and vibrated plain coments on formation of the later.	comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Forth modifie	Description of work		(Sh:- C/O R/wall at RD 1/495 to 1/507 and 1/510 to 1/518).
	18.00	13.80	61.00	1	19.00	Oty.	No. or		
	Each	Per Cum	Per Cum		Per Cum		Unit		
						Figures		Time Limit : Two Months	Estimate Cost: 3,26,342.00/- Earnest Money: 6,600.00/-
					THE PARTY OF THE P		Rate	wo Months	3,26,342.00/- v: 6.600.00/-
					XS.	è	AMOUNT		



Name of work:- C/O link road from Bani Di Hatti to Dadin km 0/00 to 2/00. (SH:-(SH:-P/L G-I at km 1/908 to 1/938 & C. C Pavement at km 1/908 to 1/948)

Estimate Cost: 4,99,262.00/-Earnest Money: 10,000.00/-Time Limit: Two Months

Γ		2		T
	ν			2
Total	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	Providing and Laying, spreading and compacting stone aggregates size 90mm to 45 mm (Ninety millimeter to forty five millimeter) grading-I (100 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading-I @ 0.30 cum per ten square meter and binding material at the rate of 0.08 cum (Zero point zero eight cubic meters) per ten Sqm (ten square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading II as per MORD techanical specification clause no 405 complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	Description of work	SCHEDULE OF WORKS
	63.00	23.62	No. or Oty.	
	Per Cubic metre	Per Cubic metre	Unit	
		Total	Rate	
		10,	AMOUNT	

Executive Engineer Saijnath Division

	(Shr/L C. C ravement & Knarnja Stone Soling at km 0/135 to 0/161) Deposit Work SDP/2024/811)	Name of work :-C/O Link Road From Behru to Majherna Railway Station via Desh raj House km 0/00 to 0/500
Time Limit: Two Months	Earnest Money: 2,000.00/-	Estimate Cost: 99,529.00/-

	2	-	No.
Total	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	Providing and laying hard stone Soilng properly hand packed intersects with kharanja staone and consolidating with power / hand roller to requested graidient and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 mm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	Description of work
	11.31	11.31	No. or
	Per Cubic metre	Per Cubic metre	Unit
) () ()	0.698
		T COLOR	Rate
		N.	AMOUNT



Nam (Sh.	n 0/00 to 0/6:	No. or		r Unit	Estimate Cost: 53,486.00/- Earnest Money: 1,100.00/- Time Limit :Two Months r Unit Figures Wo
-	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	1.60	0	0 Per Cum	Per Cum
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	0	10.00	00 Per Cum	
ω	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.		1.80	80 Per Cum	
4	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of I(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	6.00	0	0 Each	
Γ	Total				



0
(4)
0
-

V	3)
2	0

			4			
	Name (SH:-	Sr.n	_	2.a	2.6	2.c
DNIT/DRAFT SCHEDULE OF Q	Name of work :- C/O Community Shed Near S D P O at Baijnath (SH:- Extension of slab) back side . (Deposit work) SDP/2023/748 .	Description of work	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R. D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge, Including carriage of materials within all-leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing form work with steel plates 3.15mm(three point fifteen), thick welded with angle iron in frame 30x30x5mm (thirty into five). so as to give a fair finish including centring, shuttering, strutting and propping etc. with wooden battens and ballies, height of propping and centring below supporting floor to ceiling not exceeding 4 (four) Mtrs. and removal of the same for insitu-reinforced concrete & plain concrete work in Square, rectangular or polygonal in plan column pillar posts and sturts The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and Centering and shuttering including strutting, propping etc. and removal of form work for .Beams Cantilever girder etc The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and ballies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in flat surfaces such as soffits of suspended floors roofs, landings and the like floor etc. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.
		No.or Qty.	0.32	14.64	10.56	17.13
UANIIIY		Unit	Per Cum	Sqm	sqm	Per square metre
	Estimate Cost: 99,451.00 Earnest Money:2,000.00 Time Limit: Two Months	Figures				
	9,451.00 2,000.00 vo Months	Rate				
(AMOUNT Rs. P				

0	
0	5

metres.) lead and including cutting the necessary reinforcement and separating out from RCC R. B works. The rate including of octroi, royality. Malkana, tolltax, Sale Tax or other taxes imposed by the government and shuttering - All work up to plinth level: 1:2.4 (1 Cement: 2 coarse sand): 4 graded stone aggregate 40 mm nominal size) in foundation Footings and Basis of columns The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated reinforced cement concrete work grade M-20 design mix to obtain the minimum compressive strength of M-20 N.mm2 with cement contents not less than of 320kg/m3 (three hundred twenty kilogramme per cubic metre) excluding cost of form work and reinforcement for reinforced concrete work in suspended floor, roofs, landing and shelves and their support balconies beams girders bressumers and cantilevers upto floor all level and curing complete including carriage of material within all leads, lifts and other incidental charges complete in all respect as per the direction of Engineer-in-Charge. Providing and laying cement concrete work 1:2.4 (1 Cement:2 Sand-4 graded stone aggregate 20 mm nominal size) and curing complete excluding cost of form work and Coulinn Pillar Posts & sturts and the like and mass concrete. reinforcement for reinforced concrete work in: The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government. Providing to resel reinforcement for reinforced cement concrete work including bending, binding and placing in position complete in all respects as per drawing and design. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The rate is includ	1 1 2	•			
0.32 0.32 0.32 0.32 0 0.33 for ms ms min 1.10 8			4.5	.4.a	
	oviding tor steel reinforcement for reinforced cement concrete work including bending, binding and placing position complete in all respects as per drawing and design in all floor levels including the cost of binding ire as per PWD specification and approved design. The rates are inclusive cost and carriage of materials with all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. The is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	oviding and laying cement concrete work 1:2:4 (1 Cement:2 Sand:4 graded stone aggregate 20 mm nominal ze) and curing complete excluding cost of form work and Coulmn Pillar Posts & sturts and the like and mass increte. reinforcement for reinforced concrete work in: The rates are inclusive cost and carriage of materials ith in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-Inarge. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	roviding and laying mechanically mixed and vibrated reinforced cement concrete work grade M-20 design mix obtain the minimum compressive strength of M-20 N.mm2 with cement contents not less than of 320kg/m3 aree hundred twenty kilogramme per cubic metre) excluding cost of form work and reinforcement for inforced concrete work in suspended floor, roofs, landing and shelves and their support balconies beams rders bressumers and cantilevers upto floor all level and curing complete including carriage of material within leads, lifts and other incidental charges complete in all respect as per the direction of Engineer-in-Charge.	roviding and laying in position cement concrete of specified grade excluding the cost of centering and luttering - All work up to plinth level:1:2:4 (1 Cement: 2 coarse sand): 4 graded stone aggregate 40 mm minal size) in foundation Footings and Basis of columns The rate including of octroi, royality, Malkana, lltax, Sale Tax or other taxes imposed by the government.	metres.) lead and including cutting the necessary reinforcement and separating out from RCC R.B works. The rate including of octroi, royality. Malkana, tolltax. Sale Tax or other taxes imposed by the government.
Per cubic metre Per cubic metre Per cubic metre Per kilo gram	436.00	1.10	4.03	0.32	C
	Per kilo gram	Per cubic metre	Per cubic metre	Per cubic metre	CALL
				-	



Name of work: R/D on Baijnath Gandhigram upperla road km 0/00 to 5/700. No. 2 incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of tax, Sale Tax or other taxes imposed by the government clauses including preparation of foundation for embankment in all kinds and classification of soils M.O.R.D. Technical specifications to lines, grades, levels and cross sections as per Drawings or Construction of embankment for roadway with approved material deposited at site from Borrow Pits a shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and bottom and back filling in trenches with excavated suitable approved material to the original deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is and materials to various location through all modes of transportation in all leads, lifts and other per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, open in foundation as per drawings and M.O.R.D technical specification section 800, 900 and 1200 and to the may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and incidentals necessary to complete the work in all respects. The rate is including octroi, royality, GST, toll equipments, tools and materials and safety measures payment of all taxes, octroi royality and other direction of the Engineer-in-Charge to specification clause Number 301 and 1603.5 and other relevent incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other and any quantum of water including cleaning of slush which may arrise out during dewatering as per surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including Charge, including setting out, construction of shoring and bracing, removal of stumps and other drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-Inprohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per Earth work in excavation for all type of road structure and in all type of classification of soil imposed by the government. cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as location through all modes of transportation in all leads, lifts and other incidental complete in all respect. curing complete including pumping or bailing out water, dewatering removal of slush as required at site which including saturated soil within all leads and lifts, the rate shall include carriage of machineries, (Sh:- Dressing of Berms at km 0/00 to 3/00 & repair of catchpit and wing wall) Description of work 1125.00 No. or 1.69 1.88 Per Cum Per Cum Per Cum Per Cum Unit Estimate Cost: 1,88,546.00/ Earnest Money: 3,800.00/-Time Limit : Two Months Figures Rate AMOUNT Rs.

-	retu 1(V) 120a inclu
Total	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of I(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.
	2.00
	Each



		I	
		1	t
		ı	CLILI/CXAT / LTDITT OF
		l	
			J
			7
		1	2
		*	201
	1	3	/
	I	-	
	I		5
	l	ţ	2
	ı		
		Ì	7
	1	C	0
1	1	1	1
1	4)
1	7	_	
-	K CAMPATEL I	2	
I	t		
1	-	5	
п	-	ø	

		To care
		1
		15
		KANDAN
		15
		1
		1
		-
<u></u>	H	
2	sti	7
=	8	

(ShsCO Divarianthala hadh Holts ChadhiarSundhole Road Str. Description of work Divarianthala Description of work Description of the physics Description D		4	ω		2 2 2
DNIT/DRAFT SCHEDULE OF QUANTITY Estimate Cost: 4,98,717.00/. Earnest Money: 10,000.00/. Earnest Money: 10,000.00/. Earnest Money: 10,000.00/. Earnest Money: 10,000.00/. Time Limit: One Month Mo. or Unit Earnest Money: 10,000.00/. Time Limit: One Month Mo. or Unit Earnest Money: 10,000.00/. Time Limit: One Month Mo. or Unit Earnest Money: 10,000.00/. Time Limit: One Month Mo. or Unit Earnest Money: 10,000.00/. Time Limit: One Month Moray Earnest Money: 10,000.00/. Moray Earnest Money: 1		Pro wit dra can toll	Pro and inc		Sh:
Estimate Cost: 4,98,717.00/. Earnest Money: 10,000.00/. Time Limit :One Month Rate Figures Words um	Total	sonry, plain/reinforced concrete abutment, wing wall, return wall the full width of the structures with slope of 1(V):20(H) towards nical specification clause 614, 709, 1204.3.7. including entire other incidentals the rate including of octroi, royality, Malkana,	roviding back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and other incidentals. including entire carriage of materials within all leads and lifts and other cidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government	reaving and Jaying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per leaving and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five and : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of ingineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various exciton through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate reluding of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Where er draw Charge arials a filling m (on filling filling for some filling or other or othe
Estimate Cost: 4,98,717.00/. Earnest Money: 10,000.00/. Time Limit :One Month Rate Figures Words um		40.00	19.53	92.54	OF QUAN
ords		Each	Per Cum	Per Cum	Unit Per Cum
					Estimate Cost: 4,98,717.00/. Earnest Money: 10,000.00/. Time Limit :One Month Rate Figures WG

