

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

> Executive Engineer, Baijnath Division, HP.PWD, Baijnath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 30.11.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 29.11.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 28.11.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit	
1	Restoration of Rain Damages on Bir Barot road Km 0/00 to 48/00 (SH: C/O unlined Surface drain at various RDs and maintenance of earthen shoulder and dressing of berms at various reaches)	Rs.1,83,688/-	Rs.3,700/-	Rs.350/-	One Month	
2	C/O link road from Bir Palampur road to Mandher via Gharnallah (SH: C/O 900mm Dia H/Pipe culvert at RD 3/235)	Rs.3,14,465/-	Rs.6,300/-	Rs.350/-	Two Months	
3	C/O Link road from Bir Palampur road to village Bari Km 0/00 to 1/00 (Working Programme) (SH: C/O 900mm Dia H/Pipe culvert at RD 0/425 and V-Shape drain at RD 0/00 to 0/080)	Rs.3,49,754/-	Rs.7,000/-	Rs.350/-	Two Months	
4	C/O road from Sabji Mandi to village Sangrehar Ner & Sarman (Working Programme) (SH: C/O 900mm Dia H/Pipe Culvert at RD 1/190)	Rs.2,60,588/-	Rs.5,300/-	Rs.350/-	Two Months	
5	R/R Damages on Sangrehar Dharman Road Km 0/00 to 2/100 (SH: Construction of R/Wall in wire crate at Km 1/030 to 1/038)	Rs.1,44,442/-	Rs.2,900/-	Rs.350/-	Two Months	
6	R/D Bir Barot road km 0/00 to 40/00 (SH: C/O R/wall at RD 1/585 to 1/593)	Rs.97,463/-	Rs.2,000/-	Rs.350/-	Two Months	
7	R/R Damage on Ahju Bir Gunehar Road Km 0/00 to 6/00 (SH: C/O R/Wall at RD 5/645 to 5/660)	Rs.2,48,008/-	Rs.5,000/-	Rs.350/-		
8	R/R Damage on Baijnath Bhatoo Road Km 0/00 to 6/00 (SH: C/O B/wall at RD 4/550 to 4/570)	Rs.2,30,092/-	Rs.4,700/-	Rs.350/-	Two Months	

1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P sales Tax clearance certificate from the Excise and Taxation Department.

2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.

3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.

4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.

5. Only two tenders form will be issued to the contractor/firm which may be noted.

6. The contractor will also have to attach the labour employer license from the labour office with the application.

7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.

8. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.

9. The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.

10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.

11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.

12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer,
Baijnath Division.,
H.P.PWD..Baijnath.
For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2024-25/- 12922 -30

Dated:- 14.11.2024


- 1 Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- 2 The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer, Baijnath Division.,

Name of work: Restoration of Rain Damages on Bir Barot road km 0/00 to 48/00 (SH: C/O unlined Surface drain at various RDs and maintenence of earthen shoulder and

Estimate Cost: 1,83,688.00/-Earnest Money: 3700.00/-

\perp	ressing of berms at Various reaches)	hen shoulder :	and		Money: 3700.00/- mit : One Month	
S	Description of work	No. or	Unit		Rate	AMOUNT
1	Construction of Unlined Surface drains of avarage cross sectional area 0.20 Sqm (Point two zero square meter) in soil to specified lines, grade, levels and dimensions Excavated material to be used in embankment with a lift upto 3 mtr (three meter) and lead of 50 mtr (fifty meter) (avarage lead 25 mtr) (twenty five meter) as per technical Clause 1903 within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Qty. 2450.00	Per Running metre	Figures	Words	Rs. P
2	Making up loss of material/irregularities on shoulders to the design level by adding fresh approved selected soil and compacting it with appropriate equipment at OMC (optimum moisture content) upto a lead of 1000 m (one thousand meter) within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	1957.50	Per Square metre	3-		-
	Total					



Name of work :-C/O Link road from Bir Palampur road to Mandher via Gharnal lok (SH:-C/O 900 mm Dia H/pipe culvert at RD 3/235).

Estimate Cost: 3,14,465.00/-Earnest Money: 6,300.00/-Time Limit : Two Months

6			(1)	Time Limit	: Two Months	
Sr	Description of work		Unit	R	AMOUNT	
1	Farth work in executation for about 11 1	Qty.		Figures	Words	Rs. P
	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.		Per Cubic metre			
	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	1.61	Per Cubic metre			

-		11.37	Per Cubic metre			(2)(b)
	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	11.57				
	Providing and laying flooring laid over cement craddle beeding complete as per drawing and technical specification Clause 1303 cement concrete bedding M-15 (fifteen) as per direction of Engineer-in-Charge including entire carriage of materials within all leads, lifts and other incidentals as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	0.45	Per Cubic metre	-		
	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	42.03	Per Cum			
6	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	6.57	Per Cum			
7	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	12.00	Each			
L						7
				B	xe cu tivə Engi aijnath Division P.P.W.D. Baijna	n

Name of work :-C/O Link road from Bir Palampur road to village Bari km 0/00 to 1/00 (Working Programme) (SH:-C/O 900 mm Dia H/pipe culvert at RD 0/425 and V shape drain at RD 0/00 to 0/080).

Estimate Cost: 3,49,754.00/-Earnest Money: 7,000.00/-Time Limit: Two Months

-				Time Limit	. I wo Months	
Si	r Description of work	No. or	Unit	I	Rate	AMOUNT
1		Qty.		Figures	Words	Rs. P
	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.		Per Cubic metre			
	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	31.29	Per Cubic metre			

_			Per Cum		(2) (6)
-	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	15.72	Tel Cull		(3/2)
4	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	10.84	Per Cubic metre		
5	Rroxiding and laying (to level or slope) 900mm dia (nine hundred millimeter) diameter reinforced cement concrete pipes IS Class NP-2 for culverts in single row including fixing collar with cement mortar 1:2 (One cement: two sand) but excluding the cost of excavation, protection works, back filling, bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.Labour Rate (Pipe will given by department)	7.50	Per Running metre		
	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals.the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.		Each		
7	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	5.64	Per Cum		interior g

Name of work :- C/O Road from Sabji Mandi to Village Sagrehar Ner & Sarman (Working Programme) (SH:-C/O 900 mm Dia H/pipe culvert at RD 1/190).

Estimate Cost: 2,60,588.00/-Earnest Money: 5,300.00/-Time Limit . Two Month

-	T			Time Limit	: Two Months	
Sr	Description of work	No. or	Unit	R	ate	AMOUNT
1	Farth work in execution for etrustures in all days.	Qty.		Figures	Words	Rs. P
	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	43.11	Per Cubic metre			NS. T
	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one cement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 and to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	26.34	Per Cubic metre			

Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	9.42	Per Cubic metre		06)
Providing and laying (to level or slope) 900mm dia (nine hundred millimeter) diameter reinforced cement concrete pipes IS Class NP-2 for culverts in single row including fixing collar with cement mortar 1:2 (One cement: two sand) but excluding the cost of excavation, protection works, back filling, bedding concrete and masonry work in head walls and parapets as per drawing and M.O.R.D. technical specifications clause 1101 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	7.50	Per Running metre		
Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	5.28	Per Cum		

Englished H.R.F.W.D., Bailheath

	of work: R/R Damages on Sangrehar Dharman Road km 0/00 to 2/100 (SH: Construction of R/wall in wire crate at km 1/030 to 1/038)			Estimate Cost: Earnest Mone Time Limit :	v: 2.900 00/-		
Sr. No.	Description of work	No. or Qty.	Unit	Figures	Words	AMOUN	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost.	9.12	Per Cubic metre	7,500	Worlds.	Rs.	P
3	Providing and laying of boulder apron laid in wire crates with 4 mm dia GI wire confirming to IS 280 and IS 4826 in 100mm x 100 mm mesh (woven diagonally) including 10 per exra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications clause 1301 Including carriage of materials within all leads and lifts and other incidental. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	46.08	Per Cubic metre				
	Back filling with granular material behind abutments, wing walls, return walls complete as per drawing and M.O.R.D. technical specification clause 1604.7 and section 300, as per direction of Engineer-In-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	5.92	Per Cubic metre				



DNIT/DRAFT SCHEDULE OF QUANTITY Name of work: ODBr Barot road km 0/00 to 40/00 Estimate Cost: 97,463.00/ (Sh:- C/O R/Wall at RD 1585 to 1/593). Earnest Money: 2,000,00/-Time Limit: Two Months Description of work Unit Rate No. or No. AMOUNT Figures Otv. Words Earth work in excavation for all type of road structure and in all type of classification of soil comprising of Rs. P Per Cum 6.72 ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per 17.57 Per Cum drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement; five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing 4.51 Per Cum and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads

8.00

Total

Each

and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.

Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall

tolltax, or other taxes imposed by the government.


with 100mm dia PVC pipe extending through the full width of the structures with slope of I(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana.

Name of work: Rain Damage on Ahju Bir Gunehar Road km 0/00 to 6/00 .

(Sh:- C/O R/Wall at RD 5/645 to 5/660).

Estimate Cost: 2,48,008.00/-Earnest Money: 5,000.00/-Time Limit:Two Months

Description of work	No. or	Unit		Rate Figures Words	
Coath and in a second Coath	Qty.		Figures	Words	AMOUNT Rs. P
reactive work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	15.75	Per Cum			IS. F
Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	45.60	Per Cum			
Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	10.80	Per Cum		- 67	
with 100mm dia PVC pipe extending through the full width of the structures with stope of 1(v).20(r) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana,		Each		# *	
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 21200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing , removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including carriage of materials within all leads and lifts and other incidental. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octr	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entir	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etecter as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement : five sand : ten graded stone age, 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entir	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clauses 305.1 and as per direction of the Engineer- In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including calraige of materials within all leads and lifts and other incidental. The rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement: five sand : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and l



	DNIT/DRAFT SCHEDULE OF	FOUAN	TITY			
Sh:-	of work: Rain Damage on Baijnath Bhatoo Road km 0/00 to 6/00 . C/O B/Wall at RD 4/550 TO 4/570).	200000		Estimate Cost: 2,30, Earnest Money: 4,7 Time Limit:Two N	00.00/-	(8)
r.	Description of work	No. or	Unit	F	late	AMOUNT
lo.		Otv.		Figures	Words	AMOUNT
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental.the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	16.80	Per Cum			Rs. P
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of	44.00	Per Cum			

Total

Each

Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate

Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall

with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana,

including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.

tolltax, or other taxes imposed by the government.

Va Eng.....