

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-1/395-11403 DATED 07-11-24 ARE URGENT NATURE AND PUBLIC INTEREST.

Executive Engineer, Baijnath Division, HP.PWD, Baijnath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 22.11.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 21.11.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 20.11.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr.	Name of Works	Amount put to	Earnest	Cost of	Time limit
	Name of Works	tender/Estimated	Money	tender	
No.		cost.		form	
1	A/R & M/O under Baijnath Division (SH: Providing and fixing of Battery 65 AH SMF Exide)	Rs.1,38,000/-	Rs.2,600/-	Rs.350/-	One Month
2	A/R & M/O Under Baijnath Division (SH: Providing and fixing of UPS on Line 10 KVA)	Rs.1,30,000/-	Rs.2,600/-	Rs.350/-	One Month
3	R/D on Gowal Tikker to Mahesh Garh Road (SH: C/O	Rs.4,47,486/-	Rs.,9,000/-	Rs.350/-	Two
	R/Wall at RD 2/184 to 2/200)		9		Months
4	C/O Paprola to Uttrala Road km 0/00 to 12/00 (OFC	Rs.4,12,114/-	Rs.8,300/-	Rs.350/-	Two
	Deposit) (SH: C/O R/Wall at RD 10/770 to 10/780 &				Months
_	11/00 to 11/010)	D=2.41.500/	D = 6 000/	D- 250/	One Manth
5	C/O Barot Polling Road Km 0/00 to 8/050 (SH: C/O V-Shape Drain B/W 6/700 to 7/200)	Rs.3,41,500/-	Rs.6,900/-	Rs.350/-	One Month
6	R/D Paprola to Andretta road Km 0/00 to 6/300 (SH: C/O 2.00 mtr. Span Culvert at RD 3/700)	Rs.3,79,123/-	Rs.7,600/-	Rs.350/-	One Month
7	C/O Raina Bari Balh Road km 0/00 to 1/500 (SH: Earth filling Work at RD 0/00 to 1/00)	Rs.2,23,720/-	Rs.4,500/-	Rs.350/-	Two Months
8	Construction of Bir Barot road km 0/00 to 48/00 (SH: Improvement of Curves in various reaches b/w R/D 0/00	Rs.2,63,571/-	Rs.5,300/-	Rs.350/-	One Month
	to 14/00)				
9	Construction of Gowal Tikker to Suhru km 0/00 to 5/750	Rs.3,47,710/-	Rs.7,000/-	Rs.350/-	One Month
	(computer code 1900 -307-9846) (SH: Formation Cutting in earth work km 4/150 to 4/460)			,	
10	R/D on link road Sansai Dhandole Road km 0/00 to 8/00	Rs.4,55,609/-	Rs.9,200/-	Rs.350/-	Two
	(SH: Repair to Pot Holes between km 3/500 to 6/00)				Months

- 1. The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.
- 2. The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- 3. The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- 4. In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- 5. Only two tenders form will be issued to the contractor/firm which may be noted.
- 6. The contractor will also have to attach the labour employer license from the labour office with the application.
- 7. Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- 3. The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- 9. The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.

E.E.

- 10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- 11. All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-
- 12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

Executive Engineer, Baijnath Division., H.P.PWD..Baijnath. For & On behalf of the governor of H.P.

NO:-PWD/BD/TA/NIT/2024-25/- 11395-11403

Dated:- 07.11.2024

- Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-chief, HPPWD, Shimla. 2
- The Chief Engineer (MZ), HPPWD, Mandi.
- The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar. 4
- All the Assistant Engineer working under this Division.
- Drawing Branch in this office.
- Notice Board.

The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

> Executive Engineer, Baijnath Division., H.P.PWD. Baijnath.

DNIT/DRAFT SCHEDULE OF QUANTITY

9

Name of Work: -A/R & M/O Under Baijnath Divison
(Sh: -Providing and fixing of Battery 65 AH SMF exide)

Estimate Cost: 1,38,000.00
Earnest Money: 2,600.00
Time Limit: One Month

								T		T
								- 0.	Z Z	2
	by the government.	including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed	by the Engineer - Incharge . with in all leads, lifts and other incidentals, The rate	charge status & Battery health check included complete as desired and directed	warranty 24x 7 warranty support included preventive maintenance to ensurence	desired by office, frieght and insurance, rad permits / Bills included 24 months	-		Description of work	SCHEDULE OF WORKS
							16.00 Each	Qty.	No.or	
							Each		Unit	
	,							Figures	Rate to be entered	
								Words	Rate to be entered by the Bidder in	
		*						Rs. P	AMOUNT	



-	_
2	
c	_
	-
-	_
C	
le.	-
	-
	_
0	$\overline{}$
1	
×	-
-	-
1	-
_	_
-	_
7	0
4	4
-	1
1	1
-	_
	-
	_
E	-
C	
-	=
	_
-	
١,	
7	-4
	-
-	
,	
	₹
	-
6	NITION AND CHAPTILE OF OLIVINITY
1	
6	_
-	$\overline{}$
-	-
-	7
4	
	7
1	
-	_
	3
1	
	-
1	€

(1)

Name of Work: -A/R & M/O Under Baijnath Divison (Sh: -Providing and fixing of UPS ON LINE 10 KVA)

Estimate Cost: 1,30,000.00
Earnest Money: 2,600.00
Time Limit: One Month

_	2	2		
Providing and fixing of UPS ON LINE 10 KVA including installation at site desired by office, frieght and insurance, rad permits / Bills included 24 months warranty 24x 7 warranty support included preventive maintenance to ensurence charge status & Battery health check included complete as desired and directed by the Engineer - Incharge. with in all leads, lifts and other incidentals, The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.		Description of work	SCHEDULE OF WORKS	
1.00 Each	Qty.	No.or		
Each		Unit		
	Figures	Rate to be entered by the Bidder in		
	Words	by the Bidder in		
	Rs. P	AMOUNT		

ainath Division

	ı.	_	
3	ľ	1	
Н	Ь		
	k	-	
	K		
	١	=	
	١	-	
		-	
	K	•	
1	P		•
١	ŀ	-	
П		^	
d			
1			
1	(
1	1		
1	1	2	
1	ŀ	-	
1	c		
1	E	-	
1	H	-	
1	•	-	
1	0	-	
1	Ē	=	
1	L		
ł	ŀ	5	
1	-	-	
1	1		
1	,	-	
ı	6	5	
ı		_	
L	C	7	
ľ	3	=	
ı	C		
ł	1	_	
ı	×	-	
ı	7	1	
ı	_	7	
I	-		
ı		=	
ı	-	7	
ı		4	
ı	H		
ı		TAAL TOTOTOTOTOTOTO	

	1		_					
4	ω		2	_	NO.	S.	(Sh:-	N
Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1.5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Providing and laving mechanically mixed and vibrated plain compart connects in facility in the control of the c	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.		Description of work	(Sh:- C/O R/Wall at RD 2/184 to 2/200).	DNIT/DRAFT SCHEDULE OF QUANTITY
45.00	16.64	83.04		23.84	Otto	No. or		F QUAN
Each	Per Cum	Per Cum		Per Cum		Unit		TITY
				r igures			Estimate Cost: 4,47,486,000 Earnest Money: 9,000.00/ Time Limit :Two Months	
				words.	MAIL	Rate	Estimate Cost: 4,47,486.00/- Earnest Money: 9,000.00/- Time Limit :Two Months	
				Rs. P	AMOUNT	THE PARTY OF THE P		(3)



Total

				1810 1	
				drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	
		Each	34.00	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of I(V):20(H) towards	4
		Per Cum	17.40	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	w
		Per Cum	76.60	drawing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	
Figures Words	Fig	Per Cum	Oty. 20.20	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	
Rate		Unit	No. or	Description of work	No.
Estimate Cost: 4,12,114.00/- Earnest Money: 8,300.00/- Time Limit :Two Months	Estimate C Earnest M Time Limi			(Sh:- C/O R/Wall at RD 10/770 to 10/780 & 11/00 to 11/010).	(Sh:
		IIII	ATELON TO	Name of work: C/O Paprola to Uttrala Road km 0/00 to 12/00 (OFC Benosit)	Name



		1										4
			ě.		-	No.				(Sh:-	Name	
TOTAL	foundation for all type of structure complete in plain cement concrete 1:3:6 (one cement: three sand: six graded stone agreegate) 20mm (twenty millimeters nominal size) to obtain the minimum compressive strength M-10 in or under water and curing complete including pumping and bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water completye for all height/depths including the cost of form work for plain concrete in Drain and Edge wall.	layers not exceeding 150mm	as per direction of the Engineer- In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable appropriate description.	soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305 Land	Earth work in excavation for all type of road structure and in all type of all type of the structure and in all type of the structure and	Description of work	SCHEDULE OF WORKS			(Sh:- C/O V-Shape Drain B/W 6/700 to 7/200)	e of work : C/O Report Balling Bood V. 1992 D.N.I. I/ SCHEDULE OF QUANTITY	D II TO CONTROLLED IN CONTROLL
	07.50			37.50	Qty.	No.or	WORKS				OF QUA	
	Cum			Cum		Unit					NTITY	
					Figure	Estir						
			1		Words	Estimated Rate		Time Limit :	Earnest Money: Rs.	Estimated Cost: Rs.		
					Rs. P	AMOUNT	One tradition	One Month	6,900.00	341500.00		



(11)

				I OTAL	
		Each	12.00	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of I (v): 20(H) towards drainage face complete as per drawing and M.O.R.D. technical specification clauses 614, 709 & 1206.6 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.	6
		Tonne	0.35	Supplying fitting and placing HYSD bar for reinforcement (Fe-415) in super structure complete as per drawing and M.O.R.D. technical specifications section 1000 including cutting, bending, binding and placing in position complete in all respect including cost of binding wire including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge.	y.
		Per Cum	4.37	Providing and laying mechanically mixed and vibrated reinforced cement concrete in super structure as per drawing and M.O.R.D technical specification section 800, 900 and 1400 using R.C.C. grade M-25 (twenty five) design mix with cement contents not less then 400 kgs (four hunderd kilogram) per cubic meter with 20 mm (twenty milimeter) nominal size gradrd crushed stone aggregate and curing complete including cost of form work but excluding the cost of reinforcement for reinforced concrete work in deck slab and to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	4
		Per Cum	3.61	Providing and laying mechanically mixed vibrated reinforced cement concrete in substructure using concrete grade M-20 (M twenty) design Mix with cement contents not less then 330 kg (three hundred and thitry kilogram) per cubic meter as per drawing and M.O.R.D. technical specification section 800, 900,1200. Including the cost of form work in bed block and dirt wall etc. excluding the cost of reinforcement for reinforced concrete work but icluding curing complete as per direction of Engineer in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	w
e .		Per Cum	1.62	Providing and laying cement concrete blocks flooring using cement concrete block of grade M-15 (M- fifteen) including cement concrete bedding grade M-15 (M-fifteen) nominal mix complete as per drawing and MORD technical specification clause 1303 and as per direction of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.	2
		Per Cum	44.3	Providing and laying mechanically mixed and vibrated plain/ cement concrete in sub structure for all type of structure complete using plain cement concrete grade M-15 (M fifteen) design mix with cement contents not less than 275 kg (two hundred seventy five kilograme) per cubic metre in or under water including curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in abutments as per drawings and M.O.R.D. technical specification section 800,900 & 1200 and curing complete including hauling /carriage of materials to various location through all modes of transportation in all leads. Lifts and other incidental complete in all respect.	_
AMOUNT Rs. P	Rate Figures Words	Unit	No. or Oty.	Description of work	No.
+	Estimate Cost: 379,123.00 Earnest Money: 7600.00 Time Limit: One Month	Est Ti		Name of work: R/D Paprolato Andretta road Km 0/00 to 6/300 Sub Head: C/O 2.00 mtr. Span Culvert at RD 3/700)	Nam
Tonas and Tonas				Schedule of Quatity	
1					



1	-	-
1		9
	4	J
1	-	,
1	-	9

1	Sr.	(San
Construction of embankment for roadway with approved material deposited at site from Borrow Pits a M.O.R.D. Technical specifications to lines, grades, levels and cross sections as per Drawings or direction of the Engineer-in-Charge to specification clause Number 301 and 1603.5 and other relevent clauses including preparation of foundation for embankment in all kinds and classification of soils including saturated soil within all leads and lifts, the rate shall include carriage of machineries, equipments, tools and materials and safety measures payment of all taxes, octroi royality and other incidentals necessary to complete the work in all respects. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	Description of work	Name of work:-C/O Rana Bari Balh Road km 0/00 to 1/500 (Sh:- (SH:- Earthfilling Work at RD 0/00 TO 1/00)
799.00	No. or Oty.	
Per cum	Unit	
	Figures	Estimate Cost: 2,23,720.00/- Earnest Money: 4500.00/- Time Limit: Two Months
	Words Words	2,23,720.00/- :: 4500.00/- wo Months
	Rs. P	

Recultive Engineer Baijnath Division Baijnath Division

ET SCHEDILLE OF OLIANTITY

@

_	I.	_	_		
		2 :	2	Vam	
Total	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 81.66 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.		Description of work	Name of Work: Construction of Bir Barot road km 0/00 to 48/00 . (SH: Improvement of Curves in various reaches b/w R/D 0/00 to 14/00)	UNITURAL SCHEDOLE OF COANS
	694.34	Qty.	No. or		QUAN
	Per Cubic metre		Unit		III
		Figures		Estimate Cost: 2,63,571.0 Earnest Money: 5,300.00 Time Limit: One Month	
		Words	Rate	Estimate Cost: 2,63,571.00/- Earnest Money: 5,300.00/- Time Limit: One Month	
		Rs. P	AMOUNT	/	(
		1			



_		7 -		. 5	
		Z :	1	Vamo	
Total	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 124.46 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost.		Description of work	Name of Work : Construction of Gowal tikker to suhru km 0/00 to 5/750 (computer code 1900 -307-9846) (SH: Formation Cutting in earth work km 4/150 to 4/460)	DNIT/DRAFT SCHEDULE OF QUANT
	1866.9	Qty.	No. or	9846)	CUANT
	Per Cubic metre		Unit		TITY
		Figures	R	Estimate Cost: 3,47,710.00/- Earnest Money: 7,000.00/- Time Limit: One Month	
		Words	Rate	3,47,710.00/- 7: 7,000.00/- One Month	
		Rs. P	AMOUNT		(

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)

DNIT/DRAFT SCHEDULE OF OUANTITY

1		
1	-	1
	6	
1		

1		14	COLMITARE		
Nai	Name of work :-K/D on link road Sansai Dhandole Road km 0/00 to 8/00			Estimate Cos	Estimate Cost: 4,55,609.00/-
(sh:	(sh:-Repair of Pot Holes between km 3/500 to 6/00.)			Earnest Mor	Earnest Money: 9,200.00/-
				Time Limit:	Time Limit: Two Months
Sr.	Description of work	No. or	Unit		Rate
70.		Qty.		Figures	Words
-	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification	8.73	Per Cubic Metre		
	including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and				
	brooming, stone screening type-B of size 11.2mm (eleven decimal point two millimetre) nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square				
	metre and binding material at the rate of 0.06 cubic metre (zero decimal zero six) cubic metre per ten square metre to fill up the intersitices of coarse aggregate, watering and				
	compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including hauling				
	lifts and other incidental complete in all respect. The rate including of octroi, royality,				
	Markana, folltax, Sale Lax or other taxes imposed by the government.				
2	Repair to pot holes and removal of loose material, trimming of sides, cleaning of surface by	1164.13	Per Square		
	providing tack coat with bitumen emulsion, 20 mm thick pre-mix carpet and seal coat type B with bitumen emulsion as per technical specification clause 1904.2, 503 and 508.1 The		metre		
	rate including hauling /carriage of materials to various location through all modes of				
	including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the				
	government.				
	Total				

