

Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

CERTIFICATE

CERTIFIED THAT THE TENDERS OF WORKS, AS CALLED VIDE THIS OFFICE LETTER NO.PWD/BD/TA/NIT/2023-24/-AND PUBLIC INTEREST.

DATED 19/11/24 ARE URGENT NATURE

> Executive Engineer, Baijnath Division, HP.PWD, Baynath.



Office of

Executive Engineer Baijnath Division HP.PWD, Baijnath Himachal Pradesh Public works Department Baijnath-176125 Phone No. 01894-263035 Fax 262704 e-mail:- ee-baij-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate on tender form No. 6 & 8 are hereby invited by the Executive Engineer, Baijnath Division H.P.PWD., Baijnath on behalf of the Governor of HP for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rule and also registered under the HP General Sales Tax act 1968 so as to reach in this office on or before 05.12.2024 up to 11.30 A.M and will be opened on the same day at 12.00 Noon in the presence of intending contractors or their authorized representatives. The tender forms can be had from his office against cash payment (Non refundable) on 04.12.2024 between 2.00 PM up to 4.30 P.M and the application for issue of tender forms shall be received on 03.12.2024 up to 12.00 Noon.

The earnest money in the shape of National Saving Certificate/Time Deposit accounts/Saving Accounts in any Post Office/Bank in H.P. duly pledged in favour of the XEN H.P.PWD., Baijnath must be accompanied with the each tender. Conditional/incomplete tenders and the tenders received without earnest money as mentioned above will be similarly rejected, the offer of the tender shall be kept open for 75 days. The XEN reserves the right to accept or reject any or all tenders or to drop the proposal of the tender without assigning any reasons.

Sr. No.	Name of Works	Amount put to tender/Estimated cost.	Earnest Money	Cost of tender form	Time limit
1	Construction of Jeapable Road from Lahri land to towards Ravi Sayal etc. House Mahal (SDP/2024/810) (SH: Providing and laying 60mm Interlocking Paver Block)	Rs.98,502/-	Rs.2,000/-	Rs.350/-	One Month
2	C/O Sukarna Kurlol road km 0/00 to 1/00 (SH: P/L C.C. Pavement & Kharnja Stone Soling at Km 0/570 to 0/600 & C/O B/Wall at RD 0/470 to 0/482) under SCSP	Rs.3,27,072/-	Rs.6,600/-	Rs.350/-	Two Months
3	Restoration of Rain Damage on Tashizong to Jhikli Bheth Averi road Km 0/00 to 8/900 (SH: C/O B/Wall at RD 5/607 to 5/622)	Rs.1,69,643/-	Rs.3,400/-	Rs.350/-	Two Months
4	Restoration of Rain Damage on Paprola Andretta Road km 0/00 to 6/300 (OFC Deposit) (SH: C/O R/Wall at RD 2/885 to 2/895)	Rs.2,04,216/-	Rs.4,100/-	Rs.350/-	Two Months
5	Restoration of Rain Damage on Paprola to Uttrala Road km 0/00 to 12/00 (OFC Deposit) (SH: C/O R/Wall at RD 10/790 to 10/800)	Rs.2,04,317/-	Rs.4,100/-	Rs.350/-	Two Months
6	Restoration of Rain Damage on Manghlota to Pantehar Road km 0/00 to 4/00 (SH: C/O R/Wall at RD 3/345 to 3/357)	Rs.1,93,699/-	Rs.3,900/-	Rs.350/-	Two Months
7	Restoration of Rain Damage on Kangoo Da Paroh to Salehra Road km 0/00 to 7/645 (SH: C/O R/Wall at RD 1/225 to 1/235)	Rs.2,32,663/-	Rs.4,700/-	Rs.350/-	Two Months
8	Restoration of Rain Damage on Padhiyarkhar Jandpur Trehal Road km 0/00 to 4/00 (SH: C/O R/Wall at RD 1/515 to 1/528.50)	Rs.4,18,468/-	Rs.8,400/+	Rs.350/-	Two Months
	C/O link road from Gowal Tikker to Maheshgarh Road km 0/00 to 2/00 (SH: P/L G-II for profile correction & C.C. Pavement at Various Reaches)	Rs.4,97,596/-	Rs.10,000/-	Rs.350/-	Two Months
10	Construction of Baijnath Chobin Balander Road (SH: C/O E/wall at RD 5/915 to 5/930 and U-Shape Drain at RD 4/750 to 4/810, 6/705 to 6/770)	Rs.2,57,986/-	Rs.5,200/-	Rs.350/-	Two Months
11	Rain damage on Upper Thehad to Kudang Road km 0/00 to 0/900 (SH: C/O R/Wall at RD 0/750 to 0/755 R/S, 0/750 to 0/759 L/S, 0/860 to 0/878 & 0/830 to 0/840 R/L/S)	Rs.3,11,257/-	Rs.6,300/-	Rs.350/-	Two Months
	C/O Ambulance road at Village Nohra Ghar (SDP/2024/346) (SH: C/O E/Wall at RD 0/075 to 0/086, 0/095 to 0/105 and WBM G-I at RD 0/00 to 0/250 & C.C. Pavement at RD 0/00 to 0/014) Description of the contractor should be registered as dealer under H.P. GS	Rs.3,95,873/-	Rs.8,000/-		Two Months

The contractor should be registered as dealer under H.P. GST Tax Act. 2018 and also produce the Tin number, H.P. sales Tax clearance certificate from the Excise and Taxation Department.

DE.

- The Pan Number, latest Income Tax clearance certificate and EPF No (Where applicable) duly attached with the application.
- The contractor will have to produce the attested copy of his/their enlistment/renewal at the time of submitting application for issue of tender form failing which their application will not be entertained.
- In case of holiday on the day of opening of tenders, the same will be opened on the next working day on the same time and venue.
- 5. Only two tenders form will be issued to the contractor/firm which may be noted.
- 6. The contractor will also have to attach the labour employer license from the labour office with the application.
- Tender not received on prescribed form and manner shall not be considered and will be liable for rejection straightway.
- The contractor shall be responsible for rectifying defects noticed within One year from the date of completion of the work and the portion of security deposit relating to as phallic Work shall be refunded after the expiry of this period.
- The contractor shall have all required machinery such as Truck/Tipper, Mixture, water tanker Vibrator etc or should submit the undertaking/affidavit regarding providing to him such machinery of owner's having such machinery.
- 10. The Contractor shall not have more than Two works in hand and in this regard along with application shall submit an under taking viz he will get complete the works in hand before award of work with in schedule time.
- All kind of material shall be arranged by the contractor by itself from the authorized firms/dealers as per clause No-10A.
- 12. The Cement shall be procured by the contractor at his own from the nearby godowns of Civil Supply against the approved/ permit.

EExecutive Engineer or Benjingth Division.

H.P. P.W.D. Bailtain.

For & On benalt of the givether of H.P.

NO:-PWD/BD/TA/NIT/2024-25/- 13105 -13

Dated:- 19.11.2024

- 1 Copy to the F.C.Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
- The Engineer-in-chief, HPPWD, Shimla.
- 3 The Chief Engineer (MZ), HPPWD, Mandi.
- 4 The Superintending Engineer, JNR. Circle HPPWD, Joginder Nagar.
- 5 All the Assistant Engineer working under this Division.
- 6 Drawing Branch in this office.
- 7 Notice Board.
- 8 The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Chairmath Davision

Name of work :- Construction of Jeapable Road From Lahri Land to towards Ravi Sayal etc. House Mahal (SDP/2024/810)

(SH: Providing and laying 60 mm Interlocking Paver Block).

Estimate Cost: 98,502.00/-Earnest Money:2,000.00/-Time Limit: One Month

Sr.	Description C SCHEDULE OF WORKS					
No.	Description of work	No. or	Unit		Rate	AMOUNT
1	Providing and Laying Cement concrete 1:2:4 (one cement isto two snad isto four aggregate) graded/crushed stone aggregate 20 mm (tewenty milimeter) nominal size mechanically mixed including curing complete as per PWD specification, to the entire satisfaction and direction of Engineer - in-Charge including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.	O.36	Per Cubic metre	Figures	Words	Rs. P
2	Providing and Laying of Interlocking Concrete Blook Pavements having thickness 60 mm (sixty millimeter) as per drawing and Technical Specification Clause 1504 as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	60.00	Per square metre			


Executive Engineer
Baijnath Division
H.P.P.W.D. Baijnath

Name of work :-C/O Sukarna kurlol Road km 0/00 to 1/00 .

(SH:-P/L C. C Pavement & Kharnja Stone Soling at km 0/570 to 0/600 & C/O B/wall at RD 0/470 to 0/482) under SCSP .

Estimate Cost: 3,27,072,00/-Earnest Money: 6,600,00/-Time Limit : Two Months

Sr.	Description of work	Notice	Unit		Rate	AMOUNT
No.		Oty.	Unit	Figures	Words	Rs. P
1	Providing and laying hard stone Soiling properly hand packed intersects with kharanja staone and consolidating with power / hand roller to requested graidient and camber including spreading watering and rolling of binding morrum or earth etc complete as per HPPWD specification 100 mm spread thickness finished work including materials and labour as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	21.38	Per Cubic metre	rigues	W UEUS	NS. E
2	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	21.38	Per Cubic metre		MF.	
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	7.20	Per Cum			
	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government	27.00	Per Cum			
1	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and office and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	11.00	Each			



DNIT/DRAFT SCHEDULE OF QUANTITY

(3)

Sn:	ame of work:Restoration of Rain Damage on Tashizong to Jhikli Bheth Averi Road km 0/00 to 8/900 Sh:- C/O B/Wall at RD 5/607 TO 5/622).			Estimate Cost: 1,69,6 Earnest Money: 3,4 Time Limit: Two M	00.00/-	118
Sr. No.	Description of work	No. or	Unit		Rate	AMOUNT
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Oty. 11.70	Per Cum	Figures	Words	Rs. P
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	33.00	Per Cum			
3	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Total		Each			

Executive Engineer
Baijnath Division
H.P.P.W.D., Baijnath 2

Nam	c of work: Restoration of Pain Damas - David Land - DNIT/DRAFT SCHEDULE OF	FQUANT	TITY			4
(Sh:	e-C/O R/Wall at RD 2/885 to 2/895).			Estimate Cost: 2,04,216,00/- Earnest Money: 4,100,00/- Time Limit: Two Months		117
No.	Description of work	No. or	Unit		Rate	AMOUNT
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during	Qty. 12.80	Per Cum	Figures	Words	Rs. P
2	dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	38.30	Per Cum			
3	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	8.10	Per Cum			10369
	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Total	10.00	Each		A Section	


Executive Engineer Ballnat Division H.P.P.W.D., Bailnath

DNIT/DD A	ET SCHEDUL	FOFOLIA	NTITY
DNII/DRA	THE RESCRIPTION OF THE PROPERTY OF THE PROPERT	H OH OUA	NILLY


(511.	te of work:Restoration of Rain Damage on Paprola to Uttrala Road km 0/00 to 12/00 (OFC Deposit):- C/O R/Wall at RD 10/790 to 10/800).			Estimate Cost: 2,04,3 Earnest Money: 4,1 Time Limit: Two M	00.00/-	(5)
Sr. No.	Description of work	No. or	Unit	F	late	AMOUNT
1		Qty.		Figures	Words	Rs. P
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	10.10	Per Cum			
	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	38.30	Per Cum			
	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	8.70	Per Cum			
	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, colltax, or other taxes imposed by the government. Total		Each			

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)

**	DNIT/DRAFT SCHEDULE OF	QUANT	TTY	tig -daylet to the		0
(Sh:	e of work:Restoration of Rain Damage on Manghlota to Pantehar Road km 0/00 to 4/00 - C/O R/Wall at RD 3/345 to 3/357).			Estimate Cost: 19 Earnest Money: 3, Time Limit: Two	900.00/-	
Sr.	Description of work	No. or	Unit		Rate	AMOUNT
No.	Continued in the Continue of t	Qty.		Figures	Words	Rs. P
1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	12.72	Per Cum			
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	36.24	Per Cum			
	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	7.80	Per Cum	490		
	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, olltax, or other taxes imposed by the government.		Each			
1	Total	10 11 12 19	FE 100 100 100 100 100 100 100 100 100 10		The state of the s	



Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining specification clause 305.1 and as per direction of the Engineer- In — Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. 2 Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: Tive sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. 3 Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lift	Sr.	Of work:Restoration of Rain Damage on Kangoo da Paroh to Salehra Road km 0/00 to 7/645 . Description of work			Estimate Cost: 2, Earnest Money: Time Limit :Two		
walls, breast walls, culverts, bridges, drains and parapets etoetera as per drawings and MO.R.D. technical specification clause 305.1 and as per direction of the Engineer- In - Charge, including setting out, construction of shoring and braicing, removal of stumps and other deleterious materials and disposal of materials upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable compacted thickness including shoring and strutting and pumping and braining out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. 2 Providing and Morth technical specification section 800, 900 & 1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidentals including entire carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts and other incidentals including entire carriage of materials within all leads and lifts and other incidentals. Including entire carriage of materials within all leads and lifts a	1		10010000000000000000000000000000000000	Unit		Rate	AMOUNT
sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royality, Malkana,		walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer- In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.		Per Cum	Figures	Words	Rs. P
and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals. the rate including of octroi, royality, Malkana,		sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate	44.00	Per Cum			
with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana,		and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other	8.10	Per Cum			
	d	with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards rawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire arriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana,	10.00	Each			



DNIT/DRAFT SCHEDULE OF QUANTITY

Nam (Sh:	e of work:Restoration of Rain Damage on Padhiyarkhar Jandpur Trehal Road km 0/00 to 4/00 - C/O R/Wall at RD 1/515 to 1/528.50).			Estimate Cost: 4,18,4 Earnest Money: 8,4 Time Limit :Two M	00.00/-	(8)
Sr.	Description of work	No. or	Unit		Rate Words	AMOUNT
No. 1	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Qty. 26.19	Per Cum	Figures	Words	Rs. P
2	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement: five sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	78.98	Per Cum			
	Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals, the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.		Per Cun			
	Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wal with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) toward drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana tolltax, or other taxes imposed by the government.	e 1,	Each			

Executive Engineer
Baijnath Division,
H.P.P.W.D. Baijnath (H.P.)

Name of work: - C/O link road from Gowal Tikker to Maheshgarh Road km 0/00 to 2/00 (SH:-(SH:-P/L G-II For profile correction & C. C Pavement at Various Reaches)

Estimate Cost: 497,57600/-Earnest Money: 10,000,00/-

Sr.	Description SCHEDULE OF WORKS	The State of the S		Time Limit :T	wo Months	
No.	Description of work	No. or	Unit	R	ate	ANTON
- 1	Providing laying spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimetre to	Qty.			Words	AMOUNT Rs. P
i i s h ir in	Justing template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and nominal size at the rate of 0.20 cubic metre (zero point two zero cubic metre) per ten square metre and binding intersitices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and to the entire satisfaction and direction of Engineer - in- Charge including nacidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes inposed by the government.	5.21	Per Cubic Metre			No. P
hu sto tecl carr	ment concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three indred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/broken aggregate and curing complete including the cost of form work complete as per drawings and MORD hinical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including trage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tax, Sale Tax or other taxes imposed by the government.		Per Cubic metre			
	Total					



Sr.	DNIT/DRAFT SCHEDULE OF QUA (S H : C/O E/wall at RD 5/915 to 5/930 and U-shape Drain at RD 4/750 to 4/810, 6/705 to 6/770) Description of work		Estimate Cost: Earnest Mone Time Limit :	y: 5,200.00/-	(10)		
No.		No. or	Unit		ate	AMOUNT	
II rica di di AA thi ro	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Enginer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate including of octroi, ovality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.		Per Cum	Figures	Words	Rs. P	
wh wo and vari	roviding and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of ructure complete using plain cement concrete grade M-10 (M ten) per cubic metre nominal mix 1:3:6 (one ement is to three sand is to six crushed stone agg. 40mm(forty millimetre) nominal size) in or under water ad curing complete including pumping or bailing out water, dewatering removal of slush as required at site hich may arrise at the time of laying under water complete for all heights/ depths including the cost of form ork and open in foundation as per drawings and M.O.R.D. technical specification section 800, 900 and 1200 d to the entire satisfaction and direction of Engineer - in- Charge including hauling /carriage of materials to rious location through all modes of transportation in all leads, lifts and other incidental complete in all prect. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the		Per cubic metre				
	Tota	I	M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 8 7 7 5 5 B			

Executive Engineer

Baijnath Division,

H.P.P.W.D. Baijnath (H.P.)

Sr.	ONIT/DRAFT SCHEDULE O OF Work: Rain Damage on Upper thehad to Kudang Road km 0/00 to 0/900 . C/O R/Wall at RD 0/750 to 0/755 R/S , 0/750 TO 0/759 L/S, 0/860 TO 0/878 & 0/830 TO 0/840 R/L/S). Description of work		Estimate Cost: 3,11,257.00/- Earnest Money: 6,300.00/- Time Limit :Two Months				
10.		No. or	Unit	Rate		AMOUNT	
	Earth work in excavation for all type of road structure and in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In – Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	Qty. 15.74	Per Cum	Figures	Words	Rs. P	
Sa Ei lo	Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per rawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five and : ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of ngineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various cation through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate cluding of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	56.64	Per Cum				
an	oviding back filling with granular material behind abutment wing wall and return wall complete as per drawing d technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads d lifts and other incidentals. including entire carriage of materials within all leads and lifts and other cidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government.	14.58	Per Cum				
wit drav carr	widing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall h 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards wing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire riage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, ax, or other taxes imposed by the government.		Each				

Total

Executive Engineer
Baljnath Division
H.P.P.W.D., Baljnath

Name of work: C/O Ambulance Road at Village Nohra Ghar (SDP/2024/346) DNIT/DRAFT SCHEDULE OF QUANTITY (Sh:- C/O E/Wall at RD 0/075 TO 0/08 0/095 TO 0/105 and WBM G-I at rd 0/00 to 0/250 & C C Pavement at rd 0/00 to 0/014). Estimate Cost: 3,95,873.00/-Earnest Money:8,000 .00/-Time Limit: Two Months Description of work No. Earth work in excavation for all type of road structure and in all type of classification of soil comprising of No. or Unit AMOUNT ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) for retaining Qty. Figures Words Rs. P 7.56 Per Cum walls, breast walls, culverts, bridges, drains and parapets etcetera as per drawings and M.O.R.D. technical specification clause 305.1 and as per direction of the Engineer-In-Charge, including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per direction of Engineer-in-Charge. Including carriage of materials within all leads and lifts and other incidental the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing and laying mechanically mixed and vibrated plain cement concrete in foundation and plinth, as per drawing and Morth technical specification section 800, 900 &1200 for nominal mix 1:5:10 (one cement : five 28.77 Per Cum sand: ten graded stone agg. 40mm (forty millimeter) nominal size) and curing complete as per direction of Engineer-in-Charge and as per the drawing and hauling carriage of labour, equipments and materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing back filling with granular material behind abutment wing wall and return wall complete as per drawing and technical specification clause 1204.3.8 granular material including entire carriage of materials within all leads 8.61 Per Cum and lifts and other incidentals, including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Providing weep holes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards 18.00 Each drawing face complete as per drawing and technical specification clause 614, 709, 1204.3.7. including entire carriage of materials within all leads and lifts and other incidentals the rate including of octroi, royality, Malkana, tolltax, or other taxes imposed by the government. Construction Of Subgrade and earthen shoulders with approved material obtained from borrow pits with 75.00 in all lifts and leads transporting to site spreading grading to required slope and compacted to meet Per Cubic requirements as per Technical Specification Clause 408.as per direction of Engineer including Metre hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government. Providing and Laying, spreading and compacting stone aggregates size 90mm to 45 mm (Ninety millimeter to 75.00 Per Cubic

hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is including octroi, royality, GST, toll tax, Sale Tax or other taxes imposed by the government.

6 Providing and Laying, spreading and compacting stone aggregates size 90mm to 45 mm (Ninety millimeter to forty five millimeter) (100 mm Consolidated thickness) to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, Crushable type such as Moorum or Gravel for grading I @ 0.30 cum per ten square meter and binding material at the rate of 0.08 cum (Zero point zero eight cubic meters) per ten Square meters) to fill-up the interstices of coarse aggregate, watering and compacting to the required density Grading I as per MORD techanical specification clause no 405 complete including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect.

7	Providing and laying mechanically mixed and vibrated reinforced cement concrete in open foundation of plain cement concrete of Grade M-20 (M-Twenty) designed mix with minimum cement contents of 350 kgs (Three hundred fifty kilogramms) per cubic meter with 20 mm (Twenty Milimeters) nominal size graded crushed/ broken stone aggregate and curing complete including the cost of form work complete as per drawings and MORD technical specifications Clause 802, 803,1202 & 1203 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals. The rate including of octroi, royality, Malkana, tolltax, Sale Tax or other taxes imposed by the government.	7	Per Cubic metre		126
	Tota	4			

Executive Engineer
Baijnath Vivision
H.P.P.W.D., Baijnath