

Himachal Pradesh Public Works Department HP.PWD Division Bhawarna, Distt. Kangra (H.P)-176083

Tel:01894-247777, e-mail id: eepwd-bhaw-hp@gov.in

SHORT TERM NOTICE INVITING TENDERS"

Sealed item rate tenders on form 6 & 8 are hereby invited by the Executive Engineer, Bhawarna Division HP.PWD. Bhawarna on behalf of the Governor of H.P for the following works from the approved and eligible contractors enlisted in HP.PWD, (B&R) whose registration stood renewed as per revised rules and also registered under the H.P General Sales Tax Act 1968 so as to reach in his office on or before 13/12/2024 up to 11.00 AM. and the same shall be opened on the same day at 11.30 A.M. in the presence of intending contractors or their authorized representatives. The tender documents can be had from his office against cash payment (Non-refundable) on $\underline{12/12/2024}$ up to 4.00 P.M and the application for issue of tender form shall be received on $\underline{11/12/2024}$ up to 12.00

The earnest money in the shape of NSC/FDR/saving account of the Post office/Bank in H.P duly pledged in favour of the XEN must accompany with each tender. Conditional/ incomplete tenders & tender without earnest money will be summarily rejected. The XEN reserves the right to accept or reject any or all tenders or drop the proposal of tenders without assigning any

Sr.	Name of Work			T	
No.		Estimated Cost	Earnest Money	Time Limit	Cost of Tender
1	Preparation of detailed and working extimate for the project construction of Govt. Phamacy College Sullah, Distt. Kangra (HP) alongwith DNIT	4,95,000/-	9900/-	One Month	350/-
2	Restoration of rain damage on Link road Upper Menjha tp Lower Menjha Km. 0/0 to 4/0 (SW:- C/o R/Wall at Rd 2/200 to 2/211	1,69,263/-	3300/-	Two Months	350/-
3	(SW:- P/L GSB & WBM G-II in Km 1/00 to 1/700)	4,97,318/-	9900/-	Two Months	350/-
4	Cmpl. Of Rain Shelter near village Lanjehar in GP Rajhoon Tehsil Dheera Distt. Kangra (HP) (SW:- Balance work of Rain Shelter on DMMR road at Rd 13/300 (DC Deposit)	1,90,394/-	3800/-	Two Months	350/-
5	C/o Temporary shed at Darang section under Sub Division Bhawarna Tehsil Palampur Distt. Kangra (HP) (SW:- C/o Stock storage room at Darang)	1,58,725/-	3100/-	Two Months	350/-
5	C/o link road Darang Block to Madhyamarg Km. 0/00 to 3/370 (SW:- P/L CC work in Km. 2/400 to 2/470)	1,92,120/-	3800/-	Two Months	350/-
	A/R & M/O Bhattu Sullah Nanaon road (SW:- Providing and laying and Bituminous Concrete at Km. 4/300 to 4/085)	1,71,981/-	3400/-	One Month	350/-
	C/o Santoshi Mata Malander Gharthoon road km 0/0 to 7/00 (SH:-C/o R/wall at RD 4/390 to 4/407)	4,58,418/-	9200/-	Two Months	350/-
	Construction of Newly Up-Graded 50 Bedded Hospital at Bhawarna Distt. Kangra HP. (SH:- Applying primer coat over inner side of walls of Block-A, Block-B, Machine room, Ramp & stair case portion)	3,95,665/-	7900/-	One Month	350/-

The contractor/firm should be registered as or dealer GST No.

The intending contractor/firm have to produce the copy of latest enlistment and renewal enlisted in HP.PWD.

If any of the date mentioned above happened to be Gazetted Holiday the same shall be processed on next working day. 3. The Executive Engineer reserves the right to accept/reject any tender/application or all tender without assigning any reason.

The contractor will have to submit affidavit along with application for issue of tender that he has not more than two works in hand.

Next tender will be issued only after completion of previous works in hand.

HIM SUCHANA AVM JAN SAMPARK

Executive Engin Bhawarna Division

HPPWD Bhawarna (On behalf of Governor of Himachal Prades)

No. PWD/BWD/Tender/NIT/2024-25/- 1106 & - 11 2 1 Copy to following for information and necessary action:-

The Principal Secy. (PW) to the Govt. of H.P. Shimla.

2. The Engineer-in-Chief, HPPWD. Shimla.

The Chief Engineer (KZ), HPPWD, Dharamshala.

4. The Director, Information & Publications Department, HP Shimla

5. The Executive Engineer (IT), Nigam Vihar Shimla. He is requested to upload the same on the department website

The Superintending Engineer, 5th Circle, HPPWD, Palampur,

The Deputy Commissioner, Kangra at Dharamshala.

The Sub-Divisional Officer(Civil) Palampur.

All the S.E.s/E.E.s under Kangra Zone.

10. All the Assistant Engineers under this Division.

The Drawing /Accounts Branch in this office.

Notice Board.

Executive Engineer Bhawarna Division HPPWD Bhawarna

1.0 2.0 3.0	2.0	1.0	S.No.	Z			Т	7
Terms & Condition:- 10% payment will be released after the submission to the divison Bhawama. 10% payment will be released after getting detailed estimate checked from Circle Office Palampur. Next 20% payment will be released after getting detailed estimate checked from Chief Office D/shala. Next 20% payment will be released after getting working estimate checked from Circle Office Palampur. Next 20% payment will be released after getting working estimate checked from Chief Office D/shala. Next 20% payment will be released after getting working estimate checked from Chief Office D/shala.	Govt. Pharmacy college at Sullah for the preparation of detailed estimate along with DNIT on preveiling market rates, abstact of cost, detail of measurements and analysis of rates complete in all respect and also providing 5 (five) number of hard copies to the department. If any correction/amendment has desired by the head office, the same may be corrected as desired and getting approval thereof from the compenent authority by getting the detailed estimate/DNIT checked as and when required from circle office Palampur. Chief office Dharamshala and as per the direction and entire satisfaction of Engineer-in-charge as per approved drawings from the office of the Senior Architect(KZ) HPPWD Dharamshala having Job no.460 as per drg No.14 to 25. The estimate will consists the following components:- Academic Block, A Block, B Block, C Block, Rainwater Harvesting Tank, Septic Tank & Soak Pit.	Govt. Pharmacy college at Sullah for the preperation of detailed estimate along with DNIT on preveiling market rates, abstact or cost, detail of measurements and analysis of rates complete in all respect and also providing 5 (five) number of hard copies to the department. If any correction/amendment has desired by the head office, the same may be corrected as desired and getting approval thereof from the compenent authority by getting the detailed estimate/DNIT checked as and when required from circle office Palampur. Chief office Dharamshala and as per the direction and entire satisfaction of Engineer-in-charge as per approved drawings from the office of the Senior Architect(KZ) HPPWD Dharamshala having Job no.460 as per drg No.26 to 30. The estimate will consists the following components:- Administrative block, Rainwater Harvesting Tank, Septic Tank & Soak Pit, Site	Description of items	NAME OF WORK: - Preparation of Detailed and working estimate for the project construction of Govt. Pharmacy College Sullah, Ditrict Kangra, H.P. along with DNIT.				SHEDULE OF QUNATITY
	1.00	1.00	Qty.	ct Kangr				
			In figures	a, H.P. along				
			In words	with DNIT.	TIME LIMIT :-	EARNEST MONEY: -	ESTIMATED COST : - Rs.4,95,000/-	
	Per Job	Per Job	Unit		One Month	Rs. 9900/-	Rs.4,95,000/-	
è.			Amount					

Executive Engineer
Bhawarna Division
HPPWD Bhawarna

Name of Work :- ClorLink road Upper Menjha to Lower Menjha Km 0/0 to 4/0 (SH:- C/o R/wall at RD 2/200 to 2/211).

Estimated Cost: Rs. 1,69,263/-Earnest Money: Rs. 3300/-Time Limit: Two Months

S. No	Description of Item	Quantity		Rate	Unit	Amount
Γ			In figure	In Words		Rs.
_	Earth work in excavation for foundation of structure such as retaining walls, breast walls, culverts, drains and	19.69			Per Cubic	
	parapets etcetra in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling				metre	
	/wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification section					
	300 and 1600 as per direction of the Engineer- In - Charge including setting out, shoring and bracing , removal					
	of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including					
	dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original					
	surface in layers not exceeding 150mm (one hundred fifty millimeter) compacted thickness of each layers					
	including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth					
	and any quantum of water including cleaning of slush which may arrise out during dewatering as per entire the					
	satisfaction and the direction of Engineer-in-Charge. Including carriage of materials within all leads, lifts and					
	other incidental. The rate is including octrai, royality, Malkana. toll tax, sale tax, GST or other taxes imposed by					
	the Government.					
2	Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of	39.71			Per Cubic	
	structure complete of plain cement concrete nominal mix 1:5:10 (One cement : five sand : ten graded				metre	
	crushed/broken stone aggregate 20mm (twenty millimeter) nominal size including curing complete in parapets					
	and the like etcetera including the cost of form work as per drawing and M.O.R.D technical specification clause					
	802, 803, 1202 and 1203 as per the direction of Engineer-in-charge including carriage of material within all leads					
	and lifts and other incidental. The rate is including octroi, royality, malkana,toll tax, GST or other taxes imposed					
	by the Government.					
3	Providing and laying 100mm dia (One Hundred millimetre) diameter P.V.C. pipe weep holes in brick masonry/	22			Each	
10	stone masonry, plain/reinforced concrete abutment, wing wall, return wall and retaining/breast walls through the					
<u></u>	full width of the structures with slope of 1(V): 20 (H) (one vertical: twenty horizontal) towards draining face					
0	complete as per drawing and M.O.R.D. technical specifications clause 709 and 1206.6 and as per the entire					
co	satisfaction and direction of Engineer- in-Charge including carriage of materials within all leads and lifts and other					
5	incidental. The rate is including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the					
ေ	Government					

Executive Engineer
Bhawama Division
HP PWD Bhawama

Name of work:- C/o link road from Chellian Dholta Gadiara Dharot road KM 0/0 to 2/100 (SH:-P/L GSB & WBM G-II in Km

Estimate Cost :- 4,97,318/-

S. No including octori, royality, malkana, toll tax, sale tax, GST or other taxes imposed by the Government grading-I material specification as per the entire satisfaction and direction of Engineer-in-charge. The rate is hundred) KN static roller capacity to achieve the desired density, complete as per MORD technical clause 401 for OMC with tractor mount appropriate rotavator attachment and compaction with three wheel 80-100 (Eightylayers with tractor mount appropriate grading arrangments on prepared surface, mixing by mix in place method at material of nominal maximum size grading-80mm (Eighty millimetre) as per Table 400.1 spreading in uniform Construction of granular Sub-Base 125mm (one hundred twenty five millimetre) thick by providing well graded tax, GST or other taxes imposed by the Government specification and directions of Engineer-in-Charge . The rate is including octroi, royality, Malkana, toll tax, sale Specification section 300 including hauling of materials in all leads, lifts and other incidental or as per the entire Power road roller 8-10 tonne (eight -ten tonne) capacity for sub grade construction as per M.O.R.D. technical sub-grade level, watered, graded and compacted in layer to meet requirement of table 300.1 and 300.2 with Loosening leveling and compacting original ground upto a level of 300mm (three hundred millimetre) below the Description of Item 289.37 Quantity 381.40 In figure In Words Time Limit Earnest Money :- 9900/-:- Two Months Per Cubic Per Cubic Total:-Unit Amount Rs.

Executive Engineer
Bhawerna Division
HP PWD Bhawarna

Name of Work :- Cmpl. Of Rain Shelter near village Lanjehar in GP Rajhoon Tehsil Dheera Distt. Kangra (HP). (SH:- Balance work of Raon shelter on DMMR road at RD 13/300) (DC Deposit).

Estimate Cost:-Rs. 1,90,394/Earnest Money:-Rs. 3800/Time Limit:- Two Months

S No				Time Limit	:- Two Months
9	bescription of Item	Quantity		Rate	Unit
_	Excavation in foundation, trenches etcetera in earth work involving all classification of soil such as pick	0.09	In figure	In words	Per Cubic
	eling/wedging out of rocks where bla				metre
	work is prohibited or any other mixed variety of intermediate soil, dewatering and removal of slush if arrisen during				
	course of construction and lifts upto all heights including stacking the excavated soil not more than three meters				
	clear from the edge of the excavation and then returning the stacked soil in 15 cm (fifteen centimetre) thick layers				
	when required into plinths, sides of foundation etcetera consolidating each deposited layer by ramming and				
	watering and then disposing of all surplus excavation earth within all leads, lifts by any mode of transportation and				
	other incidental, as per the direction and entire satisfaction of Engineer-in-Charge. Any loss to the private and				
	public property during course of construction shall be absolute responsibility of the contractor. Rate inclusive				
	royalty, malkana, toll tax, GST and other taxes imposed by the government.				
2	Providing form work with steel plates of 3.15mm (three decimal one five milimeter) thick, welded with angle iron in	0.81			Per Square
	frames of 30x30x5mm (thirty into thirty into five milimeter) so as to give a fair finish including centring, shuttering				metre
	strutting and propping etcetra, with wooden battens and ballies for all heights/depths of propping and centring				
	below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work				
	in foundation. Footings bases of columns and mass concrete. The rate is inclusive of cost and carriage of				
	material with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-				
w	Charge Rate is inclusive of toll tax, GST and any other taxes imposed by the government. Providing and laving compare to provide work of grade M20 mix design to obtain the minimum compressive strength	000			Por Cubic
	20N/mm2 (twenty newton per square millileter) with cement contents not less than 330 kg/ cum (Three hundred	<u>a</u>			metre
	thirty Kilogram per cubic metre) with mechanically mixed and vibrated curing complete excluding cost of form	3			
	work and reinforcement for reinforced concrete work in foundation and plinth as per approved specification,	_ بــ			
	drawing and design including entire carriage of material with in all leads, lifts and other incidentals and further as	<u></u> <u> </u>			
	per the direction and entire satisfaction of Engineer-in-Charge. Rate is inclusive of octroi, Royality, Malkana, sale	<u></u> <u></u>		-	
	tax, toll tax, GST and any other taxes imposed by the government.		-	-	

		4	6	ام
Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of Hot finished welded type tubes of approved steel primer, including welding and botted with special shaped washers etc. complete. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. Rate inclusive toll tax, GST and any other taxes imposed by the government.		board/Facia/Soffit/Ceiling including cutting, fixing and jointing and applying a coat of red lead primer complete as per PWD swork is to be measured and paid for separately) including cost other incidentals, as per the direction and entire satisfaction of toll tax, GST and any other taxes imposed by the government.	with 0.60mm (zero decimal six zero millimetre) thick prepainted sheet in roofing with hot dipped metalic zinc coated sheets with top coat of regulat modified polyster organic coating of 20 (twenty) microns over 5 (Five) microns primer coating + back coating of polyster of 5 (Five) microns over 5 (Five) microns over 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimetre) dia prepainted bitumen washers complete in all respect as per approved specifications, drawing and design including cost and carriage of material with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-in-Charge. Rate is inclusive of sale tax, toll tax, GST and any other taxes imposed by the government. Providing and fixing M.S. B.P. sheet 2 mm (two millimetre) thick of TATA/SAIL for eaves	
229.34	3.0		10.20	25.94
	-		Pe r	Per c
Per Kilogram	Kilogram	metre	Per Running metre	Per Square metre

sat	COS	giv	14 Pa
satisfaction of Engineer-In-Charge. Rate inclusive toll tax, GST and any other taxes imposed by the government.	cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire	give an even shade including cleaning the surface of the dirt,dust and other foreign matter. The rates are inclusive	Painting two coats(excluding priming coat)on new steel and other metal surfaces with aluminium paint,brushing to 22.94
			22.94
Total:-			
			Per Square metre

Executive Engineer
Bhawarna Division
HP PWD Bhawarna

Name of work:- C/o Temporary shed at Darang section under Sub-Division Bhawarna Tehsil Palampur Distt. Kangra (HP). (SH:- C/o Stock storage room at Darang).

Estimated Cost: Rs. 1,58,725/-Earnest Money: Rs. 3100/-Time Limit: Two Months

			Time Limit :- Two	I wo Months	
S. No	Quantity		Rate	Unit	Amount
	3 3 5 6	In figure	In Words	Per Cubic	3
eling/wedging out of rocks where				metre	
work is prohibited or any other mixed variety of intermediate soil, dewatering and removal of slush if arrisen during					
course of construction and lifts upto all heights including stacking the excavated soil not more than three meters					
clear from the edge of the excavation and then returning the stacked soil in 15 cm (fifteen centimeter) thick layers					
when required into plinths, sides of foundation etcetera consolidating each deposited layer by ramming and					
watering and then disposing of all surplus excavation earth within all leads, lifts by any mode of transportation and					
other incidental, as per the direction and entire satisfaction of Engineer-in-Charge. Any loss to the private and					
public property during course of construction shall be absolute responsibility of the contractor. Rate inclusive					
royalty, malkana, toll tax, GST and other taxes imposed by the government.					
2 Providing and laying cement concrete 1:3:6 (One cement isto three sand isto six aggregate) graded crushed	0.29			Per Cubic metre	
stone aggregate 40mm (forty milimeter) nominal size mechanically mixed and curing complete, excluding cost of					
form work in foundation and plinth as per approved specification, drawing including entire carriage of material with					
in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. Rate is					
inclusive of toll tax, GST and any other taxes imposed by the government.					
Providing and laying cement concrete work of grade M-20(M-twenty) design mix to obtain the minimum compresive strength 20N/mm2 (Twenty newton per square millimeter) with cement content not less than 320	3.20			Per Cubic metre	
kg/cubic meter and curing complete and mechanically mixed and vibrated as per approved specification, drawing					
and design, excluding cost of form work and reinforcement for reinforced concrete work in suspended floor roofs,					
landing and shelves and their supports balconies, beams, girder, bressumers and cantiliver upto any floor level					
including cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire					
satisfaction of Engineer-In-Charge.Rate is inclusive of toll tax, GST and any other taxes imposed by the					
government.	3 6				
Stone filling tightly hand packed under flooring including ramming and consolidation complete as per tire direction	0.00			metre	
of Engineer-in-Charge including carriage of material with in all leads, lifts and other incidental . The rate is					
including of octroi, royality, Malkana, toll tax , sales tax or other taxes imposed by the government.					

		The second secon		W. T.
				Qovernment
				and entire satisfaction of Engineer-In- Charge. Rate inclusive toll tax, GST and any other taxes imposed by the
				rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction
				bolts (barrel type) anodized transparent or dyed to required shade and colour with screws etcetra complete. The
ch	Each		4.00	10 Providing and fixing 250x10mm (Two hundred fifty into ten millimetre) size coloured anodized aluminum tower
				imposed by the government
				the direction and entire satisfaction of Engineer-In-Charge Rate is inclusive of toll tax, GST and any other taxes
				complete. The rate is inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per
				sliding door bolt, anodized transparent or dyed to required colour and shade with bolts and nuts, screws etcetra
3	Each		1.00	9 Providing and fixing 250x16mm (two hundred fifty into sixteen milimeter) size coloured / anodized aluminum
				Charge. Rate is inclusive of sale tax, toll tax, GST and any other taxes imposed by the government.
				material with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-
				washers complete in all respect as per approved specifications, drawing and design including cost and carriage of
		-		including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimetre) dia prepainted bitumen
				microns primer coating + back coating of polyster of 5 (Five) microns over 5 (Five) microns primer coating
				coated sheets with top coat of regulat modified polyster organic coating of 20 (twenty) microns over 5 (Five)
Te	metre			with 0.50mm (zero decimal six zero millimetre) thick prepainted sheet in roofing with hot dipped metalic zinc
al distribution of the second	Per		8.70	8 Providing and fixing pre-painted steel sheet ridge or hips of TATA Durashine/ Sail 60cm (sixty centimetre) over all
				toll tax
				leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. Rate inclusive
				excluding the cost of purlins refters and trusses The rates are inclusive cost and carriage of materials with in all
-				J or L hooks bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers filled with white lead complete
hare	Per Square		47.18	Triowally consigned on the palvanised iron
				as per the direction and entire satisfaction of Engineering within all leads and lifts and other incidentals,
				purlins connect to common rafter and like work including cutting hoisting fixing in position & applying a priming
ram	Kilogram		747.01	
	Par			6 Steel work welded in built up sections of Tata/Sail composed in booms.
				in all reads, illus and owner incidentals, as per the direction and entire satisfaction of Engineer-In-Charge, Rate is
				form work in roundation and plinth as per approved specification, drawing including entire carriage of material with
				Storic age of the story minimeter) nominal size mechanically mixed and curing complete, excluding cost of
ubic	Per Cubic metre		3.00	5 consequent 40mm (forty millionic)
				1

	10			=
Over my and maked in posed by the government.	satisfaction of Engineer-In-Charge. Rate inclusive toll tax, GST and any other taxes imposed by the concernment	cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire	transparent or dyed to required shade or colour with necessary screws etcetera complete. The rates are inclusive	Providing and fixing 100mm (one hundred millimetre) size coloured / anodized aluminum handle anodized
				2.00
Total :-			, '	Ea
				Each

Executive Engineer Bhawarne Division HP PWD Bhawarna

Estimated Cost :- Rs. 1,92,120-

Name of Work :- Construction of Link road Darang Block to Madhyamarg Km 0/00 to 3/780. (SW:-P/L CC work in Km 2/400 to

S. No Engineer-in-Charge. The rate is including of octroi, royality, Malkana, toll tax, GST or other taxes imposed by the hauling of materials with in all leads, lifts and other incidental and as per the entire satisfaction and directions of ϕ technical specification section 800, 900 and 1400, including the cost of form work and curing complete including using graded crushed stone aggregate 20mm (twenty millimetre) nominal size complete as per drawings and MORD royality, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.

Providing and laying mechanically mixed and vibrated reinforced cement concrete Grade- M-25 (M-Twenty Five) in open foundation design mix with cement contents not less than 400 kg (Four hundred kilogram) per cubic metre in-charge including carriage of materials, within all leads, lifts and other incidentals. The rate is including octroi Providing, laying, Soling 90 to 45mm (Ninety to forty five millimetre) nominal size Grading-1, spreading and compacting to the required density grading 1 as per technical specification Clasue 405 as per directions of Engineerapplying and brooming, stone screening/ binding materials to fill-up the interstices of coarse aggregate, watering and thickness, hand packing, rolling with three wheel 80-100 Kn. Static roller in stages to proper grade and camber, compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform Description of Item Quantity 26.25 4.65 In figure Time Limit :- Two Months Earnest Money :- Rs. 3800/-In Words Total :-Per Cubic Per Cubic metre Unit Amount Rs.

Executive Engineer
Bhawarna Division
HP PWD Bhawarna

Name of Work :- A/R & M/O Bhattu Sullah Nanaon road (SW:- Providing and laying Tack coat and Bituminous Concrete at Km 4/300 to 4/085).

S. No				Earnest Money :- Rs. 3400/-	ey :- Rs. 3400/-	
	Description of Item	Quantity	Z.		Unit	Amount
Providing and applying took		1	In figure	In Words	1	
0.225 Kg (Zero La July lack coat with Bitur	0.225 Kg (Zero July lack coat with bitumen emulsion (RS-1) using emulsion pressure distributor at the rate of	480.25			Per Square	
with Hydraulia decimal two two five Kilogra	with Hydronic decimal two two five Kilogramme) per Square metres on the prepared bituminous surface cleaned				metre	
Carriago of broom as per technical spec	carriage of broom as per technical specification clause 503, as per directions of Engineer-in-charge including					
can age of materials within all leads and lifts	carriage of materials within all leads and lifts and other incidentals. The rates are inclusive octroi, royality, Malkana.					
Toll tax, sale tax, GST or any other taxes imposed by the Government.	sed by the Government.					
Troviding and laying 25mm (Twenty five n	r royoung and laying 25mm (Twenty five millimetre) compacted thick Bituminous Concrete with crushed stone	12.01			Per Cubic	
aggregate of grading -II (Two), 13.2 (Thirter	aggregate of grading -II (Two), 13.2 (Thirteen point two) millimetre nominal size, using bitumen VG-10 (VG-Ten)				metre	
minimum 5.5% (Five point five percent) of	minimum 5.5% (Five point five percent) of weight of mix and filler on thoroughly cleaned surface by mechanical					
broom and dust removed by compressed air	broom and dust removed by compressed air, mixed in computerised batch mix/HMP of 80-100 (Eighty to hundred)					
TPH capacity calibrated from time to time, r	TPH capacity calibrated from time to time, mixing the bituminous concrete, transporting the mix material in clean					
insulated vehicles covered while in transit or	insulated vehicles covered while in transit or awaiting, tipping and laying with hydrostatic paver finisher with sensor					
control to the required level alignment and g	control to the required level alignment and grade, rolling with smooth wheeled, vibratory and tandem power road					
roller to achieve the desired compaction as pe	roller to achieve the desired compaction as per MORT&H specification clause 507(5th revision) complete, within all					
leads and lifts including carriage of materials,	leads and lifts including carriage of materials, plants and equipments by mechanical transport, as per the direction of					
Engineer-in- Charge. The rate is including oc	Engineer-in- Charge. The rate is including octrai, royality, Malkana. toll tax, sale tax, GST or other taxes imposed by					
the Government.						

Executive Engineer
Bhawarna Division
HP PWD Bhawarna

Name of work:- C/o Santoshi Mata Malander Gharthoon road Km 0/0 to 7/00 (SH:- C/o R/wall at RD 4/390 to 4/407)

Estimated Cost: Rs. 4,58,418/-Earnest Money: Rs. 9200/-Time Limit: Two Months

stor con sati		• an	2 Pn str	1 Page of the search of the se	
satisfaction and direction of Engineer- in-Charge including carriage of materials with the cate is including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the	by the Government. Providing and laying 100mm dia (One Hundred millimetre) diameter P.V.C. pipe weep holes in brick masonry/ Providing and laying 100mm dia (One Hundred millimetre) diameter P.V.C. pipe weep holes in brick masonry/ stone masonry, plain/reinforced concrete abutment, wing wall, return wall and retaining/breast walls through the stone masonry, plain/reinforced concrete abutment, wing wall, return wall and retaining/breast walls through the stone stone stone stone as per drawing and M.O.R.D. technical specifications clause 709 and 1206.6 and as per the entire complete as per drawing and M.O.R.D. technical specifications clause 709 and 1206.6 and lifts and other	crushed/broken stone aggregate 20mm (twenty millimeter) nominal size including curing complete in parapers and the like etcetera including the cost of form work as per drawing and M.O.R.D technical specification clause 802, 803, 1202 and 1203 as per the direction of Engineer-in-charge including carriage of material within all leads and other incidental. The rate is including octroi, royality, malkana, toll tax, GST or other taxes imposed	the Government Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of structure complete of plain cement concrete nominal mix 1:5:10 (One cement : five sand : ten graded	Earth work in excavation for foundation of structure such as retaining walls, breast walls, culverts, drains and parapets etcetra in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling for and 1600 as per direction of the Engineer- In – Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including surface in layers not exceeding 150mm (one hundred fifty millimeter) compacted thickness of each layers including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arrise out during dewatering as per entire the satisfaction and the direction of Engineer-in-Charge. Including carriage of materials within all leads, lifts and other incidental. The rate is including octrai, royality, Malkana. toll tax, sale tax, GST or other taxes imposed by	
	46		109.65	39 27	
			4	in figure	
				In Words	Limit :
	Each		Per Cubic metre	Per Cubic metre	Two Months
				Rs.	

Name of Work: - Construction of Newely Up-Graded 50 Beded Hospital at Bhawarna Distt. Kangra H.P.(SH:- Applying primer coat over inner side of walls of Block-A, Block-B, Machine room, Ramp & stair case portion).

Estimated Cost :- 3,95,665/-Earnest Money :- 7900/-

at on new concrete/ masoning oil, g	ning coat on new concrete/ masoning surface by thoroughly cleaning oil, gover the complete. The rates are in the complete in the complete in the complete.	ng priming coat on new concrete/ masoning the surface by thoroughly cleaning oil, goald mixed primer complete. The rates are incidentals, as per the direction and entiresticidentals.	Des
y cleaning oil, grease dirt and other foreign matter sand app	preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand appearing as required with ready mixed primer complete. The rates are inclusive cost and carriage of materials with in all leads, lifts and	preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand appearing as required with ready mixed primer complete. The rates are inclusive cost and carriage of materials with in all leads, lifts and other incidentals, as per the direction and entire satisfaction of Engineer-In-Charge. Rate inclusive toll tax, GST	Applying priming coat on new concrete/ masonry/ asbestos cement plastered surfaces after and including
rates are inclusive cost and carriage of materials with i	Clares at a monactive cook and contrage of the	and entire satisfaction of Engineer-In-Charge. Ra	preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand appearing as required

Bhawarna Division HP PWD Bhawarna Executive Engineer