HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

No.PW/EE/NH/RMP-CB-Tender/2024-25-To

1101

Dated: $\circ \leftarrow \frac{2}{25}$

The Executive Engineer (IT) Nigam Vihar Shimla-2

Subject:-

Publication of tender notice.

Enclosed please find herewith copy of tender notice in respect of tender invited vide this office NIT No. PW/EE/NH/RMP/CB-Tender Notice/2024-25-7090-7100 Dated:-06-02-2025 for uploading the same on department website for wide publicity.

DA: - Copy to NIT

Executive Engineer, NH Division, H.P.PWD, Rampur Bushahr

CERTIFICATE

Certified that the tenders of the works invited vide this office NIT No.PW/EE/NH/RMP/CB-Tender Notice/2024-25-7090-7100 Dated:-06-02-2025 is of urgent nature in exigency of public interest.

Executive Engineer, NH Division, H.P.PWD, Rampur Bushahr

HIMACHAL PRADESH PUBLIC WORKS DEPARTMENT

NOTICE INVITING TENDER

Sealed item rate tender(s) on PWD form No.6 &8 are hereby invited by the Executive Engineer, NH- Division, HP.PWD, Rampur Distt. Shimla (H.P) on behalf of the Governor of H.P for the following works from the registered contractors/consultants in HP.PWD MoRT&H in appropriate class to reach in this office on 15-02-2025 up to 10.30 A.M. and will be opened on the same day at 11.00A.M. in the presence of Contractors/ consultants or their authorized representative who wish to be present at that time. The application for obtaining the tender form will be received on 14-02-2025 i.e. 11.00 AM to 1.00 PM and the tender form can be had from this office against this cash payment (Non-refundable) on the same day from 2.00P.M. to 5.00 P.M. No application shall be entertained without earnest money or through FAX.

Earnest money shall be in shape of NSC/FDR duly pledged in favour of Executive Engineer NH-Division HP.PWD Rampur Bushahr Distt. Shimla H.P. Ambiguous /Telegraphically/conditional tenders or tender through FAX shall not be entertained/considered in any case.

Sr. No	Name of Work	Estimated Cost	Earnest Money	Time	For m No	Cost of form
1	A/R& M/O on NH-505A Km 0/00 to 17/00(SH:-C/O 600mm dia Hume pipe Culvert at RD 5/738,P/F600mm dia Hume Pipe for drain at RD 5/517.50 to 5/560 (Reckong Peo Chowk) and 5/592.30 to 5/602.30(ITBP Diversion Road) along with PCC Chamber etc.	1261717/-	25500/-	Two months	6& 8	350/-
2	A/R & M/O on NH-05 Km 236/0 to 368/0(SH:- Construction of Edge wall in PCC at RD 316/048 to 316/060)	206198/-	4100/-	One month	6& 8	350/-
3	-do- (SH:- Construction of Retaining wall in PCC at RD 314/753.50 to 314/760)	186215/-	3700/-	One month	6£ 8	350/-
4	-do-(SH:- C/O R/wall in PCC at RD 298/050 to 298/070)	650360/-	13500/-	One month	6£ 8	350/-
5	-do- (SH:- C/O B/wall in PCC at RD 302/160 to 302/173)	421190/-	8500/-	One month	6 & 8	350/-
6	-do- (SH:- C/O B/wall in PCC at RD 302/275 to 302/298)	745735/-	15000/-	One month	6£ 8	350/-
7	-do- (SH:- C/O B/wall in PCC at RD 302/135 to 302/150)	486493/-	10000/-	One month	6£ 8	350/-
8	R.R. damages on NH-05 Km 236/0 to 368/0(SH:- Hiring of hydraulic excavator with breaker for removal of slips/massive rock slides as and when required at Nigulsari slide point from Km 316/00 to 317/250)(Nigulsari end)	829800/=	17000/-	One month	6tt 8	350/-
9	R.R. damages on NH-05 Km 236/0 to 368/0(SH:- Hiring of hydraulic excavator with breaker for removal of slips/massive rock slides as and when required at Nigulsari slide point from Km 316/00 to 317/250)(Bhabanagar end)	570488/-	11000/-	One month	6& 8	350/-

SPECIAL CONDITIONS

1. The material shall be arranged by the contractor/ consultants himself.

2. The detail of documents to be attached with the application is given below.

Latest copy of renewal enlistment/empanelment.

ii Copy of Pan Card.

iii Copy of GST No.

3. The offer of the tender shall be kept open for 90 days

4. Tender received after the specified time/date shall not be opened.

5. Executive Engineer NH-division HP.PWD Rampur Distt. Shimla H.P. reserves the right to

reject any or all tender/s without assigning any reasons.

6. If due to any unforeseen reasons the office of the Executive Engineer NH-Division HP.PWD Rampur remain closed on the notified date of sale and receipt of tender, tender will be sold and received/opened

the next working day of same specified time.

7. Tenderers may contact the Executive Engineer for any further information they may require during the working day/ office hours.

8. The contractor/ consultants are requested to insert the rate of each in words as well as in figures failing which Executive Engineer reserves the right to reject any or all tenders.

9. The labour cess shall allow/ deduction @ 2% TDS amount of GST (1% CGST and 1% SGST).

10. The labour cess @ 1% will be deducted from the gross amount of the bill

11. A contractor enlisted in a particular class shall be eligible to tender for his own class and one step below as per Govt. notification No.PBW (B) 22-1/2002 dated 26-05-2015.

12. The Contractor/consultants will have to submit the proof of registration under Employees Provident Funds & Miscellaneous Provision Act. 1952 before award of work.

13. GST will be deducted from each bill as per latest instruction of the Government.

Executive Engineer, NH Division, H.P.PWD, Rampur Bushahr.

No.PW/EE/NH/RMP/CB-Tender Notice/2024-25- 7090-7100 Dated:-06-02-2025 Copy forwarded for information to the:-

1. Éngineer-in-Chief, HP.PWD, Shimla.

2. Chief Engineer (NH) HP.PWD, Shimla-1

3. Superintending Engineer, NH-Circle, HP.PWD, Shimla

4. All the Assistant Engineer working under this division

5. A/B & D/B in this office.

6. Notice board of this office.

Executive Engineer, NH Division, H.P.PWD, Rampur Bushahr

SCHEDULE OF QUANTITY

Hun	me of work:- A/R and M/O on NH-505A Km 0/00 to 17/00 (SH:- C/O 600 mm dia Hume Pipe Culvert at RD 5 ne pipe for drain at RD 5/517.50 to 5/560 (R.Peo Chowk) and 5/592.30 to 5/602.30 (ITBP Diversion Road) al	/738, P/F 60	0 mm dia	Esti	mate Cost:-	1261717.0
ن	etc.)	ong with PCO	Chamber	Earne	est Money:-	25500.00
Sr.					Time:-	2 Months.
No.	Sub Head/Item of work	Quantity	Rate in Figure	Rate in words.	Unit	Amount
Å.	Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	134.37	7,800		Per Cubic Metre	
	Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls 3 complete as per MORTH specification No.1500,1700 & 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.	21.73			Per Cubic Metre	
	Plain/Reinforced Cement Concrete in open foundation as per drawing and technical specification. PCC 1:2:4 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge.	24.19			Per Cubic Metre	
c s	Providing and laying reinforced cement concrete pipe NP4 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection work, back filling, concrete and masonary work in head walls and parapets clause 1108. 600mm dia. complete the work to the atisfaction of the Engineer-in-Charge.	67.50			Per Running Metre	
la	teel work bolted in built up sections, including cutting, hoisting, fixing in position and applying a priming coat of red ead paint. In gratings, Framed guards, bars ladders railings brackets and similar works. including carriage of all abour equipment and materials to various location of site through all modes of transportations in all leads lifts omplete the work to the satisfaction of the Engineer-in-Charge.	27.10			Per Quantal	

G.Total=

Executive Engineer
NH Division HPPWD,
Rampur Bsr.

SCHEDULE OF QUANTITY

Name of work:- A/R and M/O on NH-05 Km 236/00 to 368/00 (SH:- Construction of Edge wall in PCC at RD 316/048 to 316/060) Earnest Money:- 4100.00 Time:- 1 Months. Rate in Sr. No. Sub Head/Item of work Quantity Rate in words. Unit Amount Figure 1 Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of 9.36 Per Cubic Metre unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls 3 complete as per MORTH specification No.1500,1700 & 26.28 Per Cubic Metre 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge. Providing & fixing weep holes in plain cement concrete Retaining wall, Breast wall, abutments and return walls with 100 mm (one hundred milimetre) PVC pipe, extended through the full width of the structure with slope of 1 V: 20 H towards draining face complete as per MORT & H specifications 18.00 Per Running Metre clause 2706 and 2200 (latest revision) including hauling of material in all leads and lifts with all modes of transportation and as per direction of the Engineer-in-Charge. Providing and laying of Filter media with granular materials/ stone crushed aggregates satisfying the requirements laid down in clause 2504.2.2 of MORT &H specifications to a thickness of not less than 600mm (Six hundred milimetre) with smaller size towards the soil and bigger size towards the wall and provided over the entire surface behind retaining walls, abutment, wing wall and return wall to the full 6.84 Per Cubic Metre height compacted to a firm condition complete as per drawing and Technical Specifications as per MORTH Clause 710.1.4 of IRC 78 & 2200 latest revision with in all leads and lifts through all mode of transportation and as per the entire satisfication and direction of Engineer -in-Charge.

G.Total=

Estimate Cost:- 206198.00

Executive Engineer
NH Division HPPWD,
Rampur Bsr.

SCHEDULE OF QUANTITY Estimate Cost:-|186215.00 Name of work:- A/R and M/O on NH-05 Km 236/00 to 368/00 (SH:- Construction of Retaining wall in PCC at RD 314/753.50 to Earnest Money: 3700.00 314/760) Time:- 1 Months. Rate in Amount Rate in words. Unit Quantity Sr. No. Sub Head/Item of work Figure Earthwork in excavation for structures in all depths as per drawing and technical specifications as per Clause 304 of section 300 of MORTH specifications in all kinds of soils i.e.pick work, jumper work, blasting work in soft and hard rock and intermediate classifications of soil including chiselling and wedging out of rock with in all depths and heights, stacking the useful materials and disposal of Per Cubic Metre 3.51 unserviceable materials upto the identified dumping site as per the direction of the Engineer-in-Charges with in all leads and lifts. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost. Providing and laying mechanically mixed and vibrated cement concrete M-15 containing minimum _ 2 contents of cement is 5.50 bags per cum in all heights and depth as per drawing and technical specifications in foundation of retaining walls 3 complete as per MORTH specification No.1500,1700 & Per Cubic Metre 24.31 2100 including carriage of all materials within all leads and lifts with all modes of transportation and equipment and cost of formwork required to complete the work to the satisfaction of the Engineer-in-Charge. Providing & fixing weep holes in plain cement concrete Retaining wall, Breast wall, abutments and return walls with 100 mm (one hundred milimetre) PVC pipe, extended through the full width of the structure with slope of 1 V: 20 H towards draining face complete as per MORT & H specifications Per Running Metre 13.00 clause 2706 and 2200 (latest revision) including hauling of material in all leads and lifts with all modes of transportation and as per direction of the Engineer-in-Charge. Providing and laying of Filter media with granular materials/ stone crushed aggregates satisfying the requirements laid down in clause 2504.2.2 of MORT &H specifications to a thickness of not less than 600mm (Six hundred milimetre) with smaller size towards the soil and bigger size towards the wall and provided over the entire surface behind retaining walls, abutment, wing wall and return wall to the full Per Cubic Metre 6.11 height compacted to a firm condition complete as per drawing and Technical Specifications as per

MORTH Clause 710.1.4 of IRC 78 & 2200 latest revision with in all leads and lifts through all mode of

transportation and as per the entire satisfication and direction of Engineer -in-Charge.

G.Total=

Executive Engineer
NH Division HPPWD,

Rampur Bsr.

Name PCC a	of work:- A/R & M/O NH-05 Km. 236/00 to 368/00) (Sub Head:- C/O t RD 298/050 to 298/070)	R/wall in				1
S.No.	Descriptions	Quantity	In figure	Rate In words.	Unit	Amount
1	Excavation for road way in soil by mechnical means i/c cutting and transporting the earth to site of embankment/dumping area with lead upto 1000 mtrs. i/c trimming bottom and side slopes in accordance with requirements of lines, grades and cross section. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.				Per cubic meter.	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	34.00			Per cubic meter.	

_	cost.				Total Rs:-	
	during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own					
	including all incidental charges. Any loss of public/private property					
	locations through all modes of transportation in all leads and lifts,			4)		
	including carriage of all labour, equipments and materials to various					
	through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications				mene	
	abutment, wing wall/ return wall with 100 mm dia AC pipe, extending				metre	
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete	30.000			Running	
-		20.000			Per	
	shall have to be duly compansated by him at his own cost.					
	course of execution shall be the sole responsibility of contractor which		,			
2.62	incidental charges. Any loss of public/private property during the					
ALCONOMICS	through all modes of transportation in all leads and lifts, including all					
41	carriage of all labour, equipments and materials to various locations					
6.0	ising Batching plant, including all incidental charges, including					
	omplete as per drawings and technical specifications. PCC Grade M15			7.	meter.	
	viding concrete for plain/reinforced cement concrete in sub structure	95.060			Per cubic	

Executive Engineer,
N.H.Division,HP.PWD,
Rampur Bsr.

Name	of work:- A/R & M/O NH-05 Km. 236/00 to 368/00) (Sub Head:- C/O	B/wall in		Estimated Cost:	421190.00	
PCC a	t RD 302/160 to 302/173)			Earnest Money:-		-
					One Month	
# .		43 * 1	Rate		4	
S.No.	Descriptions	Quantity	In figure	In words.	Unit	Amount
1	Excavation for road way in soil by mechnical means i/c cutting and transporting the earth to site of embankment/dumping area with lead upto 1000 mtrs. i/c trimming bottom and side slopes in accordance with requirements of lines, grades and cross section. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.				Per cubic meter.	-
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.				Per cubic meter.	

						ı
	roviding concrete for plain/reinforced cement concrete in sub structure	61.790			Per cubic	
,0	complete as per drawings and technical specifications. PCC Grade M15				meter.	
1	using Batching plant, including all incidental charges. including	÷ a				
	carriage of all labour, equipments and materials to various locations					
	through all modes of transportation in all leads and lifts, including all					161
	incidental charges. Any loss of public/private property during the		٠			
	course of execution shall be the sole responsibility of contractor which					
	shall have to be duly compansated by him at his own cost.	li e e e e e e e e e e e e e e e e e e e				
		-				
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete	19.500			Per	
	abutment, wing wall/ return wall with 100 mm dia AC pipe, extending			,	Running	
	through the full width of the structure with slope of 1V:20H towards				metre	
	drawing foce. Complete as per drawing and Technical Specifications					
	including carriage of all labour, equipments and materials to various					
	locations through all modes of transportation in all leads and lifts,					
	including all incidental charges. Any loss of public/private property					
	during the course of execution shall be the sole responsibility of				,	
	contractor which shall have to be duly compansated by him at his own					1
	cost.		1.0	1		
					m + 1 P	
					Total Rs:-	

Executive Engineer,
N.H.Division,HP.PWD,
Rampur Bsru

	of work:- A/R & M/O NH-05 Km. 236/00 to 368/00) (Sub Head:- C/O	B/wall in	7.0	Estimated Cost:-	745735.00	
CC'a	t RD 302/275 to 302/298)			Earnest Money:-	15000.00	
-					One Month	
- 1				Rate		
S.No.	Descriptions	Quantity	In figure	In words.	Unit	Amount
1	Excavation for road way in soil by mechnical means i/c cutting and transporting the earth to site of embankment/dumping area with lead upto 1000 mtrs. i/c trimming bottom and side slopes in accordance with requirements of lines, grades and cross section. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.				Per cubic meter.	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	7-9			Per cubic meter.	

				=		
3	Providing concrete for plain/reinforced cement concrete in sub structure	109.320			Per cubic	
	complete as per drawings and technical specifications. PCC Grade M15				meter.	
- 4	using Batching plant, including all incidental charges, including					
Table 1994	carriage of all labour, equipments and materials to various locations					
	through all modes of transportation in all leads and lifts, including all					
	incidental charges. Any loss of public/private property during the					
	course of execution shall be the sole responsibility of contractor which					
	shall have to be duly compansated by him at his own cost.					
			1979			
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete	34.500			Per	
	abutment, wing wall/ return wall with 100 mm dia AC pipe, extending				Running	
and the second	through the full width of the structure with slope of 1V:20H towards				metre	
	drawing foce. Complete as per drawing and Technical Specifications		4			
14	including carriage of all labour, equipments and materials to various					
	locations through all modes of transportation in all leads and lifts,				2.0	
	including all incidental charges. Any loss of public/private property				13	
	during the course of execution shall be the sole responsibility of					
	contractor which shall have to be duly compansated by him at his own					
	cost.					
			the state of the s		Total Rs:-	

Executive Engineer, N.H.Division,HP.PWD, Rampur Bsr

Name	of work:- A/R & M/O NH-05 Km. 236/00 to 368/00) (Sub Head:- C/O	B/wall in		Estimated Cost:-	486493.00	
PCC a	t RD 302/135 to 302/150)			Earnest Money:-	10000.00	
				Time:-	One Month	
			4	Rate		
S.No.	Descriptions	Quantity	In figure	In words.	Unit	Amount
1	Excavation for road way in soil by mechnical means i/c cutting and transporting the earth to site of embankment/dumping area with lead upto 1000 mtrs. i/c trimming bottom and side slopes in accordance with requirements of lines, grades and cross section. Any loss of public/private property during the course of execution shall be the sole responsibility of the contractor which shall have to be duly compansated by him at his own cost in all cases, the work shall be carried out as per clause 301 of section 300 of MORTH specifications to the entire satisfication and direction of Engineer-in-Charge.				Per cubic meter.	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising the remaining earth locally for road work. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	,			Per cubic meter.	

3 /	Providing concrete for plain/reinforced cement concrete in sub structure complete as per drawings and technical specifications. PCC Grade M15 using Batching plant , including all incidental charges. including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	71.300	<u>=</u>	Per cubic meter.	
	Providing weep holes in Brick masonry/Plain/ Reinforced concrete abutment, wing wall/ return wall with 100 mm dia AC pipe, extending through the full width of the structure with slope of 1V:20H towards drawing foce. Complete as per drawing and Technical Specifications including carriage of all labour, equipments and materials to various locations through all modes of transportation in all leads and lifts, including all incidental charges. Any loss of public/private property during the course of execution shall be the sole responsibility of contractor which shall have to be duly compansated by him at his own cost.	22.500		Per Running metre	
				Total Rs:-	

Executive Engineer,
N.H.Division,HP.PWD,
Rampur Bsrt.

Nam	ne of work:- Restoration of Rain damages on NH-05 Km 236/000 to 368/000 (SH:- Hiring of hy	draulic exec	avator with		mate Cost:-	829800.00
orea	ker for removal of slips/massive rock slides as and when required at Nigulsari Slide Point fron	n Km 316/00	to 317/250)	Earne	17000.00	
	(Nigulsari end)		*		Time:-	One Month.
Sr. No.	Sub Head/Item of work	Quantity	Rate in Figure	Rate in words.	Unit	Amount
1	Hiring of PC 210 (L & T comatsu / Bolvo/Hyundai /doosan and other) crawler mounted hydraulic execuvator with breaker for cuting / execavation/ filling /slips i/c cost of feul oil lubricant and wages opprating any repair/breakage during operation will be carried out by the contractor /owner at his own risk. Shifting of machinery from one place to other place within site will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Any loss to the public/ private property during the course of excution of work shall be the sole responsibility of the contractor and will compensated by him at his on risk and cost, cutting in earth / removal of slips in all kinds of soil including loading in Tippers/ Trucks, removal / disposal of the same in all leads and lifts to the entire satisfaction of Engineer-in-charge. No payment will be made for machine lying ideal at site due to no work or non availbility of working hours due to unfavourable climatic conditions.	160.00			Per Hour	

Total=

Executive Engineer NH Division HPPWD, Rampur Bsr.

brea	ne of work:- Restoration of Rain damages on NH-05 Km 236/000 to 368/000 (SH:- Hiring of h	ydraulic exe	cavator with	Est	imate Cost:-	
	ker for removal of slips/massive rock slides as and when required at Nigulsari Slide Point from	m Km 316/00	0 to 31//250)	Earn	est Money:-	i -
<u> </u>	(Bhabanagar end)		,		Time:-	One Month
Sr. No.	Sub Head/Item of work	Quantity	Rate in Figure	Rate in words.	Unit	Amount
1	Hiring of PC 210 (L & T comatsu / Bolvo/Hyundai /doosan and other) crawler mounted hydraulic execuvator with breaker for cuting / execavation/ filling /slips i/c cost of feul oil lubricant and wages opprating any repair/breakage during operation will be carried out by the contractor /owner at his own risk. Shifting of machinery from one place to other place within site will be absolute responsibility of the contractor and no payment will be made for the same. Only actual working hours will be accounted for the payment. Any loss to the public/ private property during the course of excution of work shall be the sole responsibility of the contractor and will compensated by him at his on risk and cost, cutting in earth / removal of slips in all kinds of soil including loading in Tippers/ Trucks, removal / disposal of the same in all leads and lifts to the entire satisfaction of Engineer-in-charge. No payment will be made for machine lying ideal at site due to no work or non availability of working hours due to unfavourable climatic conditions.	110.00			Per Hour	

Total=

Executive Engineer
NH Division HPPWD,

Rampur Bsr.