Himachal Pradesh Public Works Department

No PW/DD/CB/Tender/2024-25:-

11644-46

Dated: 15/3/025

To

The Executive Engineer (1 T Cell) O/o the Engineer-In- Chief Nigam Vihar HPPWD Shimla-2

Subject:-

Publication of Tender Notice . \*

Dear Sir.

Enclosed please fined herewith the Tender Notice of work as given in the Notice Inviting Tender for uploading on department website as per notification Pr. Sect.(PW) to the Govt. of Himachal Prsdesh letter No PBW(B)A(3)1/2024 dated Shimfa-2 the 03.01.2024 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA/ Notice Intviting Tender.

Executive Engineer, Dharamshala Division, HPPWD Dharamshala

Copy forwarded for information to:-

1. The Superintending Engineer 5th Circle HPPWD Palampur.

2. All the Assistant Engineer working under this Division.

3. Copy to Ab/ DB of this Division.

4. Notice Board.

Executive Engineer, Dharamshala Division, HPPWD Dharamshala. Office of Executive Engineer Dharamshala Division HPPWD Dharamshala Himachal Pradesh Public Works Department Dharamshala -176215 Phone No.01892-224946 Fax 222065 E-mail ee-dha-hp@nic.in

#### "NOTICE INVITING TENDERS"

Sealed percentage rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Dharamshala Division, HPPWD Dharamshala on emergent basis for the below mentioned works from the approved and eligible contractors enlisted in HPPWD so as to reach in his office on or before 24.03.2025 upto 11:00 AM and the same shall be opened on the same day at 11:30 AM in the presence of the tender opening committee and intending contractors/firms or their authorized representatives. The tender documents can be had from this office against cash payment/Non refundable) on 22.03.2025 between 2:00 PM to 5:00 PM and the applications for issue of tender forms shall be received upto 12:30 PM on 22.03.2025.

The Earnest Money in the shape of NSC's / FDR's Deposit/Bank Guarantee at Call of any of the Post office/Bank duly pledged in favour of XEN HPPWD., Dharamshala must be accompanied with the tender documents. Please note that no exemption orders of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will summarily be rejected. The offer of the tenders shall be kept open for 75 days. The Executive Engineer reserves the right to reject any tender or all tenders without assigning any reasons. The contractors should be registered as a dealer GST Tax Act.2018 and also produce the clearance certificate from the Excise and Taxation department and the contractor will also have to attach the labour employer licence from the labour office with the application. The tender documents shall only be issued to those contractors/firms who will produce the photo copy of their enlistment/renewal, if it happens to be a holiday on the day of opening of tenders the same will be opened on the next working day at the same time and venue:-

Sr. No.	Name of Work	Estimated cust in Rs.	EMD	Time limit	Cost of Tender form
1.	C/o 40.00 Mtrs span D.S Baily Bridge on Dharamshala to Jule Via Aghanjar Mahadev to Slate Godown road km 0/00 to 22/500 in Tehsil Dharamshal Distt. Kangra HP (Sh :- Construction of approaches on both side of Baily Bridge at RD 8/500) Balance Work	99023/-	20(00%	Two Months	350-
2	C/o 40.00 Mtrs span D.S Baily Bridge on Dharamshala to Jule Via Aghanjar Mahadev to Slate Godown road km 0/00 to 22/500 in Tehsil Dharamshal Distr. Kangra HP (Sh :- Construction of approaches on both side of Baily Bridge at RD 8/500) Balance Work	99475/-	2000/-	Two Months	350/-
3.	C/o 40.00 Mtrs span D.S Baily Bridge on Dharamshala to Jule Via Aghanjar Mahadev to Slate Godown road km 0/00 to 22/500 in Tehsi) Dharamshal Distt. Kangra HP (Sh: Construction of approaches on both side of Baily Bridge at RD 8/500) Balance Work	99496/-	2000/-	Two Months	3507-
a.	A/R &M/O Residetial Building Type-III Qtrs No 2 in HPPWD Colony near office of Chief Engineer (KZ) HPPWD Dharamshala Distt. Kangra IIP (SHt- Distempering, Painting & Miont reapir tiles flooring) (Balance Work)	49335	1000/-	Two Months	350
5.	A/R &M/O Residetial Building Type-III Qtrs No 2 in HPPWD Colony near office of Chief Engineer (KZ) HPPWD Dharamshala Distt. Kangra HP (SH;- Distempering, Painting & Mionr respir tiles flooring)	97998/-	2000-	Two Months:	350-
6.	Annual Repair & Maintenance of Vidhan Sabha Complex at Tapayan (Dharamshala) in Distr. Kangra HP (SH:- Providing French Polish and interior painting work in meeting Hall (Balance Work)	677435-	1400-	Two Months	350
Z <sub>i</sub>	Repair of Path Main road to Shamshan Ghat G.P Tangroti in Tehsil Dharamshala Distt. Kangra HP (Deposit work ) (SH:- Providing and laying Cement Concrete Pavement) (Balance Work)	61572/-	1200/-	Two Months	3500-

8.	Repair of Damage to link road from Sakoh to Chellian km 0/000 to 4/00 in Dist. Kangra HP (Deposit work ) (SH:- Construction of P.C.C Retaining wall at RD 3/078 to 3/080)	92587:-	1950/-	Two Months	350
9.	Restoration of Damage on Dharamshala Yol Dadh Palampur road Km 0/000 to 15/250 in Tehsil Dharamshala Distt. Kngra H.P (Sh:- Providing and laying Paver Block at RD 6/621 to 6/661 R.H.S Berms (Telecom Deposit)	99320/-	2000/-	Two Months	350-
0.	Restoration of rain damages on Various roads under Sub Division No I Dharamshala Distt, Kangra HP(Sh:- Hiring of JCB for remaoval of Slips & Clearance od Drain)	98100/-	2000-	One Month	350-
1.	Special repair of Residential Building for S.E Design (PWD) at Chilgari Dharantshala Dsitt. Kangta HP (SH:-Providing and Fixing P.V.C water tank with M.S.Stand)	98577	2000/-	Two Month	350-
2.	Repair of lonk road to Village Chacharot Ward no 6 in Tehsil Dharamshal Distt. Kangra HP (SH:- Improvement of road at RD 0/551 to 0/700)	98100/-	2000/-	Two Month	350/
13	Repair of link road to Village Chacharot Ward no 6 in Tehsil Dharamshal Distt. Kangra HP (SH:-Improvement of road at RD 0/400 to 0/550)	98700/-	2000/-	Two Month	350
4.	A/R &M/O Residetial Building Type-II Qtrs No 5, 5A and 6, 6A at HPPWD Colony near Chilgari at Dharamshala Distt. Kangra HP (SH:- Re-construction of damaged stone edge wall and cement Concrete in courtyard)	99519/-	2000;-	Two Month	3,50
5.	Restoration of road Dari to Damu rao Km 0/000 to 2/150 in Tehsil Dharamshala Distt. Kangra HP (SH;- Repair of drain/berms in between km 0/000 to 2/150)	82000/-	1700/-	Two Month	350
6.	Annual Repair & Maintenane of Tribal Bhawan at Dari in Tehsil Dharamshala Distt. Kangra HP (SH:- Providing and fixing Sanitary Item, ceiling repair and other minor work)	54173	1100/-	Two Month	350
7	Annual Repair & Maintenane of P.W.D rest House at Dharamshala in Tehsil Dharamshala Distt, Kangra HP (SH:- Interior paint and Polish work.)	94987/-	19002-	Two Month	3,507
8	Restoration of rain damage on Kotwali Bazar Gandhi Park to Kala per upto by Pass Junction in nTehsil Dharamshala Distt, Kangra Hp (Sh:- Providing and laying Granular Filling between km 1/047 to 1/058)	95638-	/2000/-	Two Month	350
9.	Restoration of rain damage on Kotwali Bazar Gandhi Park to Kala pur upto by Pass Junction in nTehsil Dharamshala Distt. Kangra Hp (SH:- Providing and laying Granular Filling between km 1/035 to 1/047)	96563/-	2000/-	Two Month	350
0	Repair of Civil Bazar to Shannagar via Gorkha Bhawan at Dharamshala Distt. Kangra HP (Deposit work ) (SH:- Providing and fixing M.S grating between km 0/540 to 0/640(Balance work)	78443/-	1600/-	Two Month	350%
1.	A/R & M/O Non- residential building at Dharamshala in Distt. Kangra H.P. (SH:-Providing Skilled worker for Minister block of Circuit House Dharamshala)	97736-	20004-	20 days	3500-
2.	C/o Dharamshala Yol Dad Palampur road km 0/000 to15/250 in tehsil Dharamshala Distt. Kangra HP (SH:- C/o U- Shape drain at RD 7/200 to 7/250)	98955/-	2000/-	Two Month	350%
3	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P. (SH:- Providing and Laying Cement Concrete Paver Block in Parking area in New Block)	99467/-	2000/-	One Month	350
1	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH Proxiding and Laying Cobble stone flooring in Parking area in New Block.	99842/-	2000-	One Month	350/
5	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:- Providing and Laying Concrete Paver Block and railing in Parking area in New Block.	95694/-	2000/-	One Month	350/
6	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:- Providing and Fixing Aluminium work and other minor repair work etcetera in Old Block.	98747/-	2000/-	One Month	350
7	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:- Providing and Fixing Aluminium shutter for doors in Old Block.	99294/-	2000/-	One Month	350/
	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:- Providing and Laying Cement Concrete Paver Block and Cement Concrete Flooring etcetera in Old Block.	96588 -	2000/-	One Month	350/
ř;	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:-Construction of Drain and brick work etcetera in Old Block	99455/-	20007-	One Month	350/
0.	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala. Distr. Kangra H.P.(SH:- Providing and Fixing Aluminium work and other minor repair work etcetera in Old Block.	98104/-	2000/-	One Month	350/

31	Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P.(SH:- Providing and laying Tile flooring in kitchen etcetera in Old Block,	2000/-	One Month	350/
32	Annual Repair and Maintenance of Non-Residential of Circuit House building at Chilgari Dharamshala, Distt. Kangfa H.P. (SH:-Providing and laying Tile work and Sanitary installation etc. in W.C. eum Bath (Old Block)	2000/-	One Month	350/

Certified that above work for Sr. No 1 to 32 are ugent nature and require immediate execution.

Executive Eremeer.

Dharamshala Division,

HPPWD Dharamshala.

On behalf of Governor of Hamachal Paudesh.

No. PWD-DD/CB/M-34/-2024-25-

11047-79

Copy to the following for information and necessary action:-

The Chief Engineer (KZ) HP PWD Dharamshala.

The Superintending Engineer, 5th Circle HP.PWD, Palampur.

The Deputy Commissioner Kangra at Dharamshala.

The Commissioner Dharamshala Municipal Corporation.

5. All the Executive Engineer, working under Kangra Zone.

6. The SDM & Tehsildar Dhuramshala.

The BDO Dharamshala /Rait.

8. All the Assistant Engineers working under this Division.

All the Head of the Branches in this office.

All the Contractors working under this Division.

Notice Board.

Dated:-15.03.2025

Executive Engineer, Dharamshala Divisiou, HPPWD Dharamshala.



Estimate Cost :- Rs. 99023.00
Earnest Money :- Rs. 2000.00
Time Limit :- Two Month.

Name of work:- C/o 40.00feet span S.S. Batley bridge on Dharamshala to jule via Aghanjar Mahadev to slate Godown road km 0/0 to 22/500 in Tehsil Dharamshala, Distl. Kangra H.P. (SH:-Construction of Approaches on both side of Bailey bridge at RD 8/500). Balance work

No.		N			
Description of Item	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkharia, toll taxes, GST and any other faxes imposed by the Government.	Providing, laying, spreading by mechanically means and compacting to 75mm (seventy five millimeter) compacted thickness, crushed stone aggregates of Grading-III. 63mm to 45mm (sixty three millimeter to forty five millimeter) nominal size to water bound manadam specification including spreading in uniform thickness using templates hand packing rolling with three wheeled roller 80-100 (eighty - one hundred) kN static weight in stages to proper grade and camber including applying and brooming stone screening Type-B of size 11.2 mm (cloven point two millimetre) nominal size at the rate of 0.20 (zero point two zero) cubic metre per 10 Sqm. (ten square metre) and binding material at the rate 0.05(Zerro point Zero six)cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per MORD Technical specification section 400 and as per direction and satisfaction of Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality. Malkana. Octroi, toll tax. GST or any other taxes imposed by the Government.			
Quantity	10.95 Cubic metre	15.00 Cubic metre			
Figures	5050.00	2150.00			
s Words	Rupees Five Thousand Fifty Only	Five Thousand Fitty Only Rupees Two Thousand One Hundred Fitty Only			
Unit	Per Cubic metre	Per Cubic metre			
Amount	55,298.00	32,250.00			

10	t words)	(Amount to be quoted by the contractor in words)	quoted by th	Amount to be	Quated rate in Words (%)	Ω.
	n figure)	(Amount to be quoted by the contractor in figure)	quoted by the	Amount to be	Quoted rate in figure (%) (Ar	0
99023.00					Total	
11,475.00	Per Cubic metre	Rupcos Two Thousand Two Hundred Fifty Only	2250.00	0 Cubic metre	Spreading and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter) or twenty two point four millimeter). Grading-III [75mm] seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	# # # # # # # # # # # # # # # # # # #

I

Executive Engineer.
HPPWD (B&R) Division.
DHARAMSALA





Estimate Cost :- Rs. 99475.00 Earnest Money :-Rs.2000.00 Time Limit :- Two Month.

Name of work:- C/o 40.00feet span S.S. Bailey bridge on Dharamshala to jule via Aghanjar Mahadev to slate Godown road km 0/0 to 22/500 in Tehsil Dharamshala, Distl. Kangra H.P. (SH:-Construction of Approaches on both side of Bailey bridge at RD 8/500), balance work

No.		N
	Providing and laying cement concrete in retaining walls, return Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III [75mm( seventy five millimeters) consolidated thick] to water bound Macadam specification including spreading in uniform thickness using template thand packing, rolling with three wheel 80-100 K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm ( sleven point two millimetres) nominal size at the rate of 0.18cum ( zero point two eighteen cubic metres) per ten square metres and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per M.O.R.D. technical specifications clause No. 405 and as per direction and satisfaction of Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	Providing and applying tack coal with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kgs (Zero twenty five into Zero decimal, three Zero kilogramme) per square metre on the prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification Clause 503, as per direction of Engineer-in-Charge including carriage of materials within all leads. Iffs, and other incidental. The rate is including octroi, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.
Quantity	95.2	200.00 Square metre
ntity	Cubic	Square metre
Figures	2250.00	20.00
Rate in Words	Rupees Two Thousand Two Hundred Fifty Only	Rupees Twenty Only
Unit	Per Cubic metre	Per Square metre
Amount	21,375.00	4,000.00

	n words)	ne contractor i	quoted by the	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)
	in figure)	ne contractor	quoted by ti	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)
99475.00					Total
74,100.00	Per Cubic metra	Rupees Twelve Thousand Three Hundred Fifty Only	12350.00	6.00 Cubic metre	3 Providing and laying 25mm (Twenty live millimetres) thick bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes oer hour using crushed aggregates of specified grading, premixed with bituminous binder VG-10 (Viscosity grade-Ten) @ 5% (Five) per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No 509, as per direction of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including outroi, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.







Name of work:- C/o 40.00feet span S.S. Bailey bridge on Dharamshala to jule via Aghanjar Mahadev to slate Godown road km 0/0 to 22/500 in Tehsil Dharamshala, Distt. Kangra H.P. (SH:-Construction of Approaches on both side of Bailey bridge at RD 8/500). Time Limit :- Two Month, Estimate Cost :- Rs. 99496.00 Earnest Money :- Rs. 2000.00

No.	-	ю
Description of Item	Excavation for road way in hilly areas in all heights and depths and in all kinds of spill by manual/ mechanical means, including saturated soil comprising of ordinary soil, ordinary rock, soft rock, hard rock chiseling or wedging out rock (where blasting is prohibited) and their intermediate classification of soil complete including setting out true to the required lines grades, cutting width and trimming of side slopes, camber, super elevation and levels as shown in the drawings and as directed by the Engineer-in Charge complete according to the MORD Technical Specification Section 300 and 1600, as per the entire satisfaction and direction of Engineer- in - Charge. The rate is including Royality, Malkana, Octroi, toil tax, GST or any other taxes imposed by the Government.	Excavation in foundation, trenches etc. in earth work in all classification of sall such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and returning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc. consolidating each deposited layer by remining, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octor, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.
Quantity	61.25 Cubic metro	22.08 Cubic metre
Figures	295.00	360.00
Rate in Words	Rupees Two Hundred Ninety Five Only	Rupees Three Hundred Sixty Only
Unit	Per Cubic metre	Per Cubic metre
Amount	18,069.00	7,949.00

	in words)	ne contractor i	quoted by th	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)	
	in figure)	he contractor	quoted by th	(Amount to be quoted by the contractor in figure	Quoted rate in figure (%)	
99496.00					Total	
73,478.00	Per Cubic metre	Rupees Five Thousand Fifty Only	5050.00	14.55 Cubic metre	Providing and laying coment concrete 1:4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads. Iffs and other incidentals. The rates inclusive of octor, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	ω

Executive Engineer.
HPPWD (B&R) Division.
DHARAMSALA





Estimate Cost :- Rs. 49335.00 Earnest Money :- Rs. 1000.00 Time Limit :- Two Months.

Name of work: A/R & M/O Residential building Type -till Ctr, No. N-2 in HPPWD colony near office of CE (KZ) HPPWD Charamshala District Kangra (Sub Head - Distempring, painting & other minor repair and tiles flooring ).Balance work.

on on	Ch.	4	ω	N	-	N S
Providing and fixing 15mm (titleen millimetres) nominal bore C.P. brass bib cock tap of continantal series of Jajuan/Contess series of Hindware/ Ocean series of Cera/ Vintage series of Korovit and Hindon series of Jal complete within all leads, lifts including carriage of materials and other incidentals as per approved drawing, design and as directed	P/F Exhaust fan of Usha/ Bejaj / havel cutting holes of foquired size in brick masonry wall for tixing of exhaust fan including providing and fixing 300 mm dia PVC pipe conforming BIS-12818 and making good the same etc. complete as per direction of Engineerin- charge. The rate is inclusive of toll taxes. GST and any other taxes imposed by the Government.	Finishing walls with Apex weather proof exterior emulsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved shade having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tirtled) with silicon additives, Old work (Two or more coats applied @ 1.43 litre/ 10 sqm. Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm complete as per Architectural drawing , design and specifications and as per directions and entire satisfaction of the Engineer-in-Chargo including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Providing and applying 15mm (fifteen millimeter) thick cement plaster with cement mortar 1:6 (one cement isto six sand) in single cost on fair side of brick/concrete/ stone walls for interior plastering up to all floor level including arises, internal rounded angles, chamiers or rounded angles in all girth and finished even and smooth as per approved drawing, design, specifications and as per directions and online satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octro, royality, malkhana, toll lax, sale tax, GST or any other taxes imposed by the Government.	Painting Steel work with premium enamel of Asian/Nerolac Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm over an under coat of primer applied @ 0.80 ltr/ 10 sqm of approved brand and manufacture complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, tall lax, sale tax, GST or any other taxes imposed by the Government.	Painting wood work with premium enamel of Asian/Nerolac Paint to give an even shade. Two or more cost applied @ 0.90 ltr/10 sqm over an under cost of primer applied @0.75 ltr/10 sqm of approved brand and manufacture complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, tall tax, sale tax. GST or any other taxes imposed by the Government.	Description of Item
2.00	1.00	16 8D	16.80	10.74	30,07	Qua
Number s	Number s	Square metre	Square	Square	Square metre	Quantity
950,00	2290.00	128.00	260.00	82.50	92.50	Rate in Figures
Each	Each	Per Square metre	Per Square metre	Per Square metre	Per Square metre	Unit
1,900.00	2200.00	2150.00	4,368.00	886.00	2781.00	Amount

Ī		I	4	10	9	00														
Quoted rate in Words (%)	Quoted rate in figure (%)	Total	Providing and fixing 18mm (Eighteen millimetre) thick Commercial Board water proof board of Uniply/ Greenply Adipty/Centuary ply / Duraply /Marino ( ISI Marked ) in Shelves of cup board with hard wood edging to be finished with 1mm (one millimetre) thick lamination of centuary/ Greenlam/ Action Tesa / Merinolam and approved shade including fixing with nickel plated piano hinges and screws etc complete) within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	Sheel work welded in built up sections, trussed and framed work, of Tata/ Sail Including cutting, hoisting, fixing in position and applying a priming coal of approved stool primer using structural steel etc. as required in single sanctions composed of rolled steel joists or Channels with caps base splices, angle ibrackets etc. as per direction of Engineer-in-Charge, including carriage of materials within all leads. Lifts and other incidentals. The rate is including octrol, royality, Malkana, tall tax, sale tax, GST or other taxes imposed by the Government.	Providing and fixing 0.60mm (zero point sixty millimeter) thick prepainted steet ISI marked Z-120 (Z-one hundred twenty) prepainted steet sheet of TATA/durashine/ sail/ Relience/Jindal or equivalent in rooting over steet trusses with tool dip metallo zinc coated sheet with top coat of regular modified polyster (RMP) organic coating of 20 (TWENTY) microns over 5 (five) microns primer coating to back coat of polyster and 5 (five) microns over 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, botts and nuts 6mm ( six millimeter) diameter with prepainted limpet and rubber washer complete with all accessories as required as per direction of Engineer-in-charge including carriage of material with in all lead and lift and other incidental as per HPPVD specifications or as directed by the Engineer-in-Charge, including carriage of materials within all leads and lifts. The rate inclusive of Octroi, Toll tax, GST or any taxes imposed by the Government.	Providing and placing 1000 liter (one thousand liter) capacity on terrace (at all floor levels) polyethylene water storage tank of Supreme, Finolex, Vectus IS: 12701 marked, with cover and suitable tocking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	Gobain glatting in door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. Rate inclusive toll tax, GST and any other taxes imposed by the government.													
Amount to	(Amount to be quoted by the contractor in figure)		146	104.50		1000.00 Liter	27.7													
be quoted		to be quoted by the control	o be quoted by the contra	o be quoted by the contro	o be quoted by the contro	o be quoted by the contra	0.00	Square	Kilogram e	Square	Liter	met.e								
by the contra							d by the contra	d by the contra	1 by the contra	t by the contra	t by the contra	by the contra	by the contra	by the contra	t by the contra	1 by the contra	by the contra	by the contra	by the contra	1 by the contra
(Amount to be quoted by the contractor in words)	actor in figure)		Per Square metre	Per Kilograme	Per Square metre	Perliter	metre													
		49,335.00	2,993.00	10,973.00	6,479.00	11,500.00	3,105.00													

Executive Engineer,
HPPWD (B&R) Decision,
DHARAMSALA





Name of work:- A/R & M/O Residential building Type -III Qtr, No. N-2 in HPPWD colony near office of CE (KZ) HPPWD Dharamshala District Kangra (Sub Head :-Estimate Cost :- Rs. 97998.00 Earnest Money :-Rs.2000.00

	actor in word	y the contra	mount to be quoted by the contractor in word	mount to	Quated rate in Words (%)	Du.
	actor in figur	by the contra	mount to be quoted by the contractor in figur	mount to	Quoted rate m figure (%)	9
97,998.00					Total	To
2373.00	Per Square metre	73.00	Square melre	32.50	Providing and applying white coment (Birla white/JK) /based putly of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actro, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	of a GS





ESTIMATED COST: - \$ 67743.00
EARNEST MONEY: - \$ 1400.00
TIME LIMIT : One Month

508

NAME OF WORK ... Annual Repair and maintenance of Vidhan Sabha Complex at Tapovan (Dharamshala) in Distt. Kangra H.P. scur. HEAD ... Providing Franch Polich and interior pointing work in Meeting half Balance work?

	ds)	(Amount to be quoted by the contractor in words)	to be quoted	(Amount	Quoted Rate in Words (%)	
	re)	(Amount to be quoted by the contractor in Figure )	to be quoter	(Amount	Quated Rate In Figure (%)	
67743.00	TOTAL :-					
25259.00	metre	Rupees ninety and paise zero only	90.00	280-66 Square metres	2 Painting two or more cost with premium acrylic emulsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved on decorated wall surface to smooth, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2
	metre	Rupees two numeror eight and palse lifty five only	. 20855	203.71 Square metres	Polishing two coats with french polish on previously wood and wood based surfaces to give an even surface including cleaning the surface of all dirt,dust,and sand papered smooth and including a coat of wood filler, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	H4
42484.00	Day Courses	n			2	-
7	6	5	4	i,		No
		In words	5/411		Description of section	50
A CONTRACTOR	000	RATES		Quantity	Parameters of from:	

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala



Estimate Cost :- Rs. 61572.00

Earnest Money :-Rs.1200.00 Time Limit :- Two Month.

Name of work:- Repair of path main road to Shamshan Ghat G.P. Tangroti in Tehsil Dharamshala, Distt. Kangra H.P. (Deposit work) (SH:- Providing

	P. T.		Ra	Rate in	Init
Z 0	Description of Item	Quantity	Figures	Words	Citi
	mohes etc. in certh work in all classification of soil such as pick de-walcare, including work, jumper blasting work, soft and hard other mixed variety of soil, including shoring, shuttering and depth or any quoniam of water including shoring, shuttering and receivable and stacking the serviceable and un-serviceable of excavation as direction of Engineer-in-Charge and retuning their centimotes) layers, when required into plinths, sides of each deposited layer by ramming, watering and then disposing cled by the Engineer-in-Charge, within all leads, lifts of materials represed drawing, design and as directed by the Engineer-in-of octori, royality. Malkhana, toll taxes, GST and any other taxes	11.20 Cubic metre	360.00	Rupees Three Hundred Sixty Only	Per Cubic metre
2 Providir design square Killogra centent vibrated specific and oth	Providing and laying mechanically mixed and vibrated dement concrete. Grade M-20 (Twenty) Providing and laying mechanically mixed and vibrated dement concrete. Grade M-20 (Twenty) design mix to obtain the minimum comprective strength of 20 N/mm2 (twenty newton) per square millimeter) with cement contents not less than 320 kg (three hundredtwenty killogramme) per cubic meter and curing complete excluding the cost of form work and cement concrete work in open foundation to give smooth surface mechanically mixed and vibrated including curing complete within, all leads lifts and other incidentals as per approved specification drawing, design and as directed by the Engineer in charge within all leads lifts and other incidentals. The rate inclusive of Malkhana, Royality, Octroi, toll tax, sale tax "GST and any taxes imposed by the Government.	8.40 Cubic metre	6850.00	6850.00 Rupees Six Thousand Eight Hundred Eifty Only	Per Cubic metre
- 4	Total				
Quated	Quoted rate in figure (%)	(Amount to be quoted by the contractor in figure)	quoted by	the contracto	or in figure)
	Control (R)	(Amount to be quoted by the contractor in words)	quoted by	the contracto	r in words)

Executive Engineer.
HPPWD (B&R) Division
DHARAMSALA

ESTIMATED COST: -

92587.00

SUB-HEAD :- Construction of P.C.C. Retaining Wall at RD. 3/078 to 3/080. NAME OF WORK :: Repair of Damage to link road from Sakoh to Chellian K.m 0/000 to 4/000 in Distt. Kangra H.P. (Deposit work). EARNEST MONEY : -Two Months 1950.00

'n	Description of items	Duantity		DATES	
No.			In fig	in words	Ç.
-	2	3	4	Vi.	0,
1 10 1111	Earth work in excavation for all type of road structure such as retaininglivals, breast walls, bulkerts, divide and parapets etceters imalitype of classification of see comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out Cubic metres direction of the Engineer-In - Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface including and bottom and back filling in trenches with excavated suitable approved material to the original surface including and bottom and back filling in trenches with excavated suitable approved material to the original surface including and bottom and back filling in trenches with excavated suitable approved material to the original surface including and builing out water (surface and substanting for a provided thickness including shoring and structing and pumping and balling out water (surface and substanting for approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge methods carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhama toll tax, sale tax. 65T or any other taxes imposed by the Government.	9.80	360,00	Rupees. Three Hundred Sixty Only	Per Cubic metre
	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, caping, feed blocks, anchor Cu	lasters, 5.25 unrhor Cubic metres	6250.00	Rupees Six Thousand Two Hundred Fifty	Per Cubic
	blocks, plant window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and			Anic	
	tenishing: 1:3:6 (1 centent: 3 coarse sand) - 6 graded stone aggregate 20 mm (twenty milimetres) - nominal size) - within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge.				
	The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.				
· · ·	연기 등 사람이 함께 함께	as per Cubic metres. Charge khana,	5250.00	Rupees Five Thousand Two Hundred Fifty Only	Per Cubic metre
4	Back filling behind abutment, wing wall and return wall complete as per drawing & Technical Specification Clause.  1204.3.8 Granular material, and list of per the entire satisfaction and direction of Engineer – in: Charge including carriage of materials within all leads. lifts and other incidental. The rate is including octrol, royality, Malkana, foll tax, sale tax or other taxes imposed by the Government.	1.15 Cubic metres	1150.00	Rupnes One Thousand One Hundred Fifty Only	Per Cubic metre

2  inck majoricy/stone masonicy/plain reinforced concrete abutment, wing wall, Providing weep one masonicy/plain reinforced concrete abutment, wing wall, return wall with 100mm lone inters P.V.C. pipe extending through the full width of the structure with slope of 1(v)-20(H) pilete as per drawing and technical specifications Clause 614, 709, 1204.3.7., as per direction luding carriage of materials within all leads, lifts, and other incidental. The rate is including officer any other taxes imposed by the Government.			(Amount to be quoted by the contractor in words )	quoted by ti	amount to be			
Quantity RATES Unit  In fig In words  3 4 5 6  6.00 360.00 Rupres Three Hundred Each Numbers Sixty Only  GRAND TOTAL :			he contractor in figure.)	guoted by ti	Amount to be			
Quantity RATES Unit In fig In words 3 4 5 6 6.00 360.00 Rupres Three Hundred Each Numbers Sixty Only	92587.00	TOTAL	GRAND			Quated Rate in Figure (%)		
Quantity RATES Unit In fig In words 3 4 5 6 6.00 360.00 Rupres Three Hundred Each Numbers Sixty Only			No.					
Quantity RATES Unit In fig In words 3 4 5 6 6.00 Rupres Three Hundred Each Numbers Sixty Only						Irol, royality, Malkana, foll tax, GST or any other taxes imposed by the Government		
Quantity RATES Unit In fig In words 3 4 5 6 6.00 360.00 Rupres Three Hundred Each Numbers Sixty Only			The second secon			Engineer in Charge, including carriage of materials within all leads, lifts, and other incidental. The rate is including		
Quantity RATES Unit In fig In words 3 4 5 6 6.00 Rupres Three Hundred Each Numbers Sixty Only						wards drawing face complete as per drawing and technical specifications Clause 614, 709, 1204 3.7 , as per direction	1000	
Quantity RATES Unit In fig In words 3 4 5 6 6.00 Rupres Three Hundred Earth Numbers Sixty Only		The state of the s				indred millimetres) diameters P.V.C. plac extending through the full width of the structure with slope of 1(v)-20(H)	1	1
Quantity RATES Unit In fig In words 3 4 5 6 6.00 360.00 Rupres Three Hundred Each		40.000	Sixty Only		Numbers	and a series measure/score measure/plain reinforced concrete abutment, wing wall, return wall with 100mm lone		
Quantity RATES Unit In fig In words 3 4 5 6	2160.00	Each	Rupces Three Hundred	-	6.00	not be heart and the second proving manual plant remote a concrete abutment, write wall, Providing weep	4	
Quantity RATES Unit In fig In words	7	6	51	4	lu	OVIDING WIND holes in brick in considerate assessment of the constant of the c	4	1
Quantity RATES Unit			In words	In fig		7	-	1
SHOULD HISTORY	Amount	Unit	RATES		Quantity	Semanta of Heavy	10.	

Executive Engigeer,
Dharamshala Division.
Healwa Dharamshala

#### Schedule of Quantity

EARNEST MONEY: -ESTIMATED COST:

TIME UMIT :

Two Months 99320.00 2000.00

110

Restoration of damages on Charamshala Yol Dadh Palampur Road km 0/000 to 15/250 in Tehsil Dharamshala, Cisti. Kangra H.P.

NAME OF WORK :-

OND	Description of items	Quantity		RATES
3. 140.			In fig	sprow til
-	2)	G	4	51
2 9 5	I Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets effecture in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiseling /wedging out rocks (Where blasting is prohibited) as per drawings and M.O.R.D. technical specification clause 305 & 1603 and as per direction	11.20 Cubic metres	350.00	Rupees three hundred fifty and paise zero only
ь о	of the Engineer- In – Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with			
0 0	excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty milimetres) compacted thickness including shoring and stricting and pumping and balling out water (surface and sub soil water) upto			
<b>a</b> r	any depth, and any quantam of water including cleaning of slosh which may arrise out during dewatering as per direction			
0	of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi,			
N 2	royality, Malkana, toll tax, GSI or any other laxes imposed by the Gavernment.  Providing, laying, spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimeter to forty live millimeter). Gradine-11 size (75mm (seventy five millimeters) compacted thickness) to water bound Macadem specification.	4.00 Cubic	2250.00	Rupees two thousand two hundred fifty and
-		metres		
*	K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type B of size 11.2mm	0		2.5
_	(Eleven point two milimetres) nominal size at the rate of 0.20 cum (zero point two zero) cubic metres per 10 sqm (per ten)			
u	square metres) and binding material at the rate 0.06 cum (zero point zero sx cubic metre) to fill up the interstices of coarse			
	aggregate, watering and compacting to the required density as per MORD technical specifications clause No. 405 and as			
_	per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge			
	including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of ectroi, royality, malkhana,			
	toll tax, sale tax, GST or any other taxes imposed by the Government.			
u	3 Providing and taying mechanically mixed and virbrated plain coment in open foundations for all type of structure using plain content concrete grade M- 10 (M- Ten) nominal mix. (1:3:6) [One coment isto Three sand isto Six graded cruxhed	4.00 Cubic	5600.00	Rupees face thousand sax hundred and paise zero only
	stone apprepate 20mm (Twenty minmetres) nominal size) in or under water and coring compete minimetres, or bailing out water, dewatering removal of slush as required at side which may arrise at the time of laying under water complete for all heights/ depths including the cost of form work in drains as per drawing and MORD technical Specification.	5	= 1	
	other incidental. The rate is including octrol, royality, Malkana, tell lax, sale tax or any type of taxes imposed by the			

	rds)	(Amount to be quoted by the contractor in words)	to be quotes	(Amount	Control Data in Woods (10)
	ure)	(Amount to be quoted by the contractor in Figure )	to be quotes	(Amount	Quated Rate in Figure (%)
99320.00	707AL :-				A STATE OF THE PROPERTY OF THE
641100.00	metre	Rupres one thousand Fee square six hundred and paiss metre perdonly	1600.00	40.00 Square metres	If Providing and Laying 80mm [eighty millimetres) thick inter-locking paver blocks, heavy daty protest content or INTO or as approved by the HPPWD inter-locking pover blocks who compacted upon M-50 [M-16(v) grade including border or kurb black Grey or coloured over sub-base of concrete within 25mm (Twenty five millimetres) thick average thickness of compact mortan 1.4 [One cement including and liaid over and jointed with next cement slurry mixed with pigment to match the shade of blocks including curing rubbing and pointhing complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-in-Charge including carriage of material within all leads. Jitts and other incidentals. The rate is inclusive of octrol, rayality, malkana and all type of concernment.
3	6	5		1	

Quated Rate in Words (%)

Executive Engineer,
Dharamshala Division, HPPWG Obaramshala

#### Schedule of Quantity

5

(5)7

ESTIMATED COST: - ₹ 98100.00
EARNEST MONEY : - ₹ 2000.00
TIME LIMIT : One Month

NAME OF WORK Restoration of rain damages on various roads Under Sub Division No. 1, HPPWD Dharamshala in Distt. Kangra H.P.

SUB HEAD :-

Hiring of JCB for removal of slips & clearance of drain

quoted by the contractor in words)	quoted by the contrac
quoted	quoted by the contractor in Figure )
0.06	1090.00 Rupees one thousand ninety and paise zero only
44	4,
fig	Bif u

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala



MANTE OF WORK :-Special Repair of Residential building for S.E. Design (P.W.D.) at Chilgan Dharamshala, Distt. Kangra H.P. Providing and fixing P.V.C. water tank with M.S. stand TIME LIMIT

EARNEST MONEY : -ESTIMATED COST: -

Two Months

98577,00 2000.00

SUB-HEAD :-

			1	1-1	No.
fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works, as per direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royality, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	in open foundations complete in road work as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 using P.C.C. grade M-10 (M-Ten) nominal mix (1:3:6) (One cement : Three sand : Six graded crushed stone aggregate 20mm (twenty milimetres) nominal size) in or under water and curing complete including pumping or bailing out water complete for all heights/depths including the cost of form work, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	decimal five cubic metre) including getting out the excavated soil, then returning the soil as required in layers not exceeding 20cm (twenty-centimetre) in depth, including consolidating each deposited layer by ramming, watering etc. disposing of surplus excavated soil, as directed within a lead of 50 m (fifty metre) and lift upto 1.5 m (one decimal five metre) All kind of soil ordinary rock, including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royality, Malkana, toll tax, Sale tax, GST or any other taxes imposed by the Government.	Excavating holes more than 0.10 cum ( zero decimal ten cubicmetro) 8 0.5	2	Section Meaning or 1911
707.93 Kilograms	0.99 Cubic Metres	Numbers			Quantity
105.00	5450.00	125.00	4.	to fig	
Rupees one hundred Per five and paise zero Kilo only	Rupees five thousand four hundred fifty and paise zero only	Rupees one hundred twenty five and palse zero only	Ú5	In words	RATES
Per Kilograms	Per Cubic metre	Each	6		Unit
74333.00	5396.00	1000.00	7	COMPETER	Amount

1	7	. 6	13.	4.
20mm ( twenty milimetre) diametre nominal bore	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and fixing 15mm (Fifteen milimetres) nominal bore C.P. brass full way valve with wheel, of Continental series of Jaquar / Classik series of Hindware / Floral Series of Cera / Hindon series of Jal within all leads, lifts of materials and other, incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	5 Providing and fixing 15mm (Fifteen milimetres) nominal bore C.P. brass ball valve of Continental series of Jaquar / Classik series of Hindware / Floral Series of Cera / Hindon series of Jal and approved quality, High or low pressure, with plastic floates complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Providing and placing on terrace (at all floor levels) polyethylene water storage tank of Supreme / Finolex/ Vectus 15: 12701 marked, having 1000/500 (one thousand and five hundred) litres capacity with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.
6.10 Running metres		1 Number	1 Number	1000.00 Litres
350.00	Kar.	650.00	950.00	11.50
Rupees three hundred fifty and paise zero only		Rupees six hundred fifty and paise zero only	Rupees nine hundred fifty and paise zero only	Rupees eleven and paise fifty only
Each		Each	Each	Per Litre
2135.00		650.00	950.00	11500.00

×-

			2:	842	00 5:	1
Quated Rate in Words (%)	Quated Rate in Figure (%)		20mm (twenty milimetre) diametre nominal bore	15mm (Fifteen milimetre) diametre nominal bore	15mm (Fifteen milimetre) diametre nominal bore  Providing and fixing G.I./M.I Union of following sizes (where not included in the items.)  complete in all respect as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2
(Amount to	(Amount to		1.00 Number	2.00 Numbers	Running metres	0
be quoted	be quoted		250.00	190.00	325.00	44
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in Figure )		250.00 Rupees two hundred fifty and paise zero only	190.00 Rupees one hundred ninety and paise zero only	Rupees three hundred twenty five and paise zero only	9
words)	Figure )	TOTAL :-	Each	Each	Each	o
		98577.00	250.00	380.00	1983.00	,

Executive Engineer, Dharamshala Division, HPPWD Dharamshala



TIME LIMIT ESTIMATED 98100.00 2000.00 One Month

NAME OF WORK :- Repair of Link road to village Chacharot Ward No. 6 in Tehsil Dharamshala, Distt. Kangra H.P.

SUB-HEAD :-

Improvement of road at RD 0/551 to 0/700

Quated Rate in Words (%)	strates note in righte (%)	Quated Rate in Flaure (%)	I Hiring of excavator cum loader (J.C.B) of 45 cum / hrs (Forty Five cubic metre per hours) capacity for formation cutting of road. The operational, maintenance and service charges/replacement required for smooth running of machine and POL will be born by the owner of JCB. The working shall be counted from 9.00 (Nine) to 5.00 (Five) P.M., within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	1 2	No.
fords (%)	Bute (28)	auso /%:	vator cum loader (J.C.B) of 45 cum / hrs (Forty Five cubic metre porty for formation cutting of road, The operational, maintenance an s/replacement required for smooth running of machine and PC vithe owner of JCB. The working shall be counted from 9.00 (Ninu 1914), within all leads, lifts of materials and other incidentals, as poing, design and as directed by the Engineer-in-Charge. The rate axes, GST and any other taxes imposed by the Government.	2	
(Amount to t	Amount to !		Iψ	4	· Constitution of
oe quoted by ti	e guoted by t		. 1090.00	3 11 10	1 6
Amount to be quoted by the contractor in words	Amount to be guoted by the contractor in Figure 1	77	fupees one thousand Ninety and paise zero only	in words	2
- 3	-	TOTAL :-	Per Hour		Unit
		98100.00	98100.00		Amount

Dharamshala Division, HPPWD Dharamshala. Executive Engineer,



TIME LIMIT EARNEST MONEY ESTIMATED

98700.00 2000.00 One Month

NAME OF WORK :- Repair of Link road to village Chacharot Ward No. 6 in Tehsil Dharamshala, Distt. Kangra H.P.

SUB-HEAD :-

Improvement of road at RD 0/400 to 0/550

e contractor in wo	(Amount to be quoted by the contractor in words)	(Amount	
e contra	(Amount to be quoted by the contractor in Figure )	(Amount	Quated Rate in Words (%)
			Quated Rate in Figure (%)
Rupees one thousand Ninety and paise zero only	S 1090.00	on Hours	hours) capacity for formation cutting of road. The operational, maintenance and service charges/replacement required for smooth running of machine and POL will be born by the owner of ICB. The working shall be counted from 9.00 (Nine) to 5.00 (Five) P.M., within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.
	4	u	I Hiring of excavator cum loader (LCB) of 45 cum / by (cont. co.
E In words	In fig	-	2
RATES	Try	Quantity	

Dharamshala Division, HPPWD Orangmshala. Executive Engineer,



ESTIMATED COST: -

TIME LIMIT EARNEST MONEY : .

Two Months 99519.00 2000.00

#### SCHEDULE OF QUANTITY

NAME OF WORK :-

Annual Repair and Maintenance of Residential building Type: II gtrs. No. 5., 5A and 6. 6A at H.P.P.W.D. Colony Chilgari at Dharamshala in Oistt. Kangra H.P.

SUB-HEAD ... fle-construction of damaged stone edge wall and coment concrete in courtyard

1		20000	2 2 5 5 2 5 0
2	excavator, in comocition, trenches etc. in earth work by mechnical means (hydraulic excavator) manual mean in all classification of soil such as pick work, jumper work, pick de-watering, including work, jumper blasting work, soft and hard tilasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quoritam of water including slush which may be arise during de-watering of excavation as direction of Engineer-In-Charge and un-serviceable material clear from the edge (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as per approved drawing, design and specifications and as per directions and entire satisfaction of incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. All work up to plinth level 15:10 (one cement isto five coarse sand) isto ten graded stone eigregate 40 mm (forty millimetres) nominal size), as per approved drawing, design and specification including certiage of materials within all leads, lifts and other incidental, and as per directions of Engineer-in-Charge. The rate is including Royality, Malkana, Octrol, Toll Tax, Sales tax, GST or any other taxes imposed by the Government.	Providing and laying cement concrete 1:2:4 (one cement isto two sand isto four graded stone aggregate 20mm ( twenty milimetres) nominal size) and curing complete excluding cost of form work in foundation and plinth , as per approved drawing, design and specification including carriage of materials within all leads, lifts and other incidental, and as per directions of Engineer-in-Charge. The rate is including Royality, Malkana, Octros, Toll Tax, Sales tax, 65T or any other taxes imposed by the Government.
	Outres Outres	3.00 Cubic metres	1.62 Cubic metres
in fig	360.00	4850.00	6250.00
In words	Rupees three hundred sixty and pulse zero only	Rupees four thousand eight hundred lifty and paise zero only	Rupees six thousand two hundred fifty and paise zero only
Onic	Per cubic metre	Per Cutic metre	Per Cubic metre
Amount	3629,00	14550.00	107.52.101

2	3	24	7	66	
A Random rubble masonry with hard stone in foundation and plinth including levelling up with coment concrete 1:6:12 (one cement isto six coarse sand isto twelve graded stone aggregate 20 mm   twenty milimetre nominal size) upto plinth level with coment mortar 1:6 (one cement into cement coarse sand), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in-Charge including carriage of material. The rate is inclusive of octroi, royality, malkbana, toll tax, sale tax, GST or any other taxes imputed by the Government.	10.40 Cubic metres	\$450.00	Rupees live thousand four hundred fifty and paise zero only	Per Cubic metre	
5 Demotishing rement concrete manually/ by mechanical means including disposal of material within 50 (fifty) metres lead as per direction of Engineer - in - charge Nominal concrete 1:3:6 (one cement isto three sand isto six graded stone aggregate) or richer mix (i/c equivalent design mix), as per approved drawing, design and specifications and as per directions and entire substaction of the Engineer-in-Charge including carriage of material. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Tubic metres	1050,00	Rupees one thousand fifty and paixo zero only	Per Cubic metre	
6 Brick work using Second Class common burnt clay E.P.S. (non-modular) bricks of class designation 7.5 (seven decimal five) in super-structure above plinth level up to floor V level in all shapes and size in cement mortar 1:6 (One cement isto 5ix sand) and curing complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	0.23 Cubic metres	7850.0	7850.00 Rupees seven thousand eight hundred fifty and paise zero only	Per cubic metre	
7 15mm (fifteen milimetres) thick cement plaster of mix 1.6 (one cement isto six sand), as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	3.47 Square metres	275.0	275.00 Rupees two hundred seventy five and paise zero only	Per cubic metre	
B Finishing waits with Acrylic Smooth exterior paint of Asian / Dulax / Berger / Nerolac Surakshall paint of required shade New work (Two or more dat applied © 1.67 ltr/10 sqm (one decimal sixty seven litre per ten squaremetre) over and including priming cost of exterior primer applied © 2.20 kg/fd sqm   two decimal twenty kilogram per ten squaremetre) , as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	3.47 Square metres	130.00	Rupees one hundred thirty and puise zero only	Per Square metre	

		(Amount to be quoted by the contractor in words)	quoted by	mount to b	
		(Amount to be quoted by the contractor in Figure )	e quoted by	d of Junous	
99519.00	TOTAL :-				Quated Rate in Figure (%)
749.00	Per square metre	Rupees natety and paise zero only	90.00	8.32 Square metres	20 Painting with synthetic ename! paint Asian / Dulux / Bergor / Nerolac Suraksha paints of approved brand and manufacture of required colour to give an even shade two or more coats on new wood & Steel work, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
00.0106	Per Kilogram	Rupees one fundred and paise zero only	100.00	90.10 Kilograms	fixing in position and applying a granting coat of red lead paint in beams joists channels, angles, the flats with connecting plates or angle cleats as in main and cross brains, hip and jack rafters, purlies connected to common rafters and the like as per specification, approved drawing, dusign, as per the entire satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other tuxes imposed by the Government.
×	- 6	5	4	Lu	9 Steel work welded in built up sections trusses and framed work included states.

Executive Engineer
Dharamshall Division,
HPPWID Dharamshala

#### THERMED IN THE THE

32000.00	gure)	quoted by the contractor in Figure	be quoted	(Amount to be (Amount to be	Quoted Rate in Words (%)
	TOTAL				
15400 00	Per running metre	Rupers four and paise Per zero only runs met	4.00	Running metres	Clause 1907, as per approved drawing design and specifications as per technical specification directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, litts and other incidentals. The rate is inclusive of octroi, covering malkhana, toll tax, sale tax, GST or any other baxes imposed by the Coverament.
					The maintenance of drains include erosion, repair, cleaning rechoices of octrol, royality,
	metre		£40.	metres	and entire satisfaction of the Engineer-in-Charge including carriage of moternal
Seato de	Per	Passe sero only	45.00	Square	attribution of the second rejected soll and compacting to with absorbing to the second
		in words	In fig		up and of material / irregularities on shoulders to the desum legal to
Arrow	Unit	RATES		Ouantity	
12000.50 1200.00 1400.00	.8.7	EARREST MONEY TIME LIMIT		sit Dharan	A A VE OF WORK  STAR HEAD  STAR A STAR OF STAR

Executive Inguiser,
Ditaramshala Division,
HippwoyChrappmehala





ESTIMATED COST: EARNEST MONEY : -

₹ 54173.00 ₹ 1100.00

One Month

TIME LIMIT :

NAME OF WORK: -- Annual Repair & Maintenance of Tribal Bhawan at Dari in Tehsil Dharamshala , Distt. Kangra H.P.

SUB-HEAD :-Providing and fixing Sanitary item, ceiling repair and other minor works

No. 1 Prov	Description of items 2 (ixing white 10 (ten) litre low level white P	n of items  vel white P.V.C. flushing distern, including flush	Description of items  Quantity  I Providing and fixing white 10 (ten) litre low level white P.V.C. flushing cistern, including flush 8.00  Numbers		Quantity 3 8.00 Numbers
	pipe, with manually controlled device (handle lever) with fitting, accessories and flush pipe, as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	cessories and flush pipe, as luding carriage of materia roi, royality, malkhana, tol		Numbers	Numbers
2 Prov G.I. refill . per : of ti incid taxes	Providing and fixing 15mm (lifteen millimetres) diameters nominal bore G.I. union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	re G.I. union in existing s, including excavation, e wherever required, as s and entire satisfaction leads, lifts and other letax, GST or any other	re G.I. union in existing 2.00 s, including excavation, e wherever required, as and entire satisfaction leads, lifts and other letax, GST or any other		2.00 Numbers
3 Providing an pipe curtain design and Charge inclu inclusive of c	Providing and fixing 20mm( twenty milimetres) diametres ( heavy type) nickel plateed M.S. pipe curtain rods with nickel plateed brakeet complete in all respect as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	e) nickel plateed M.S. per approved drawing, on of the Engineer-in- ncidentals. The rate is claxes imposed by the	e) nickel plateed M.S. 1.80 per approved drawing, on of the Engineer-in- ncidentals. The rate is metres taxes imposed by the		1.80 Running metres
4 Providing and cla fitting and cla design and s Charge include inclusive of of Government.	4 Providing and fixing 20mm( twenty millimetres) dia nominal bore G.I. Pipes complete with G.I. fitting and clamps including cutting and making good the walls etc. as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the	ipes complete with G.I. per approved drawing, on of the Engineer-in- incidentals. The rate is r taxes imposed by the	pes complete with G.J. 6.00 per approved drawing, Running on of the Engineer-in-incidentals. The rate is r taxes imposed by the	200000	6.00 Running metres

	in words)	mount to be quoted by the contractor in words)	to be quot	(Amount t	Quested Bate in Words (%)	
	in Figure )	(Amount to be quoted by the contractor in Figure)	to be quot	(Amount 1	Quated Rate in Figure (%)	
54173.00	TOTAL :-		200			
		six hundred and paise zero only	Tengon	Numbers .	6 Providing and supplying chair of Nilkamal, Cello & Maharaja as per IS standard complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	O/
24000.00	Fach	Democrana thousand	100000	200	imposed by the Government.	-
1005000	metre metre	Rupees two thousand Per Square six hundred fifty and metre paise zero only	2650,00	4,09 Square metres	Providing and fixing both side Pre-laminated 19mm thick HDMR board with both side balancing lamination exterior grade IS :12823 marked, in shelves with screws and fitting wherever required, edges to be painted with polyurethane primer (fitting to be paid separately), as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes	- m n
U DESUT	0		4	u	2	7
7	6	'n	4	٥		

Executive Engineer
Dharamshala Division,
HPPWD Dharamshala





94987.00 1900.00 One Month

#### SCHEDULE OF QUANTITY

SUB-HEAD :-NAME OF WORK :- Annual Repair & Maintenance of P.W.O. Rest House at Dharamshala in Tehsil Dharamshala, Distt. Kangra H.P. ESTIMATED COST: EARNEST MONEY: TIME LIMIT :

	5	(Amount to be quoted by the contractor in words)	be quoted	(Amount to	Quated Rate in Words (%)	0
	e)	(Amount to be quoted by the contractor in Figure )	be quoted	(Amount to	Quated Rate in Figure (%)	Q
94987.00	TOTAL :-		3			
65621.00	Per Square metre	Rupees two hundred twenty five and paise zero only	125,00	524.97 Square metres	2 Finishing well painting with premium acrylic entidsion paint of Asian / Dulux / Berger / Nerolac Suraksha paints of approved interior grade, having VOC (Volatile Organic Compound.) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour two or more coats, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	· 2
29366.00	Per Square metre	Rupees two hundred thirty five and paisc zero only	235,00	124.96 Square metres	I Polishing two coats with french polish on previously wood and wood based surfaces to give an even surface including cleaning the surface of all dirt,dust,and sand papered smooth and including a coat of wood filler, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	3 m s = 1
7	Os.	Ún,	4	بدا	2/	+4
2000000	2000	in words	(n) fig	9001787.039DF		No
Amount	Unit	RATES		Quantity	Description of items	'n

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshale



					G.Tatal in Wards
					C.Total in Figures
	%			Less (-)	
	, o			Excess (+)	Quoted Batel in Figures) Percentage
95638.00					Total
95638.00	Per cubic metre	Rupees One Thousand Two Hundred Fifty Only	1250.00	76.51	I Back filling with granular material behind abutanents, wing walk, return walls and retaining walls complete as per drawing and M.O.R.D. technical specification datase 1204.3.8 (f) and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.
		In Word	In Figures		
Amount	Unit		Rate	Quantity	S. Description of Hem
Two Month	Time Limits	Tim			(SH:-Providing end Laying Granular Filling between km 1/047 to 1/058
200.00	oney Rs.	Earnest Money Rs.	30		(H P) Denosit work
95,638.00	cost Rs.	Estimated cost Rs.	iramshala Distt. Kangra	n Tehsil Dha	Name of work :- Restoration of rain damages on Kotwali Bazar Gandhi Park to Kala Pul upto by pass Junction in Tehsil Dharamshala Dist. Kangra

Executive lingineer, Dharanshald Division, HP-PWP Dharanshala



#### (536)

# SCHEDULE OF QUANTITY

Exc	(H.P) Deposit work (SH:-Providing and	(H.P) Deposit work  (SH:-Providing and Laying Granular Filing between km 1/035 to 1/047  S. Description of team.  Description of team.	Quantity	gramsnata Disti	Rate	it in the second	Earnest Money Rs.  Rate Unit Unit
return walls and retaining walls complete as per drawing and the direction and entire satisfaction of Engineer-in-Charge t other incidentals. The rate is including Royality, Malkana, Total		Description of Item	_	Quantity			In Clauses Rate
Total	Back filing with granular M.O.R.D. technical speci complete, including earns Octros, toll tax, GST or an	material behind abstiments, wing walls, return walls and retaining walls complete as per drawing fication chause 1204.3.8 (f) and as per the direction and entire satisfaction of Engineer-in-Chage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malky other taxes imposed by the Government.		77.25		1250.00	1250.00
		To	<u>=</u>				
Less (-)	7,00	Quoted Rate( in Figures) Percentage	Excess (+	~	,		)
		As a section of the contract o	Less (-)			944	75
	_	G. Total in Words	9				

Executive Engineer.
Dharanshala Division,
HP-PWP Divramshala



EARNEST MONEY: . ESTIMATED COST: --

TIME LIMIT

Two Months

78443.00 1600.00

SUB-HEAD :-NAME OF WORK :-Repair of road Civil Bazar to Shamnagar via Gorkha Bhawan, at Dharamshala, Distt. Kangra H.P. (Deposit work) Providing and fixing M.S. grating between km 0/540 to 0/640 (Balance work)

No. I Steel work welded in built up sections/ framed work, of Tata/ Sail including cutting, Quated Rate in Words (%) Quated Rate in Figure (%) royality, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government. materials within all leads, lifts and other incidentals. The rate is including octroi, gates and similar works, as per direction of Engineer-in-Charge, including carriage of structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, hoisting, fixing in position and applying a priming coat of approved steel primer using Description of Items (Amount to be quoted by the contractor in words) (Amount to be quoted by the contractor in Figure ) Kilograms Quantity 747.08 105.00 In fig ۵ Rupees one hundred five and paise zero only Kilograms RATES In words Per TOTAL :-Unit 0 Amount 78443.00 78443.00

HPPWD Ottanamshala Dharamshala Division, Executive Engineer,



#### SCHEDULE OF QUANTITY

EARNEST MONEY: -

TIME LIMIT

97736.00 2000.00 Twenty days

NAME OF WORK :-Annual Repair & Maintenance of Non-Residential buildings at Dharamshala in Distt. Kangra Himachal Pradesh

Providing Skilled worker for Minister block of Circuit House Dharamshala

SUB-HEAD :-

	l a	(Amount to be quoted by the contractor in Figure )  (Amount to be quoted by the contractor in Words)	oted by	ount to be qu	Quoted Rate in Figure (%) (Am Quoted Rate in Words (%) (Am	
97736.00	Total:-					
48868.00	Per Day	610.85 Rupees six hundred ten and paise Per Day eighty five only	610.8	80.00 Days	5). Helper/ Attendent (80)	
12217.00	Per Day	610.85 Rupees six hundred ten and paixe Per Day eighty five only	610.89	20.00 Days	4). Malli	
12217.00	Per Day	610.85 Rupees six hundred ten and palse Per Day eighty five only	610.8	20.00 Days	3). Sweeper	
12217.00	Per Day	610.85 Rupnes six hundred ten and paise Per Day eighty five only	610.8	20.00 Days	2]. Cook Helper	
12217.00	PerDay	610.85 Rupees six hundred ten and paise Per Day eighty five only	610.8	20.00 Days	1). Cock	
					Providing skilled worker for operation of newly constructed minister block in the complex of Circuit house Oharamshala for the Period of 24.03.2025 to 12.04.2025	14
7	6	5	.4	tu.	2	1-4
		In words	to fig			No.
Amount	Unit	RATES		Quantity	Description of items	'n

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala





# SCHEDULE OF QUANTITY

Estimate Cost :- Rs.98955.00 Earnest Money :- Rs.2000.00 Time Limit :- Two Month,

Name of work:- C/o Dharamshala Yol Dad Palampur road Km. 0/0 to 15/250 in Tehsil Dharamshala, Distt. Kangra H.P. (SH:- C/o U- Shape drain at Rd. 7/200 to 7/250).

N 00		N						
Description of Item	Demolshing coment concrete 1:3:6 work by manually/ by mechanical means including stacking of cement concrete and disposal of unserviceable material at suitable as per the direction of Engineer - in- charge including carriage of material within all loads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government (Noto - usefull material obtain after dismantling / Demolsing will be stacked at suitable place as per the direction of the Engineer - in -charge and handed over to the department).	Excavation in foundation, tranches etc. in earth work in all classification of soil such as	pick work, jumper work, pick jumper work blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including	shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking	the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm (Fifteen	centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, watering and then disposing of all excavated earth	incidentals as per approved drawing, design and as directed by the Engineer-in-	charge. The lates inclusive of octon, togatty, warkhafte, toll taxes, UST and any other taxes imposed by the Covernment
Quantity	7.50 Cubic metre	20.50 Cubic	metre					
Figures	1150.00	360 00						
Rate in	Rupees One Thousand One Hundred Fifty Only	Dinapp	Three Hundred Sixty Only				,	
Unit	Per Cubic metre	Dor Cubic	metre			-		3
Amount	8625.00	00 USE Z.						

bar, ineer ntais	Steel work welded in built up sections/ framed work, of Tata/ Sail including cutting, holding, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works, as per direction of Engineer-in-Charge, including carriage of materials within all leads. Iffs and other incidentals. The rate is including octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government Total.	Steel work welded in built up sections/ framed work, of Tata/ Sail including cutting, holding, fixing in position and applying a priming cost of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works, as per direction of Engineer-in-Charge, including carriage of materials within all leads. lifts and other incidentals. The rate is including octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	ent ent	245.00 Kilogram 19 e ent. otal
pproved si bar, ladde ineer-in-C ntals. The mposed b	cluding cutting, teel primer using r, railings, harge, including rate is including	क्यू ह	245.00 Kilogram 10 e 10 e ent.	245.00 Kilogram 105.00 10 e
a/ Sail in				
Providing and laying mechanically nixed and vibrated concrete for planominal mix 1:3.6 (One cement isto three sand isto ax graded crust 20mm (twenty millimeter) nominal size), on ground or under water for a drain, edge, wall, and the like electors complete including pumping of dewatering (surface/sub soil water) including cost of form, work and of fourteen) days as per drawing and MORD Technical specification section (fourteen) days as per drawing and MORD Technical specification section (fourteen) days as per drawing and directions of Engineer-in-charge, materials within all leads, lifts and other incidentals. The rate is includingliable to the salts action and directions of the rate salts action.	ain cement concre- ried stone aggrega It type of structure, or balling cut wate may arise at time uring complete for 1 n 800, 900, 1200 ar including carriage i foring Octroi, Royalit	nominal mix 1:3-6 (One cement isto three sand vibrated concrete for plain cement concrete nominal mix 1:3-6 (One cement isto three sand isto ax graded crushed stone aggregate 20mm (twenty millimeter) nominal size), on ground or under water for all type of structure, in drain, edge wall, and the like electoral complete including pumping or bailing cut, water, dewatering (surface/sub soil water) including removal of slush which may arise at time of laying concrete for all heights/dopths including cost of form, work and curing complete for 14 (fourteen) days as per drawing and MORD Technical specification section 800, 900, 1200 and 1800 as per entire satisfaction and directions of Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including Octrot, Royality, Malkana, toll tax, GST or any other taxes imposed by the Government.		10.50 Cubic metre

E

1

Executive Engineer,
HIPPWD (B&R) Digisipo.
DHARAMSALA

(23)

142

Name of work :- Annual Repair & Maintenance of Non-Residential building Circuit House at Chilgari Dharamshala, Distr. Kangra H.P. (SH:- Providing and Laying Cement Concrete Paver Block in Parking area in New Block.) 2 Providing and laying meetanically mixed & vibrated plain cement concrete in open foundations complete as per 3 Providing and laying 60mm Sixty milimetres) thick inter locking paver blocks, heavy duty precast cement concrete Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is plun including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in Charge, all kind of soil, per approved drawing, design, specifications and as per directions and entire satisfaction specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of graded/crushed stone aggregate) 40mm (Forty milimetres) nominal size), as per approved drawing, design and drawings and technical specifications Clause 800, 900 and 1200 nomial mix 1:4:8 (One ecment : Four sund : Eight inclusive of octroi, royality, mulkhana, toll tax, sale tax, GSF or any other taxes imposed by the Government. of NTC or as approved by the HPPWD inter locking paver blocks vibro compacted upto M-50 (M-Fifty) grade material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. including barder or kurb block Grey or coloured over sub-base of concrete within 25mm (Twenty five milimetres) concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire sturry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete (sub-base thick average thickness of cement mortar 1:4 (One cement : Four sand) laid over and jointed with neat cement incidentals. The rate is inclusive of octroi, royality, malkana and all type of taxes imposed by the Government satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other Quoted Rate( in Figures) Percentage Description of Item SCHEDULE OF QUANTITY G.Total in Figures Total Quantity Excess (+) Less(-) 54.39 3,13 54.39 In Figures 5050.00 190,00 1350,00 Rate In Word Hundred Ninety Thousand Three Thousand Fifty Rupees One Hundred Fifty Rupees Five Rupees One Only Only Only Earnest Money Rs. Estimated oost Rs. Time Limits Per cubic Square 8 metre Cinit merre Square ğ metre 20 15706,00 Amount One Month 0334,00 73427,00 99467.00 99,467,00 2,000,00

Executive lugatoer, Dharamshala Division, HP PWD Diragmshala G. Total in Wards

(F)

					C. Total in World
	750			Less (+)	Choice rate in tilings to come
	000			Excess (+)	The second secon
2000					(ro) ality, malkhana, toli tax, sale tax, vor and any outer answering to the
98942.00	metre	Hundred Fifty Only			Sixty millimetres) of approved quality of NTC paving in combination with cut stone in road works, as per drawing and technical specification complete in all respet , as per directions and entire satisfaction of the Engineer-including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi.
76167.00	Per Square	Rupees One Thousand Three	1350.00	56.42	tax, GST or any other taxes imposed by the Government.  2 Providing and laving navement with cobble stone of size 100x100x60mm (One hundred into One hundred into
	niciro	Thousand Fifty Only		ğ	I Providing and laying mechanically mixed & vibrated plain cement concrete in open foundations complete as per- drawings and technical specifications Chause 800, 900 and 1200 nomial mix 1:4:8 (One cement : Four sand : Eight graded/crushed stone aggregate) 40mm (Forty milimetres) nominal size), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, litts and other incidentals. The rate is inclusive of actroi, royality, malkhana, toll tax, sale
22675,00	Per cubic	Rupees Five	5050.00	4 40	No.
		In Word	In Figures	ALCO TOTAL OF	S. Description of teen
Amount	Unit		Rate	Quantity	
One Month	Time Limits	Tin			(SII:- Providing and Laying Cobble stone flooring in Parking area in New Block.)
2,000.00	oney Rs.	Earnest Money Rs.	9	and the same of	Name of work :- Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgon Dualantament, 27-27.
98,842.00	Estimated cost Rs.	Estimate	anera H.P.	als Dist K	District Children Character Description De

Executive Engineer.
Dharamshala Division,
HP.PWD Thyranshala



SCHEDULE OF QUANTITY
of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P. Estimated cost Rs.

					G. Total in Words
		50			C.Total in Figures
	3			Less(-)	Control reason of Processing
	90			Excess (+)	Charles Days in Figures Percentage
Contraction of					Total
95694.00					Government.
	Kilogram	Free Only	105.00	310.00	applying a paint in gratings framed guard bares ladders railings and similar work etc. including earling of applying a paint in gratings framed guard bares ladders railings and similar work etc. including earlings of materials within all leads tifts and other incidentals and as per direction of the Engineer-in-charge. The rate is inclusive of action, royality, malkana, sale tax, toll tax, GST and all type of other taxes imposed by the
1055CE		Three Hundred Fifty Only	i Succession	8	3 Providing and laying 60mm Sixty millimetres) thick inter locking paver blocks heavy duty precast coment concrete of NTC or as approved by the HPPWD inter locking paver blocks vibro compacted upto M-50 (M-Fifty) grade including border or kurb block Grey or coloured over sub-base of concrete within 25mm (Twenty five millimetres) thick average thickness of coment mostar 1:4 (One coment : Four sand) laid over and jointed with near cement slurry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other satisfaction and all type of laxes imposed by the Government.
33750.00	Per Square	Rumers One	00.0551	20.00	IN. ON LOUDY OTHER MAKES impresent by the Sourcemonton
	metre	Thousand Fifty Only	· ·	Š	Providing and laying mechanically mixed & vibrated plain coment concrete in open foundations complete as per drawings and technical specifications Clause 800, 900 and 1200 nominal mix 13:8 (One cement : Four sand : Eight graded/crushed stone aggregate) 40mm (Forty milimetres) nominal size), as per upproved drawing, design and specifications and as per directions and entire substitution of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale
24644.00	Per cubic	Rupees Fixe	000000	400	inclusive of actroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
	metre	Ninety Only		25.00	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in watth as well as 10 sym or plur including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in Charge, all kind of soil, per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is
4750.00	Per Square	ne Hundred	190.00	35.00	
		In Word		Comments.	Description of Item
Amount	Unit		Rate	Quantity	
One Month	Time Limits	Tim			(SH:- Providing and Laying Concrete Paver Block and railing in Parking area in New Block.)
2,000,00	oney Rs.	Earnest Money Rs.	SHEET TAIL	SIE, DISIL A	Name of work :- Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Dist. Naugua H.r.
95,694,00	cost Rs.	Estimated cost Rs.	D D	7	OCCUPATION OF ACTION

Executive Engineer.

Dharamstala Division,

HP.PWD Phranushala

# PRINTEL SCHEDULE OF QUANTITY

Zilli	Nume of work :- Annual Repair & Maintenance of Non-Residential building Circuit House at Chilgari Dharamshala, Dist. Kangra H.P.	E Dist	Kangra ILP.	Estimat	Estimated outst No.	2000 00
SIII	(SH:- Providing and Fixing Aluminium work and other minor repair work etceters in Old Block.			1.	Time Limits	Two Month
		white.	Rate		Unit	Amount
Z z	Description of term	Common		1		200
-	Providing and fixing aluminium work for shutters of doors, windows & ventilators including providing and fixing hinges' pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoperate gasket required (Fittings shall be paid for separately). Anothesed aluminium (anothesed transparent or dyed to required shade according to IS: 1868, Minimum anodic conting of gaule AC 15 (fifteen), as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, rayality, malkhana, not tax, GST and any other taxes imposed by the Government.	46.68	680.00	Bupees Six Hundred Fighty Only	Per Kilogram	31742 00
12	Providing and fixing 40mm (forty millimetre) thick 2nd (second) class decdar wood wire gange shutters using galvanized Mild steel wire gange of IS gang designation 85 G with wire of dia 0.56 (Zero decimal lifty six millimetress) for doors, windows and clearstory windows including bright finished black enameled iron but hinges with necessary snews etc. complete within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is including octroi, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.	9,65	4950,00	Rupees Four Thousand Nine Hundred Fifty Ordy	Per Square metre	47768.00
ω.	Providing and fixing 12mm (twelve milimetre) thick Phenol bunded (both side) prelaminated BWP Grade partical board in man finish flat pressed three layer or graded wood partical board conforming to IS:12823 of Action TesasGreelam/Merinolsm/Kidlam/Vista of approved shade Grade - 1. Type II, in panelling fixed in aluminium doors, windows shalters and partical rarners with C.P. brass/stamless steel screws etcelers complete as per architectural drawing and direction of Engineer- in-charge. Pre-laminated partical board with decorative lamination on one side and balancing laministion on other side as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer- in-Charge including carriage of material within all leads, lefts and other incidentals. The rate is inclusive of action, royality, malkham, toll tax, sale tax, GST or any other race improved by the Government.	0.99	1350.00	Rupses One Thousand Three Hundred Fifty Only	Per Square metre	337,410
	Providing and fixing 250x16 mm ( two hundred fifty into system millimetres) size Pilatisheel anodized aluminium sliding door helts anodized transparent or dyed to required colour and shade with necessary screws etc., as directed by the Engineer-in-Charge, within all leads, bits of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octors, royality, but have been approved by the Soverminest.	1.00	250,00	Rupes Two Hundred Fifty Only	Lach	50000
v,	Providing and fixing 150x10mm (One hundred fifty into Ten milimetres) size aluminium exidized Secondar annotated transparent or dyed to required enfour and shade with necessary screws etactern Tower botts (Barrel type) bright finished with nuts and screws etactera, as directed by the Engineer-in-Charge, within all leads, little of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	2.00	125,00	Rupees One Hundred Twenty Five Only	Each	250.00
6	Company of the Compan	20.00	120.00	Rupces One Hundred Twenty Only	Each	2400.00

T	T		T		37	
G.Total in Words	G.Total in Figures		Quoted Rate( in Figures) Percentage	Total	Providing and fixing 110 (One hundred ten milimetre) high pressure PVC spigot and socket, waste and ventilating pipes light grade 181 murked of fensles/vectus/price 4.6mm thick having pressure not less than 6kg /cm2 (six kilogramm per centimetre square) including fixing with approved adhesive etc. complete, as directed by the Engineer-in-Charge, within all leads. Iffis of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhanu, toll taxes, GST and any other taxes imposed by the Government.	Providing and fixing 125mm (One hundred twenty five milimetre) size aluminium handles, ISI marked, anodised anodic coating not less than grade AC 10 (ten) as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete. as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.
		Less (-)	Excess (†)		25.00	22.00
					490,000	125,00
					Rupees Four Hundred Ninety Only	Rupees One Hundred Twenty Five Only
		25	90		rer running metre	Each
				98747,00	12220,000	2750.00

Executive Engineer, Dharamsha a Division, HP-PWI Dharamshafa

B

345

					G.Total in Words
					G.Total in Figures
	200			Less (-)	Control of the contro
	3			Excess (+)	Charles Rules in Gloures, Percentage
3	95				18101
99294.00					
	Kilogram	3	55	Process of the Control of the Contro	Providing and fixing aluminium work for shutters of doors, windows & ventilators including providing and fixing aluminium work for shutters of doors, windows & ventilators including providing and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15 (fifteen). as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of naterial within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, and the coating of the Engineer-in-Charge including carriage of naterial within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, and the coating of the Engineer-in-Charge including the coating of the Engineer-in-Charge including carriage of naterial within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, and the coating of the Engineer-in-Charge including the coating of the Engineer-in-Charge including carriage of naterial within all leads, lifts and other incidentals.
99294.00	Per	Rupees Six	680.00	146.00	No.
		In Word	In Figures	100000000000000000000000000000000000000	S. Description of frem
Amount	Unit		Rate	Quantity	
One Month	Time Limits	Tin			(SH:- Providing and Fixing Aluminium shutter for doors in Old Block.
2,000.00	loney Rs.	Earnest Money Rs.	and and and	or over 19 and	Name of work :- Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit House at Chilgan Distantance of Non- Residential building Circuit Building Circ
99,294.00	d cost Rs.	Estimated cost Rs.	anora H P	ala Diet Ka	Distriction of the control of the co

Executive Engineer, Dharamshaid Division, HP.PWD Dimurnshala

96,588.00

1549

### SCHEDULE OF QUANTITY

Name of work :- Annual Repair & Maintenance of Non-Residential building Circuit House at Chilgari Dharamshala, Distt, Kangra H.P. Estimated cost Rs.

T	T	1	T	T		92	ü	3	-	No.	90	(SH)
G.Total in Words	G.Tutal in Figures		Ouoled Rated in Figures) Percentage	Total	SProviding and fixing 110 (One bundred ten milimetre) high pressure PVC spipot and socket, waste and ventilating papes light providing and fixing 110 (One bundred ten milimetre) high pressure not less than 6kg /cm2 (six kilogramm per centimetre grade ISI marked of fenolex/vectus/price 4.6mm thick having pressure not less than 6kg /cm2 (six kilogramm per centimetre square) including fixing with approved adhesive etc. complete, as directed by the Engineer-in-Charge, within all leads, lifts of materials and other inclidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octors, royality, Malkhana, toll taxes, GST and any other taxes impused by the Government.	A Providing and taying 60mm Sixty millimetres) thick inter locking power blacks heavy duty precast cement concrete of NTC or as approved by the HPPWD inter locking power blocks vibro compacted upto M-50 (M-Fifty) grade including border or kurb black Grey or coloured ower sub-base of concrete within 25mm (Twenty five millimetres) thick average thickness of cement mortar 1.4 (One cement: Four sand) laid over and junited with neat cement slurry mixed with pigment to match the shade of blocks including curing tabling and polishing complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the centre satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkans and all type of taxes imposed by the	Providing and laying mechanically mixed & vibrated plain cement concrete in open foundations complete as per drawings and technical specifications. Clause 800, 900 and 1200 nomial mix 1:4.8 (One cement: Four stand: Eight graded/crushed stone aggregate) 40mm (Forty millimetres) nominal size), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge meluding carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actruit royality, malkhama, toll tax, sale tax, GST or any other taxes imposed by the Government.	2 [Earth work in surface execution not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sum on plan including getting out and disposal of excavated earth cpto 50 m and lift upto 1.5 m, as directed by Engineer-in-Charge, all kind of soil, per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including earthage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	I Providing and Laying 40mm (forty milimetres) thick cement concrete floating 1.2:4 (One cement into I we said isto Four graded crushed stone aggregate 20mm (Twenty milimetres) nominal size) laid in one layer finished with a floating cont of next cement within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer in-Charge. The rate is inclusive, tall taxes, GST and any other taxes imposed by the Government.		Description of Hem	(SH): Providing and daying content Contract and Disease the Contract Contract of the Contract
		Less (·)	Excess (+)		16.00	36.60	225	30,00	1000	40.00	Quantity	
					490.00	1350,00	5050.00	. 190,000	o de la companya de l	In Figures	Rate	
					Rupees Four Hundred Ninety Only	Rupees One Thousand Three Hundred Fifty Only	Rupees Five Thousand Fifty Only	Rupees One Hundred Per Square Nincey Only metre	Hundred Fifty Only	Rimos Five	-	Ti
		3/6	200		Per running incire	7.7		Per Square metre	metre	Per Square	Unit	Time Limits
				96588.00	THE COLUMN		11363.00	5700.00		22275.00	Amount	One Month

Executive Engineer,
Dharumshala Division,
HP PWD Dharumshala

348

SCHEDULE OF QUANTITY

Name of work :- Annual Repair & Maintenance of Non-Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P. (SH:-Construction of Drain and brick work etceters in Old Block 8 % Exercation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work Providing and laying mechanically mixed and vibrated plain cement concrete in open foundation for all type of Second class brick work using common burnt clay building bricks in super-structure upto all floor level in cement including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering by rannning, watering and then disposing of all excavated earth, as directed by the Engineer-in-Charge, within all which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material including shoring, shuttering and pumping out water upto any depth or any quortain of water including slust and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials work in too wall eletera as per drawings and M.O.R.D. technical specification section/ clause 800,900 & 1200 including curing complete including pumping or bailing out water, dewatering removal of slash as required at structure complete using plain coment concrete grade M-10 ( M-ten) rominal mix 1:3:6 (one coment isto three Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the mortar 1:6 (One cement isto Six sand) and curing complete, as directed by the Engineer-in-Churge, within all Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-(Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer clear from the edge of excavation as direction of Engineer-In-Charge and retuning the stacked soil in 15cm with in all leads, lifts and other incidentals. The rate is including Royality, Malkana. Octroi, toll tax, GST or any site which may arrise at the time of laying concrete complete for all heights' depths including the cost of form sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Government. other taxes imposed by the Government Quoted Rate( in Figures) Percentage Description of Item G.Total in Figures
G.Total in Words Total Excess (+) E35(-) Quantity 8.94 10,97 3.87 in Figures 5450.00 6850.00 369.00 Rate In Word Hundred Sixty Only Hundred Fifty Only Hundred Fifty Only Thousand Eight Rupers Three Thousand Four Rupees Five Rupees Six Earnest Money Rs. Estimated cost Rs. Time Limits Per cubic Per cubic Per cubic Unit metre 21092,00 99455,00 25145,00 3218,00 Amount One Month 99,455.00 2,000.00

Executive Engineer, HP.PWD Diarunshala Dharamshall Division





98,104.00

SCHEDULE OF QUANTITY

Ouse at Chileari Dharamshala, Distt. Kangra I.P. Estimated cost Rs.

			1000	-	
	A Laboratory	Rate		Unit	Amount
S Description of Item	Connect	In Klaures	In Word	20000000	
	דר רבי	650.00	Rupees Six	Per	86041.00
Providing and fixing aluminium Frame work Jindal/ Hindalco for doors, windows, ventilators and partitions with extruded built up standard tubular sections' appropriate Z sections and other sections of approved make conforming to IS; 733 and IS; 1285, fixing with dash fasteners of required dia and size, including accessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including clear angle, Aluminium snap beading for glazing / puncling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-inclurge. (Glazing, paneling and dash fasteners to be paid for separately. Anodised slaminium (anodised transparent or dyed to required shade according to IS: 1868, approved drawing, design and as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any approved to the Covernment.	13237	*	Hundred Fiffy Only	Kliogram	19053 18
2 Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item) With float glass panes of 5 mm (five milimetre) thickness (weight not less than 12.50 kg/ sum (twelve decimal fifty kilogram per squaremetre), as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, rayality, malkhana, toll tax, sale tax, GST or any other taxes imposed by	9.65	1250.00	Rupees One Thousand Two Hundred Fifty Only	Square metre	
the Government.					98104.00
10(3)				%	
Quoted Rate( in Figures) Percentage	Less (-)			8	
C. Total in Figures					
G.Total in Words					

Executive Engineer,
Dharranshala Division,
HP, PWD Pharamshala

#### 548

## SCHEDULE OF QUANTITY

Name (SH.>	Name of work :- Annual Repair & Maintenance of Non- Residential building Circuit House at Chilgari Dharamshala, Distt. Kangra H.P. (SH:- Providing and Fixing Tile flooring in kitchen etectera in Old Block.	a, Distt. K	angra H.P		R .	Estimated o Earnest Mon Time
50	Description of Item	Quantity		In Figures Rate	In Figures In Word	Rate
-	Dismantling tile work in floors and roofs laid in concent mortar inlending stacking material within 50 metres lead for thickness of tiles 10mm to 25mm (ten millimetres to twenty five millimetres), as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of actroi, royality, malkhana, tell tax, sale tax, GST or any other taxes imposed by the	56.45		125,00		125,00
	Providing and taying 300x300 mm (three hundred into three hundred millimetre) Antiskid Cerumic tiles of Premium quality of Nitco / Rak / Kujaria / Johnson / AGL / Somany / Orient Belt in flooring laid over 12mm (Twelve millimetre) thick cement mortar 1:3 (one cement isto three sand) jointed with cement slurry mixed with pigment to match the shade of tiles as required complete upto floor level in all heights , as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	21.89		1325.00	1325.00	1325.00
	Providing and fixing 10mm (ten milimetre) thick vetrified tiles of Nitco / Simpolo / Orient -Bell / Rak/ Kajaria / AGL/Johnson / Someany as per approved shade and design 600x600mm of size (six hundred millimetre into six hundred millimetre) manufactured of approved shade and colour in flooring and landings laid over 12mm (twelve millimetre) thick cement mortar 1:3 (one cement isto three sand) jointed with cement slurry mixed with pigment to match the shade of tiles as required complete within all leads, lifts of materials and other, incidentals, as per approved architectural drawing, design and specification as directed by the Engineer-in-Charge. The rate is inclusive, toll taxes, GST and any other taxes imposed by the Government.	33.06	5	6 1490.00	1490,000 T	1490.000 Rupees One Thousand Four S Hundred Ninety r Only
-	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete us per the architectural drawings with 18 mm (eighteen millimetres) thick stone slab over 20 nm (twnety millimetres) (average) thick base of cement mortar 1:4 (one cement isto four coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and Polished Granite stone slab jet Black, Cherry Red, Elite Brown. Cat Eye or equivalent, as directed by the Engineer-in-Charge as per direction of Engineer- in- charge within all leads, lifts of materials and other incidentals, as per drawing & design and as directed by the Engineer-in-Charge. The rate is including actroi, royality, Mallama, tell one GST or any other taxes imposed by the Government.	2.10	_	5850.00		5850.00
	Total					
	Quoted Rate( in Figures) Percentage	Excess (+) Less (-)	É	÷ (÷)	) ( <del>)</del>	(+)
	G.Total in Figures					
	G. Total in Words					

Executive Engineer,
Dhuramshald Division,
HP-PWD Diagramshala

#### SCHEDULE OF QUANTITY

SUB-HEAD --WANT OF WORK ... Annual Repair and Maintenance of Non-Residential of Circuit House building at Chilgan Dharamshala, Distt. Kangra H.P.

ESTIMATED COST: .

EARNEST MONEY: .

TIME LIMIT :

99956.00 2000.00 Two Manths

Providing and laying Tile work and Sanstary installation etc. in W.C. cum Bath (Old Block) Description of items

Description of items	6	2001	Quantity	Quantity RATES in Jug
	Quantity 3 24.48 Square metres 5.17 Square metres	*	# RATES # # # # # # # # # # # # # # # # # # #	RATES  In fig. In words  4 5  125.00 Rupees one hundred frwenty five and palse zero only  1325.00 Rupees one thousand three hundred twenty five and palse zero only

desi desi ran			-	75 D D D D H T	The state of the s
Providing and fixing 15mm (Fifteen millimetres) nominal bare uplasticised PVC connection gipe with brass union 45cm (Forty live Centimetres) length of Finolex , Relpipe (Reliancer) , Vectus as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carnage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, safe tax, GST or any other taxes imposed by the Government	recovering and tixing 15 mm (fifteen milimetre) nominal dia CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer - in - charge - and as per directions and entire satisfaction of the Engineer in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	series of Jaquar J Contress plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of Jal of standard design and of approved make conforming to 15.8931 as per approved drawing design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Sovernment.	Jaquer / Contess plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite & Hindon series of Jal of approved quality conforming to 15.8931 as approved by Engineer - in - charge and as per directions and entire satisfaction of the Engineer in - Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Hindware / Floral Series of Cera / Hindon series of jal with C.P. Brass brackets fixed to wooden cleats with C.P. Brass brackets fixed to wooden cleats with C.P. Brass screws complete within all leads, lifts of materials and other incidentals, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	ent cand
5 Numbers	2.00 Numbers	3 Numbers	2 Numbers	Numbers	Numbers
150.00	6000,00	1050,00	1150.00	210.00	1
Rupees one hundred lifty and paise zero only	Rupees six thousand and paise zero only	Rupees one thousand fifty and paise zero only	Rupees one thousand one hundred fifty and paise zero only	Rupees two hundred ten and paise zero only	lifty and paise zero only
Each	Each	Each	Each	Each	tach
750.00	12000.00	3150.00	2300.00	420.00	1100,00

17 Providing and fixing high pressure PVC spigot and socket, waste and ventilating pipes ISI marked of	i) 110mm (One hundred ten milimetre) diametres	16 Providing and fixing P.V.C Plain bend of of Supreme/Finolex/Vectus /Relpipe (reliance) including fixing with approved adhesive complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	15 Providing and fixing 110 x 90 mm ( one hundred ten into ninety milimetres) nominal size/diameter P.V.C. floor trap 15I marked of Finalex , Relpipe (Reliance ) , Vectus 15I marked Confirming to BIS 14735-99 of self-cleaning design including fixing with approved adhesive , cost of cutting and making good the wall and floor etcetera complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octros, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
Providing and fixing high pressure PVC spigot and socket, waste and ventilating pipes ISI marked of Finolex , Relpipe (Reliance ), Vectus including fixing with approved adhesive etcetera. Complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The		ex/Vectus /Relpipe (reliance) frawing, design and specifical Charge including carriage of e of octroi, royality, malkhana	ety milimetres) nominal size/ Vectus ISI marked Confirmir rowed adhesive , cost of cut per approved drawing, de n of the Engineer-in-Charge on tals. The rate is inclusive of possed by the Government.	other incidentals. The rate is r taxes imposed by the Gover
marked of mplete as on of the ntals. The	Numbers A Numbers	including stions and material, a, toll tax,	/diameter 2 ring to BIS Numbers atting and atting and including of octroi.	gincer in Linclusive roment
	200.00		520.00	
(* (* - )·	Rupees two hundred Each and paise zero only Rupees two hundred Each fifty and paise zero only		Rupees five hundred twenty and paise zero only	
	Each Each		Each	
1 4 4 4 4	1000.00	7),	1040.00	

-	(Amount to be quoted by the contractor in Figure )	be quoted by	Amount to		
TOTAL :-	17.15.1			Quated Rate in Figure (%)	
	Rupees three Each thousand two hundred fifty and paise zero only	3250.00	1 Number	24 Providing and fixing two hole basin mixing Faucet complete, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	22
	Rupees one thousand Each one hundred fifty and paise zero only	1150.00	2 Numbers	23 Providing and fixing 15 mm (fifteen millimetre) nominal bore C.P. brass angle valve of Continental series of Jaquar / Contess plus series of Hindware /Ocean series of Cera / Vintage series of Kerovite 8 Hindon series of Jal for basin mixer and geyser points of approved quality conforming to IS:8931, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2
	Rupees four hundred Each fifty and paise zero only	450.00	1 Number	22 Providing and fixing 100mm (one hundred millimetre) dia C.P. Brass shower rose with 15mm (fifteen millimetre) inlet, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, 6ST or any other taxes imposed by the Government.	
	6	4	w	2	1.

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala