Himachal Pradesh Public Works Department

No PW/DD/CB/Tender/2025-26:-

227-30

Dated: 10/4/2025

To

The Executive Engineer (I T Cell) O/o the Engineer-In- Chief Nigam Vihar HPPWD Shimla-2

Subject:-

Publication of Tender Notice.

Dear Sir,

Enclosed please fined herewith the Tender Notice of work as given in the Notice Inviting Tender for uploading on department website as per notification Pr. Sect.(PW) to the Govt. of Himachal Prsdesh letter No PBW(B)A(3)1/2024 dated Shimla-2 the 03.01.2024 as the work mentioned in the tender notice are urgent in nature and in public interest.

DA/ Notice Intviting Tender.

Executive Engineer, Dharamshala Division

HPPWD Dharamshala

Copy forwarded for information to:-

1. The Superintending Engineer 5th Circle HPPWD Palampur.

2. All the Assistant Engineer working under this Division.

3. Copy to Ab/ DB of this Division.

4. Notice Board,

Executive Engineer, Dharamshala Division, HPPWD Dharamshala.



Office of Executive Engineer Dharamshala Division HPPWD Dharamshala Himachal Pradesh Public Works Department Dharamshala -176215 Phone No.01892-224946 Fax 222065 E-mail ee-dha-hp@nic.in

SHORT TERMS

"NOTICE INVITING TENDERS"

Scaled percentage rate tenders on forms 6 & 8 are hereby invited by the Executive Engineer, Dharamshala Division, HPPWD Dharamshala on emergent basis for the below mentioned works from the approved and eligible contractors enlisted in HPPWD so as to reach in his office on or before 17,04,2025 upto 11:00 AM and the same shall be opened on the same day at 11:30 AM in the presence of the tender opening committee and intending contractors/firms or their authorized representatives. The tender documents can be had from this office against cash payment/Non refundable) on 16,04,2025 between 2:00 PM to 5:00 PM and the applications for issue of tender forms shall be received upto 12:30 PM on 16,04,2025.

The Earnest Money in the shape of NSC's / FDR's Deposit/Bank Guarantee at Call of any of the Post office/Bank duly pledged in favour of XEN HPPWD., Dharamshala must be accompanied with the tender documents. Please note that no exemption orders of earnest money will be entertained. Conditional tenders and the tenders received without earnest money as mentioned above will summarily be rejected. The offer of the tenders shall be kept open for 75 days. The Executive Engineer reserves the right to reject any tender or all tenders without assigning any reasons. The contractors should be registered as a dealer GST Tax Act.2018 and also produce the clearance certificate from the Excise and Taxation department and the contractor will also have to attach the labouar employer licence from the labour office with the application. The tender documents shall only be issued to those contractors/firms who will produce the photo copy of their enlistment/renewal, if it happens to be a holiday on the day of opening of tenders the same will be opened on the next working day at the same time and venue:-

Sr. No.		Estimated cost in Rs.	EMD	Time limit	Cost of Tender form
1.	Construction of Sanoura to Jatehar road Km 0/000 to 9/600 in Tehsil Dharamshal Distt. Kangra HP (SH:- Construction of P.C.C Breast Wall between km 6/205 to 6/214 & P.C.C. Retaining Wall between km 8/648 to 8/650.50 (Balance work)	94666/-	1900/-	Two Months	350V-
2.	Re- Construction Retaining wall near the house of Sh. Pankaj Khatri Situated at Lower Depot Bazar road ward NO 7 Tehsil Dharamshala Distt. Kngra H.P (Deposit Work) (SH:- Construction of P.C.C Retaining Wall)	99952/-	2000/-	Two Months	350/-
3.	Restoration of rain Damage on Darnu to Indrunag road km 0/000 to 2/000 in Tehsil Dharamshala Distt. Kngra H.P (Deposit Work) (SH:- Providing and fixing "W" Metal Crash Barrier between km 1/150 to 1/175)	99935/-	2000/-	Two Months	350/-
4	Restoration of O.F.C damage Chilgari Section under HPPWD Sub Division No 1 Dharamshala Distt. Kangra HP (SH:- Painting, writing lettrs, figures & cautionary boards etc)	99633/-	2000/-	Two Months	350/-
5.	A/R & M/O Non- residential building at Dharamshala in Distt, Kangra H.P. (SH:-Providing Skilled worker for Minister block of Circuit House Dharamshala)	97736/-	2000/-	20 days	350/-
6.	C/o link road from Uthragran to Youth Club Uthragran in Tehsil Dharamshala Distt. Kangra HP (SH:- Providing and fixing "W" Metal Crash Barrier at RD 0/820 to 0/841.50) Black Spot)	93268/-	1900/-	Two Month	350/-
7.	Restoration of Damage on Dharamshala Yol Dadh Palampur road km 0/000 to 15/250 in Tehsil Dharamshala Distt. Kangra HP (SH:-C/o Retaining Wall at RD 12/557 to 12/562) (Against Telecom Deposit)	76018	1500/-	Two Month	350/-
8.	Restoration of Damage on link road from Fatehpur to Matour km m0/000 to 9/250 in Tehsil Dharamshala Distt. Kangra HP (SH:- C/o PCC Retaining Wall RD 5/572.40 to 5/576.15)	98518/-	2000/-	Two Month	350/-
9.	Restoration of Damage on link road from Fatehpur to Matour km m0/000 to 9/250 in Tehsil Dharamshala Distt. Kangra HP (SH:- C/o PCC Retaining Wall RD 5/576.15 to 5/578.90)	98055/-	2000/-	Two Month	350/-
0.	Restoration of road Dharamshala to Khaniyara road in km 0/000 to 8/000 Dharamshala in Distt. Kangra HP (Sh:- Repair od drain /berms)	99550/-	2000/-	Two Month	350/-
1.	Restoration of road Bagli to Mashrehar road in km 0/000 to 9/150 Dharamshala Distt, Kangra HP (Sh:- Repair od drain /berms)	99740/-	2000/		350/-
2,	Construction of Pusta wall in Nallah near office bilding of 9th Battalion of Home Guard at Dharamshala Distt. Kangra HP (Deposit work) (SH:- Providing and fixing door Window Shutter)	37044/-	800/-		350/-
3.		97319/-	2000/-	Two Month	350/-

14.	C/o road from Adhunik Public School to Rikhi Ram House at Dharamshala Distt, Kangra HP (Deposit work) (Sh:- Providing and laying Interlocking paver	37207/-	2000/-	Two Month	350/-
15,	block at RD 0/017 to 0/023.50) C/o link road from Sidhbari to Rakkar in Tehsil Dharamshala Distt, Kangra HP	91305/-	1800/-	Two Month	350/-
16.	(Sh:- C/o U-shape drain at RD 0/335 to 0/345) Telecom Deposit C/o link road from Sidhbari to Rakkar in Tehsil Dharamshala Distt. Kangra HP	91360/-	1800/-	Two Month	350/-
17.	(SH:- C/o U-shape drain at RD 0/345 to 0/355) Telecom Deposit Construction retaining wall kungra Kala Kendra Building at Dharamshala Distr. Kangra HP (Deposit Work) (SH:- Construction of P.C.C retaining wall in Back	96224/-	2000/-	Two Month	350/-
18.	Side of the building) Repair of Hostel in Govt. Degree College at Dharamshala Distt. Kangra HP (Deposit Work) (SH:- Providing and fixing Door window shutter, Glass panes	97890/-	2000/-	Two Mnth	350/-
19.	and minor repair work etcetera) Construction of General Pooled Accommodation at Chellian Dharamshala Distt. Kangra HP (Deposit work) (SH:- Providing and fixing Curtain rod and other	99495/-	2000/-	Two Month	350/-
20.	minor repair work in type-III Quarter) Special repair & Maintenance of Govt. Dergree College at Dharamshala in Distt. Kangra HP (Deposit Work) (SH:- Providing and laying Tack coat and 30 mm thick bitumens concrte in college Campus)	98970/-	2000/-	One Month	350/-
21.	Special repair & Maintenance of Govt. Dergree College at Dharamshala in Distt, Kangra HP (Deposit Work) (SH:- Providing and laying Tack coat and 30 mm thick bitumens concrte in college Campus)	99619/-	2000/-	Two	350/-
22.	Special repair & Maintenance of Govt. Dergree College at Dharamshala in Distr. Kangra HP (Deposit Work.) (SH:- Providing and laying Tack coat and 30	97616/-	2000/-	Two Month	350/-
23.	mm thick bitumens concrté in college Campus) Restoration of Damage on Dharamshala Yol Dadh Palampur road Km 0/000 to 15/250 in Tehsil Dharamshala Distt. Kngra H.P (Sh:- Providing and laying Paver Block at RD 6/581 to 6/620 R.H.S Berms (Telecom Deposit) Balance Work	99600/-	2000/-	Two Months	350/-

Certified that above work for Sr. No 1 to 23 are urgent nature and require immediate execution.

Executive Engineer, Dharamshala Division. HPPWD Dharamshata

On behalf of Governor of Himachal Pradesh.

No. PWD-DD/CB/M-34/-2025-26-

Copy to the following for information and necessary action:

1. The Chief Engineer (KZ) HP.PWD Dharamshala.

- The Superintending Engineer, 5th Circle HP.PWD, Palampur.
- 3.
- The Deputy Commissioner Kangra at Dharamshala. The Commissioner Dharamshala Municipal Corporation.
- All the Executive Engineer, working under Kangra Zone.
- The SDM & Tehsildar Dharamshala.
- The BDO Dharamshafa /Rait.
- All the Assistant Engineers working under this Division, 8.
- All the Head of the Branches in this office. 9.
- All the Contractors working under this Division,
- Notice Board. 11.

Dated:10.04.2025

Executive Engineer, Dharamshala Division, HPPWD Dharamshala

by Only metre Bach 3850.00 by Only Carlo 3850.00 by Only metre y Only metre 94666.00 96				G.Total in Figures
Per cubic 809 metre Each 38 Each 38 Per cubic 32 metre Mo				
Per cubic 809 metre 38. Each 38. Each 38. Per cubic 32. metre 32.			288 (-)	
Per cubic 809 metre 38 Each 38 Fer cubic 32 Per cubic 32			Excess (+)	Ouoted Rate(in Figures) Percentage
Per cubic 809 metre 38. Each 38. Fer cubic 32. Inetre 32.				Total
Per cubic metre Each	Rundred Fifty Only	950.00	034	4 Back filling with granular material behind abutments, wing walls, return walls and retuning walls complete as per drawing and M.O.R.D. technical specification section 1200, 1600 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, tifts and other incidentals. The rate is including Royality, Malkana, Octroi, tall tax, GST or any other taxes imposed by the Government.
netre	Rupees Three Hundred Fifty Only	350.00	11.00	3 Providing and laying 100mm (one Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stope masonry, plain / reinforced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width of the structure with slope 1(V):20(H)(One vertical: Twenty Horizontal) towards draining face complete as per drawing and MORD technical specification section 700 and 1200 and as per direction of Engineer-in- charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octrol, royality, Malkana, toll tax, GST and any other taxes imposed by the Government.
	Rupees Five Thousand Fifty Only	5050,00	17.22	2 Providing and Laying mechanically mixed and vibrated plain concert concrete as per drawings and MORD teclanical specifications section 800, 900, 1200 and 1600 nominal mix 1:4.8 (One concert isto Four sand isto Eight graded/crushed atone aggregate) 40mm (Forty milimetres) nominal size) for all type of structure like retaining wall / Breast wall etcetra technical control of the structure like retaining wall / Breast wall etcetra within all leads, lifts of materials and other incidentals. The rate is including octrol, royality, Malkana, toll tax, GST and any other taxes imposed by the Government.
y Only mere 353200	Rupces Three Hundred Sixty Only	360.00	9.81	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets excepter in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of sharing and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slash which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octror, royality, Malkana, toll tax, GST or other taxes imposed by the Government.
,	In Word	In Figures		
Unit Amount	Rate	R	Quantity	S. Description of Item
Time Limits Two Month				
Earnest Money Rs. 1,900.00	臣祖	(Balance work)	o 8/650.50	(SH:- Construction of P.C.C Breast wall between km 6/205 to 6/214 & P.C.C. Retaining wall between km 8/648 to 8/650.50 (Balance work)
Estimated cost Rs. 94,666.00	Es		(H.P)	Name of work - Construction of Sanoura to Jatchr road km 0/000 to 9/600 in Tehsil Dharamshala Distt. Kangra (H.P.)

Executive Engineer,
Dharanshala Division,
HP.PWD Dharanshala





Name of work :- Re-Construction Retaining wall near the house of Sh. Pakaj Khatri situated at lower Depot hazar road ward No-7 in Tehsil (SH:- Construction of P.C.C. Retaining wall Dharamshala Distt, Kangra (H.P) Deposit work 3 4 Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and Providing and laying 100mm (one Hundred millimeter) dia P.V.C pipe weep holes in brick masonry/stone masonry, plain Providing and Laying mechanically mixed and vibrated plain cement concrete as per drawings and MORD technical Back filling with granular material behind abutments, wing walls, return walls and returning walls complete as per drawing and chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification M.O.R.D. technical specification section 1200, 1600 and as per the direction and entire satisfaction of Engineer-in-Charge specifications section 800, 900, 1200 and 1600 nominal mix 1.4.8 (One cement isto Four sand isto Eight graded/crushex rate is including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the Government. directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock Octroi, tell tax, GST or any other taxes imposed by the Government complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkania of the structure with slope I(V):20(H)(One ventical: Twenty Horizontal) towards draining face complete as per drawity including cost of form work and curing complete as per the direction of Engineer-in-charge including carriage of material other taxes imposed by the Government and MORD technical specification section 700 and 1200 and as per direction of Engineer-in- charge including carriage of reinforced concrete, Abuments, Wing walls, Return walls and retaining/breast walls extended through the full width within all leads, lifts of materials and other incidentals. The rate is including octroi, royality, Malkana, toll tax, GST and stone aggregate) 40mm (Forty millimetres) nominal size) for all type of structure like retaining wall / Breast wall etectro materials within all leads, lifts and other incidentals. The rate is including actroi, royality, Malkaria, toll tax, GST and any any other taxes imposed by the Government. Quoted Rate(in Figures) Percentage Description of Item G. Total in Words G. Total in Figures Total Excess (+) ess (·) Quantity 17.90 14.20 2.10 7.00 In Figures 5050.00 360.00 950.00 350.00 Rate In Word Thousand Fifty Only Hundred Fifty Only Hundred Fifty Only Hundred Sixty Rupees Three Rupoes Three Rupees Nine Rupees Five Only Earnest Money Rs. Estimated cost Rs. Time Limits 2 2 Per cubic Per cubic Per cubic metre metre Each Unit Two Month 90395,00 5112.00 2450.00 Amount 1995.00 99,952.00 2,000.00 99952.00

Executive Engineer,
Dhar unshala Division,
HP.PWD Dharamshala

								No.	50	(SH	
G.Total in Words	G.Total in Figures		Quoted Rate(in Figures) Percentage	Total	3 Providing and erecting a "W" metal beam crash barrier comprising of 3nam (three millimetre) thick corrugated sheet metal beam rail, 70cm (severity continuetre) above road/ ground level, fixed on ISMC series channel vertical post, 150x75x5mm (one hundred fifty into severity live into five millimetre) spaced 2m (two metre) centre to centre. 1.8m (one decimal one metre) below ground/ road level, all steel parts and functions to be galvanized by bot dip process, all fittings to conform to IS:1367 and IS: 1364 metal beam rail to be fixed on the vertical post with as per of channel section 150x75x5mm (one hundred fifty into severity five into five millimetre) 330mm (three hundred thirty millimetre) foug complete as per drawing and MORTH technical specification section 800, as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	2 Providing and laying mechanically mixed and vibrated plain concrete in open foundation for all type of structure complete using plain concrete grade M-10 (M-ten) nominal mix 1.3:6 (one cement isto three sand isto six crushed stone aggregate 40 mm (forty millimetre) nominal size on ground in or under water including curring complete including pumping or bailing out water, dewatering removal of slash as required at site which may arrise at the time of laying concrete complete for all heights/ depths including the cost of form work in too wall eticers as per drawings and MO.R.D. technical specification section/ clause 800,900 & 1200 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Makana, Octroi, toll tax, GST or any other taxes imposed by the Government.	[Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets enectors in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chisching / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification classe 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other detections of trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slash which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all lends, lifts and other incidentals. The rate is including actroi, royality, Malkana, toll tax, GST or other taxes imposed by the Government.		Description of Item	(SH:- Providing and Fixing "W" Metal Crash Barrier between km 1/150 to 1/1/5	
		Less (-)	Excess (+)		24.00	1.99	4	8	Quantity		
	70.				3850.00	\$450.00	360.00	In Figures	Rate		
	2				Rupees Three Thousand Eight Hundred Fifty Only	Rupces Five Thousand Four Hundred Fifty Only	Rupees Three Hundred Sixty Only	In Word		Tarnest A	
		%	*	4	Per Running metre	Per cubic metre	Per cubic metre		Unit	Time Limits	A
				99935,00	92400.00	7031.00	504.00		Amount	Two Month	2000.00

Executive Engineer,
Dharannshala Division,
HP-PWD/Dhadamshala



Schedule of Quantity

ESTIMATED COST: -

2 2

Two Months 99633.00

SUB HEAD :-

NAME OF WORK :- Restoration of character or version roods in Chilgari Section under HPPWD sub Civision No. I Obaramshala in Distr. Kangra H.P. Painting, writing letters, figures, sing board, cautionary boards, allometres stones etc. TIME UMIT

	in words)	be quoted by the contractor in words)	be quote	(Amount to		
	n Figure)	be quoted by the contractor in Figure)	be quote	(Amount to		Qu
99633.00	TOTAL: -				Quoted Rate in Figure (%)	Qu
38422.00	Per Centi- metro	Rupees two decimal ten zero only	2.10	18296.00 Centi- metres	a Writing letters or figures on any surface with Synthetic ename! paint (other than white) stops, comas, hyphens and the like not to be measured and paid separately) in Block lettrs/figures, including entire carruge of materials, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octror, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	3 2 2 2 2
57728.00	Per Cent). metre	Rupees two decimal one five only	2.15	Centi- metres	Writing letters or figures on any surface with Synthetic enamel paint (other than white) stops, comas, hyphens and the like not to be measured and paid separately) in Indian lettrs/ figures, including entire carriage of materials, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroic royality, malkhama, toll tax, sale tax, GST or any other taxes imposed by the Government.	3 9 8 F M
2208.00	Per square metre	Rupees ninety and paise zero only	90.00	24.53 Square metres	Painting two coats (excluding priming coat) on previously painted steel and other metal surfaces with enamel paint brushing to give an even shade including cleaning the surfaces of all dart, dust and other foreign matter enamel paint other than white, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octros, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2 2 2 2 3 E
1275,0	Per square metre	And palse zero only	85.00	15.00 Square metres	enamel paint of approved brand and manufacture for use on floors to give an any shade including cleaning the surfaces of all dirt, dust and other foreign matters sand papering as required, as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	2 % % 6
D)	un:		£s,	3	Painting two costs (excluding priming cost) on provide the	J P
	100	sprow or	infig			ы
Amount	Unit	RATES		Quantity	SWall in Interpreted	No

Executive Engineer, Dharamshija Division, HPPWO Dharamshala

ESTIMATED COST: -

EARNEST MONEY : -

TIME LIMIT


Twenty days 97736.00 2000.00

SUB-HEAD :-NAME OF WORK :-Annual Repair & Maintenance of Non-Residential buildings at Dharamshala in Distt. Kangra Himachal Pradesh

Providing Skilled worker for Minister block of Circuit House Dharamshala

		Amount to be quoted by the contractor in Words)	oted by	int to be gu	Quated Rate in Words (%)	L
		(Amount to be quoted by the contractor in Figure)	loted by	int to be qu		
97736.00	Total:-					
48868.00	er Day	610.85 Rupres six hundred ten and paise Per Day eighty five only	610.85	80.00 Days	5). Helper/ Attendent (80)	
12217.00	er Day	610.85 Rupees six hundred ten and paise Per Day eighty five only	610.88	20.00 Days	4). Malli 20	
12217.00	er Day	610.85 Rupees six hundred ten and paise Per Day eighty five only	610.8	20.00 Days	3). Sweeper	
12217.00	PerDay	610.85 Rupees six hundred ten and paise Per Day eighty five only	610.8	20.00 Days	2). Cook Helper	
12217.00	Per Day	610.85 Rupees six hundred ten and palse Per Day eighty five only	610.8	20.00 Days	1). Cock 20	
					Providing skilled worker for operation of newly constructed minister block in the complex of Circuit house Dharamshala for the Period of 13,04,2025 to 02,05,2025	
7	6	S.S.	4	**	2	34
		in words	In fig			No.
Amount	Unit	RATES		Quantity	Description of items Q	4

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala



Name of work: C/o link road from Uthragran to Youth Club Uthragran in Tehsil Dharamshala Distt, Kangra HP (SH :- Providing anf fixing "W" Metal crash barrier at Rd 0/820 to 0/841.50) (Black spot). Time Limit :- Two Month. Earnest Money :- Rs. 1900.00

Estimate Cost :- Rs. 93268.00

No.	1 Excavation		stone aggi including the
Description of Item	Excavation in foundation, trenches etc. in earth work in all classification of coil cross-	pick work, jumper work, pick jumper work, blasting work, jumper blasting work soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including slush which may be arise during de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc. consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge imposed by the Government.	Providing and laying dement concrete 4.4.8 (1 cement 4 coarse sand 5.8 graded stone aggregate) 40 mm (forty millimetre) nominal size in footing and foundation including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octor, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.
Quantity		2.80 Cubic metre	2.80 Cubic
20	Figures	360.60	5450 00
Rate in	Words	Rupees Three Hundred Sixty Only	Rupees Five Thousand Four Hundred Fifty Only
linit	Ont	Per Cubic metre	Per Cubic metre
A-10-10-10-10-10-10-10-10-10-10-10-10-10-	Amount	1008.00	15,260.00

tor in words)	y the contract	quoted b	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)
tor in figure)	by the contract	quoted b	(Amount to be quoted by the contractor in figure)	Quoted rate in figure (%)
				Total
nd metre	Three Thousand Eight Hundred Fifty Only	Sec. of the sec.	metre	millimetre) thick corrugated sheet metal beam rail, 70cm (seventy centimetre) above metre road/ ground level, fixed on ISMC series channel vertical post, 150x75x5mm (one hundred fifty into seventy five into five millimetre) spaced 2m (two metre) centre to centre. 1.8m (one decimal eight metre) high 1.1m (one decimal one metre) below ground/ road level, all steel parts and fitments to be galvanized by hot dip process, all fittings to conform to IS:1367 and IS:1364 metal beam rail to be fixed on the vertical post with as per of channel section 150x75x5mm (one hundred fifty into seventy five into five millimetre). 330mm (three hundred thirty millimetre) long complete as per drawing and MORTH technical specification section 800, as per the direction and the entire satisfaction of Engineer-in-Charge, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royallty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.







Estimate Cost :- Rs. 76018.00 Earnest Money :- Rs. 1500.00

Time Limit :- Two Months.

Name of work:- Restoration of rain damages on Dharamshala Yol Dad Palampur road Km. 0/0 to 15/250 in Tehsil Dharamshala Distt. Kangra HP (Against Telecom Deposit) (SH:- C/o Retaining wall RD. 12/557 to 12/562).

ω		4	No.
Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimetres) diameters P.V.C. pipe extending through the full width of the structure with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specifications Clause 614, 709, 1204.3.7, as per direction of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate) 40 mm (forty inilimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of matishal within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, plasting work, jumper blasting work, soft and hard blasting and saturated soil do-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including shoring, shuttering and pumping de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc. consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	Description of Item
8.00 Numbers	13,12 Cubic metro	9.00 Cubic metre	Quantity
360.00	5050.00	365.00	Figures
Rupeas Three Hundred Sixty Only	Rupees Five Thousand Fifty Only	Rupees Three Hundred Sixty Five Only	Rate in Words
Each	Per Cubic metre	Per Cubic metre	Unit
2880.00	66256.00	3285.00	Amount

in words	the contractor	quoted by t	(Amount to be quoted by the contractor in words)	Quoted rate in Words (%)
r in fig	the contractor	quoted by	(Amount to be quoted by the contractor in figure)	described to the second
				Total
Per Cub metre	1100.00 Rupees One Per Cubic Thousand metre One Hundred Only	1100.00	3.27 cubic metre	Back filling behind abutment, wing wall and return wall complete as per drawing & Technical Specification Clause-1204.3.8 Granular material and as per the entire satisfaction and direction of Engineer – in- Charge Including carriage of materials within all leads, lifts and other incitiental. The rate is including octrol, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.

Executive Engineer, HPPWD (B&R) Division, DHARAMSALA





Estimate Cost :- Rs. 98518.00 Earnest Money :- Rs. 2000.00

Time Limit :- Two Month.

Name of work:- Restoration of rain damages on link road from Fatepur to Matour Km. 0/0 to 9/250 in Tehsil Dharamshala Distt. Kangra HP (SH:- C/o PCC Retaining wall RD: 5/572.40 to 5/576.15).

Sr.	1 Excavation in foundation, trenches etc. in earth we work, jumper work, pick jumper work, blasting we blasting and saturated soil, de-watering, including its prohibited, chiseling or any other mixed variety pumping out water upto any depth or any quontal arise during de-watering removal of slush and stall the stacked soil in 15cm (Fifteen centimeter) lay foundation etc; consolidating each deposited disposing of all excavated earth as directed by lifts of materials and other incidentals as per appoint the Engineer-in-Charge. The rates inclusive of conditional processing of the rates inclusive of conditional process.	2 Providing and laying cement co aggregate) 40 mm (forty millim
Description of Item	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including shoring, shuttering and pumping out watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Engineer-in-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc; consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, Markhana, toll taxes, GST and any other taxes imposed by the Government.	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge includion carriage of material within all large life and other hardwards. The respective content of the content of t
Quantity	3.21 Cubic metre	16.91 Cubic metre
Figures	350.00	5450.00
Rate in Words	Rupees Three Hundred Fifty Only	Rupeas Five Thousand Four Hundred
Unit	Per Cubic metre	Per Cubic metre
Amount	1,124,00	92,160.00

	or in words)	the contract	noted by	(Amount to be quoted by the contractor in words)	October Total in Words (%)	
	frankli iii io	the contract	quoted by	(Amount to be quoted by the contractor in rigorous	Ouoted rate in figure (%)	
98,518.00	as in figureal				sale tax or other taxes imposed by the Government. Total	
2,354.00	Per Cubic metro	Rupees One Thousand One Hundred Only	1100.00	2 14 cubic metre	other taxes imposed by the Government. Back filling behind abutment, wing wall and return wall complete as per drawing & Back filling behind abutment, wing wall and return wall complete as per drawing & Back filling behind abutment, wing wall and return wall complete as per the entire Technical Specification Clause-1204.3 8 Granular material and its per the entire satisfaction and direction of Engineer—in- Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octrol, royality, Malkana, toll tax.	4
2000	n O	Rupees Three Hundred Sixty Only	360 00	8 00 Numbers	Providing weep holes in brick masonry/stone masonry/plain reinforced concrete abutment, with return wall with 100mm (one hundred millimetres) diameters PVC pipe extending through the full width of the structure with slope of 1(v) 20(H) towards drawing face complete as per drawing and technical specifications Clause 614, 709, 1204-3.7 as per direction of Engineer-in-Charge including carriage of materials within all leads. Iffs and other incidental. The rate is including octroi, royality, Malkana, toll tax, GST or any	ω

Executive Engineer,
HPPWD (B&R) Division,
DHARAMSALA

Estimate Cost :- Rs. 98055.00 Earnest Money :- Rs. 2000.00

010

Name of work:- Restoration of rain damages on link road from Fatepur to Matour Km. 0/0 to 9/250 in Tehsil Dharamshala Distt. Kangra HP (SH:- C/o PCC Retaining wall RD. 5/576.15 to 5/578.90).

No.	_	N
. Description of Item	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard blasting and saturated soil, de-watering, including wedging out rocks where blasting work is prohibited, chiseling or any other mixed variety of soil, including shoring, shuttering and pumping out water upto any depth or any quontam of water including shoring, shuttering and pumping de-watering removal of slush and stacking the serviceable and un-serviceable material clear from the edge of excavation as direction of Englineer-In-Charge and retuning the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of foundation etc. consolidating each deposited layer by ramming, watering and then disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge, within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size.in retaining wall including the cost of centering, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.
Quantity	3.20 Cubic metre	16.90 Cubic metre
Figures	350.00	5450.00
Rate in Words	Rupees Three Hundred Fifty Only	Rupees Five Thousand Four Hundred Fifty Only
Unit	Per Cubic metre	Per Cubic metre
Amount	1,120.00	92,105.00

	r in tigure)	he contracto	uoted by the	(Amount to be quoted by the contractor in tigure) (Amount to be quoted by the contractor in words)	Quoted rate in lighte (%)	0
98,055.00					Total	-
2.310.00	Per Cubic metre	Rupees One Thousand One Hundred Only	1100 00	2 10 cubic metre	Back filling behind abutment, wing wall and return wall complete as per drawing & Technical Specification Clause-1204.3.8 Granular material and as per the entire satisfaction and direction of Engineer – in- Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royality, Malkana, toll tax, sale tax or other taxes imposed by the Government.	4
2520 00	Each	Rupees Three Hundred Sixty Only		7:00 Numbers 360:00	wing wall, return wall with 100mm (one hundred millimetres) diameters P.V.C. pipe extending through the full width of the structure with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specifications Clause 614, 709-1204-3.7, as per direction of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royality, Malkana, toll tax. GST or any other taxes imposed by the Government.	0 0 0 0 0 0 0

Executive Engineer,
HPPWD (B&R) Division,
DHARAMSALA



TIME LIMIT EARNEST MONEY: -ESTIMATED COST: -Rs. TWO MONTHS 99550.00 2000.00

NAME OF WORK :-Restoration of road Dharamshala to Khaniyara road in km 0/000 to 8/000 Dharamshala, Distt. Kangra H.P.

	rds)	(Amount to be quoted by the contractor in words)	be quote	Amount to	Quated Rate in Words (%)	
	ire)	(Amount to be quoted by the contractor in Figure)	be quote	Amount to	Quoted Rate in Figure (%)	
99550.00	TOTAL :-					
80550.00	Por Square metre	paise zero only	45.00	1790.00 Square metres	2 Making up loss of material / irregularities on shoulders to the design level by adding fresh approved selected soil and compacting in with appropriate equipement at OMC upto a lead of 1000m as per technical specification clause 1903, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	12
19000.00	Per running metre	Rupees four and paise Page 2 zero only	4.00	4750.00 Running metres	The maintenance of drains include erosion, repair, cleaning, reshaping, regarding, deepening of side drains as well as catch water drains as per technical specification Clause 1907, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	-
Amount	Unit	In words	la fig	Quantity	Description of items	No.

Executive Engineer, Dharamshala Division, HPPWO Dharamshala

ESTIMATED COST: - Rs. 99740.00

EARNEST MONEY: - Rs. 2000.00

TIME LIMIT : TWO MONTHS

(519)

NAME OF WORK :-Restoration of road Bagli Mashrehar road km 0/000 to 9/150 Dharamshala, Distt. Kangra H.P.

SUB-HEAD :- Repair of berms/ drain

	irds)	(Amount to be quoted by the contractor in words)	be quote	Amount to	Quated Rate in Words (%)	
	ure)	(Amount to be quoted by the contractor in Figure)	be quote	Amount to	Quated Rate in Figure (%)	
99740.00	TOTAL :-					
80325.00	Per Square metre	Rupees forty five and paise zero only	45.00	1785.00 Square metres	2 Making up loss of material / irregularities on shoulders to the design level by adding fresh approved selected soil and compacting in with appropriate equipement at OMC upto a lead of 1000m as per technical specification clause 1903, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	
19415.00	Per running metre	Rupees four and paise zero only	4,00	4853.80 Running metres	1 The maintenance of drains include erosion, repair, cleaning, reshaping, regarding, deepening of side drains as well as catch water drains as per technical specification. Clause 1907, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	1
Amount	Unit	In words	In fig	Quantity	Description of Items	No.

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala

37044.00 800.00 Two Months

(530

Construction of Pusta wall in Nallah near office Building of 9th Battalion of Home Guard at Dharamshala, Distt. Kangra H.P. (Deposit work) ESTIMATED COST:-EARNEST MONEY:-TIME LIMIT :

NAME OF WORK :-

N S	Description of items	A CONTRACTOR OF THE PARTY OF TH	Quantity	Quantity In fig.	10
	2		Ly.		4
ha i	Providing and fixing 40mm (forty millimetre) thick 2nd (second) class deodar wood wire guage shutters using galvanized Mild steel wire guage of IS guag designation 85 G with wire of dia 0.56 (Zero decimal fifty six millimetress) for doors, windows and clearstory windows including bright finished black enameled fron but hinges with necessary srews etc. complete within all leads, lifts of materials and other incidentals, as per approved drawing, design and as directed by the Engineer-in-Charge. The rate is including octrol, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.	Sing Sing but per	3 % .	16745-001	4.31 4850.00 Square metres
	2 Providing and fixing 40mm (forty millimetre) thick second class deodar wooden glazed and panelled shutter having infill panels of 12 mm (twelve millimetre) thick Phenol Bonded (Both Sides) Prelaminated BWP Grade partical Board in matt Finish ISI marked IS No. 12823 of action Tesa/ Greenlam/ Merinolam/ Kitlam/ vista in below lock rail and above lock rail infill panels of 6mm (six millimetre) thick glass panes of Modi Guard / saint Gobin , as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads. Iffs and other incidentals. The rate is inclusive of octrol, royality, makhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	ade a in a int the	tter 2.16 ade Square a in metres aint the e is	Telepoor I	2.16 Square metres
lu	Providing and fixing aluminium die cast body tubular type universal hydraulic door doser (having brand logo with ISI, ISI: 3564, embossed on the body, door weight upto 35 kg (thirty five kilogram) and door width upto 700mm (seven hundred millimetre) with necessary accessories and screws etcetera complete, of Dorma in three categories i.e. Commercial, standard and Premium complete, including cost and carriage of material, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.		go 2 oto Numbers al., er-		2 Numbers
	Providing and fixing 150x10mm (one hundred fifty into ten milimetre) size aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868.) transparent or dyed to required colour or shade, with necessary screws etcetera complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material, within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malichana, toll tax, sale tax, GST or any other taxes imposed by the Government.	9 5 7 6 5	s, ISI 4.00 uired Numbers tions Athin ST or	9 5 7 6 5	ISI 4.00 red Numbers ons
5 0	Providing and fixing 100x10mm (one hundred into ten millimetre) size aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material, within all leads, lifts and oth incidentals. The rate is inclusive of octrol, ruyality, malichana, toll tax, sale tax, GST or any other taxes imposed by the Government.		rked, 4.00 olour Numbers d as eads, other		4.00 Numbers

					C Total in Words
		**		The state of the s	C Total in Foure
		%		Less (-)	
		W.		Excess (+)	Onoted Rate in Figures) Percentage Excess (+)
37044.00	TOTAL :-				
	metre	Rupees Ninety Only	90.00	4.90 Square metres	9 Painting with synthetic ename! paint Asian / Dulux / Berger / Nerolac Suraksha paints of approved brand and manufacture of required colour to give an even shade two or more coats on old wood/ steel work , as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
	metre		65.00	Square metres	8 Applying priming cost With ready mixed pink or Grey primer of Asian / Dulux / Berger / Nerolac Suraksha paints of approved brand and manufacture on wood work (hard and soft wood), as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
319.00	Per Square	_	0000		and any other taxes imposed by the Government.
		Twenty Five Only	163000	Numbers	7 Providing and fixing 125mm (One hundred twenty five millimetre) size aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 (ten) as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete, as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST
500.00	Each	Dumone One Hundred	400.00	3	taxes imposed by the Government.
		Only		Numbers	Providing and fixing 100mm (One hundred millmetre) size aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 (ten) as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etcetera complete, as per approved drawing, design, specifications and as per with necessary screws etcetera complete, as per approved drawing, design, specifications and as per with necessary screws etcetera complete, as per approved drawing carriage of material within all leads, lifts directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST and any other
400.00	Each	Rupees One Hundred	100.00	400	2
1	0	5	4	ω	

Executive Engineer,
Dharamshala Division,
HPPWD Blaramshala

Estimate Cost :- Rs. 97319.00.00 Earnest Money :- Rs. 2000.00

Time Limit :- Two Month.

Name of work:- C/o Road from Adhunik Public School to Rikhi Ram house at Dharamshala in Distt. Kangra (Deposit work)(SH:- Providing and laying Interlocking paver block at Rd. 0/0 to 0/017).

Quoted ra	Quoted ra	Total	inclusive o	of the Eng	milimatre)	2 Providing a	modertals	sebsfaction	base concr	slumy mixe	Inick avera	including by	of NTC or a	_	No.
Quoted rate in Words (%)	Quoted rate in figure (%)		inclusive of octor, royality, Malkhana, toll taxes, GST and any other taxes imposed by the Government.	of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates	milimetre) normalise scent drain, open foundation, retaining was impound are control comments and entire satisfaction.	Providing and laying comets concrete 1.4.6 (1 centent, 4 coarse said a graded stone aggregator would not and	indepress. The raid is inclusive of octrol, royality, maistants and as a not of taxes imposed by the Government	satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts and other	base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire	slurry mixed with pigment to match the shade of blocks including curring rubbing and polishing complete (sub-	thick average trickness of coment mortar 1.4 (One coment : Four sand) like over and jointed with neat coment	including border or kurb block Grey or coloured over sub-base of concrete within 25mm (Twenty five milimetres)	of NTC or as approved by the HPPWD inter locking paver blocks wibro compacted upto M-50 (M-Fifty) grade	Providing and laying 60mm Sixty millimetres) thick inter lacking paver blocks, heavy duty precest cement concrete	Description of item
(Amount to	(Amount to	A tours and the					TRO CAR						20000	51.00 Square	Municipal
o quoted by	or doored of	a colored by					25000							1500.00	-
(Amount to be quoted by the contractor in words)	Amount to be quoted by the contractor in ingenty	the contractor in			Hundred - aty Carly	Thousand Four	Ruppe 4 Five						Hundred Only	Thousand Five	Words
words)	/manga	(entro)			meue		Per						metre	Square	
		1000	97319.00			1000	20,819.00							10000.00	76500 00

Executive Engiger,
HPPWD (B&R) Diassion,
DHARAMSALA



Estimate Cost :- Rs. 37207.00.00 Earnest Money :- Rs. 700.00 Time Limit :- Two Month.

Name of work:- C/o Road from Adhunik Public School to Rikhi Ram house at Dharamshala in Distt. Kangra (Deposit work)(SH:- Providing and laying Interlocking paver block at RD:0/017 to 0/023+5e)

			22	4		S.
Quoted rate in Words (%)	Quoted rate in figure (%)	Quoted rate in figure (%) Quoted rate in Words (%)	Providing and laying cement concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate) 40 mm (forty millimetre) nominal size in retaining wat including the cost of centuring, shuttering and finishing complete as per approved drawing, design, specifications and as per directions and untire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rates inclusive of octori, royality. Matkhana, toll taxes, GST and any other taxes imposed by the Government.	Providing and laying 60mm Stoty milimetres) thick inter locking paver blocks, heavy duty precast cement concrete of NTC or as approved by the HPPWD inter locking paver blocks vibro compacted upto M-50 (M-Fifty) grade including border or kurb block Grey or coloured over sub-base of concrete within 25mm (Twenty five milimetres) thick average thickness of cement mortar 1:4 (One cement : Four sand) fail over and jointed with neat cement slurry mixed with pigment to match the shade of blocks including curing rutbing and polishing complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, as per the entire satisfaction and direction of the Englineer-In-Charge including carriage of material within all leads, lifts and other notdentals. The rate is inclusive of other royality, malkana and all type of taxes imposed by the Government.	Description of term	
(Amount to be	(Amount to be	(Amount to be	1.46 Cubic metre	19.50 Square 1500.00 metre	Custody	Outstitu
quoted by	quoted by	quoted by	5450.00	1500.00	Figures	
(Amount to be quoted by the contractor in words)	(Amount to be quoted by the contractor in figure)	the contractor in v	Rupes: Five Thousand Four Hundred Fifty Only	Rupees One Thousand Five Hundred Only	Words	Kate in
words)	figure)	words)	Cubic	Square metre	0	
			7,957.00	29.250.00	7	Amount

Executive Engineer,
HPPWD (B&R) Drytsson,
DHARAMSALA





Estimate Cost :- Rs.91305.00 Earnest Money :-Rs.1800.00 Time Limit :- Two Month.

Name of work:- C/o link road from Sidhbari to Ratkar in Tehsil Dharamshala, Distt. Kangra H.P. (SH:- C/o U- Shape drain at Rd. 0/335 to 0/345).

	No.	Description of Item		Quantity	-
		Demolshing cement concrete 1:3:6 work by manually/ by mechanical means including stacking of cement concrete and disposal of unserviceable material at suitable as per the direction of Engineer - in- charge, including carriage of material within all leads, lifts and	0.0	2.05 Cubic metre	>
8		other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government (Note: - useful material obtain after	-		
40	-	dismantling / Demolsing will be stacked at suitable place as per the direction of the	Φ.		
		Engineer - in -charge and handed over to the department).			
00000	12	Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick		k 6,20 Cubic	
AK 1516	1	work, jumper work, pick-jumper work, blasting work, jumper blasting work, soft and hard		d metre	E
	ľ	blasting and saturated soil, de-watering, including wedging out rocks where blasting work		×	*
	10	is prohibited, chiseling or any other mixed variety of soil, including sharing, shuttering and			
	No.	pumping out water upto any depth or any quontam of water including slush which may be	100	10	30
70.0	ti.	The statise during de-watering removal of slush and stacking the serviceable and un-serviceable	470		
-	18.0	evation as a imaterial dear from the edge of excavation as direction of Engineer-In-Charge and retuning	200	<u>6</u>	<u> </u>
	1117 5334	the stacked soil in 15cm (Fifteen centimeter) layers, when required into plinths, sides of	0	o o	of
der		foundation etc; consolidating each deposited layer by ramming, watering and the	0	then	ien
0 80		is as the sulfits of materials and other incidentals as per approved drawing, design and as directed by	7 8	d by	by S
The same	6	the Engineer-in-Charge The rates inclusive of octori, royality, Malkhana, toll taxes, G	OS.	GST	ST
		and our other taxes imposed by the Coupernort			

T STORY

	r in words)	Amount to be quoted by the contractor in words)	quoted by	(Amount to be	Quoted rate in Words (%)	
	on agents	Amount to be gupted by the contractor in right of	quoted by	(Amount to be	The state of the s	
9100	in finure)	the contractor			octro, royality, Markana, toll tax, sale tax or other taxes imposed by the community Total	
0430500	Kilograme	One Hundred Five Only	105.00	639.00 Kilogram e	Steel work welded in built up sections/ framed work, of Tata/ Sall including outting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works, as per direction of Engineer-in-Charge, including carnage of materials within all leads, lifts and other incidentals. The rate is including	45
67095.00	metre	Five Thousand Four Hundred Fifty Only		metre	Provising and laying mechanically mixed and objected concrete for plan cement concert normals mix 1.3.6 (One coment isto three sand sto aix graded crushed stone aggregate 20nm (twenty millimeter) normals size), on ground or under water for all type of structure in drain edge walls and the like etcetera complete including pumping or trailing out water dewatering (surface(sub soil water)including temporal of slush which may arise at time of dewatering (surface(sub soil water)including contrat of form work and curing complete for 14 taying concrete for all heights/depths including cost of form work and curing complete for 14 (fourteen) days as per drawing and MORD Technical specification section 800, 900, 1200 and 1500 as per entire satisfaction and directions of Engineering charge, including carriage of 1500 as per entire satisfaction and other incidentals. The rate is including Octror, Royality materials within all leads, lifts and other incidentals. The rate is including Octror, Royality Malkana, toll tax,GST or any other taxes imposed by the Government.	9 3 3 5 5 5 5 7 7 7 8 3 7 9 5 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7

Executive Engineer,
HPPWD (B&R) Division,
DHARAMSALA

Name of work:- C/o link road from Sidhbari to Rakkar in Tehsil Dharamshala, Distt. Kangra H.P. (SH:- C/o U- Shape drain at Rd. 0/345 to 0/355).

Earnest Money :-Rs.1800.00 Estimate Cost :- Rs.91360.00

Sr.

The strong of th		- /-
A CONTROL OF THE PROPERTY OF THE PARTY OF TH	-4	No.
other incidentals. The rate is inclusive of octroi, royality, makhana, toll tax, sale tax, GST and any other taxes imposed by the Government (Note: useful material obtain after Engineer- in-charge and handed over to the department). Excavation in foundation, trenches etc. in earth work in all classification of soil such as pick work, jumper work, pick jumper work, blasting work, jumper blasting work, soft and hard is prohibited, chiseling or any other mixed variety of soil, including shoring, shutteing and arise during de-watering removal of slush and stacking the serviceable and un-serviceable the stacked soil in 15cm (Effeen centimeter) layers, when required into plinths, sides of disposing of all excavated earth as directed by the Engineer-in-Charge, within all leads, the Engineer-in-Charge. The rates inclusive of octori, royality, Maikhana, toll taxes, GST and any other taxes imposed by the Government.	Demolshing cement concrete 1:3:6 work by manually/ by mechanical means including	Description of Item
metre 6.30 Gubic metre	2.06 Cubic	Ougatitu
360.00	Figures 1150.00	R
Thousand One Hundred Fifty Only Rupees Three Hundred Sixty Only	Words	Rate in
Per Cubic metre		1000000
2,268.00	Amount	7

rinv	the contracto	quoted by	(Amount to be quoted by the contractor in words)	Quoted rate in figure (%)	1
n.	the contracto	cupted by	(Amount to be cupled by the contractor in figure)	10001	7
_				octroi, royality, Malkana, toli lax, sale tax or other taxes impused by the Committee	-
	Rupees One Hundred Five Only	105.00	639 08 Kilogram e	Steel work welded in built up sections/ framed work, of Tata/ Sail including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works, as per direction of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including	4
40		, and		(tourteen) days as per drawing and MORD Technical specification section accounts on the period of the satisfaction and directions of Engineer-in-charge, including carriage of malerials within all leads, lifts and other incidentals. The rate is including Octroi, Royality, Malkana, toll tax.GST or any other taxes imposed by the Government.	
Per Cubic metre	Rupees Five Thousand Four Hundred Fifty Only	5450 00	3.60 Cubic metra	trinkling and taying mechanically moved and vibrated concrete for plain coment concrete minimal mix 1.3.5. (One cettern use there sand also six graded crushed store aggregate /bain (twenty infilmeter) nominial size), on ground or inder water for all type of structure in drainledge wall, and the like letchera complete including pumping or basing out water, dewatering (surface/sub soil water)nothing removal of slush which may arise at time of things concrete for all heights/depths including cost of slush work and curing complete for 14 things concrete for all heights/depths including cost of slush work and curing complete for 14 things.	ω.

Executive Engineer, HPPWD (BZR) Division, DHARAMSALA

Name of work :- Construction Retaining wall Kangra Kala Kendra Buildining at Dharamshala Disti, Kangra (H.P) Deposit work (SH:- Construction of P.C.C. Retaining wall in Back Side of the building 20 3 Providing and laying 100mm (one Hundred millimeter) dia P.V.C pipe weep holes in brick masomy/stone masomy, plain 4 Back filling with granular material behind abutments, wing walls, return walls and returning walls complete as per drawing and Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and M.O.R.D. technical specification section 1200, 1600 and as per the direction and entire satisfaction of Engineer-in-Charge and MORD technical specification section 700 and 1200 and as per direction of Engineer-in- charge including carriage of rentferced concrete, Abutments, Wing walls, Return walls and retaining/breast walls extended through the full width within all leads, lifts of materials and other incidentals. The rate is including octros, royality, Malkana, toll tax, GST and including cost of form work and curing complete as per the direction of Engineer-in-charge including currage of material stone aggregate) 40mm (Forty milimetres) nominal size) for all type of structure like retaining wall / Breast wall etcetra specifications section 800, 900, 1200 and 1600 nominal mix 1:5:10 (One cement isto five sand isto ten graded/crushe Providing and Laying mechanically mixed and vibrated plain cement concrete as per drawings and MORD technical rate is including octroi, royality, Malkana, toll tax, GST or other taxes imposed by the Government. directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved and bracing, removal of stumps and other deleterious materials and disposal of materials, upto any lead and upto clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification parapets etecters in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royality, Malkana other taxes imposed by the Government. of the structure with slope I(V):20(H)(One vertical : Twenty Horizontal) towards draining face complete as per drawin any other taxes imposed by the Government. Octror, toll tax, GST or any other taxes imposed by the Government materials within all leads, lifts and other incidentals. The rate is including octrol, royality, Malkana, toll tax, GST and any Quoted Rate(in Figures) Percentage Description of Item SCHEDULE OF QUANTITY G.Total in Figures G. Total in Words Total Excess (+) Less (-) Quantity 10,00 17.94 10,45 595 In Figures 4850.00 360,00 360.00 950.00 Rate In Word **Bundred Sixty Only** Hundred Fifty Only Hundred Fifty Only Hundred Sixty Thousand Eight Rupees Three Rupees Three Rupces Nine Rupoes Four Only Earnest Money Rs. Estimated cost Rs. Time Limits 8 Per cubic Per cubic Per cubic metre metre metre Each Unit 87009.00 3762.00 Two Month Amount 3600,00 1853.00 96,224.00 2,000,00 96224.00

HP.PWC Dhamshala Dharanshala Division, Executive Engineer,

SCHEDULE OF QUANTITY

Name of work :- Repair of Hostel in Govt, Degree College at Dharamshala, Distt. Kangra H.P. (Deposit Work)

Γ		П	П		LJ.	2	- F	No. N	(SH:
G.Total in Words	G.Total in Figures	Chapter parted in calculated covenings	Total	Providing and fixing Complete box of cup board shall be made 19mm thick HDMR board with both side balancing lamination exterior grade 1S:12823 marked, of Uniply / Green ply/ Century ply / Kitply / Dura ply / Marino 1SI marked including shelves in shelves with screws and fitting wherever required, edges to be painted with polyurethane primer (fitting to be paid separately). Back side of 19mm thick board shall have 6 mm (Six millimetre) thick hard wood edging. The shutter from all side shall be finished with 19mm thick HDMR board ISI Marked of approved shade of Century / Greenlam /Action Tesa and 19 mm (Nineteen millimetre) thick HDMR board of uniply / Greenply for shelves including hinges, bandle knob megnatic catcher complete as per specifications, approved drawing, design, as per the entire satisfaction and direction of the Engineer-In-Charge as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-In-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of oction, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Providing and fixing 6 mm (sixty millenetre) thick Cement bonded wood particle board as per IS:14276 and ISI Marked IS No I2823. Action Testa / Kitlam / Greenlam / Merinolam / Vistapla in multipurpose cement board (Hight pressure steam cured) with suitable screws for cement particle board in ceiling etc. complete (frame work to be paid seperaturely), as per approved drawing, design, specifications and as per directions and entire satisfaction of the Engineer-in-Charge including curriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Providing and fixing Glazing with glass panes of 5.0mm (five decimal five zero millimetres) thickness weight not less than 13.75 kg/Sqm (thirteen decimal seventy five kilogram per square metre), as per approved drawing, design, specifications and as per directions and entire sutisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST and any other taxes imposed by the Government.	Providing and fixing Second class deodar wood 40mm (forty milimetres) thickenss shutters—panelled or panelled and glazed shutters for doors, windows and elerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- But hinges and necessary screws shall be paid separately); as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	Description of Item	Name of work: - Repair of Hostel in Govt. Degree College at Dharamshala, Distt. Kangra H.P. (Deposit Work) (SH:- Providing and Fixing Door window shutter, Glass panes and other minor repair work etcetera.
	1000	Less (-)		2.88	7.20	7.62	12.20	Quantity	
				\$950.00	1050.00	1200.00	5250.00	In Figures R.	
	200			Rupees Five Thousand Nine Hundred Fifty Only	Rupees One Thousand Fifty Only	Rupees One Thousand Two Hundred Only	Rupees Five Thousand Two Hundred Fifty Only	Rate In Word	Estimat Earnest)
		8 3		Per Square metre	Per Square metre	Per Square metre	Per Square metre	Unit	Estimated cost Rs. Earnest Money Rs. Time Limits
			97890.00	17136.00	7560.00	9144.00	64050.00	Amount	97,890.00 2,000.00 Two Month

(

paint, mater tax, (paint, mater tax, (paint, mater tax, C	paint,	2 Provi	of 1.2 screw carria	No.	90		(SH:- Provi	Name of we	
		Quoted Rate(in Figures) Percentage	Total	Providing and fixing 15mm (Fifteen milimetres) diametres nominal bore G.I. Pipes complete with G.I. fittig and Clampus including making ood the walls etc concealed pipe including painting with anit corrosive bitumastic paint, cutting chases and making good the wall—as per direction of Engineer-in-Charge, including carriage of materials within all leads. Hits and other incidentals. The rate is including octroi, royality, Malkana, toll tax, sale tax, GST or other taxes imposed by the Government.	Providing and fixing 20 mm (twenty millimetre) diametre chromium plated brass curtain rod having wall thickness of 1.25mm (one decimal twenty five millimetre) with two chromium plated brass brackets fixed with C.P. brass screws and PVC sloeves etc., wherever necessary complete, as per direction of Engineer-in-Charge including carriage of materials within all leads. Hifs and other incidental. The rate is including octroi, royality, Malkana, toll tax, GST or any other taxes imposed by the Government.		Description of Item		(SH:- Providing and Fixing Curtian road and other minor repair work in Type-III Quarter.	Name of work :- Construction of General Pooled Accommodation at Chelian Dharamshala, Distt. Kangra H.P. (Deposit Work)	SCHEDULE OF QUANTITY
	Less (-)	Excess (+)		261.00	79.20		Quantity		N. Thomas and a	eposit Wo	Y
				275,00	350.00	In Figures	Rate			rk)	
				Rupees Two Hundred Seventy Five Only	Rupces Three Hundred Fifty Only	In Word	ie a	Ti	Earnest N	Estimat	
	9%	200		Per running metre	Per running metre		Unit	Time Limits	Earnest Money Rs.	Estimated cost Rs.	
			99495.00	71775.00	27720.00		Amount	Two Month	2,000.00	99,495.00	

Executive Engineer, Dharamshald Division, HP.PWD Dharamshala

G.Total in Words

ESTIMATED COST: - ₹

EARWEST MONEY: ₹

98970.00 2000.00 One Month

TIME LIMIT :-

Special Repair & Maintenance of Govt. Degree College at Dharamshala in Distt. Kangra H.P. (Deposit work)

1	Description of demo	Quantity	ntity	RATES		Unit
Sr.	Description of scene			In fig	in words	
No.	,		ω	25	5	6
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor	194.20 Square	Square	19.00	Rupees nineteen and paise zero	Per Square metre
	at the rate of 0.30 kgs (Zero decimal three Zero kilogramme) per square metre on the				only	
	prepared bituminous surface cleaned with Hydraulic broom as per Technical					
	Specification Clause 503, as per direction of Engineer-in-Charge including carriage of					
	materials within all leads and lifts and other incidental. The rate is including octroi,					
	royality, Malkana, toll tax, GST or any other taxes imposed by the Government.			13300 00	Dispose transfer	Per Cubic
2	Providing and laying 30mm (Thirty milimetres) thick bituminous concrete with 100-120	6.55	metres	14300000	thousand three	metres
	TPH batch type HMP producing an average output of 75 tonnes per hour using crushed				hundred and	
	aggregates of specified grading, premixed with bituminous binder VG-10 (Viscosity grade				paise zero only	
	Ten) @ 5% (Five) per cent by weight of total mix and filler, transporting the hot mix to					
	work site, laying with a hydrostatic paver finisher with sensor control to the required					
	grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to					
	achieve the desired compaction as per MoRTH specification clause No. 509 as per					-
	direction of Engineer-in-Charge including carriage of materials within all leads and lifts					į.
	and other incidental. The rate is including octroi, royality, Malkana, toll tax, GST or any					

2.70 Cubic S450.00 Rupees five thousand four thousand four metres hundred fifty and paise zero only paise zero only (Amount to be quoted by the contractor in Figure)		actor in words)	d by the contra	(Amount to be quoted by the contractor in words)	
2.70 Cubic \$450,00 Rupees five thousand four metres hundred fifty and palse zero only		ctor in Figure)	d by the contra	amount to be quote	Quated Rate in Figure (%)
2.70 Cubic \$450,00 Rupees five Per Cubic thousand four metres hundred fifty and paise zero only		n		-	tax, sale tax, GST or any other taxes imposed by the Soveningens.
2.70 Cubic \$450,00 Rupees five Per Cubic thousand four metres hundred fifty and palse zero only					leads, lifts and other incidentals. The rate is inclusive of octroi, royality, malkhana, toll
2.70 Cubic \$450,00 Rupees five Per Cubic thousand four metres hundred fifty and palse zero only					entire satisfaction of the Engineer-in-Charge including carriage of material within all
2.70 Cubic \$450,00 Rupees five Per Cubic thousand four metres Nundred fifty and palse zero only					work, as per approved drawing, design and specifications and as per directions and
2.70 Cubic \$450,00 Rupees five Per Cubic thousand four metres hundred fifty and palse zero only					pumping or bailing out water complete for all heights/depths including the cost of form
2.70 Cubic \$450.00 Rupees five Per Cubic thousand four metres hundred fifty and palse zero only					(twenty milimetres) nominal size) in or under water and curing complete including
2.70 Cubic \$450.00 Rupees five Per Cubic thousand four metres hundred fifty and paise zero only					mix (1:3:6) (One cement : Three sand : Six graded crushed stone aggregate 20mm
2,70 Cubic \$450,00 Rupees five Per Cubic thousand four metres hundred fifty and		paise zero only			specifications Clause 802, 803, 1202 & 1203 using P.C.C. grade M-10 (M-Ten) nominal
2,70 Cubic 5450,00 Rupees five Per Cubic thousand four metres		hundred fifty and			in open foundations complete in road work as per drawings and MORD technical
Dor Cohir		ur .			3 Providing in laying mechanically mixed and virbrated concrete for plain cement concrete
	ubir 14715.00			1	Т

Executive Engineer,
Dharamshala Division,
HPPWPDFlavamshala.

Special Repair & Maintenance of Govt. Degree College at Dharamshala in Distt. Kangra H.P. (Deposit work)

TIMELIMIT

Two Months

99619.00

ESTIMATED COST: - ₹
EARNEST MONEY: ₹

SUB-HEAD :-

NAME OF WORK :-

Providing and laying Tack coat and 30mm thick bitumen concrete in college campus

No.	Description of Items	Quantity	Infig		in words
1	2		w		4
	2 Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor 1 at the rate of 0.30 kgs (Zero decimal three Zero kilogramme) per square metre on the	196.00	Square	Square 19,0 metres	Square 19,00 Rupees metres and pais
	bituminous surface cleaned with Hydraulic broom as per Technical				
	Specification Clause 503, as per direction of Engineer-in-Charge including carriage of				
	materials within all leads and lifts and other incidental. The rate is including octroi,				
	royality, Malkana, toll tax, GST or any other taxes imposed by the Government.				
N	Providing and laying 30mm (Thirty milimetres) thick bituminous concrete with 100-120	6,60			Cubic 12300.00
	TPH batch type HMP producing an average output of 75 tonnes per hour using crushed		metres	metres	metres thousand three hundred and
	aggregates of specified grading, premixed with bituminous binder VG-10 (Viscosity grade				paise zero only
	Ten) @ 5% (Five) per cent by weight of total mix and filler, transporting the hot mix to				
	work site, laying with a hydrostatic paver finisher with sensor control to the required				
	grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to				
	achieve the desired compaction as per MoRTH specification clause No. 509 as per				
	direction of Engineer-in-Charge including carriage of materials within all leads and lifts				
	and other incidental. The rate is including octrol, royality, Malkana, toll tax, GST or any				
	other taxes imposed by the Government.				





3 Providing in laying mechanically mixed and virbrated concrete for plain cement concrete in open foundations complete in road work as per drawings and MORD technical specifications Clause 802, 803, 1202 & 1203 using P.C.C. grade M-10 (M-Ten) nominal mix (1.3:6) (One cement : Three sand : Six graded crushed stone aggregate 20mm (twenty milimetres) nominal size) in or under water and curing complete including pumping or balling out water complete for all heights/depths including the cost of form work, as per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.
2.70 Cubic metres
2.70 Cubic
w

Executive Engineer, Dharamshala Division, HPPWD Dha amshala.



ESTIMATED COST:- X
EARNEST MONEY:- X
TIME LIMIT --

97616.00 2000.00 Two Months

NAME OF WORK :-

Providing and laying Tack coat and 30mm thick bitumen contrete in college campus Special Repair & Maintenance of Govt. Degree College at Oharamshala in Distr. Kangra H.P. (Deposit work)

No.		3		In fig	In words	
1	2	w		۵		5
I P	Providing and applying tack cost with 8thumen emulsion (RS-1) using emulsion distributor at the rate of 0.30 kgs (Zero decimal three Zero kilogramme) per square metre on the	190.50 Square metres	100 110	19.00	Rupees nineteen and paise zero only	neteen
p	prepared bituminous surface cleaned with Hydraulic broom as per Technical Specification					
0	Clause 503, as per direction of Engineer-in-Charge including carriage of materials within					
o o	all leads and lifts, and other incidental. The rate is including octroi, royality, Malkana, toll					
리	tax, GST or any other taxes imposed by the Government.					
2 Pr	Providing and laying 30mm (Thirty milimetres) thick bituminous concrete with 100-120	6,45 Cubic		12300.00	Rupers twelve	No.
=	TPH batch type HMP producing an average output of 75 tonnes per hour using crushed	metres	S		hundred and	1 00
36	aggregates of specified grading, premixed with bituminous binder VG-10 (Viscosity grade				paise zero only	App
T	Ten) @ 5% (Five) per cent by weight of total mix and filler, transporting the hot mix to					
W	work site, laying with a hydrostatic paver finisher with sensor control to the required					
to.	grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to					
ac	achieve the desired compaction as per MoRTH specification clause No. 509 as per					
d	direction of Engineer-in-Charge including carriage of materials within all leads and lifts					
ac	and other incidental. The rate is including octrol, royality, Malkana, toll tax, GST or any					
7	Othor thurs in the Committee of the Comm					





		ictor in words)	by the contra	(Amount to be quoted by the contractor in words)	(Amo	Quated Rate in Words (%)
		ictor in Figure)	by the contra	(Amount to be quoted by the contractor in Figure)	(Amo	Quoted Rate in Figure (%)
97516.00	TOTAL :-					
						other taxes imposed by the Government,
					- V	incidentals. The rate is inclusive of octroi, royality, malkhana, toll tax, sale tax, GST or any
					TO.	of the Engineer-in-Charge including carriage of material within all leads, lifts and other
					0	approved drawing, design and specifications and as per directions and entire satisfaction
					9	bailing out water complete. for all heights/depths including the cost of form work, as per
					9	milimetres) nominal size) in or under water and curing complete including pumping or
	1				Yty	(1:3:6) (One cement : Three sand : Six graded crushed stone aggregate 20mm (twenty
		paise zero only			otix	specifications Clause 802, 803, 1202 & 1203 using P.C.C. grade M-10 (M-Ten) nominal mix
	metres	thousand four		metres	8	in open foundations complete in road work as per drawings and MORD technical
14661.00	Per Cubic		5450,00	2.69 Cubic		3 Providing in laying mechanically mixed and virbrated concrete for plain cement concrete
7	on.	¥7	4	3		2

Executive Engineer, Oharamshab Division, HPPWD Divisionshald.

Schedule of Quantity

EARNEST MONEY:-

TIME LIMIT :

99500.00 2000.00 Two Months

Restoration of damages on Dharamshala Yol Dadh Palampur Road km 0/000 to 15/250 in Tehsil Dharamshala, Distt. Kangra H.P.

Providing and laying Paver Block at RD 6/581 to 6/620 R.H.S. Berms (Telecom Deposit)

SUB-HEAD:

	Description of items Q	Quantity		RATES
	2	ù.	4	5
Earth work in excavation for electera in all type of classi	s retaining walls, breast walls, culverts, drains and parapets ary soil, ordinary rock, hard rock chiseling /wedging out rocks	8.00 Cubic	00.02E	Rupees three hundred fifty and
(Where blasting is prohibite	_	metres		paise zero only
of the Engineer- In - Charg	of the Engineer- In - Charge including setting out, shoring and bracing, removal of stumps and other deleterious materials			
and disposal of materials u	and disposal of materials upto any lead and lift including dressing of sides and bottom and back filling in trenches with			
excavated suitable approve	excavated: suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetres)			
compacted thickness inclu	compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub-soil water) upto			
any depth and any quanta	any depth, and any quantam of water including cleaning of slush which may arrise out during dewatering, as per direction			
of Engineer-in-Charge, inclu	of Engineer-in-Charge, including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi,			
royality, Malkana, toll tax, 6	royality, Malkana, toll tax, GST or any other taxes imposed by the Government.			
Providing, laying, spreading	Providing, laying, spreading and compacting stone aggregate of size 63mm to 45mm (sixty three millimeter to forty five	4.00	2250.00	Rupees two thousand
millimeter) Grading-II size	millimeter) Grading-It size (75mm (seventy five millimeters) compacted thickness) to water bound Macadam specification	Cubic		two hundred fifty and
including spreading in unif-	including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred)	canau		The second second
K.N. static roller in stages	K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-8 of size 11.2mm			
(Eleven point two milmets	(Eleven point two milimetres) nominal size at the rate of 0.20 cum (zero point two zero) cubic metres per 10 sqm (per ten			
square metres) and binding	square metres) and binding material at the rate 0.05 cum (zero point zero six cubic metre) to fill up the interstices of coarse			
aggregate, watering and o	aggregate, watering and compacting to the required density as per MORD technical specifications clause No. 405 and as			
per approved drawing, des				
including carriage of mater	per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge			
toll tax, sale tax, GST or any	per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana,			
Providing and laying mech	per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government.	4.00	5950.00	Rupees five thousand
plain cement concrete gra-	per approved drawing, design and specifications and as per directions and entire satisfaction of the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is inclusive of octrol, royality, malkhana, toll tax, sale tax, GST or any other taxes imposed by the Government. Providing and laying mechanically mixed and virbrated plain cement in open foundations for all type of structure using	Cubic		nine hundred fifty
stone aggregate 20mm (Tw	-	metres		and passe zero dray
bailing out water, dewater				
complete for all heights/ de				
section 800,900 and 1200 a				
other incidental. The rate is including octroi, royality, Malkana, toll tax, sale tax or any type of taxes imposed by the				

	words)	(Amount to be quoted by the contractor in words)	to be quot	(Amount	Quarter research (MC)
	Figure)	(Amount to be quoted by the contractor in Figure)	to be quot	(Amount	Outled Bittle In Floure (%)
99600.00	TOTAL :-				of taxes imposed by the Government.
0.000.00	Per square metre	Rupees one thousand Per square six hundred and paise metre zero only	1600.00	40.00 Square metros	Providing and laying 80mm (eighty millimetres) thick inter-locking power-blocks heavy duty precast cement concrete of NTC or as approved by the HPPWD inter-locking power-blocks vibro compacted upto M-50 (M-Fifty) grade including border or kurb-block Grey or coloured over sub-base of concrete within 25mm (Twenty five millimetres) thick average thickness of coment mortar 1.4 (One cement i Four sand) laid over and pointed with neat cement durry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete (sub-base concrete floor to be paid for separately) as per specification, approved drawing, design, all per the either satisfaction and direction of the Engineer-In-Charge including carriage of material within all leads, lifts aidd other incidentals. The rate is inclusive of octrol, royality, malkana and all type
	0	9	16	4	

Executive Engineer,
Dharamshala Division,
HPPWD Dharamshala