

"NOTICE INVITING TENDERS"


Sealed percentage rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, HP.PWD., Division Jaisinghpur on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **30.05.2025 up to 11:00 A.M.** and the same shall be opened on the same day at **11:30 A.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **28.05.2025 up to 4:00 PM** and the application for issue of tender form shall be received on **27.05.2025 up to 4:00 PM**. The applications for issue of tender forms should accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates / Saving Account of the Post Office / Time Deposit account / FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP.PWD., Division Jaisinghpur.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for **75 days**:-

Sr. No.	Name of Work	Estimated Cost (Rs.)	EMD	Time limit	Cost of tender form
1	C/O Jeepable road from Main road Towards Baldev Singh House (SH:-C/O E/wall) Deposit SDP/2022/865	79507.00	2000.00	Two month	350/-
2	Completion of Ambulance road from Toni Devi Mandir to Mahesh Rana House Village Jagrupnagar Ward No.4 (SH:- P/L CC Pavement at RD 0/00 to 0/029) SDP/2022/852	79460.00	2000.00	Two month	350/-
3	R/O Jeepable road alongwith Tile work from Main road to Bhuria Basti Parnoh (SH:- P/L 60 mm thick paver block Km 0/00 to 0/034) (Deposit SDP/2024/961)	96150.00	2000.00	Two month	350/-
4	Completion of / renovation of Durga Mahila Mandal Mungal (SH:- P/F one No. gate in Mahila Mandal Bhawan Mungal) SDP/2022/229	49950.00	1000.00	Two month	350/-
5	C/O Play Ground at Govt. Sr. Sec. School at Kotlu Tehsil Jaisinghpur Distt. Kangra (HP) (SH:-Peripheral Marking for Ground Perimeter) (Sports Deposit)	96895.00	2000.00	Two month	350/-
6	R/O Concrete work of link road from Sonu Kumar House (Dadu) to W. No. 5 Bheri (SH:-P/L CC Pavement at Rd 0/250 to 0/279.10) SDP/2024/968	99760.00	2000.00	Two month	350/-
7	Restoration of rain damages on Link road From Mandh Khad Pul to Bari nadol (Bhoota Da Gaon) Km 0/00 to 2/850 (SH:-Hiring of JCB for Removal of slips and boulder at various reaches between Km 0/00 to 2/850)	99990.00	2000.00	Two month	350/-
8	R/O Jeepable road alongwith Tile work from Main road to Bhuria Basti Pamoh (SH:- P/L 60 mm thick paver block Km 0/034 to 0/068) (Deposit SDP/2024/961)	96150.00	2000.00	Two month	350/-
9	C/O Play Ground at Govt. Sr. Sec. School at Kotlu Tehsil Jaisinghpur Distt. Kangra (HP) (SH:-Peripheral Marking for Ground Perimeter) (Sports Deposit)	98803.00	2000.00	Two month	350/-
10	Restoration of rain damages on Kangain Ghar Jamula road Km 0/00 to 1/405 (SH:- Hiring of JCB for Removal of slips and boulder at various reaches between Km 0/00 to 1/405)	99880.00	2000.00	Two month	350/-
11	Restoration of rain damages on Bhawarna Jhunga Devi Road Km 15/500 to 26/300 (SH:-Restoration of Hume pipe culvert i/c C/O D/S Toewall along with wing wall from RD 16/100 to 16/115.65) Job-I	99012.00	2000.00	Two month	350/-
12	R/O Concrete work of link road from Sonu Kumar House (Dadu) to W. No. 5 Bheri (SH:-P/L CC Pavement at Rd 0/280 to 0/309.50) SDP/2024/968	99346.00	2000.00	Two month	350/-
13	R/O Jangal to Oach Lallan road Km 0/00 to 11/00 (SH:-C/O RCC crash barrier of existing slab culvert at RD 0/300) Deposit SDF/2024/1264	99990.00	2000.00	Two month	350/-
14	Restoration of rain damages on Bhawarna Jhunga Devi Road Km 15/500 to 26/300 (SH:-Restoration of Hume pipe culvert i/c C/O D/S Toewall along with wing wall from RD 16/100 to 16/115.65) Job-II	99262.00	2000.00	Two month	350/-
15	C/O Link road from main road Dolla to Shamshan Ghat Meete ka Nala Mohal Lahru Km 0/00 to 1/700 (SH:-P/L CC Pavement at Rd 0/360 to 0/390) Deposit BSP/2024/52	99689.00	2000.00	Two month	350/-

16	C/O Ambulance road from Mehar Singh House to Gogu House W.No.2 GP Jangal Km 0/00 to 0/400 (SH:-P/L CC Pavement at Rd 0/00 to 0/036) Deposit MMG/2024/37	99956 00	2000 00	Two month	350/-
17	Restoration of rain damages by rain caushed to the road in Netri village (SH:-P/L C.C pavement km 0/060 to 0/097) (Deposit SDF/2023/801)	98783.00	2000 00	Two month	350/-
18	Consultancy services for C/O Multipurpose Indoor Spotsr Hall at Jaisinghpur Distt. Kangra H.P. (Sh: - Consultancy Services for Preparation of Preliminary Project report Architectural drawing Option -I) sports Deposit	99500 00	2000 00	Two month	350/-
19	Consultancy services for C/O Multipurpose Indoor Spotsr Hall at Jaisinghpur Distt. Kangra H.P. (Sh: - Consultancy Services for Preparation of Preliminary Project report Architectural drawing Option -II) sports Deposit	99500 00	2000.00	Two month	350/-

Certified that above works are of urgent nature and tenders are being called in exigency of works and in public interest.


Executive Engineer
Jaisinghpur Division
HP.PWD., Jaisinghpur.
(On behalf of Governor of Himachal Pradesh)

No.PWD/JSPR/CB/Tenders/2025-26-


12/2-21

Dated:

22-5-25

Copy to the following for information and necessary action:-

1. The Chief Engineer (K.Z.) HP.PWD., Dharamshala.
2. The Superintending Engineer, 5th Circle. HPPWD, Palampur.
3. The Executive Engineer (IT) O/O E-in-C, HP.PWD., Shimla.
- 4-6. All the Assistant Engineer under this Division.
- 7-8. The Drawings / Accounts Branch in this office.
9. N.I.T. Register.
10. Notice Board.


Executive Engineer
Jaisinghpur Division
HP.PWD., Jaisinghpur.

SCHEDULE OF QUANTITY

Name of work :-C/O Jeepable road from Main road Towards Baldev Singh House (SH:-C/O E/wall) Deposit SDP/2022/865

Name of work :-C/O Jeepable road from Main road Towards Baldev Singh House (SH:-C/O E/wall) Deposit SDP/2022/865						Estimated cost Rs.		79507.00
						Earnest Money Rs.		2000.00
						Time Limits		Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount		
			In Figures	In Word				
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	7.75	225.00	Rupees Two Hundred Twenty Five Only	Per Cubic Metre	1744.00		
2	Providing and laying cement concrete 1:5:10 (One cement: five sand: ten graded crushed/broken stone aggregate 40mm nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	18.25	3750.00	Rupees Three Thousand Seven Hundred Fifty Only	Per Cubic Metre	68438.00		
3	Back filling with granular materials behind abutment, Retaining wall/Breast wall, Wing walls and the like complete as per drawings and MORD technical specification section 1200, 1600 and as per direction and entire satisfaction of the Engineer-in-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	3.50	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre	3325.00		

SCHEDULE OF QUANTITY

Name of work :- Completion of Ambulance road from Tonni Devi Mandir to Mahesh Rana House Village Jagrupnagar Ward No.4
(SH:- P/L CC Pavement at RD 0.00 to 0.029) SDP/2022/852

Estimated cost Rs.	79460.00
Earnest Money Rs.	2000.00
Time Limits	Two Month

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. static roller in stages to proper grade and camber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	5.48	2100.00	Rupees Two Thousand One Hundred Only	Per Cubic Metre	11508.00
2	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	10.96	6200.00	Rupees Six Thousand Two Hundred Only	Per Cubic Metre	67952.00
		Total				79460.00
		Excess (+)			%	
		Less (-)			%	
		G.Total in Figures				
		G.Total in Words				

Executive Engineer,
Jaisinghpur Division,
H.P.W.D Jaisinghpur

Name of work :- R/O Jeepable road alongwith Tile work from Main road to Bhuria basti parnoh (SH:-P/L 60 mm thick paver block Km 0.00 to 0.034) (Deposit SDP/2024/961)

SCHEDULE OF QUANTITY

SCHEDULE OF QUANTITY										
Name of work :- R/O Jeepable road alongwith Tile work from Main road to Bhuria basti parnoh (SH.-P/L 60 mm thick paver block Km 0.00 to 0.034) (Deposit SDP/2024/961)								Estimated cost Rs.		96150.00
								Earnest Money Rs.		2000.00
								Time Limits		Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount				
			In Figures	In Word						
1	Providing and laying cement concrete 1:4:8 (One cement: four sand: eight graded crushed/broken stone aggregate 40mm (forty millimetre) nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	2	4200.00	Rupees Four Thousand Two Hundred Only	Per Cubic Metre	8400.00				
2	Providing and laying 60 mm thick Interlocking M-40 grade Concrete paver block pavement conforming to ISI 15658:2006 having thickness 60mm (sixty millimetre) as per drawings and Technical Specification Clause 1504 (The execution of interlocking paver block shall be allowed after duly testing from the authorized labs) and as per the directions of Engineer-In-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	81.60	1000.00	Rupees One Thousand Only	Per square metre	81600.00				
3	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana,Tol tax, GST or any other taxes imposed by the Government.	1	6150.00	Rupees Six Thousand One Hundred Fifty Only	Per Cubic Metre	6150.00				
		Total							96150.00	
		Quoted Rate (in Figures) Percentage	Excess (+)		%					
			Less (-)		%					
		G.Total in Figures								
		G.Total in Words								

Executive Engineer,
Jaisinghpur Division,
H.P. PWD Jaisinghpur

SCHEDULE OF QUANTITY

SCHEDULE OF QUANTITY							
Name of work :-Compl Of RENOVATION OF DURGA MAHILA MANDAL Mungal (SH:- P/F one No. gate in Mahila mandal Bhawan Mungal) SDP/2022/229						Estimated cost Rs.	49950.00
						Earnest Money Rs.	2000.00
						Time Limits	Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount	
			In Figures	In Word			
1	Steel work welded in built up sections/ Framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malikana, toll tax, GST and all type of other taxes imposed by the Government.	540.00	92.50	Rupees Ninety Two And Paise Fifty Only	Per Kiliogram	49950.00	
		Total				49950.00	
			Excess (+)		%		
			Less (-)		%		
	Quoted Rate (in Figures) Percentage						
	G.Total in Figures						
	G.Total in Words						

Executive Engineer,
Jaisinghpur Division,
H.P.PWD Jaisinghpur

Name of work :- C/O Play Ground at Govt. Sr. Sec. School at Kotlu Tehsil Jaisinghpur Dist. Kangra (HP) (SH:-Peripheral Marking for Ground Perimeter) (Sports Deposit)

SCHEDULE OF QUANTITY

Name of work :-C/O Play Ground at Govt. Sr. Sec. School at Koltu Tehsil Jaisinghpur Distt. Kangra (HP) (SH--Peripheral Marking for Ground Perimeter) (Sports Deposit)										Estimated cost Rs.		96865.00
										Earnest Money Rs.		2000.00
										Time Limits		Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount						
			In Figures	In Word								
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and hauling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	13.50	300.00	Rupees Three Hundred Only	Per cubic Metre	4050.00						
2	Providing and laying cement concrete 1:5:10 (One cement five sand ten graded crushed/broken stone aggregate 40mm nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	4.50	3950.00	Rupees Three Thousand Nine Hundred Fifty Only	Per Cubic Metre	17775.00						
3	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (one cement six coarse sand twelve graded stone aggregate 20 mm (Twenty millimetre) nominal size) upto plinth level with Cement mortar 1:6 (one cement Six coarse sand) including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government	14.00	5360.00	Rupees Five Thousand Three Hundred Sixty Only	Per Cubic Metre	75040.00						
Total						96865.00						
Quoted Rate (in Figures) Percentage					%							
					%							
G.Total in Figures												
G.Total in Words												

Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :-R/O Concrete work of link road from Sonu Kumar House (Dadu) to W. No. 5 Bheri (SH:-P/L CC Pavement at Rd 0/250 to 0/279.10) **SDP/2024/968**

0/250 to 0/279.10) SDF/2024/968									
S. N.		Description of Item				Estimated cost Rs.		99760.00	
		Earnest Money Rs.				2000.00			
		Time Limits				Two Month			
1	Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. static roller in stages to proper grade and canber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	Quantity	Rate		Unit	Amount			
			In Figures	In Word					
6.88	2100.00	Rupees Two Thousand One Hundred Only	Per Cubic Metre	14448.00					
2	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	13.76	6200.00	Rupees Six Thousand Two Hundred Only	Per Cubic Metre	85312.00			
Total						99760.00			
Quoted Rate (in Figures) Percentage		Excess (+)			%				
		Less (-)			%				
G.Total in Figures									
G.Total in Words									



Executive Engineer,
Jaisinghpur Division,
HP.PWD Jaisinghpur

Estimated cost Rs.	99990.00
--------------------	----------

Earnest Money Rs.	2000.00
-------------------	---------

Time limits	Two month
-------------	-----------

S.N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Hiring of Hydraulic Excavator of 1 cum bucket capacity @45 cum/hour for cutting/widening work of road or removal of slips in all kinds of soil and disposing of all excavated earth or un-serviceable materials from road surface upto any leads and lifts up to any height and depth as per direction and entire satisfaction of Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the J.C.B./Excavator owner which shall have to be fully compensated by the contractor in all cases. The fuel and the operational staff for machinery will be provided by the owner. The repair and spare watch and ward of machinery also be borne by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-Charge. Note:- The hire charges of plant machinery on per hour basis	90.90	1100.00	Rupess One Thousand One Hundred Only	Per Hour	99990.00
	Total					99990.00
	Quoted Rate (in Figures) Percentage				%	
	G.Total in Figures				%	
	G.Total in Words				%	

Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- R/O Jeepable road alongwith Tile work from Main road to Bhuria basti panoh (SI:-P/L 60 mm thick paver block Km 0/034 to 0/068) (Deposit SDP/2024/961)


SCHEDULE OF QUANTITY							Estimated cost Rs.	96150.00
Name of work :- R/O Jeepable road alongwith Tile work from Main road to Bhuria basti parmah (SH:-P/L 60 mm thick paver block Km 0.034 to 0.068) (Deposit SDP/2024/961)							Earnest Money Rs.	2000.00
							Time Limits	Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount		
			In Figures	In Word				
1	Providing and laying cement concrete 1:4:8 (One cement: four sand: eight graded crushed broken stone aggregate 40mm (forty millimetre) nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	2	4200.00	Rupees Four Thousand Two Hundred Only	Per Cubic Metre	8400.00		
2	Providing and laying 60 mm thick Interlocking M-40 grade Concrete paver block pavement conforming to ISI 15658:2006 having thickness 60mm (sixty millimetre) as per drawings and Technical Specification Clause 1504 (The execution of interlocking paver block shall be allowed after duly testing from the authorized labs) and as per the directions of Engineer-In-Charge including carriage of materials within all leads, lifts and other incidental. The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government.	81.60	1000.00	Rupees One Thousand Only	Per square metre	81600.00		
3	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana,Tol tax, GST or any other taxes imposed by the Government.	1	6150.00	Rupees Six Thousand One Hundred Fifty Only	Per Cubic Metre	6150.00		
Total							96150.00	
Quoted Rate (in Figures) Percentage			Excess (+)		%			
			Less (-)		%			
G.Total in Figures								
G.Total in Words								

Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- C/O Play Ground at Govt. Sr. Sec. School at Kotlu Tehsil Jaisinghpur Distt. Kangra (HP) (SH.-Peripheral Marking for Ground Perimeter) (Sports Deposit)


Name of work :-C/O Play Ground at Govt. Sr. Sec. School at Kollu Tehsil Jaisinghpur Distt. Kangra (HP) (SH:-Peripheral Marking for Ground Perimeter) (Sports Deposit)									
SCHEDULE OF QUANTITY									
S. N.	Description of Item	Quantity	Rate		Unit	Amount			
			In Figures	In Word					
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock chiselling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and hauling out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during devaltering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	13.77	300.00	Rupees Three Hundred Only	Per cubic Metre	4131.00			
2	Providing and laying cement concrete 1:5:10 (One cement five sand ten graded crushed/broken stone aggregate 40mm nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	4.59	3950.00	Rupees Three Thousand Nine Hundred Fifty Only	Per Cubic Metre	18131.00			
3	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (one cement six coarse sand twelve graded stone aggregate 20 mm (Twenty millimetre) nominal size) upto plinth level with Cement mortar 1:6 (one cement Six coarse sand) including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge. The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	14.28	5360.00	Rupees Five Thousand Three Hundred Sixty Only	Per Cubic Metre	76541.00			
Total						98803.00			
Quoted Rate (in Figures) Percentage			Excess (+)		%				
			Less (-)		%				
G.Total in Figures									
G.Total in Words									


 Executive Engineer,
 Jaisinghpur Division,
 HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain damages on Kangain Ghar Jamula road Km 0/00 to 1/405 (SH:-Hiring of JCB for Removal of slips and boulder at various reaches between Km 0/00 to 1/405)

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Hiring of Hydraulic Excavator of 1 cum bucket capacity @45 cum/hour for cutting/widening work of road or removal of slips in all kinds of soil and disposing of all excavated earth or un-serviceable materials from road surface upto any leads and lifts up to any height and depth as per direction and entire satisfaction of Engineer-in-charge. Any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall be the absolute responsibility of the J.C.B./Excavator owner which shall have to be fully compensated by the contractor in all cases. The fuel and the operational staff for machinery will be provided by the owner. The repair and spare watch and ward of machinery also be borne by the contractor/owner. The daily log book will be maintained at site which should be duly verified by the Engineer-in-Charge. Note:- The hire charges of plant machinery on per hour basis	90.80	1100.00	Rupees One Thousand One Hundred Only	Per Hour	99880.00
	Total					99880.00
	Quoted Rate (in Figures) Percentage	Excess (+) Less (-)			% %	
	G.Total in Figures					
	G.Total in Words					


 Executive Engineer,
 Jaisinghpur Division,
 HP.PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain damages on Bhawarna Jhunga Devi Road Km 15/500 to 26/300 (SH:- Restoration of Hume pipe culvert i/c C/O D/S Toewall along with wing wall from RD 16/100 to 16/115.65) Job-1

Name of work :-Restoration of rain damages on Bhawarna Jhunga Devi Road Km 15/500 to 26/300 (SH:-Restoration of Hume pipe culvert i/c C/O D/S Toewall along with wing wall from RD 16/100 to 16/115.65) Job-1							Estimated cost Rs.	99012.00
							Earnest Money Rs.	2000.00
							Time Limits	Two Month
S. N.	Description of Item	Quantity	Rate		Unit	Amount		
			In Figures	In Word				
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling/ wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	17.10	220.00	Rupees Two Hundred Twenty Only	Per Cubic Metre	3762.00		
2	Providing and laying cement concrete 1:4:8 (One cement: four sand: eight graded crushed/broken stone aggregate 40mm (forty millimetre) nominal size) and curing complete, excluding cost of form work in foundation and plinth including carriage of material in all leads and lifts and other incidentals complete and as per the entire satisfaction and direction of Engineer-in-Charge The rate is inclusive of octroi, royalty, malkana, toll tax, GST and all type of other taxes imposed by the Government.	22.5	4200.00	Rupees Four Thousand Two Hundred Only	Per Cubic Metre	94500.00		
3	Providing 100mm (one Hundred millimetre) dia ISI marked P.V.C. pipe Weep Holes in brick masonry/stone masonry plain/ reinforcement concrete abutments, wing wall/ return wall, retaining walls and breast walls, extending through the full width of the structure with slope of 1 (V):20H (One vertical : twenty Horizontal) towards draining face complete as per drawing and MORD technical specification section 700.1200 and as per the direction and entire satisfaction of Engineer-in-Charge complete, including carriage of materials with in all leads, lifts and other incidentals. The rate is including Royalty, Malkana, Octroi, toll tax, GST or any other taxes imposed by the Government.	3.00	250.00	Rupees Two Hundred Fifty Only	Per Running Metre	750.00		
Total						99012.00		
Quoted Rate (in Figures) Percentage		Excess (+)			%			
		Less (-)			%			
G.Total in Figures								
G.Total in Words								


 Executive Engineer,
 Jaisinghpur Division,
 H.P.W.D. Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- R/O Concrete work of link road from Sonu Kumar House (Dadu) to W. No. 5 Bheri (SH:-P/L CC Pavement at Rd 0/250 to 0/279.10) SDP/2024/968

Estimated cost Rs. 99346.00
 Earnest Money Rs. 2000.00
 Time Limits Two Month

S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. static roller in stages to proper grade and camber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	6.86	2100.00	Rupees Two Thousand One Hundred Only	Per Cubic Metre	14406.00
2	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	13.7	6200.00	Rupees Six Thousand Two Hundred Only	Per Cubic Metre	84940.00
		Total				99346.00
		Quoted Rate (in Figures) Percentage	Excess (+)		%	
			Less (-)		%	
		G.Total in Figures				
		G.Total in Words				

Executive Engineer,
 Jaisinghpur Division,
 HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- R.O Jangal to Oach Kallian road Km 0.00 to 11.00 (SH:-C/O RCC crash barrier of existing slab culvert at RD 0300) Deposit SDF/2024/1264

Estimated cost Rs. 99990.00

Earliest Money Rs. 2000.00

Time Limits Two Months

S.N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	C/O Reinforced cement concrete crash barrier at the bridge decks and approaches to bridge structures, constructed with M-40 (M-forty) grade concrete with HYSD reinforcement conforming MoRTH Specification and as per details given IRC-5 including dowel bars, expansion joints filled filled with pre-moulded asphalt filler board etcetra and approved drawing and at locations directed by the Engineer, all as specified as per drawings and MoRTH technical specification section 800 and as directions of Engineer-in-Charge including carriage of materials within all loads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	16.00	5864.10	Rupees Five Thousand Eight Hundred Sixty Four And Paise Ten Only	Per running Metre	93826.00
2	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With Water thinnable cement primer on wall surface having VOC content less than 50 grams/litre. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	43.10	48.00	Rupees Forty Eight Only	Per Square Metre	2069.00
3	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete on concrete work. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	43.10	95.00	Rupees Ninety Five Only	Per Square Metre	4095.00
Total						99990.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
		Less (-)			%	
G.Total in Figures						
G.Total in Words						

Executive Engineer,
Jaisinghpur Division,
HP&WD Jaisinghpur

SCHEDULE OF QUANTITIES

Name of work : C.C. Link road from main road Dulla to Shamshan Chai Nete ka Nala Mohal Jabrai Km 0.00 to 1.700 (SIT-P.L.
C.C. Pavement at Rd 0.500 to 0.500) Deposit BSP 2024/82

CC Pavement at Rd 0.500 to 0.500 Deposit BSP 2024/82									
S. N.		Description of Item	Quantity	Estimated cost Rs.		Earnest Money Rs.		Time Limits	
				In Figures	In Word	2000.00	Two Month		
1		Providing laying, spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken crushed stone aggregate of size 6.3mm to 4.75mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform static roller in stages to proper grade and camber packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government.	6.86	2150.00	Rupees Two Thousand One Hundred Fifty Only	Per Cubic Metre	14749.00		
3		Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	13.7	6200.00	Rupees Six Thousand Two Hundred Only	Per Cubic Metre	84940.00		
				Total				99689.00	
Quoted Rate (in Figures) Percentage				Excess (+)		%			
				Less (-)		%			
G.Total in Figures									
G.Total in Words									

Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur


SCHEDULE OF QUANTITY

Name of work :- C/O Ambulance road from Mehar Singh House to Gogu House W.No.2 GP Jangal Km 0/00 to 0/400 (SH:-P/L CC Pavement at Rd 0/00 to 0/036) Deposit MMG/2024/37

Estimated cost Rs. 99956.00
Earnest Money Rs. 2000.00

Time Limits Two Month


S. N.	Description of Item	Quantity	Rate		Unit	Amount
			In Figures	In Word		
1	Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. static roller in stages to proper grade and canber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	0.79	2100.00	Rupees Two Thousand One Hundred Only	Per Cubic Metre	1659.00
3	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	15.88	6190.00	Rupees Six Thousand One Hundred Ninety Only	Per Cubic Metre	98297.00
Total						99956.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
		Less (-)			%	
G.Total in Figures						
G.Total in Words						


Executive Engineer,
Jaisinghpur Division,
HP PWD Jaisinghpur

SCHEDULE OF QUANTITY

Name of work :- Restoration of rain damages by rain caushed to the road in Neuri village (SH:-P/L C.C pavement km 0/060 to 0/097)
(Deposit SDF/2023/801)


(Deposit SDF/2023/801)									
Calculation of Rain damages by rain causted to the road in Neuri village (SH:-P/L C.C pavement km 0/060 to 0/097)									
S. N.	Description of Item	Quantity	Estimated cost Rs.				Time Limits		
			Earnest Money Rs.		Rs.		Two Month		
1	Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred) K.N. static roller in stages to proper grade and camber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government	4.37	2100.00	Rupees Two Thousand One Hundred Only	Per Cubic Metre	9177.00			
2	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :1:2:4 (One cement : Two coarse sand : four graded stone aggregate 20mm (Twenty millimetre) nominal size) in foundation and footing including carriage of materials within all leads and lifts and other incidentals. The rate includes octroi, royalty, Malkana, Tol tax, GST or any other taxes imposed by the Government.	14.57	6150.00	Rupees Six Thousand One Hundred Fifty Only	Per Cubic Metre	89606.00			
Total						98783.00			
Quoted Rate (in Figures) Percentage			Excess (+)		%				
			Less (-)		%				
G.Total in Figures									
G.Total in Words									


Executive Engineer,
Jaisinghpur Division,
HP.PWD Jaisinghpur

Estimated cost Rs.	99500.00
Earnest Money Rs.	2000.00

Executive Engineer,
Jaisinghpur Division,
HP/PWD Jaisinghpur

SCHEDULE OF QUANTITY						
Name of work :- Consultancy services for C/O Multipurpose Indoor Sports Hall at Jaisinghpur Distt. Kangra H.P. (Sh: - Consultancy Services for Preparation of Preliminary Project report Architectural drawing Option -II) sports Deposit)				Estimated cost Rs.	99500.00	
				Earnest Money Rs.	2000.00	
				Time Limits	Two Month	
S. N.	Description of Item	Quantity	In Figures	Rate	Unit	Amount
1	Consultancy Services for preparation of Preliminary Project report Architectural drawing complete in all respect in manuscript form If any correction/amendment has desired by the head office the same may be corrected as desired and directed by the Engineer - Incharge . After approval the same should be submitted in fair form complete.The The rate is inclusive of, toll tax, GST and all type of other taxes imposed by the Government. Option -II	1.00	99500.00	Rupees Ninety Nine Thousand Five Hundred Only	Each	99500.00
Total						99500.00
Quoted Rate (in Figures) Percentage		Excess (+)			%	
		Less (-)			%	
G.Total in Figures						
G.Total in Words						


 Executive Engineer,
 Jaisinghpur Division,
 HP.PWD Jaisinghpur