

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDER**

Sealed item rate / percentage rate tender are hereby invited on Form No. 6& B by the Executive Engineer, Bhoranj Division, HPPWD, Bhoranj on behalf of the Governor of Himachal Pradesh for the following works from the approved and eligible contractors/ firms of appropriate class enlisted in HPPWD (B&R) whose registration stood registered under the H.P. General Sales tax Act, 1968. As per latest instructions so as to reach and open in his office as per time schedule given below. The offer of the tender will be kept open for 20 days from the date of opening of the tenders. The undersigned reserves the right to reject any or all the tenders without assigning any reasons.

- 1. Date of receipt of Applications for tender form a/w requisite documents:- 26-06-2025 upto 10.00 AM to 11:00 AM.)**
- 2. Date of issue/Sale of tender forms against Cash payment (Non- refundable) 26-06-2025 (3:00 PM to 5.00 PM)**
- 3. Date of receipt of Tender:- 28-06-2025 at 10.30 AM.**
- 4. Date of opening of Tender:- 28-06-2025 at 11.30 AM.**

| Sr. No. | Name of Road | Estimated Cost | Earnest Money | Time | Cost of Tender Form | Eligible class of Contractor |
|---------|---|----------------|---------------|------------|---------------------|------------------------------|
| 1 | A/R & M/O Manoh to Lagmanwin km 0/00 to 2/600 (SH:- C/O R/wall at RD 0/530 to 0/536.50) | 99065/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 2 | A/R & M/O Manoh to Lagmanwin km 0/00 to 2/600 (SH:- C/O R/wall at RD 0/536.50 to 0/543) | 99065/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 3 | R/R damages on Bassi Tikkar road (SH:-C/O R/wall at RD 2/013.50 to 2/022) | 96510/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 4 | R/M damages on Bassi Tikkar road (SH:- C/O R/wall at RD 2/005 to 2/013.50) | 96510/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 5 | Repair and maintenance of Panjot to Bagwara via Lalyar road km 0/00 to 4/500 (SH:- C/O R/wall at RD 2/030 to 2/036) | 91211/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 6 | Repair and maintenance of Panjot to Bagwara via Lalyar road Km 0/00 to 4/500 (SH:- C/O R/wall at Rd 2/044 to 2/050) | 90072/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 7 | R/M on Panjot to Dharyara to link road Darbiar School km 0/00 to 1/400 (SH:- C/O R/wall at RD 0/710 to 0/715) | 98885/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 8 | Repair and maintenance on Panjot to Dharyara to link road Darbiar School km 0/00 to 1/400) (SH:- C/O R/wall at RD 0/717 to 0/722) | 98885/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 9 | R/R damages on link road to village Salwin km 0/00 to 0/720 (SH:- C/O R/wall at RD 0/540 to 0/545) | 99323/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 10 | R/R damages on link road to village Salwin km 0/00 to 0/720 (SH:- C/O R/wall at RD 0/545 to 0/550) | 99323/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 11 | Repair and maintenance of Una Aghar Mandi Old road km 79/00 to 91/00 (SH:- C/O U Shape drain at RD 90/870 to 90/920) LHS | 97930/- | 2000/- | Two Months | Rs. 350/- | Class-D |

| | | | | | | |
|----|--|---------|--------|------------|-----------|---------|
| 12 | Repair and maintenance on Una Mandi old road Km 79/00 to 91/00 (SH:- C/O U- Shape drain at RD 90/870 to 90/920) (R.H. Side) | 97930/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 13 | Restoration of rain damages on various roads under HPPWD Bhoranj Sub Division. (SH:- Dressing and cutting , filling road side Berms/ shoulders & unlined drain) (Bhareri Section) | 99437/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 14 | Restoration of rain damages on various road under HPPWD Bhoranj Sub Division (SH:- Dressing and cutting, filling road side Berms/ shoulder & unlined drain) Patta Section | 99687/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 15 | R/M of link road Damuie to Karyali Km 0/00 to 1/00 (SH:- Maintenance of earthen shoulder 0/250 to 0/595 and unlined drain in Km 0/660 to 1/00) | 99339/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 16 | R/M of link road Damuie to Karyali km 0/00 to 1/00 (SH:- Maintenance of earthen shoulder 0/00 to 0/250 and unlined surface drain in km 0/00 to 0/660) | 99677/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 17 | Repair & maintenance on Chatrail to Dadu road Km 0/00 to 1/200. (SH:-P/L interlocking paverblock at RD 0/913 to 0/921.50) | 95755/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 18 | Repair & maintenance on Chatrail to Dadu road Km 0/00 to 1/200 (SH:- P/L interlocking paverblock at RD 0/921.50 to 0/930) | 95755/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 19 | R/R damages on Awahdevi Bagwara Gharan Dera Parol road Km 0/00 to 9/750 (SH:- C/O R/wall at RD 0/390 to 0/394) | 99824/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 20 | R/R damages on Awahdevi Bagwara Gharan Dera Parol road km 0/00 to 9/750 (SH:- C/O R/wall at RD 0/396 to 0/400) | 99824/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 21 | Repair and maintenance on Tikker Khatrian to Kulhera road Km 0/00 to 2/500 (SH:- C/O R/wall at RD 2/110 to 2/114) | 94541/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 22 | Repair and maintenance of Tikker Khatrian to Kulhera road km 0/00 to 2/500 (SH:- C/O R/wall at RD 2/100 to 2/104) | 91789/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 23 | C/O link road to village Ghumarwin km. 0/00 to 1/500 (SH:- P/L GSB and cc pavement at RD 0/524 to 0/554) (Under SCDP) | 99450/- | 2000/- | Two Months | Rs. 350/- | Class-D |
| 24 | C/O link road to village Ghumarwin km 0/00 to 1/500 (SH:- P/L GSB and CC pavement at RD 0/584 to 0/614) (Under SCDP) | 99450/- | 2000/- | Two Months | Rs. 350/- | Class-D |

The earnest money in the shape of National Saving Certificate/ Time Deposit/ saving account of any post office or FDR of Nationalized Bank duly pledged in the name of undersigned must be accompanied with each tender. The Conditional tender and tender not accompanying the earnest money in the proper mode of deposit with summarily be rejected.

The Tender documents to be sent should have invariable be waxed in sealed cover and in failure of that those will not be entertained.

The Copy of valid enlistment, GST Registration No. Income Tax PAN No. & EPF No. must be attached with application.

TERMS AND CONDITIONS:-

The tender form will be issued to those contractors who have relevant machinery and equipment, the list of which any be attached with their applications (The proof of ownership of machinery/ legal tie up arrangement).

The tender forms will not be issued to those contractors whose performance is not found satisfactory.

The tender form will not be issued to those contractors who have already two works in hand. The earnest money for the above work should be submitted with the application for the purchase of the tender forms. The application received without earnest money shall summarily be rejected.

The conditional/ ambiguous/ telephonic tenders or tender by fax shall not entertain considered in any case.

(i) No Violation of social distancing.

(ii) Mandatorily wearing of face cover by everyone.

(iii) It is further added that any violation of the National directives & guidelines of containment of pandemic Covid-19 is liable for prosecution under section of IPC 1860.

Certified that the above work is of emergent nature in exigency of Public interest.

Executive Engineer
Bhoranj Division
HPPWD Bhoranj

For and on behalf of Governor of HP.

Dated:- 18-06-2025

No:-PW/BHD/TA/NIT/2024-

3118-58

Copy forwarded for information & necessary action to:-

1. The Engineer-in-Chief, Nirman Bhawan Nigam Vihar, HP:PWD., Shimla.
2. The Chief Engineer (HZ) HPPWD., Hamirpur.
3. The Superintending Engineer, 8th Circle HPPWD, Hamirpur.
4. All the Superintending Engineers/ Executive Engineers in HP.PWD.
5. The Deputy Commissioner, Hamirpur.
6. The Tehsildar, Bhoranj.
7. The B. D. O. Bhoranj.
8. The Municipal Committee, Bhoranj.
9. All the Assistant Engineers working under this Division.
10. Accounts Branch/ Drawing Branch/ Notice Board.
11. LokMitra, Bhoranj.
12. Various Contractors/ Firms.

Executive Engineer,
Bhoranj Division,
HPPWD, Bhoranj.

SCHEDULE OF QUANTITY

NAME OF WORK:- A/R & M/O Manoh to Lagmanwin km. 0/00 to 2/600 . (SH:- C/O R/Wall at RD 0/530 to 0/536.50.)

Estimated Cost
Earnest Money
Time

Rs 99065/-
Rs. 2000/-
2 month

| Sr No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|------------------------------|--|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trendches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 11.44 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per directon of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 21.50 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg.per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals.The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 12.00 | Each | | | |
| Total | | | | | | |
| Terms and Condition:- | | | | | | |

1.Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HB PWD Bhoranj

SCHEDULE OF QUANTITY

NAME OF WORK:- A/R & M/O Manoh to Lagmanwin km. 0/00 to 2/600 . (SH:- C/O R/Wall at RD 0/536.50 to 543.)

Estimated Cost
Earnest Money
Time
Rs 99085/-
Rs. 2000/-
2 month
Amount

| Sr No | Description of Items | Quantity | Unit | Rate | Rate in Words | Amount |
|-------|---|----------|-----------------|------|---------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 11.44 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 21.50 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 12.00 | Each | | | |
| | Total | | | | | |
| | Terms and Condition:- | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
R/R PWD Bhoranj

NAME OF WORK :- R/M Damages on Bassi Tikkar road (SH:- C/O R/Wall at RD 2/013.50 to 2/022.)

SCHEDULE OF QUANTITY

Estimated Cost
Earnest Money
Time

Rs 96510/-
Ps. 2000/-
2 month

| Sr No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|------------------------------|--|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiselling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 8.53 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement five sand ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 19.98 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brickstone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. De-plastrinolex/ vecus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (1/V) 20H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 12.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 5.69 | Per Cubic Meter | | | |
| Total | | | | | | |
| Terms and Condition:- | | | | | | |

1. Work shall be executed as per PWD specification

Executive Engineer
Bhoranj Division,
HP PWD Bhoranj

SCHEDULE OF QUANTITY

NAME OF WORK:- R/M Damages on Bassi Tikkar road (SH:- C/O R/Wall at RD 2/005 to 2/013.50.)

Estimated Cost
Earnest Money
Time

Rs 96510/-
Rs. 2000/-
2 month

| Sr No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|-----------------------|---|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring and structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 8.53 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement: five sand: ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 19.98 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 12.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8. and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 5.69 | Per Cubic Meter | | | |
| Total | | | | | | |
| Terms and Condition:- | | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
H.P.W.D Bhoranj

SCHEDULE OF QUANTITY

NAME OF WORK:- Repair and Maintenance on Panjot to Bagwara via Lalyar road km. 0/00 to 4/500 . (SH:- C/O R/Wall at RD 2/030 to 2/036.)

Estimated Cost
Earnest Money
Time

Rs 94211/-
Rs. 2000/-
2 month

| Sr No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|-------|---|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring a structring and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive ocdrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.06 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive ocdrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 18.92 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive ocdrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 10.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive ocdrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 4.98 | Per Cubic Meter | | | |
| | Total | | | | | |
| | Terms and Condition:- | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
H/PWD Bhoranj

SCHEDULE OF QUANTITY

OF WORK:- Repair and Maintenance on Panjot to Bagwara via Lalayar road km. 0/00 to 4/500 . (SH--: C/O R/Wall at RD 2/044 to 2/050.)

Estimated Cost
Earnest Money
Rs. 2000/-
Rs 90072/-
2 month
Amount

| Sl No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|------------------------------|--|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.96 | Meter Per Cubic | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water , dewatering removal of slush as required at sites which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 18.92 | Meter Per Cubic | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimetre) dia PVC pipe De-plastic/nozzle/vecur pipe having pressure 4kg per centimetre square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (1V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204,3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204,3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of toll tax,sale tax or other taxes imposed by the Government. | 3.72 | Meter Per Cubic | | | |
| Terms and Condition:- | | | | | | |
| Total | | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HR PWD Bhoranj

SCHEDULE OF QUANTITY

ORK-: Repair and Maintenance on Panjot to Dharyara to link road Darbar School km. 0/00 to 1/400 . (SH:- C/O R/Wall at RD 0/77 to

Estimated Cost
Earnest Money
Rs. 2000/-
Rs 98885/-
2 month
Amount

| Description of Items | Quantity | Unit | Rate | Rate in Words | Time | Amount |
|---|----------|-----------------|------|---------------|------|--------|
| Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of slumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted (surface and sub soil water) upto any depth and any quantity of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 12.93 | Per Cubic Meter | | | | |
| Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pump/ing out water, dewatering removal of slush as required at site which may arise at the time per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 20.77 | Per Cubic Meter | | | | |
| Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe De-plast/finoles/ vecus pipe having pressure 4kg per centimeter square, (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (1V). 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.00 | Each | | | | |
| Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge 1) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of toll tax,sale tax or other taxes imposed by the Government. | 4.60 | Per Cubic Meter | | | | |
| Total | | | | | | |
| Terms and Condition:- | | | | | | |

1 Work shall be executed as per PWD specification.

Executive Engineer
Bhorani Division
H.P.W.D Bhorani

SCHEDULE OF QUANTITY

WORK:- Repair and Maintenance on Panjot to Dharyara to link road Darbiar School km. 0/00 to 1/400 . (SH:- C/O R/Wall at RD 0/717 to

Estimated Cost
Earnest Money
Time

Rs 98885/-
Rs. 2000/-
2 month

| 0 | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|---|--|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 12.93 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement: five sand: ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 20.77 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe. De-plast/finolex/ vectus pipe having pressure 4kg per centimeter square. (four kilogram per centimeter square) extending through the full width of the structures with slopes of 1(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 4.60 | Per Cubic Meter | | | |
| | Total | | | | | |
| | Terms and Condition:- | | | | | |

1 Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HR PWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- R/R Damages on link road to village Salwin km. 0/00 to 0/720. (SH:- C/O R/Wall at RD 0/540 to 0/545.)

Estimated Cost
Earnest Money
Rs. 2000/-
Rs 99323/-
2 month
Amount

| Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|--|----------|-----------------|------|----------------|--------|
| Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiselling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 12.00 | Per Cubic Meter | | | |
| Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 20.81 | Per Cubic Meter | | | |
| Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimetre) dia PVC pipe. De-plaster/rod/wall having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (1V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of toll tax,sale tax or other taxes imposed by the Government. | 5.20 | Per Cubic Meter | | | |
| Total | | | | | |
| Terms and Condition:- | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HM PWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- R/R Damages on link road to village Salwin km. 0/00 to 0/720. (SH:- C/O R/Wall at RD 0/545 to 0/550.)

| Sl. No. | Description of Items | Quantity | Unit | Rate | Estimated Cost | Rs 99323/- |
|---------|---|----------|-----------------|------|----------------|------------|
| | | | | | Earnest Money | Rs. 2000/- |
| | | | | | Time | 2 month |
| | | | | | Rates in Words | Amount |
| | Work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 12.00 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand:ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 20.81 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm (one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg. per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 5.20 | Per Cubic Meter | | | |
| | Total | | | | | |
| | Terms and Condition:- | | | | | |

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HNPWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- Repair and Maintenance on Una Aghar mandi Old Road km. 79/00 to 91/00.(SH:-C/O U-shape drain at RD 90/870 to 90/920.)

Estimated Cost
Earnest Money
Time

Rs 97930/-
Rs. 2000/-
2 month

| Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|---|----------|-----------------|------|----------------|--------|
| Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trendches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 46.25 | Per Cubic Meter | | | |
| 2 Providing and laying cement concrete 1:4:8 (1cement :4:sand : 8 graded stone aggregates 40mm nominal size) and curing complete including cost of form work in foundation and plinth.as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 3.38 | Per Cubic Meter | | | |
| 3 Providing and laying mechanically mixed cement concrete(M-20)(M-twenty) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 12.00 | Per Cubic Meter | | | |
| Total | | | | | |
| Terms and Condition:- | | | | | |

1.Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HR PWD Bhoranj

SCHEDULE OF QUANTITY

OF WORK:- Repair and Maintenance on Una Aghar mandi Old Road km. 79/00 to 91/00.(SH:-C/O U-shape drain at RD 90/870 to 90/920.)

Estimated Cost
Earnest Money
Time

Rs 97930/-
Rs. 2000/-
2 month

| Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|--|----------|-----------------|------|----------------|--------|
| 1 Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and fts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 46.25 | Per Cubic Meter | | | |
| 2 Providing and laying cement concrete 1:4:8 (1cement :4:sand : 8 graded stone aggregates 40mm nominal size) and curing complete including cost of form work in foundation and plinth.as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 3.38 | Per Cubic Meter | | | |
| 3 Providing and laying mechanically mixed cement concrete(M-20)(M-twenty) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 12.00 | Per Cubic Meter | | | |
| Total | | | | | |
| Terms and Condition:- | | | | | |
| 1.Work shall be executed as per PWD specification. | | | | | |

Executive Engineer
Bhoranj Division
HR PWD Bhoranj

SCHEDULE OF QUANTITY

NAME OF WORK:- Restoration of Rain damages on various road under HPPWD Bhoranj sub-Division.
(SH:- Dressing and Cutting, filling road side Berms/shoulders & unlined drain) (Bharat Section)

Estimated Cost
Earnest Money
Time

Rs 99437/-
Rs. 2000/-
2Months

| Sr No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|-------|---|----------|------------------|------|----------------|--------|
| 1 | Maintenance of earthen shoulder filling with fresh selected soil/maintenance of earthen shoulder stripping of excess soil making up loss of material irregularities on shoulders to the design level by adding fresh approved soil and compacting with appropriate equipment as per technical specification clause no 1903 including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 942.00 | Per square metre | | | |
| 2 | Construction of unlined surface drain of average cross sectional area 0.40 Sqm in soil to specified lines, grades, level and dimensions. Excavated material to be used in embankments with a lift up to 3 Mtr. and lead of 50 Mtr. (average lead 25 m) as per technical specification clause 307 as directed by the engineer in charge including entire carriage of material in all lead and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 710.00 | Per Running Mtr. | | | |
| | Total | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HPPWD Bhoranj

NAME OF WORK:- Restoration of Rain damages on various road under HPPWD Bhorani sub-Division.

SCHEDULE OF QUANTITY

(SH:- Dressing and Cutting, filling road side Berms/shoulders & unlined drain) (Patta Section)

| Sr No | Description of Items | Quantity | Unit | Rate | Estimated Cost | |
|--------------|--|----------|------------------|------|-----------------------|---|
| | | | | | Earnest Money Time | Rs 99687/- Rs. 2000/- 2Months Amount |
| 1 | Maintenance of earthen shoulder filling with fresh selected soil/maintenance of earthen shoulder stripping of excess soil making up loss of material irregularity on shoulders to the design level by adding fresh approved soil and compacting with appropriate equipment as per technical specification clause no 1903 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 945.00 | Per square metre | | | |
| 2 | Construction of unlined surface drain of average cross sectional area 0.40 Sqm in soil to specified lines, grades, level and dimensions . Excavated material to be used in embankments with a lift up to 3 Mtr. and lead of 50 Mtr. (average lead 25 m) as per technical specification clause 307 as directed by the engineer in charge including entire carriage of material in all lead and lifts and other incidentals . The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 710.00 | Per Running Mtr. | | | |
| Total | | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhorani Division
HPPWD Bhoraing

SCHEDULE OF QUANTITY

NAME OF WORK:- R/M of link road Damuie to Karyali km. 0/00 to 1/00.

Maintenance of earthen shoulder 0/250 to 0/595 and unlined surface drain in km. 0/660 to 1/00).

Estimated Cost
Earnest Money
Time

Rs. 99339
Rs. 2000/-
2Months

| No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|-------|--|----------|------------------|------|----------------|--------|
| 1 | Maintenance of earthen shoulder filling with fresh selected soil/maintenance of earthen shoulder stripping of excess soil making up loss of material irregularities on shoulders to the design level by adding fresh approved soil and compacting with appropriate equipment as per technical specification clause no 1903 including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 1069.50 | Per square metre | | | |
| 2 | Construction of unlined surface drain of average cross sectional area 0.40 Sqm in soil to specified lines, grades, level and dimensions. Excavated material to be used in embankments with a lift up to 3 Mtr. and lead of 50 Mtr. (average lead 25 m) as per technical specification clause 307 as directed by the engineer in charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 345.00 | Per Running Mtr. | | | |
| Total | | | | | | |

Terms and Condition:-

1 Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
H.P.W.D Bhoranj

OF WORK:-R/M of link road Damule to Karyali km. 0/00 to 1/00.
Maintenance of earthen shoulder 0/00 to 0/250 and unlined surface drain in km. 0/00 to 0/660)

SCHEDULE OF QUANTITY

Estimated Cost
Earnest Money
Time

Rs. 99677
Rs. 2000/-
2Months

| No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|--------------|--|----------|------------------|------|----------------|--------|
| 1 | Maintenance of earthen shoulder filling with fresh selected soil/maintenance of earthen shoulder stripping of excess soil making up loss of material irregularities on shoulders to the design level by adding fresh approved soil and compacting with appropriate equipment as per technical specification clause no 1903 including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 962.50 | Per square metre | | | |
| 2 | Construction of unlined surface drain of average cross sectional area 0.40 Sqm in soil to specified lines, grades, level and dimensions. Excavated material to be used in embankments with a lift up to 3 Mtr. and lead of 50 Mtr. (average lead 25 m) as per technical specification clause 307 as directed by the engineer in charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive of octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 660.00 | Per Running Mtr. | | | |
| Total | | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HR&PWD Bhoranj

WORK:- Repair & Maintenance on Chattrail to Dadu road Km. 0/00 to 1/200.
Interlocking paverblock at RD 0/913 to 0/921.50/.

SCHEDULE OF QUANTITY

Estimated Cost Rs. 9575/-
Earnest Money Rs. 2000/-
Time 2 Months

| Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|---|----------|------------------|------|----------------|--------|
| Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil, ordinary rock, hard rock, chiselling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoofing and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts including dressing of sides and bottom and back filling in trenches with excavated millimetre) compacted thickness including shoofing an structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 8.32 | Per Cubic Meter | | | |
| 2 Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-chargeWith material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 5.54 | Per Cubic Meter | | | |
| 3 Providing concrete for plain/ reinforced concrete in P.C.C. grade M-10 (nominal mix 1:3:6 (one cement : three sand : six graded crushed stone aggregate) 40mm(forty millimeters) nominal size in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 3.59 | Per cubic metre | | | |
| 4 Providing and laying heavy duty precast cement concrete interlocking paver blocks vibro compacted upto M-50(M-fifty) grade including border or kurb block grey or coloured over sub base of concrete with 25mm (twenty millimeters) thick average thickness of cement 1:4 (one cement: four sand) laid over and jointed with neat cement slurry mixed with pigment to match the shade of blocks including curing rubbing and polishing complete (sub base concrete) floor to be paid for 80mm(eighty millimeters) thick inter locking blocks (MTC Tile), and as per direction of the Engineer-in-charge including entire carriage of materials within all leads and lifts including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 34.42 | Per square meter | | | |
| 5 Providing and laying in position specified grade of reinforced cement concrete, including the cost of centering, shuttering, finishing and reinforcement. - All work up to plinth level 1:1.5:3 (1 cement : 1.5 coarse sand): 3 graded stone aggregate 20 mm nominal size/as per direction of Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 1.53 | Per Cubic Meter | | | |
| Total | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification

Executive Engineer
Bhoranj Division
HP PWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- R/R Damages on Awahdevi Bagwara Gharan Dera Parol Road km. 0/00 to 9/750 . (SH:- C/O R/Wall at RD 0/390 to 0/394.)

Estimated Cost
Earnest Money
Time

Rs 99824/-
Rs. 2000/-
2 month

Description of Items

| | Quantity | Unit | Rate | Rates in Words | Amount |
|---|----------|-----------------|------|----------------|--------|
| Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of slumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trendches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 10.32 | Per Cubic Meter | | | |
| 2 Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 21.00 | Per Cubic Meter | | | |
| 3 Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg.per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| 4 Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 5.40 | Per Cubic Meter | | | |
| Total | | | | | |
| Terms and Condition:- | | | | | |

1.Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HR PWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- R/R Damages on Awahdevi Bagwara Gharan Dera Parol Road km. 0/00 to 9/750 . (SH:- C/O R/Wall at RD 0/396 to 0/400.)

Estimated Cost
Earnest Money
Time

Rs 99824/-
Rs. 2000/-
2 month

| Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|--|----------|-----------------|------|----------------|--------|
| 1 Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trendches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 10.32 | Per Cubic Meter | | | |
| 2 Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per directon of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 21.00 | Per Cubic Meter | | | |
| 3 Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg.per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of I(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| 4 Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 5.40 | Per Cubic Meter | | | |
| Total | | | | | |
| Terms and Condition:- | | | | | |

1.Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
HP PWD Bhoranj

SCHEDULE OF QUANTITY

OF WORK:- Repair and Maintenance on Tikker Khathian to Kulhera Road km. 0/00 to 2/500 . (SH:- C/O R/Wall at RD 2/110 to 2/114.)

Estimated Cost
Earnest Money
Time
Rs 94541/-
Rs. 2000/-
2 month

| No | Description of Items | Quantity | Unit | Rate | Rates in Words | Amount |
|-------|---|----------|-----------------|------|----------------|--------|
| 1 | Earth work in excavation for all types of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock, chiseling/Wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trenches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structing and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 9.32 | Per Cubic Meter | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 19.84 | Per Cubic Meter | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/nolex/ vecus pipe having pressure 4kg per centimeter square. (four kilogramme per centimeter square) extending through the full width of the structures with slopes of (1V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer-in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 6.00 | Each | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material, including entire carriage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax, sale tax or other taxes imposed by the Government. | 5.40 | Per Cubic Meter | | | |
| Total | | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
H.P. PWD Bhoranj

SCHEDULE OF QUANTITY

Work:- Repair and Maintenance on Tikker Khatrian to kulhera Road km. 0/00 to 2/500 . (SH:- C/O R/Wall at RD 2/100 to 2/104.)

| Sl. No. | Description of Items | Quantity | Unit | Rate | Estimated Cost | Earnest Money | Rs 91789/- |
|---------|--|----------|-----------------|------|----------------|----------------|---------------------------------|
| | | | | | Time | Rates in Words | Rs. 2000/- 2 month Amount |
| | Earth work in excavation for all types of road structure such as retaining walls ,breast walls, culverts, drains and parapets etcetera in all type of classification of soil comprising of ordinary soil , ordinary rock , hard rock , chiseling/wedging out or rock (where blasting is prohibited) as per drawings and construction of shoring and bracing removal of stumps and other deleterious materials and disposal of materials upto any leads and lifts includin dressing of sides and bottom and back filling in trendches with excavated suitable approved material to the original surface in layers not exceeding 150mm (one hundred fifty millimetre) compacted thickness including shoring an structting and pumping and bailing out water (surface and sub sol water) upto any depth and any quantum of water including cleaning of slush which arise out during dewatering as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.32 | Per Cubic Meter | | | | |
| 2 | Providing and laying mechanically mixed cement concrete 1:5:10 (one cement:five sand :ten graded crushed stone aggregate 40mm (forty millimetre nominal size) and curing complete including cost of form work with M.S. plates for plain concrete on ground or under water and curing complete including pumping or bailing out water, dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights and depths. In retaining walls /breast walls complete as per drawings and technical specifications Clause 802, 803, 1200 and as per directon of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 19.20 | Per Cubic Meter | | | | |
| 3 | Providing weep holes in brick/stone masonry/ plain/ reinforced concrete abutment, wing walls, return walls, retaining walls and breast wall with 110mm(one hundred ten millimeter) dia PVC pipe De-plast/finolex/ vectus pipe having pressure 4kg. per centimeter square. (four kilograme per centimeter square) extending through the full width of the structures with slopes of l(V): 20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 as per direction of Engineer- in -Charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.00 | Each | | | | |
| 4 | Backfilling behind abutment, wing wall and return wall complete as per drawing & technical specification clause 1204.3.8, and as per direction of Engineer-in-Charge. i) Granular material. including entire carniage of material within all leads and lifts and as per direction of Engineer-in-Charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octrol, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 5.40 | Per Cubic Meter | | | | |
| | Total | | | | | | |
| | Terms and Condition:- | | | | | | |

1 Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
MR PWD Bhoranj

SCHEDULE OF QUANTITY

OF WORK:- C/O link road to village Ghumarwin Km. 0/00 to 1/500 . (SH:- P/L GSB and C.C.pavement at RD 0/524 to 0/554.) (under S.C.D.P)

Estimated Cost Rs 99450/-
Earnest Money Rs. 2000/-
Time 2Months

| No | Description of Items | Quantity | Unit | Rate | Rate in words | Amount |
|----|---|----------|-----------------|------|---------------|--------|
| 1 | P/L of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-ChargeWith material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.00 | Per Cubic Meter | | | |
| 2 | Providing and laying cement concrete 1:4:8 (1cement :4:sand : 8 graded stone aggregates 40mm nominal size) and curing complete including cost of form work in foundation and plinth as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.00 | Per Cubic Meter | | | |
| 3 | Providing and laying mechanically mixed cement concrete(M-20)(M-twenty) 1:2:4 one cement : two sand : four graded crushed stone aggregate) 20mm(twenty millimeters) for plain /reinforcement concrete in open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals . The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 6.75 | Per Cubic Meter | | | |
| | Total | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
H.P. PWD Bhoranj

SCHEDULE OF QUANTITY

WORK:- C/O link road to village Ghumarwin km. 0/00 to 1/500 . (SH:- P/L GSB and C.C.pavement at RD 0/584 to 0/614.) (under S.C.D.P)

Estimated Cost
Earnest Money
Time

Rs. 99450/-
Rs. 2000/-
2Months

| Description of Items | Quantity | Unit | Rate | Rate in words | Amount |
|--|----------|-----------------|------|---------------|--------|
| P/L of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-ChargeWith material conforming to Grade-I (size range 75 mm to 0.075 mm) having CBR Value-30 as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.00 | Per Cubic Meter | | | |
| 2 Providing and laying cement concrete 1:4:8 (1cement :4 sand : 8 graded stone aggregates 40mm nominal size) and curing complete including cost of form work in foundation and plinth as per the direction of the Engineer-in-charge including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government. | 9.00 | Per Cubic Meter | | | |
| 3 Providing and laying mechanically mixed cement concrete (M-20)(M-Twenty) 1:2:4 one cement : two sand open foundation complete including cost of form work steel plate complete as per drawings and technical specification Clause 802, 803 1202 & 1204 including entire carriage of material within all leads and lifts and other incidentals. The rates are inclusive octroi, royalty, Malkana, toll tax,sale tax or other taxes imposed by the Government | 6.75 | Per Cubic Meter | | | |
| Total | | | | | |

Terms and Condition:-

1. Work shall be executed as per PWD specification.

Executive Engineer
Bhoranj Division
Hq PWD Bhoranj