

Himachal Pradesh

Public Works Department

No. PW-SD-I-CTR-Tender-NIT/2025-2026- 19145-46

Dated: 23-12-2025

To

The Executive Engineer (IT Cell)
Nigam Vihar Shimla.


Subject :-

Publication of Tender Notice.

Jai Hind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
Shimla Division No-1,
HPPWD, Shimla-3.

Copy forwarded to for further necessary action please.

1.. The Superintending Engineer 4th Circle HPPWD Shimla .



Executive Engineer,
Shimla Division No-1,
HPPWD, Shimla-3.

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1.	Date of receipt of application for tender forms:-	01-01-2026 10:00 AM upto 12:00 PM
2.	Dated of Issue /sale of tender forms:-	01-01-2026 12:00 PM upto 4:00 PM
3.	Date of receipt of tender:-	02-01-2026 up to 10:30 AM
4.	Date of opening of tender:-	02-01-2026 up to 11:00 AM

Sr. No.	Name of Work	Estimated cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	Reconstruction & Restoration Bhatta Kuffer to Koti km. 0/00 to 5/005 (SH:- C/O Breast wall on damaged portion between km.1/640 and muck removal km. 1/610 to 1/640 (Under PDNA).	487680/-	9800/-	350/-	30 days	Class-D
2	Reconstruction & Restoration Bhatta Kuffer to Koti km. 0/00 to 5/005 (SH:- C/O Breast wall on damaged portion between km.1/580 to 1/610 and muck removal km. 1/580 to 1/610 (Under PDNA).	499704/-	10000/-	350/-	30 days	Class-D
3	Reconstruction & Restoration Bhatta Kuffer to Koti km. 0/00 to 5/005 (SH:- C/O Protection works towards valley side on damaged portion between km. 1/537 to 1/545) (Under PDNA).	498238/-	10000/-	350/-	30 days	Class-D
4	Reconstruction & Restoration Bhatta Kuffer to Koti km. 0/00 to 5/005 (SH:- C/O Protection works towards valley side on damaged portion between km. 3/310 to 3/323) (Under PDNA).	410337/-	8100/-	350/-	30 days	Class-D
5	R/O R/D on Koti to Satlai road km.0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 8/495 to 8/506.50). (Under PDNA)	483997/-	9700/-	350/-	30 days	Class-D
6	Restoration of rain damages on Bhatta kuffer to koti road km. 0/00 to 5/005 (SH:- C/O wire create Breast wall at damaged portion between 1/550 to 1/570) (Under PDNA).	491280/-	9800/-	350/-	30 days	Class-D
7	R/O R/D on Koti to Satlai road km. 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 9/192 to 9/200) (Under PDNA).	495043/-	10000/-	350/-	30 days	Class-D
8	A/R & M/O on Kufri to Chail road km. 0/000 to 25/000 (SH:- Supplying and Stacking of Crusher sand for smooth flow of traffic in snow bound area between km. 14/000 to 21/000).	99825/-	2000/-	350/-	30 days	Class-D
9	A/R & M/O on Kufri to Chail road km. 0/000 to 25/000 (SH:- Removal of slips at various RD. 0/00 to 25/00). (Under PDNA).	249954/-	5000/-	350/-	30 days	Class-D
10	A/R & M/O on Kufri to Chail road km. 0/000 to 25/000 (SH:- Supplying and Stacking of Crusher sand for smooth flow of traffic in snow bound area between km. 0/000 to 7/000).	99825/-	2000/-	350/-	30 days	Class-D
11	A/R & M/O on Kufri to Chail road km. 0/000 to 25/000 (SH:- Supplying and Stacking of Crusher sand for smooth flow of traffic in snow bound area between km. 7/000 to 14/000).	99825/-	2000/-	350/-	30 days	Class-D
12	A/R & M/O on Kufri to Chail road km. 0/000 to 25/000. (SH:- Hiring of Excavator-Cum-loader for Removal of Snow/Slips at RD. 6/00 to 12/000).	99750/-	2000/-	350/-	30 days	Class-D
13	A/R & M/O on Kufri Chail road km. 0/000 to 25/000. (SH:- Hiring of Excavator-Cum-Loader for Removal of Snow/Slips at RD. 12/00 to 18/000).	99750/-	2000/-	350/-	30 days	Class-D
14	A/R & M/O on Kufri Chail road km. 0/000 to 25/000. (SH:- Hiring of Excavator-Cum-Loader for Removal of Snow/Slips at RD. 0/00 to 6/000).	99750/-	2000/-	350/-	30 days	Class-D
15	Reconstruction & Restoration Bhatta Kuffer to Koti road km. 0/00 to 5/005 (SH:- C/O Breast Wall damaged Portion between km. 3/075 to 3/124 including Removal of Slips on road infrastructure from hill (Under PDNA).	499384/-	10000/-	350/-	30 days	Class-D
16	A/R & M/O to Type I to VI Qtrs. at Mehli Kasumti Shimla. (SH:- P/L PVC Flooring Painting and Distempering Set No.21 Type-III at Mehli Shimla).	98576/-	2000/-	350/-	30 days	Class-D
17	A/R & M/O to Type I to VI Qtrs. of GAD at Kasumti Shimla 9. (SH:- P/F tiles and white washing in Type-III 829 under Kasumti Section).	93376/-	1900/-	350/-	30 days	Class-D
18	A/R & M/O Various type-I to VI GAD Qtrs. at Kasumti Shimla-9 (SH:- P/L Checkered tiles outside Type-IV 33 to 38 under Kasumti Section).	87256/-	1750/-	350/-	30 days	Class-D
19	A/R & M/O to Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925 (SH:- Providing and fixing of road studs (Hill side) at RD. 23/000 to 23/450).	98670-	2000/-	350/-	30 days	Class-D
20	A/R & M/O to Shoghi Mehli Junga Sadhupul road km. 12/375 to 48/925 (SH:- Providing and fixing of road studs (Valley Side) at RD. 23/000 to 23/450).	97890/-	2000/-	350/-	30 days	Class-D



21	A/R & M/O Various type-I to VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Checkered tiles in frontside of PWD enquiry Kasumpti Section).	88278/-	1750/-	350/-	30 days	Class-D
22	Restoration of various roads under Bhatta kuffer AIMSS Section (SH:- Providing Staff for maintenance of various roads under Bhattaduffer AIMSS Section).	99000/-	2000/-	350/-	30 days	Class-D
23	A/R & M/O to Type-I to VI Qtrs. of GAD at kasumpti Shimla-9 (SH:- Providing and fixing Cupboard in Type-III 829 Under Kasumpti Section).	97508/-	2000/-	350/-	30 days	Class-D
24	Restoration of rain damages to Bhattachuffer to koti Road km. 0/00 to 2/400 (SH:- C/O Retaining wall at damaged portion between km. 1/540 to 1/547). (Under PDNA).	168348/-	3300/-			

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

No.PW-SD-I/CB-Tender/2025-2026

Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

19147-60

Dated:-

23-12-2025

Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla-3.

S. J. Shukla
Executive Engineer,
Shimla Division No-I.,
HPPWD. Shimla.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,87680.00		
Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti Km 0/00 to 5/005 (SH:- C/O Breast wall on damaged portion between km 1/610 to 1/640 and muck removal km 1/610 to 1/640 (Under PDNA)				Earnest Money :- 9800.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	165.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	53625.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	45.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	18000.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	13.80	Cum	3700.00	Rupees Three Thousand Seven	Per Cubic Metre	51060.00	
4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	120.54	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	364995.00	
	Quated rates Percentage in figures							
	Quoted rates Percentage in words					G.Total	487680.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge

T/s No 18980-81 dated 20-12-25 Amounting to Rs. 502310/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3. Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti Km 0/00 to 5/005 (SH:- C/O Breast wall on damaged portion between km 1/580 to 1/610 and muck removal km 1/580 to 1/610(Under PDNA)				Estimated Cost:- 4,99,704.00 Earnest Money :- 10000.00 Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	168.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	54600.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	54.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	21600.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg. 40mm nominal size).	13.80	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	51060.00

4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	123.00	Cum	3028.00	Rupces Three Thousand Twenty Eight Only	Per Cubic Meter	372444.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	499704.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

T/s No. 1897879 dated 20-12-25 Amounting to Rs. 5,14,695/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D. SHIMLA-3.				Estimated Cost:- 4,98,238.00		
Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti Km 0/00 to 5/005 (SH:- C/O Protection works towards valley side on damaged portion between km 1/537 to 1/545) (Under PDNA)				Earnest Money :- 10000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	62.10	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	20183.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles, aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	27.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	10800.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	6.90	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	25530.00

4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	145.88	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	441725.00
	Quoted rates Percentage in figures					G.Total	498238.00
	Quoted rates Percentage in words						

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

T/s No 1897475 dated 20-12-25 Amounting to Rs. 5,13,125/-

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.		Estimated Cost:- 4,10,337.00					
Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti Km 0/00 to 5/005 (SH:- C/O Protection works towards valley side on damaged portion between km 3/310 to 3/322) (Under PDNA)		Earnest Money :- 8100.00 Time:- One Month.					
Description of Work / Item (S)		No.of Qty.	Estimated Rate				
		In figures	In words				
1 Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.		29.40	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	9555.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the useful stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.20	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	6480.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	4.14	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	15318.00
4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	125.16	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	378984.00
sur	Quated rates Percentage in figures						410337.00
	Quoted rates Percentage in words					G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

T/s No. 18976-77 dated 25.12.2018 Amounting to Rs.

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

4,22,647/-


SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 483997.00		
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 8/495 to 8/506.50). (Under PDNA)					Earnest Money :- 9700.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	19.66	Cum In figures	325.00 In words	Rupees Three Hundred Twenty Five Only	Per cubic meter	6390.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.46	Cum	400.00	Rupees Four Hundred Only	Per cubic meter	13384.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size.	5.18	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	19684.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size.	92.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	423200.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR-2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	15.18	Cum	1050.00	Rupees One Thousand Fifty Only	Per cubic meter	15939.00
							Total 483997.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 491280.00	
Name of Work :- Restoration of rain damages to Bhattachuffer to koti Road Km 0/00 to 5/005 (SH:-C/O Wire create Breast Wall at damaged portion between 1/550 to 1/570.) (Under PDNA)				Earnest Money :- 9800.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	112.0 Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	36400.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	36.0	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	14400.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (one cement: six sand: twelve graded stone agg.40mm nominal size).	9.20	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	31280.00
4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	132.0	Cum	3100.00	Rupees Three Thousand One Hundred Only	Per Cubic Metre	409200.00
					Total		491280.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 495043.00	
Name of Work :- R/O R/D on Koti to Satlai road Km 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 9/192 to 9/200). (Under PDNA)					Earnest Money :- 10000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	25.88	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per cubic meter	8411.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	32.80	Cum 400.00	Rupees Four Hundred Only	Per cubic meter	13120.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	4.40	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	16720.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	95.28	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	438288.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	30.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5400.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	12.48	Cum	1050.00	Rupees One Thousand Fifty Only	Per cubic meter	13104.00
							Total 495043.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.




Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-				Estimated Cost:- 99,825.00	
Name of Work :- A/R & M/O on Kufri to Chail road Km 10/000 to 25/000 (SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area between Km 14/000 to 21/000).				Earnest Money :- 2,000.00	
				Time:- One Month	
Sr. No	Description of Work / Item (S)	₹	No.of Qty.	Estimated Rate	Unit
				In figures	Amount In words
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of micasheells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its haring and strength durability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.		90.75 Cum	1100.00 Rupees One Thousand One Hundred Only	Per Cubic Meter 99825.00
					Total 99825.00

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 2,49,954.00		
Name of Work :- Restoration on Rain damages on Kufri Chail road Km 0/000 to 25/00 (Removal of slips at various Rd 0/00 to 25/00 (Under PDNA)				Earnest Money :- 5000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Removal of land slides / Slips clearance removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut materials with leads and lifts. The work shall be executed as per the direction of Enginer - in - charge .	833.18	Cum In figures	300.00 In words	Per Cubic Metre Rupees Three Hundred Only	249954.00
	Quoted rates Percentage in words				G.Total	249954.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in

T/s No

14059-60 dated 22.12.26 amounting to Rs. 2,57,452/-


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-			Estimated Cost:- 99,825.00	
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000 (SH:- Supplying and			Earnest Money :- 2,000.00	
Stacking of Crusher Sand for smooth flow of traffic in snow bound area between Km 0/000 to 7/000).			Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit
		In figures	In words	Amount
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harening and strength durability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	90.75	Cum 1100.00 Rupees One Thousand One Hundred Only	Per Cubic Meter 99825.00
				Total 99825.00

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.



 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA				Estimated Cost:- 99,825.00
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000 (SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area between Km 7/000 to 14/000).				Earnest Money :- 2,000.00
				Time:- One Month
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit
		In figures	In words	Amount
1	Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harening and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge.	90.75	Cum 1100.00 Rupees One Thousand One Hundred Only	Per Cubic Meter 99825.00
				Total 99825.00

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.



 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99,750.00	
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000. (SH:- Hiring of Excavator cum loader for Removal of snow/Slips at Rd 6/00 to 12/000).				Earnest Money :- 2,000.00	
				Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L. charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips. Debris with minimum capacity of 45.00 Cum. Per Hour, Minimum Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minimum 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour 1050.00 In figures In words Rupees One Thousand Fifty Only	Per Hours	99750.00
					Total 99750.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.



 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99,750.00		
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000. (SH:- Hiring of Excavator cum loader for Removal of snow/Slips at Rd 12/00 to 18/000).				Earnest Money :- 2,000.00		
				Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor. shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debris with minimum capacity of 45.00 Cum. Per Hour, Minimum Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minimum 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour	Rupees One Thousand Fifty Only	Per Hours	99750.00
					Total	99750.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.




Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99,750.00		
Name of Work :- A/R & M/O on Kufri to Chail road Km 0/000 to 25/000. (SH:- Hiring of Excavator cum loader for Removal of snow/Slips at Rd 0/00 to 6/000).				Earnest Money :- 2,000.00		
				Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debris with minimum capacity of 45.00 Cum. Per Hour, Minimum Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minimum 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour 1050.00	Rupees One Thousand Fifty Only	Per Hours	99750.00
					Total	99750.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:-4,99,384.00		
Name of Work :- Reconstruction & Restoration Bhatta Kuffer to Koti Km 0/00 to 5/005 (SH:- C/O Breast wall on damaged portion between km3/075 to 3/124 including Removal of Slips on road infrastructure from hills (Under PDNA)				Earnest Money :- 10000.00		
				Time:- Two Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools, equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	105.15	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	34174.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	52.92	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	21168.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	13.52	Cum	3700.00	Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	50039.00
4	Providing and laying of bouider apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	130.12	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	394003.00
	Quoted rates Percentage in words					G.Total	499384.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No. 1905758 dated 22/12/25 Amounting to Rs. 5,14,365/-


Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I. H.P.P.W.D., SHIMLA-3. Name of Work :- A/R & M/O to Type-I to VI Qtrs at mehli Kasumpti Shimla. (SH:- P/L PVC Flooring Painting and Distempering Set No 21 Type-III at Mehli Shimla.)					Estimated Cost:- 98576.00	
					Earnest Money :- 2000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Providing and fixing 1.50mm(One point Fifty milimetre) thick PVC antistatic vinyl Flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	51.42	Sqm In figures	Rupees Nine Hundred Fifty Only In words	Per Square Meter	48849.00
2	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	198.00	Sqm	12.00	Rupees Twelve Only	Per Square Meter 2376.00
3	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	198.00	Sqm	60.00	Rupees Sixty Only	Per Square Meter 11880.00
4	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	416.58	Sqm	50.00	Rupees Fifty Only	Per Square Meter 20829.00
5	Painting one coats(excluding priming coat) on previously painted /steel based surfaces with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matters sand papering and stopping . including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint	244.04	Sqm	60.00	Rupees Sixty Only	Per Square Meter 14642.00
					Total	98576.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

179
DRAFT SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 93376.00	
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs of GAD at Kasumpti , Shimla -171009 (SH;- P/F tiles and white washing in Type-III 829 under Kasumpti Section.)					Earnest Money :- 1900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Providing and laying rectified Glazed Ceramic floor double charge tiles of size 600x600 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	41.22	Sqm	1350.00 Rupees One Thousand Three Hundred Fifty Only	Per Square Meter	55647.00
2	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm)	1.00	Sqm	900.00 Rupees Nine Hundred Only	Per Square Meter	900.00
2 ii	(ii) Frosted glass 5 mm thick	1.00	Sqm	1050.00 Rupees One Thousand Fifty Only	Per Square Meter	1050.00
3	Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand).	1.00	Sqm	280.00 Rupees Two Hundred Eighty Only	Per Square Meter	280.00
4	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	180.00	Sqm	55.00 Rupees Fifty Five Only	Per Square Meter	9900.00
5	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	144.00	Sqm	12.00 Rupees Twelve Only	Per Square Meter	1728.00
6	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	72.00	Sqm	65.00 Rupees Sixty Five Only	Per Square Meter	4680.00
7	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	85.00	Sqm	70.00 Rupees Seventy Only	Per Square Meter	5950.00

8	Finishing wall with weather proof exterior grade emulsion of approved design Apexultima or its equarlied on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	5.00	Sqm	120.00	Rupees One Hundred Twenty Only	Per Square Meter	600.00
9	Disposal of muck /denris/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	1.30	Cum	620.00	Rupees Six Hundred Twenty Only	Per cubic Metre	806.00
10	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos	650.00	Rupees Six Hundred Fifty Only	Each	650.00
11	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) 510x1040 mm bowl depth 250 mm	1.50	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	525.00
12	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked; with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but with out fittings and the base support for tank including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (5 Layers).	1000.00	Ltrs	9.25	Rupees Nine and Paise Twenty Five Only	Per Ltrs.	9250.00
13	Providing and fixing G.I. pipes complete with G.I. fittings and clamps including cutting chases and making good the all including carriage of materials within all leads and lifts and as per the direction of Engineer-in-Charge. (i) 15 mm dia.	3.00	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	1050.00
14	Providing and fixing G.I union in G.I pipe including cutting and threading the pipe and making long screws complete (New work) including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge. (i)15mm dia.	2.00	Nos	180.00	Rupees One Hundred Eighty Only	Each	360.00
					Total		93376.00

CONDITION:-

DNIT approved for 93376.00/- Only vide DNIT Register Sr.No. 179. the financial year 2025-26. (T/S No. 1859394 Dated 16-12-25 Amount to Rs. 96177. T/S Amount 96177.00

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :- A/R & M/O various type -I to Type-VI GAD Qtres at Kasumpti, Shimla -9 Shimla-17099. (SH:- P/L Checkered tiles outside Type-IV 33 to 38 under Kasumpti section)						Estimated Cost:- 87256.00 Earnest Money :- 1750.00 Time:- One Month. -	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
		In figures	In words				
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix)	5.20	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	6500.00
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	2.60	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per cubic Metre	14040.00
3	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	5.20	Cum	400.00	Rupees Four Hundred Only	Per cubic Metre	2080.00
4	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7.80	Cum	620.00	Rupees Six Hundred Twenty Only	Per cubic Metre	4836.00

5	P/F Checkered tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 (1 cement :6 sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of flowing Shade (i) MEDIUM	52.00	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	59800.00
					Total		87256.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.



 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,670.00		
Name of Work :- A/R & M/O to Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- Providing and Fixing of Road Studs (Hill side) at RD 23/000 to 23/450).					Earnest Money :- 2,000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount	
			In figures	In words			
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prishatics lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 bt tessted in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hences. The reflective panel on both side with at least 12cm of each area side. Te luminance intesity should be as pae the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, rayality, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	253.00	Nos	390.00	Rupees Three Hundred Ninety Only	Per Each	98670.00
						Total	98670.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.




Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,890.00	
Name of Work :- A/R & M/O to Shoghi Mehli Junga Sadhupul road Km 12/375 to 48/925 (SH:- Providing and Fixing of Road Studs (Valley side) at RD 23/000 to 23/450).					Earnest Money :- 2,000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 bt tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hences. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	251.00	Nos	390.00	Rupees Three Hundred Ninety Only	Per Each 97890.00
						Total 97890.00
	Quated rates Percentage in figures					
	Quoted rates Percentage in words					G.Total

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 88278.00		
Name of Work :- A/R & M/O various type -I to Type-VI GAD Qtrs at Kasumpti, Shimla -9 Shimla-17099. (SH:- P/L Checkered tiles in frontside of PWD enquiry Kasumpti section)					Earnest Money :- 1750.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
		In figures	In words				
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix)	4.60	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	5750.00
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	2.30	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per cubic Metre	12420.00
3	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the H.P.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.80	Cum	400.00	Rupees Four Hundred Only	Per cubic Metre	6720.00
4	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	6.90	Cum	620.00	Rupees Six Hundred Twenty Only	Per cubic Metre	4278.00

5	P/F Checkered tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 (1 cement : 6 sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of flowing Shade (i) MEDIUM	51.40	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	59110.00
					Total		88278.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.




Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99000.00		
Name of Work :- Restoration of various roads under Bhattacharjee, AIMSS Section (SH:- Providing Staff for maintenance of various roads under Bhattacharjee AIMSS Section).				Earnest Money :- 2000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate	Unit	Amount	
1	Engagement of 6 Nos Belder for any of duties assigned by Engineer in charge for routine maintenance of roads, unskilled jobs such as earthwork, brooming of roads, cleaning of drains, opening of culverts, clearing of minor slips, carriage/loading of materials, cleaning and washing of areas, assisting plumber, carpenter etc, cutting of grass and other miscellaneous works assigned by Engineer in Charge (Six Nos Belder for One month) All requisite T&P, Tool, dress, Safety, equipment etc, as per work required shall be provided by the contractor and as per the Direction of the Engineer-in-Charge. The contractor shall provide the Labour as and when required and in case of contractor is bound to provide additional labour as and required and in case of urgency contractor is bound to provide additional labour on the agreed rates and shall be payable as per deployed workers.	180.00	day	Rupees Five Hundred Fifty Only	per day	99000.00
				Total		99000.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to Bureau of Indian Standards.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,508.00		
Name of Work :- A/R & M/O to Type-I to Type-VI Qtrs. Of GAD at Kasumtti Shimla-9. (SH:-Providing and Fixing Cupboard in Type-III 829 Under Kasumtti Section).					Earnest Money :- 2,000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	36.36	Sqm	1350.00 In figures Rupees One Thousand Three Hundred Fifty Only	Per Square Meter	49086.00	Amount In words
2	Providing and fixing 1.00mm thick coloured or plain lamination sheet (sunmica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.80	Sqm	950.00 Rupees Nine Hundred Fifty Only	Per Square meter	10260.00	
3	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 9mm (Nine milimetre)thick	15.12	Sqm	1050.00 Rupees One Thousand Fifty Only	Per Square Meter	15876.00	
4	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge.(i)1st class teak wood.	96.30	Rmt	65.00 Rupees Sixty Five Only	Per Running Meter	6260.00	
5	Providing and fixing bright finished brass ball catcher 10 mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	27.00	Nos	50.00 Rupees Fifty Only	Each	1350.00	
6	Providing and fixing bright finished brass handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm	27.00	Nos	150.00 Rupees One Hundred Fifty Only	Each	4050.00	
7	Applying priming coat over new wood and wood based surfaces after and i/c preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand papering and knotting including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (a)Ready mixed paint brushing wood primer pink.	51.48	Sqm	40.00 Rupees Forty Only	Per Square Meter	2059.00	
8	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt, dust and other foreign matter, sand papering & stopping including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint.	51.48	Sqm	70.00 Rupees Seventy Only	Per Square Meter	3604.00	

9	Providing wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 2nd class deodar wood	0.002	Cum	97000.00	Rupees Ninety Seven Thousand Only	Per Cubic Metre	194.00
10	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Metre	600.00
11	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	51.48	Sqm	60.00	Rupees Sixty Only	Per Square Meter	3089.00
12	Providing and fixing chromium plated brass curtain rod having wall thickness 1.25mm with two chromium plated brass brackets fixed with C.P. Brass screws and PVC sleeves etc wherever necessary including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 25mm dia.	3.60	Rmt	300.00	Rupees Three Hundred Only	Per Running Metre	1080.00
							Total 97508.00
Quoted rates Percentage in figures							
Quoted rates Percentage in words							
							G.Total

CONDITION:-

(T/S No. 1850788 Dated 16.12.25 Amount to Rs. 100,433/-)

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 168348.00	
Name of Work :- Restoration of rain damages to Bhattachuffer to koti Road Km 0/00 to 2/400(SH:-C/O Retaining wall at damaged portion between Km 1/540 to 1/547.) (Under PDNA)				Earnest Money :- 3300.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	39.2	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	12740.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	3.6	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	1440.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (one cement: six sand: twelve graded stone agg.40mm nominal size).	3.22	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	10948.00
4	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	46.2	Cum	3100.00	Rupees Three Thousand One Hundred Only	Per Cubic Metre	143220.00
					Total		168348.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.