

Himachal Pradesh

Public Works Department

No. PW-SD-I-CTR-Tender-NIT/2025-2026- 17223-24 Dated:-

3-12-2025

To

The Executive Engineer (IT Cell)  
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind

Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4<sup>th</sup> Circle HPPWD Shimla.

Executive Engineer,  
Shimla Division No-1,  
HPPWD, Shimla-3.

Executive Engineer,  
Shimla Division No-1.,  
HPPWD., Shimla-3.

**HIMACHAL PRADESH**  
**PUBLIC WORKS DEPARTMENT**  
**NOTICE INVITING TENDERS**

Executive Engineer B&R Division No-1 HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1. Date of receipt of application for tender forms:- 10-12- 10:00 AM upto 12:00 PM
2. Dated of Issue /sale of tender forms:- 10-12-2025 12:00 PM upto 4:00 PM
3. Date of receipt of tender:- 11-12 2025 .up to 10:30 AM
4. Date of opening of tender:- 11-12-2025 up to 11:00 AM

Sr. No.	Name of Work	Estimated cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	A/R & M/O to Type – I to VI Qtrs. at Mehli Shimla. (SH:- P/F cup board Set No.27 type-II and Painting/ Distempering Set No.27 type-IV Kasumpti mhli Shimla).	99782/-	2000/-	350/-	30 days	Class-D
2	Restoration of rain damages on Bhatta Kuffer to Chackrial road in km. 0/000 to 2/00 (SH: - Rectification of Black spot "W" Metal Beam Crash Barrier at RD.1/000 to 1/100). (Under PDNA).	488384/-	9800/-	350/-	30 days	Class-D
3	Restoration of rain damages on Old Kasumpti Junga road km.0/00 to 11/020 (SH: - C/O R/Wall at RD. 9/510.50 to 9/515.75) (Under PDNA).	495165/-	9900/-	350/-	30 Days	Class-D
4	A/R & M/O Shimla Mandi road km. 6/00 to 22/000 (SH:- Providing and fixing of road Studs Valley side) at RD. 8/370 to 9/870).	99060/-	2000/-	350/-	30 Days	Class-D
5	A/R & M/O Shimla Mandi road km. 6/00 to 22/000 (SH:- Providing and fixing of road studs (Hill Side) at RD. 6/870 to 8/370).	97500/-	2000/-	350/-	30 days	Class-D
6	A/R & M/O Shimla Mandi road km. 6/00 to 22/000 (SH:- Providing and fixing of road studs (Hill Side) at RD. 8/370 to 9/870).	98670/-	2000/-	350/-	30 days	Class-D
7	A/R & M/O Shimla Mandi road km. 6/00 to 22/000 (SH: - Providing and fixing of road studs (Valley Side) at RD. 6/870 to 8/370).	98280/-	2000/-	350/-	30 days	Class-D
8	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla-9 (SH:- providing and Laying Checkerred tiles in staircase between Type-III 166 to 171 and 154 to 159 under Kasumpti Section).	97924/-	1900/-	350/-	30 Days	Class-D
9	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla-9 (SH:- Providing and Laying Checkerred tiles in staircase form Kasumpti Mandir to Type-III 166 to 171 under Kasumpti Section).	97679/-	1900/-	350/-	30 Days	Class-D
10	A/R & M/O various Type-I to VI GAD Residential Qtrs. at mehli Shimla-9 (SH:- Providing & Fixing Chequarred tile & Cermaic tiles & balance work there in set No.17 & No.9 Type VI at mehli).	99185/-	2000/-	350/-	30 Days	Class-D
11	A/R & M/O various Type-I to VI GAD Residential Qtrs. at mehli Shimla-9 (SH:- P/F PVC Sheet Guter, Rain Water Pipe and balance work in set No-09 Type-VI at Mehli).	97204/-	2000/-	350/-	30 Days	Class-D
12	Restoration of Rain Damages on Shoghi Mehli Junga Sadhpul road in km. 12/375 to 48/925 (SH:- C/O Retaining wall at RD.23/565 to 23/575). (Under PDNA).	275885/-	5500/-	350/-	30 Days	Class-D
13	Restoration of rain damages on Junga to koti via Badhwani road in km.0/00 to 12/405 (SH:- C/O retaining wall at RD. 5/705 to 5/717).	462546/-	9200/-	350/-	30 Days	Class-D
14	Restoration of rain damages on Baldeyan to Shannel road in km. 0/00 to 4/720.(SH:- C/O retaining wall at RD.1/00 to 1/012).	460857/-	9200/-	350/-	30 Days	Class-D
15	A/R & M/O various Type-I to Type-VI Qtrs. of GAD residential Qtrs. at Mehli Shimla-9 ( SH:- Providing steel work cement, concrete work 1 set No. 17 & set No. 09 Type IV at Mehli).	96916/-	1900/-	350/-	30 Days	Class-D
16	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla 09. (SH: - P/F Cupboard in Type-II Set No.26 under Kasumpti Section.).	94478/-	1900/-	350/-	30 Days	Class-D
17	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla 09. (SH: - P/F Cupboard in Type-III Set No.22,34 under Parimahal Section.).	94642/-	1900/-	350/-	30 Days	Class-D
18	A/R & M/O various Type-I to Type-VI Qtrs. of GAD residential Qtrs. at Mehli Shimla-9 ( SH:- Providing steel work cement, concrete work 1 set No. 17 & set No. 09 Type VI at Mehli).	89970/-	1800/-	350/-	30 Days	Class-D
19	Restoration of rain damages on Eversunny to Pagog road km. 0/00 to 5/00. (SH:- C/O retaining wall at RD. km.0/623 to 0/630).	288201/-	5800/-	350/-	30 Days	Class-D
20	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla 09. (SH: - P/F Tiles in Type-III Set No.627 under Kasumpti Section.).	95988/-	1900/-	350/-	30 Days	Class-D
21	Restoration of rain damages Dharech Khagna to Kawanti road km. 0/00 to 8/700 (SH:- C/O R/Wall at RD. 1/735 to 1/751).	472020/-	9000/-	350/-	30 Days	Class-D
22	Restoration of rain damages on Eversunny to Golcha Bhont road km. 0/00 to 6/270. (SH:- C/O Retaining wall at RD. 5/590 to 5/600). (Under PDNA).	470310/-	9400/-	350/-	30 Days	Class-D
23	A/R & M/O various Type-I to Type-VI Qtrs. of GAD at Kasumpti Shimla-9 (SH:- Fixation of PVC Flooring in Type-III 125 and Type-II 19 under Kasumpti Section).	95979/-	1900/-	350/-	30 Days	Class-D
24	A/R & M/O various Type-I to VI Qtrs. of GAD at Kasumpti Shimla-09 (SH:- P/F PVC in Type-V set No. 16 under Kasumpti Section).	98528/-	2000/-	350/-	30 Days	Class-D

25	A/R & M/O various residential Qtrs. under Division No.I Shimla-3. (SH:- Exterior White washing and distempering in Type-III A Block and other due/on vacation sets under Kasumpti Sub-Division).	93966/-	1900/-	350/-	30 days	Class-D
26	Restoration of rain damages on Elysium to Devidhar road km. 0/00 to 8/00. (SH:- C/O retaining wall at RD. km. 5/840 to 548).	333292/-	6700/-	350/-	30 Days	Class-D
27	Restoration of rain damages on Eversunny to Pagog road km. 0/00 5/00. (SH:- C/O retaining wall at RD. 3/000 to 3/010). (Under PDNA).	294290/-	5900/-	350/-	30 days	Class-D
28	Restoration of rain damages on Cheog to Dharech road in km.0/00 to 7/700 (SH:- C.O Retaining wall at RD. 7/200 to 7/208.5).	495425/-	9900/-	350/-	30 Days	Class-D
29	Restoration of rain damages on Kamyana to Paobo road km. 0/00 to 7/00. ( SH:- C/O retaining wall at RD. km.0/365 to 3/374).	370544/-	7500/-	350/-	30 days	Class-D
30	A/R & M/O various type-I to VI Qtrs. of GAD at Kasumpti Shimla-9 (SH:- Providing and Laying Checkered tiles with type-III 154 to 159 Under Kasumpti Section.).	97475/	1900/-	350/-	30 Days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest. The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.


1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,  
Shimla Division No-I.,  
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026  
Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Dated :- 3-12-2025

  
Executive Engineer,  
Shimla Division No-I.,  
HPPWD. Shimla.

### SCHEDULE OF QUANTITY

**Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.** **Estimated Cost:- 99,782.00**

**Name of Work :- A/R & M/O to Type-I to VI Qtrs. At Mehli Shimla. (SH:- P/F Cup board Set No. 27 Type-II** **Earnest Money :- 2,000.00**

**and Painting/Distempering Set No. 27 Type-IV Kasumpti Mehli Shimla).** **Time:- One Month.**

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	14.85	Sqm	1350.00	Rupees One Thousand Three Hundred Fifty Only	Per Square Meter 20048.00
2	Providing and fixing 1.00mm thick coloured or plain lamination sheet (summica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	8.91	Sqm	850.00	Rupees Eight Hundred Fifty Only	Per Square meter 7574.00
3	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre)thick	7.09	Sqm	600.00	Rupees Six Hundred Only	Per Square Meter 4254.00
4	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge.(i)1st class teak wood.	37.62	Rmt	65.00	Rupees Sixty Five Only	Per Running Meter 2445.00
5	Providing and fixing bright finished Stainless steel handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125mm	14.00	Nos	150.00	Rupees One Hundred Fifty Only	Each 2100.00
6	Providing and fixing magnetic Catchers ISI marked with necessary screws etc complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.00	Nos	50.00	Rupees Fifty Only	Each 500.00
7	Providing and fixing Stainless Steel tower bolts(barrel type) anodized transparent or dyed to required shade and colour with screws etc complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 150x10mm	16.00	Nos	80.00	Rupees Eighty Only	Each 1280.00
8	Providing and fixing E-Channel with roller including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	4.00	Nos	400.00	Rupees Four Hundred Only	Each 1600.00


9	Providing and Fixing Ceramic glazed in walls tiles of size 300x600 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:3 (1 Cement : 3 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	5.60	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Meter	6720.00
10	Applying priming coat over new wood and wood based surfaces after and i/c preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand papering and knotting including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a)Ready mixed paint brushing wood primer pink.	64.93	Sqm	40.00	Rupees Forty Only	Per Square Meter	2597.00
11	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt, dust and other foreign matter, sand papering & stopping including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint.	79.20	Sqm	70.00	Rupees Seventy Only	Per Square Meter	5544.00
12	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	180.00	Sqm	12.00	Rupees Twelve Only	Per Square Meter	2160.00
13	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	180.00	Sqm	60.00	Rupees Sixty Only	Per Square Meter	10800.00
14	Wall painting (One or more coat) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar dropings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	276.30	Sqm	75.00	Rupees Seventy Five Only	Per Square Meter	20723.00

15	Painting one coats(excluding priming coat) on previously painted steel /wood based surfaces with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matters sand papering and stopping . including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint	175.95	Sqm	65.00	Rupees Sixty Five Only	Per Square Meter	11437.00
						<b>Total</b>	<b>99782.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					<b>G.Total</b>	

**CONDITION:-**

(T/S No..... Dated ..... Amount to  
Rs.....).

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

  
Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**


<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.</b>					<b>Estimated Cost:- 4,88,384.00</b>	
<b>Name of Work :- Restoration of Rain Damages on Bhatta Kuffer to Chackrial road in Km 0/000 to 2/00.</b>					<b>Earnest Money :- 9,800.00</b>	
<b>(SH:- Rectification of Black spot "W" Metal Beam Crash Berrier at RD 1/000 to 1/100). (Under PDNA)</b>					<b>Time:- One Month.</b>	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.36	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	4544.00	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and Shuttering All work up to plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:2:4 (One cement :Two coarse sand): four graded stone aggregate 20mm (Twenty milimeter) nominal size).	11.36	Cum 6500.00 Rupees Six Thousand Five Hundred Only	Per Cubic Metre	73840.00	

3	Providing and erecting "W" Metal beam crash barrier comprising of cold formed W profiled section having thickness of 3 mm (three milimetre)(uncoated thickness ) with frame width of 311 mm(three hundred eleven milimetre) depth 83 mm (eighty three milimetre)and length 4318 mm(four thousand three hundred eighteen milimetre)( made of ISI marked HR coil conforming to IS : 5986/2011 ) , to be fixed on cold formed channel section post of size 150x75x5 mm (One hundred fifty into seventy five into five milimetre)( Made from ISI marked Hr Coils conforming to IS 5986/2011 ) spaced 2.00 metre(two point zero metre) centre to centre of the post which will be of total height of 1.80 metre(One point eight zero metre) with its height of 1.1 metre(One point one metre) below ground level and 0.70 metre(zero point seven zero metre) above ground level. Metal beam rail to be fixed on the vertical post with spacer channel of cold formed channel section size 150x75x5 mm and 330 mm(One hundred fifty into seventy five into five milimetre) and (three hundred thirty milimetre) long (made from ISI Marked HR coils conforming to IS : 5986/2011 ) , All the above components shall - conform to clause 810 of MORTH &H specifications including all fittings required for erection on road side W-Beams, Posts , Spacers shall not be hot dip galvanised with Zinc coating of 550 gm/Sqm(five hundred fifty gramt/swquare metre). All bolts , nuts and washers shall be hot dip galvanised to IS :1367 pt-XIII/1983 ( Reaffirmed 2011 ) for bolts and IS 14394/1996 ( reaffirmed 2011 ) for nuts including carriage of materials in all leads and lifts as per the direction of Engineer-in- charge.	100.00	Rmt	4100.00	Rupees Four Thousand One Hundred Only	Per Running meter	410000.00
						<b>Total</b>	<b>488384.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					<b>G.Total</b>	

(T/S No..... Dated ..... Amount to  
Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 495165.00	
Name of Work :- Restoration of Rain damages on Old Kasumpti Junga road Km0/00 to 11/020 (SH:- C/O R/Wall at Rd 9/510.50 to 9/515.75).(Under PDNA).					Earnest Money :- 9900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.59	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5067.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	35.17	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	14068.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	5.30	Cum	3800.00 Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	20140.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 M 7.5 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	94.90	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	436540.00
5	Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running metre	3600.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material	15.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	15750.00
					Total		495165.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.1,  
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,060.00	
Name of Work :- A/R & M/O Shimla Mandi road Km. 6/00 to 22/000. (SH:- Providing and Fixing of Road Studs ( Valley side ) at RD 8/370 to 9/870).					Earnest Money :-2000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	254.00	Nos	390.00 Rupees Three Hundred Ninety Only	Per Each	99060.00
					Total	99060.00
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
					G.Total	

DINR. No 35 TISN No 16528, 29 of 26-11-25

Ans to Rs 102032/-

Executive Engineer  
Shimla Division No.I,  
HP PWD Shimla-3.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to Bureau of Indian Standards.

SCHEDULE OF QUANTITY						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,500.00	
Name of Work :- A/R & M/O Shimla Mandi road Km. 6/00 to 22/000. (SH:- Providing and Fixing of Road Studs ( Hill side ) at RD 6/870 to 8/370).					Earnest Money :-2000.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
In figures	In words					
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 bt tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	250.00	Nos	390.00 Rupees Three Hundred Ninety Only	Per Each	97500.00
					Total	97500.00
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
					G.Total	

DRK No 36 TISW/016530-31 of 26.11.25

Amt to Rs 100425/-

Executive Engineer  
Shimla Division No.I,  
HP PWD Shimla-3.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of Indian standards.

SCHEDULE OF QUANTITY						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 98,670.00		
Name of Work :- A/R & M/O Shimla Mandi road Km. 6/00 to 22/000. (SH:- Providing and Fixing of Road Studs ( Hill side ) at RD 8/370 to 9/870).				Earnest Money :-2000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
In figures	In words					
1	Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.	253.00	Nos	390.00 Rupees Three Hundred Ninety Only	Per Each	98670.00
					Total	98670.00
	Quoted rates Percentage in figures					
	Quoted rates Percentage in words					
				G.Total		

DINR No 37 TIS No 16532-33 of 26/11/25

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to Bureau of Indian Standards.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

DINR No 37 TIS No 16532-33 of 26/11/25

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 98,280.00			
Name of Work :- A/R & M/O Shimla Mandi road Km. 6/00 to 22/000. (SH:- Providing and Fixing of Road Studs ( Valley side ) at RD 6/870 to 8/370).					Earnest Money :-2000.00			
					Time:- One Month.			
Sr. No		Description of Work / Item (S)		No.of Qty.		Estimated Rate		
				In figures		In words		
1		Providing and Fixing cat eye make (3m) of size 100x20mm made of heavy duty body shall be molded dual ASA/Acyclic Styrene Acrylonitrile or HP/High impact polystyrene on ABS having electronically welded micro prisms lens with abrasion resistant coating as approved by Engineer-in-Charge. The road stud shall support a load of 13635 kg tested in accordance with ASTMD4280. The slope of retro reflective surface shall be 35+/-5degree to hence. The reflective panel on both side with at least 12cm of each area side. The luminance intensity should be as per the specification ASTM as recommended in BS-S873 part 41973 as per approved sample and manufacture by the Engineer-in-Charge including carriage of material within all leads and lifts the rate are inclusive of octroi, royalty, malkana GST, toll tax, sale tax or other taxes imposed by the Government.		252.00	Nos	390.00 Rupees Three Hundred Ninety Only	Per Each	98280.00
						Total	98280.00	
Quoted rates Percentage in figures								
Quoted rates Percentage in words								
						G.Total		

DRR No 38715 No 16534-35 dt 26-11-25

Ont to RD 101228/-

Executive Engineer,  
Shimla Division No-I,  
HP PWD Shimla-3.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to Bureau of Indian Standards.

### SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,924.00
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs. Of GAD at Kasumti Shimla-9. (SH:- Providing and Laying Checkered tiles in staircase between Type-III 166 to 171 and 154 to 159 under Kasumti Section).					Earnest Money :- 1,900.00
					Time:- One Month.
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)For thickness of tiles above 25mm and upto 40mm	34.20	Sqm	150.00 Rupees One Hundred Fifty Only	Per Square Metre 5130.00
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i)Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.71	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre 2138.00
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	1.71	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per Cubic Metre 9234.00

4	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	0.98	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	392.00
5	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.71	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	1060.00
6	Providing and fixing Checkered tiles hydraulic compressed 20mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25mm average thickness of cement mortar 1:6 (One cement : Six sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (wherever required) including rubbing and polishing complete with tiles of following shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.. (i) medium	37.20	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Metre	44640.00

7	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In stringers, treads, landings etc of stair cases including use of chequered plate wherever required	336.48	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilogram	35330.00
						<b>Total</b>	<b>97924.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						<b>G.Total</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer  
 Shimla Division No.1,  
 HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,679.00
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs. Of GAD at Kasumti Shimla-9. (SH:- Providing and Laying Checkered tiles in staircase form Kasumti Mandir to Type-III 166 to 171 under Kasumti Section).					Earnest Money :- 1,900.00
					Time:- One Month.
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)For thickness of tiles above 25mm and upto 40mm	35.28	Sqm	150.00 Rupees One Hundred Fifty Only	Per Square Metre 5292.00
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i)Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.76	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre 2200.00
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	1.76	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per Cubic Metre 9504.00

4	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	0.98	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	392.00
5	Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.76	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	1091.00
6	Providing and fixing Checkered tiles hydraulic compressed 20mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25mm average thickness of cement mortar 1:6 (One cement : Six sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (wherever required) including rubbing and polishing complete with tiles of following shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.. (i) medium	38.28	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Metre	45936.00

7	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In stringers, treads, landings etc of stair cases including use of chequered plate wherever required	316.80	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilogram	33264.00
						<b>Total</b>	<b>97679.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					<b>G.Total</b>	

INTN No 49 TLS No 16544-450/1 26-11-85

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Out to Rs 100609/-

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99185.00		
Name of Work :- A/R & M/O various Type-I to Type-VI GAD Residential qtrs at Mehli Shimla -9 (SH:- Providing & fixing Chequarred tile & Cermaic tiles & balance work there in set NO 17 & NO 09 Type-VI at Mehli)				Earnest Money :- 2000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Providing and laying 1st quality Ceramic glazed wall tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:3 (1 Cement : 3 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	23.41	Sqm	1150.00 Rupees One Thousand One Hundred Fifty Only	Per Square Meter	26922.00
2	Chequered precast cement concrete tiles 20 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc complete, on 20 mm thick bed of cement mortar 1:4 (One cement: Four coarse sand)including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) Light shade pigment using white cement	57.81	Sqm	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per Square Meter	72263.00
				Total	99185.00	

### CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-

D.M.W. 52/115/No 16546-47 dt 26-11-25

Amt due Rs 2161/-  
Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 97204.00		
Name of Work :- A/R & M/O various Type -I to Type-VI GAD Residential Qtrs At Mehli Shimla -9 (SH: P/F PVC Sheet Gutter,Rain water pipe and balance work in set no 09 Type -VI at Mehli)				Earnest Money :- 2000.00		
<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>	<b>Unit</b>	<b>Amount</b>	
1	Providing and fixing rain water pipe including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 110 mm dia.	12.15	Rmt	Rupees Four Hundred Only	Per Running Meter	4860.00
2	Providing and fixing PVC Rain water pipe including carriage of materials in all lifts as per direction of the Engineer-in -Charge. (i) 75 mm dia.	18.75	Rmt	Rupees One Thousand Five Hundred Only	Per Running Meter	28125.00
3	Providing and fixing PVC Clamps for rain water pipe including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge.(i) 75 mm dia	3.00	Nos	Rupees Two Hundred Only	Each	600.00
4	Providing and fixing PVC shoe for Rain water pipe including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge.(i) 75 mm dia	3.00	Nos	Rupees Two Hundred Fifty Only	Each	750.00
5	Providing and fixing ACP sheet ( 4 mm thick ) in aluminium door,window, ventilator shutters and partition with PVC/Neoprehs gasket etc complete including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge.	2.79	Sqm	Rupees One Thousand Six Hundred Fifty Only	Per Square Meter	4604.00
6	Providing and fixing PVC reducer ISI marked including jointing with approved adhesive etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 75 mm dia	2.00	Nos	Rupees Eighteen Only	Each	36.00
7	Providing and fixing PVC plain bend ISI marked including fixing with approved adhesive etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 75 mm dia.	9.00	Nos	Rupees Two Hundred Twenty Only	Each	1980.00
8	Providing and fixing PVC collars ISI marked including fixing with approved adhesive etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 75 mm dia.	2.00	Nos	Rupees One Hundred Fifty Only	Each	300.00
9	Providing and fixing polycarbonated sheet 1.50mm thick in lining with galvanised self driven screws complete with all accessories as required including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7.92	Sqm	Rupees One Thousand Seven Hundred Fifty Only	Per Square Meter	13860.00

10	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	180.30	Sqm	60.00	Rupees Sixty Only	Per Square Meter	10818.00
11	Wall painting (Two or more coat) with acrylic emulsion paint of approved brand and manufacture on undecorated concrete/stone/plastered wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	416.95	Sqm	75.00	Rupees Seventy Five Only	Per Square Meter	31271.00
					Total		97204.00

**CONDITION:-**

DMR No. 52 TSMU 16550-51 dt 26-11-25

Rs. 100120/-

J. M.  
Executive Engineer,  
Shimla Division No. I,  
HP PWD Shimla-3.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.

### SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 2,75,885.00	
Name of Work :- Restoration of Rain Damages on Shoghi Mehli Junga Sadhupul road in Km. 12/375 to 48/925. (SH:- Construction of Retaining Wall at RD 23/565 to 23/575). (Under PDNA)					Earnest Money :- 5,500.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	17.00	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5525.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	13.50	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	5400.00	
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40num nominal size).	3.80	Cum 3800.00 Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14440.00	

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	50.90	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	234140.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	35.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	6300.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	9.60	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10080.00
							<b>Total 275885.00</b>
							<b>G.Total</b>

No 35  
 (T/S No. 16554-55 Dated 26-11-25... Amount to  
 Rs 2,758,85/-

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.


  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

54  
**DRAFT SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,62,546.00		
Name of Work :- Restoration of Rain Damages on Junga to Koti via Badhwani road in Km. 0/00 to 12/405. (SH:- Construction of Retaining Wall at RD 5/705 to 5/717).				Earnest Money :- 9,200.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	30.00	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	9750.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	26.28	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	10512.00	
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg 40mm nominal size).	5.76	Cum 3800.00 Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	21888.00	

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4.8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty milimetre) nominal size).	85.56	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	393576.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7. including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	60.80	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	10944.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	15.12	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	15876.00
							<b>Total 462546.00</b>
Quated rates Percentage in figures							
Quoted rates Percentage in words							
							<b>G.Total</b>

DNIT approved for Rs. 4,62,546/- Only (Rupees Four lac Sixty two Thousand Five Hundred Forty six only ) vide DNIT Register Sr.No. 59 the financial year 2025-26. (T/S No. 16561.62 Dated 16.11.25.....  
Amount to Rs. 462546.00/-

  
Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

### DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,60,857.00		
Name of Work :- Restoration of Rain Damages on Baldeyan to Shannel road in Km. 0/00 to 4/720. (SH:-				Earnest Money :- 9,200.00		
Construction of Retaining Wall at RD 1/00 to 1/012).				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	67.56	Cum 325.00 In figures	Rupees Three Hundred Twenty Five Only In words	Per Cubic Metre	21957.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Enginner-in-Charge. Any loss to the public and private propriety during the course of execution and disposai of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	6.48	Cum 400.00 In figures	Rupees Four Hundred Only In words	Per Cubic Metre	2592.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (one cement: six sand: twelve graded stone agg.40mm nominal size).	6.48	Cum 3400.00 In figures	Rupees Three Thousand Four Hundred Only In words	Per Cubic Metre	22032.00


4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802, 803, 1202 and 1203 including charge of materials in all leads and hts as per drawings of the Engineer-in-Charge (a) Cement Mortar 1:4:8 (One cement:Four sand:Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size).	87.72	Cum	4600.00	Rupees Four Thousand Sixty	Per Cubic Metre	403512.00
5	Bricklaying behind slab unit, wing wall and return wall complete as per drawings and technical specification clauses 1204.3.8 including charge of materials in all leads and hts as per drawings of the Engineer-in-Charge (a) Granular material.	1.68	Cum	1050.00	Rupees One Thousand Fifty	Per Cubic Metre	1764.00
6	Providing weepholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the fill with of the structures with slope of (v) 20(H) towards drawing face complete as per drawing the fill with of the structures with slope of 14, 709, 1204.3.7 including carriage of materials in all leads and hts as per the directions of the Engineer-in-Charge.	50.00	Ram	180.00	Rupees One Hundred Eighty	Per Ramming meter	9000.00
7	Quoted rates Percentage in figures					Total	460857.00
	Quoted rates Percentage in words						
	CONDITIONS:-						
	1. Rates should be quoted for all heights including all leads and hts.						
	2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should conform to bureau of Indian standards.						
	3. Executive Engineer, Shimla Division No.1, HP PWD Shimla-3.						

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 96916.00		
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs of GAD Residential qtrs at Mehli Shimla -9 (SH:- Providing steel work ,cement ,concrete work 1 set no 17 & Set NO 09 Type-IV at Mehli)				Earnest Money :- 1900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work. Holl pipe 50x50 mm size set no 17	411.42	Kgs	115.00 Rupees One Hundred Fifteen Only	Per Kilogram	47313.00
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	4.58	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	5725.00
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)1:3:6 (one cement : three coarse sand) : six graded stone aggregate 20 mm (twenty milimetre) nominal size)	6.92	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per cubic Metre	37368.00
4	Disposal of muck /denris/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	10.50	Cum	620.00 Rupees Six Hundred Twenty Only	Per cubic Metre	6510.00
						96916.00

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 94478.00	
Name of Work :- A/R & M/O various Type -I to Type-VI Qtrs of GAD at Kasumti ,Shimla -171009. (SH: P/F cupboard in Type-II Set no 26 under Kasumti Section)					Earnest Money :- 1900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Providing and fixing panelled glazed or panelled and glazed shutters for doors windows and clerestory windows. Including black enamelled iron butt hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 40mm thick (i)2nd class deodar wood.	0.63	Sqm In figures	4500.00 In words	Rupees Four Thousand Five Hundred Only	Per Square Meter 2835.00
2	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)40mm thick 2nd class deodar wood	0.63	Sqm	4000.00	Rupees Four Thousand Only	Per Square Meter 2520.00
3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm	2.00	Nos	80.00	Rupees Eighty Only	Each 160.00
3 ii	(ii) 200x10 mm	2.00	Nos	100.00	Rupees One Hundred Only	Each 200.00
4	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm	2.00	Nos	80.00	Rupees Eighty Only	Each 160.00
5	Providing and fixing bright finished brass hard drawn hooks and eyes including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 200 mm	2.00	Nos	60.00	Rupees Sixty Only	Each 120.00
6	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	35.19	Sqm	1350.00	Rupees One Thousand Three Hundred Fifty Only	Per Square Meter 47507.00

7	Providing and fixing 1.00mm thick coloured or plain lamination sheet (sunmica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	6.18	Sqm	850.00	Rupees Eight Hundred Fifty Only	Per Square Meter	5253.00
8	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 9mm (Nine milimetre) thick	15.05	Sqm	950.00	Rupees Nine Hundred Fifty Only	Per Square Meter	14298.00
9	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge.(i)1st class deodar wood.	96.30	Rmt	65.00	Rupees Sixty Five Only	Per Running Meter	6260.00
10	Providing and fixing bright finished brass ball catcher 10 mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	27.00	Nos	50.00	Rupees Fifty Only	Each	1350.00
11	Providing and fixing bright finished C.P. brass handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm	24.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	3600.00
12	Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge.	50.24	Sqm	40.00	Rupees Forty Only	Per Square Meter	2010.00
13	Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enamel paint.	50.24	Sqm	70.00	Rupees Seventy Only	Per Square Meter	3517.00
14	Providing wood work in frames of doors,windows, clerestory,windows and other frames wrought,framed and fixed in position including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge.(i) 2nd class deodar wood	0.002	Cum	97000.00	Rupees Ninety Seven Thousand Only	Per cubic Metre	194.00
15	Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand).	1.36	Sqm	250.00	Rupees Two Hundred Fifty Only	Per Square Meter	340.00

16.	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge	2.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Meter	600.00
17.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	50.24	Sqm	60.00	Rupees Sixty Only	Per Square Meter	3014.00
18.	Providing and fixing chromium plated brass soap dish with C.P. Brass brackets fixed to wooden plug with C.P. Brass screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.80	Rmt	300.00	Rupees Three Hundred Only	Per Running Meter	540.00
				Total			94478.00

**CONDITION:-**

D/MR No 58 TIS No 1657-72 dt 26-11-25

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

Ant do Rs 97312/-

SCHEDULE OF QUANTITY						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 94642.00	
Name of Work :- A/R & M/O various Type -I to Type-VI Qtrs of GAD at Kasumti , Shimla -171009. (SH:- P/F cupboard in Type-III Set no 22,34 under Parimahal Section.)					Earnest Money :- 1900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	36.18	Sqm	1350.00 Rupees One Thousand Three Hundred Fifty Only	Per Square Meter	<b>48843.00</b>
2	Providing and fixing 1.00mm thick coloured or plain lamination sheet (summica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.80	Sqm	850.00 Rupees Eight Hundred Fifty Only	Per Square Meter	<b>9180.00</b>
3	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 9mm (Nine milimetre)thick	15.12	Sqm	950.00 Rupees Nine Hundred Fifty Only	Per Square Meter	<b>14364.00</b>
4	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge.(i)1st class teak wood.	96.30	Rmt	65.00 Rupees Sixty Five Only	Per Running Meter	<b>6260.00</b>
5	Providing and fixing bright finished brass ball catcher 10 mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	27.00	Nos	50.00 Rupees Fifty Only	Each	<b>1350.00</b>
6	Providing and fixing bright finished C.P. brass handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm	27.00	Nos	150.00 Rupees One Hundred Fifty Only	Each	<b>4050.00</b>
7	Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge.	51.30	Sqm	40.00 Rupees Forty Only	Per Square Meter	<b>2052.00</b>

8	Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enamel paint.	51.30	Sqm	70.00	Rupees Seventy Only	Per Square Meter	<b>3591.00</b>
9	Providing wood work in frames of doors,windows, clerestory,windows and other frames wrought,framed and fixed in position including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge.(i) 2nd class deodar wood	0.002	Cum	97000.00	Rupees Ninety Seven Thousand Only	Per cubic Metre	<b>194.00</b>
10	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Meter	<b>600.00</b>
11	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	51.30	Sqm	60.00	Rupees Sixty Only	Per Square Meter	<b>3078.00</b>
12	Providing and fixing chromium plated brass curtain rod having wall thickness 1.25mm with two chromium plated brass brackets fixed with C.P. Brass screws and PVC sleeves etc wherever necessary including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge. (i) 25mm dia.	3.60	Rmt	300.00	Rupees Three Hundred Only	Per Running Meter	<b>1080.00</b>
				60	Total		<b>94642.00</b>

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

DINR.N.16567-68 dt 26-11-25 And 97481/1

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>	<b>Estimated Cost:- 89970.00</b>
<b>Name of Work :- A/R &amp; M/O various Type -I to Type-VI GAD Residential Qtrs At Mehli Shimla -9 (SH:- Providing steel work, cement concrete work I set no 17 set &amp; Set no -09 Type -VI at Mehli)</b>	<b>Earnest Money :- 1800.00</b>
	<b>Time:- One Month.</b>

<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>		<b>Unit</b>	<b>Amount</b>
			<b>In figures</b>	<b>In words</b>		
1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5(seven point five) in superstructure above plinth level up to floor V level in all shapes and sizes in.(i) Cement mortar 1:7(One cement : seven coarse sand) including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge.	0.84	Cum	7100.00	Rupees Seven Thousand One Hundred Only	Per cubic Metre 5964.00
2	15mm (Fifteen millimetres) thick cement plasters in single coat on fair side of brick/concrete/stone walls for interior plastering upto all floor level including arises, internal rounded angles, chamfers and or rounded angles not exceeding 30mm (Thirty millimetres) in girth and finished even and smooth with cement mortar 1:6 (one cement: six sand) within all leads, lifts of materials and other incidentals including carriage of material within all leads and lifts as per direction of Engineer-in-charge.	25.82	Sqm	270.00	Rupees Two Hundred Seventy Only	Per Square Meter 6971.00
3	P/f cushion for satty 10 mm thick including cover and finishing etc.	3.72	Sqm	4500.00	Rupees Four Thousand Five Hundred Only	Per Square Meter 16740.00
4	P/f E-Channel for drawer telescop 24"	3.00	Nos	750.00	Rupees Seven Hundred Fifty Only	Each 2250.00
5	P/f Zero degre hings.	8.00	Nos	400.00	Rupees Four Hundred Only	Each 3200.00
6	P/f over head shawer set 17	1.00	Nos	3500.00	Rupees Three Thousand Five Hundred Only	Each 3500.00
7	P/f stainless clamps for partation of toilets glass.	2.00	Nos	180.00	Rupees One Hundred Eighty Only	Each 360.00
8	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	180.30	Sqm	12.00	Rupees Twelve Only	Per Square Meter 2164.00

9	Providing and Fixing Scaffolding in building side including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	77.50	Sqm	120.00	Rupees One Hundred Twenty Only	Per Square Meter	9300.00
10	Finishing wall with weather proof exterior grade emulsion of approved design (Apexultima) or its equalled on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	218.95	Sqm	75.00	Rupees Seventy Five Only	Per Square Meter	16421.00
11	Painting <b>one coats</b> (excluding priming coat) on <b>previously painted wood/steel based</b> surfaces with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matters sand papering and stopping . including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint	385.00	Sqm	60.00	Rupees Sixty Only	Per Square Meter	23100.00
					Total		89970.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 2,88,201.00		
Name of Work:-- Restoration of Rain damages on Every sunny to Pagog road km. 0/00 to 5/00. (SH:- Construction of retaining wall at Rd. km. 0/623 to 630)				Earnest Money :- 5,800 .00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.32	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	10829.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	3.85	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1540.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:5:10(One cement: five sand: ten graded stone agg,40mm nominal size).	3.85	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14630.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	55.79	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	256634.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	3.15	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	3308.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	7.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	1260.00
						Total	288201.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

DIVR. No. 63 TIS No. 16670-71 01/26-4-25

Rate Rs 2,96,84/-

Executive Engineer  
Shimla Division No.1,  
HP PWD Shimla-3.

2 64

### DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 95988.00		
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs of GAD at Kasumpti, Shimla-171009. (SH:- P/F Tiles in Type-III Set no 627 under Kasumpti Section)				Earnest Money :- 1900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
In figures	In words					
1	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty milimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Size of tile 600x600mm (six hundred into six hundred milimetre)	36.00	Sqm	1350.00 Rupees One Thousand Three Hundred Fifty Only	Per Square Metre	48600.00
2	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade (i) Old work (one or more coats) including carriage of materials in all leads as per directions of the Engineer-in-Charge.	180.00	Sqm	50.00 Rupees Fifty Only	Per Square Metre	9000.00
3	Wall painting (One or more coat) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	160.00	Sqm	75.00 Rupees Seventy Five Only	Per Square Metre	12000.00
4	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	204.00	Sqm	12.00 Rupees Twelve Only	Per Square Metre	2448.00
5	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	64.00	Sqm	60.00 Rupees Sixty Only	Per Square Metre	3840.00
6	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	145.00	Sqm	65.00 Rupees Sixty Five Only	Per Square Metre	9425.00

7	Finishing wall with weather proof exterior grade emulsion of approved design (Apexultima) or its equalled on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	515.00	Sqm	75.00	Rupees Seventy Five Only	Per Square Metre	375.00
8	Melamine polishing on wood work (one or more coat) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	35.00	Sqm	260.00	Rupees Two Hundred Sixty Only	Per Square Metre	1300.00
9	Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5 (One cement: Five sand).	36.00	Sqm	250.00	Rupees Two Hundred Fifty Only	Per Square Metre	9000.00
<b>Total</b>							<b>95988.00</b>

**CONDITION:-**

DNIT approved for Rs.95988.00/- Only vide DNIT Register  
Sr.No. .... the financial year 2025-26. (T/S No. 15798-49  
Dated 11.11.25 Amount to Rs. 98868.00 T/S Amount 98868.00

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

## SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b> <b>Name of Work :- Restoration of rain damages Dharech Khagna to Kawanti road Km 0/00 to 8/700 (SH:-C/O R/Wall at Rd 1/735 to 1/751)</b>				<b>Estimated Cost:- 472020.00</b> <b>Earnest Money :- 9000.00</b> <b>Time:- One Month.</b>		
<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>	<b>Unit</b>	<b>Amount</b>	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	36.00	Cum 325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre 11700.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.00	Cum 400.00	Rupees Four Hundred Only	Per Cubic Metre 4000.00	

3	Providing and laying cement concrete 1:6:12 (1 cement :6 sand :12 graded stone aggregate 40 mm nominal size) and curing complete.	10.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	34000.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty millimetre) nominal size).	88.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	404800.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8. HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10500.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	39.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7020.00

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.

Shimla Division No. I  
HP PWD Shimla-3

DTR No 65 TISN 15796 97 dt 18/12/25

Art No 18486180/-

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,70,310.00		
Name of Work :- Restoration of Rain Damages on Ever sunny to Golcha Bhont road Km. 0/00 to 6/270. (SH:- Construction of Retaining Wall at RD 5/590 to 5/600). (Under PDNA)				Earnest Money :- 9,400.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	54.00	Cum In figures 325.00 In words Rupees Three Hundred Twenty Five Only	Per Cubic Metre	17550.00	
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	5.50	Cum 400.00	Rupees Four Hundred Only Per Cubic Metre	2200.00	
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	5.50	Cum 3800.00	Rupees Three Thousand Eight Hundred Only Per Cubic Metre	20900.00	

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	91.80	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	422280.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall,with 100 mm(Onc hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3600.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	3.60	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	3780.00
	Quated rates Percentage in figures					<b>Total</b>	<b>470310.00</b>
	Quoted rates Percentage in words						
						<b>G.Total</b>	

N. 67  
(T/S No. 1667273. Dated 27-11-25. Amount to Rs. 4,84,419/-)

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.1,  
 HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs of GAD at Kasumpti, Shimla -171009. (SH:

Fixation of PVC Flooring in Type -III 125 and Type-II 19 under Kasumpti Section.)

Estimated Cost:- 95979.00

Earnest Money :- 1900.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Providing and fixing 1.50mm(One point Fifty milimetre) thick PVC antistatic vinyl Flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	77.94	Sqm	950.00	Rupees Nine Hundred Fifty Only	Per Square Meter 74043.00
2	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre)thick	36.56	Sqm	600.00	Rupees Six Hundred Only	Per Square Meter 21936.00
						95979.00

**CONDITION:-**

DNR No. 69/18/RD. 16640-91/CH 27-11-25

Out to Rs 48858/-

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b> <b>Name of Work :- A/R &amp; M/O various Type -I to Type-VI Qtrs of GAD at Kasumpti ,Shimla -171009.</b> <b>(SH: P/F PVC in Type-V set no 16 under Kasumpti Section)</b>				<b>Estimated Cost:- 98528.00</b>
				<b>Earnest Money :- 2000.00</b>
				<b>Time:- One Month.</b>
<b>Sr. No</b>	<b>Description of Work / Item (S)</b>	<b>No.of Qty.</b>	<b>Estimated Rate</b>	<b>Unit</b>
		<b>In figures</b>	<b>In words</b>	<b>Amount</b>
1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	150.00	Sqm 65.00 Rupees Sixty Five Only	Per Square Meter 9750.00
2	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm)	2.00	Sqm 800.00 Rupees Eight Hundred Only	Per Square Meter 1600.00
2 ii	(ii) Frosted glass 5 mm thick	1.00	Sqm 900.00 Rupees Nine Hundred Only	Per Square Meter 900.00
3	Disposal of muck /disposed material upto all leads and lifts upto site approved by MC Shimla.	4.32	Cum 620.00 Rupees Six Hundred Twenty Only	Per cubic Metre 2678.00
4	Providing and fixing 1.50mm(One point Fifty milimetre) thick PVC antistatic vinyl Flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	88.00	Sqm 950.00 Rupees Nine Hundred Fifty Only	Per Square Meter 83600.00
			<b>Total</b>	<b>98528.00</b>

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian

DNK No. 71 T13 M. 16694-95 d+27-11-25

Amt to Rs 101484/

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 93966.00	
Name of Work :- A/R & M/O various residential Qtrs under Division No -VIII, Kasumpti Shimla -3 (SH:- Exterior White washing and distempering in Type-III A Block and other due/on vacation sets under Kasumpti Sub -Division.)					Earnest Money :- 1900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	200.00	Sqm 50.00 Rupees Fifty Only	Per Square Meter	10000.00	
2	Wall painting (One or more coat) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	300.00	Sqm 70.00 Rupees Seventy Only	Per Square Meter	21000.00	
3	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	180.00	Sqm 12.00 Rupees Twelve Only	Per Square Meter	2160.00	
4	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	180.00	Sqm 60.00 Rupees Sixty Only	Per Square Meter	10800.00	
5	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	258.55	Sqm 65.00 Rupees Sixty Five Only	Per Square Meter	16806.00	

6	Finishing wall with weather proof exterior grade emulsion of approved design (Apexultima Protek) or its equalled on undecorated wall surfaces (two coats) to give an even shade and final finish after throughly cleaning the surface to remove all dirt, dust and other foreign matter etc including sand paper smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	1230.00	Sqm	120.00	Rupees One Hundred Twenty Only	Per Square Meter	27600.00
7	Melamine polishing on wood work (one or more coat) including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge.	20.00	Sqm	280.00	Rupees Two Hundred Eighty Only	Per Square Meter	5600.00
							<b>Total 93966.00</b>

**CONDITION:-**

DTR No 73 TSN a 1669899 dt 27-11-25

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Amt to Rs 96,785/-  
Signature

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 3,33,292.00		
Name of Work:--Restoration of Rain damages on Elysium to Devidhar road km. 0/00 to 8/00. (SH:- Construction of retaining wall at Rd. km. 5/840 to 548)				Earnest Money :- 6,700 .00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	6500.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	17.52	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	7008.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:5:10(One cement: five sand: ten graded stone agg.40mm nominal size).	3.84	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	14592.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	62.48	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	287408.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	10.08	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	10584.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
Quated rates Percentage in figures							Total 333292.00
Quoted rates Percentage in words							
							G.Total

CONDITION:-

DINR. No 74 TIS No 16668-69 dt 27-1-25

Amt Rs 3,43,291/-

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

<b>Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.</b>				<b>Estimated Cost:- 2,94,290.00</b>		
<b>Name of Work :- Restoration of Rain Damages on Ever sunny to Pagog road Km. 0/00 to 5/00. (SH:- Construction of Retaining Wall at RD 3/000 to 3/010). (Under PDNA)</b>				<b>Earnest Money :- 5,900.00</b>		
<b>Time:- One Month.</b>						
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	27.60	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	8970.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.40	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1760.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	4.40	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	16280.00


4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	56.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	259900.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3600.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	3.60	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	3780.00
						<b>Total</b>	<b>294290.00</b>
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						<b>G.Total</b>	

(T/S No..... Dated ..... Amount to Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.



### SCHEDE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 4,95,425.00	
Name of Work :- Restoration of Rain Damages on Cheog to Dharech road in Km. 0/00 to 7/700 (SH:- Construction of Retaining Wall at RD 7/200 to 7/208.5).					Earnest Money :- 9,900.00	
					Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	41.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	13325.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	8.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	3200.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(one cement: six sand: twelve graded stone agg.40mm nominal size).	8.00	Cum	3400.00 Rupees Three Thousand Four Hundred Only	Per Cubic Metre	27200.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty millimetre) nominal size).	95.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	437000.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	8.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	8400.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	35.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	6300.00
						<b>Total</b>	<b>495425.00</b>
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						<b>G.Total</b>	

(T/S No..... Dated ..... Amount to  
Rs.....).

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
Executive Engineer,  
Shimla Division No.1,  
HP PWD Shimla-3.

### SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 3,70,544.00		
Name of Work:--Restoration of Rain damages on Kamyana to Paobo road km. 0/00 to 7/00. (SH:- Construction of retaining wall at Rd. km. 0/365 to 3/374)				Earnest Money :- 7,500 .00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour ( if required ). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	42.84	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	13923.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.95	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1980.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. a) Cement Mortar 1:5:10(One cement: five sand: ten graded stone agg.40mm nominal size).	4.95	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	18810.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	71.73	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	329958.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	4.05	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	4253.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	9.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	1620.00
	Quated rates Percentage in figures					Total	<b>370544.00</b>
	Quoted rates Percentage in words						
						G.Total	

**CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

  
 Executive Engineer,  
 Shimla Division No.I,  
 HP PWD Shimla-3.

**SCHEDULE OF QUANTITY**

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 97,475.00		
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs. Of GAD at Kasumti Shimla-9. (SH:- Providing and Laying Checkered tiles with Type-III 154 to 159 under Kasumti Section).				Earnest Money :- 1,900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)For thickness of tiles above 25mm and upto 40mm	38.88	Sqm	150.00 Rupees One Hundred Fifty Only	Per Square Metre	5832.00
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i)Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	1.94	Cum	1250.00 Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre	2425.00
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	1.94	Cum	5400.00 Rupees Five Thousand Four Hundred Only	Per Cubic Metre	10476.00
4	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1.05	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	420.00

5	Disposal of excavated earth work by debris material upto site on approved dumping site approved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.94	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	1203.00	
6	Providing and fixing Checkered tiles hydraulic compressed 20mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25mm average thickness of cement mortar 1:6 (One cement : Six sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (wherever required) including rubbing and polishing complete with tiles of following shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.. (i) medium	41.88	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Metre		50256.00
7	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In stringers, treads, landings etc of stair cases including use of chequered plate wherever required	255.84	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilogram		26863.00
							<b>Total</b>	<b>97475.00</b>
	Quated rates Percentage in figures							
	Quoted rates Percentage in words						<b>G.Total</b>	

### **CONDITION:-**

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,  
Shimla Division No.I,  
HP PWD Shimla-3.

HP FWB Simula-5.