

Himachal Pradesh
Public Works Department

No. PW-SD-I-CTR- Tender-NIT/2025-2026- 17970-71 Dated:- 11/12/25

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
Shimla Division No-I.,
HPPWD, Shimla-3.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .


Executive Engineer,
Shimla Division No-I.,
HPPWD, Shimla-3.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division No-I HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- | | |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 18-12-2025 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:- | 18-12-2025 12:00 PM upto 4:00 PM |
| 3. Date of receipt of tender:- | 19-12-2025 upto 10:30 AM |
| 4. Date of opening of tender:- | 19-12-2025 up to 11:00 AM |

Sr. No.	Name of Work	Estimated cost	EMD(Rs.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	A/R & M/O various Type-III and type-IV GAD Qtrs at Parimahal, Kasumpti Shimla-9. (SH: Providing and fixing PVC/WPC ceiling in Type-IV set No-48 at Kasumpti Shimla-9.	98656	2000	350/-	30 days	Class-D
2	A/R & M/O various Type-III and type-IV GAD Qtrs at Parimahal, Kasumpti Shimla-9. (SH: Covering of balcony of Type-III set No 138 and 139 under Kasumpti Section)	98508	2000	350/-	30 days	Class-D
3	A/R & M/O various Type-I to Type-VI Qtrs at Mehli Shimla. (SH: P/L PVC Flooring and Non woven carpet set No-18 Type-IV Type-VI/8 at Mehli Kasumpti Shimla)	94534	2000	350/-	30 days	Class-D
4	Restoration of rain Damages on various road under Baldeyan Section. (SH: Hiring of Excavator cum loader for removal of slips in various RD(1) Baldeyan to Manner in km 0/00 to 12/915 (II) Kogi to Seon in km 0/000 to 3/700 and Jablanda to Kairkoti in km 0/00 to 8/200) (Under PDNA)	498000	10000	350/-	30 days	Class-D
5	A/R & M/O to Type-I to VI Qtrs at Mehli Shimla-09. (SH: Repair of Toilet kitchen, cup board, Painting and Distemping Set No-1 Block No-03 Transit Accommodation Shimla).	98926	2000	350/-	30 days	Class-D
6	Restoration of Rain Damages on various roads under Mashobra sub-Division. (SH: Hiring of excavator cum loader for Removal of snow in various RDs Fagu Section). (i) Bangapani to Chatog in km 0/00 to 2/800. (ii) Cheog to Dharech in Km. 0/00 to 7/400).	97650	2000	350/-	30 days	Class-D
7	Restoration of Rain Damages on various road under Mashobra Sub-Division. (SH: Removal of solidified snow spreading of cursher sand including transportation of labour/material by Hiring P.V.T labour under Mashobra Section. (i) Mashobra to Bhakhality in km 0/00 to 17/840, (ii) Kufri to Chaid road in km 0/00 to 1/765. (iii) Dak Bangla to Gharech in km 0/00 to 6/615).	99840	2000	350/-	30 days	Class-D
8	Restoration of Rain Damages on various roads under Mashobra Sub-Division. (SH: Hiring of Excavator cum loader for Removal of snow in various RDs Mashobra Section). (i) Mashobra to Bhakhality in 0/00 to 17/840. (ii) Kufri to Chaid in KM 0/00 to 1/765. (iii) Dak Bangla to Gharech in km 0/00 to 6/615).	99750	2000	350/-	30 days	Class-D
9	Restoration of Rain Damages on various road under Mashobra Sub-Division. (SH: Removal of solidified snow spreading of crusher sand including transportation of labour/material by Hiring P.V.T labour under Mashobra Section. (i) Fagu to Cheog road in km 0/00 to 5/600, (ii) Bangapani to Chatog in km 0/00 to 2/800. (iii) Cheog to Gharech in km 0/00 to 7/400).	995800	2000	350/-	30 days	Class-D
10	Restoration of Rain Damages on Kamyana to Paobo road km 0/00 to 0/700. (SH: C/O R/wall at Rd 0/435 to 0/443)	250328	5000	350/-	30 days	Class-D
11	Restoration of Rain Damages on various road uner mashobra Sub-Division. (SH: Removal of solidified snow spreading of cursher sand including transportation of labour/material by Hiring PVT labour under Mashobra Section. (i) Shimla to Mandi in Km 6/00 to 22/00. (ii) Baldeyan to Dharampur in Km. 0/00 to 10/00. (iii) Baldeyan to Shanel in Km 0/00 to 4/700.	99970	2000	350/-	30 days	Class-D
12	Restoration of Rain Damaged kasumpti Panghaghatti road in Km. 1/330 to 2/385. (SH: Construction of B/wall between at RD 2/340 to 2/350). (Under PDNA).	408528	8200	350/-	30 days	Class-D
13	Restoration of Rain Damages on Mashobra to Bhakhelty road in Km 0/00 to 18/300). (SH: C/O Create Wall at RD 7/855 to 7/866). (Under PDNA)	206386	4100	350/-	30 days	Class-D
14	Restoration of Rain Damaged kasumpti Panghaghatti road in Km. 1/330 to 2/385. (SH: Construction of B/wall between at RD 2/280 to 2/292). (Under PDNA).	485788	9700	350/-	30 days	Class-D
15	Restoration of Rain Damages on various roads under Mashobra Sub-Division. (SH: Hiring of Excavator cum loader for Removal of snow in various RDs Fagu Section). (i) Fagu to Cheog in Km. 0/00 to 5/600.	97650.00	2000.00	350/-	30 days	Class-D
16	Restoration of Rain Damages on various road under mashobra Sub-Division. (SH: Hiring of Excavator cum loader for Removal of snow in various RDs Baldeyan Section). (i) Shimla to Mandi road in Km 6/00 to 22/00. (ii) Baldeyan to Dharampur road in km 0/00 to 10/00. (iii) Baldeyan to Shanel road in km 0/00 to 4/700)	98700.00	2000.00	350/-	30 days	Class-D
17	R/O & R/D on Shoghi Mehli Junga Sadhupul road from Rd 12/375 to 48/925. (SH: C/O R/wall at RD 32/425 to 32/435) PDNA	483483.00	10000.00	350/-	30 days	Class-D

18	R/O & R/D on Shoghi Mehli Junga Sadhupul road 12/375 to 48/925. (SH: Removal of slips Dumped at between RD 15/500 to 15/600) PDNA	244200.0 0	4900.0 0	350/-	30 days	Class-D
19	Restoration and restoration on old Kasumpti Junga road km 0/00 to 11/020. (SH: C/O R/wall at RD 1/045 to 1/055)	245356.0 0	5000.0 0	350/-	30 days	Class-D
20	Restoration of rain damages on Eversunny to Pagog Road km 0/00 to 5/00. (SH: C/O R/wall at RD 3/110 to 3/118) PDNA	386704.0 0	8000.0 0	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Shimla Division No-I HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,
Shimla Division No-I,
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026-
Copy forwarded to:-

17973-86

Dated :- 11/12/25

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Executive Engineer,
Shimla Division No-I,
HPPWD. Shimla.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.						Estimated Cost:-98656.00	
Name of Work:- A/R & M/O various Type -III and Type - IV GAD Qtrs at Parimahahal , Kasumpti Shimla - 9 (SH:-						Earnest Money :-2000.00	
Providing and fixing PVC /WPC ceiling in Type IV set NO 48 at Kasumpti Shimla - 9						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Providing and Fixing PVC / WPC for ceiling with screws or nail including carriage of materials as per direction of Engineer - in -Chagre .	45.11	Sqm	2187.00	Rs Two thousand one hundred eighty seven only	Per Square Meter	98655.57
						G.Total	98655.57

T/s No. 17616/7 dated 8-12-25 Amounting to Rs. 191616/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance

Executive Engineer
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-98508.00		
Name of Work:- A/R & M/O various Type -III and Type - IV GAD Qtrs at Parimahahal , Kasumpti Shimla - 9 (SH:-					Earnest Money :-2000.00		
Covering of balcony of Type - III set No 138and 139 under kasumpti section)					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Steel work welded in built up sections, trusses and framed work including cutting hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work.	134.84	Kgs	105.00	Rupees One Hundred Five Only	Per KilogramMetre	14158.20
2	supplying and fixing welded mesh 225x25x3mm to wood or steel members in partitions etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	8.85	Sqm	650.00	Rupees Six Hundred Fifty Only	Per square metre	5753.00
3	Painting two coats(excluding priming coat) on previously painted wood and wood based surfaces with enamel paint brushing to give an even shade including cleaning the surface of all dirt, dust and other foreign matters sand papering and stopping . including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint	70.80	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	4602.00
4	Providing and fixing Copper oxidised fittings (iron) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i)Butt hinges:75x47x 1.70mm	8.00	Nos	100.00	Rupees One Hundred Only	Each	800.00
5	Providing and fixing Copper oxidised MS Sliding door bolt) with nuts and screws etc complete (i) 250x16 mm	1.00	Nos	250.00	Rupees Two Hundred Fifty Only	Each	250.00
6	Providing and fixing Copper oxidised MS tower bolt) (Barral type) with necessary screws etc complete 150x10mm.	4.00	Nos	100.00	Rupees One Hundred Only	Each	400.00
7	Providing and fixing polycarbonated sheet 2.00mm thick in lining with galvanised self driven screws complete with all accessories as required including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	33.30	Sqm.	2150.00	Rupees Two Thousand One Hundred Fifty Only	Per Square Metre	71595.00
8	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm)						
	(i Frosted glass 4 mm thick	1.00	Sqm	950.00	Rupees Nine Hundred Fifty Only	Per Square Meter	950.00
						G.Total	98508.20

T/s No. 17150304 dated 6-12-25 Amounting to Rs. 101463/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY..							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 94534.00		
Name of Work :- A/R & M/O various Type-I to Type -VI Qtrs at Mehli Shimla. (SH:- P/L PVC Flooring and Non wooven carpet set No 18 Type-IV Type-VI /8 at Mehli Kasumpti Shimla).					Earnest Money :- 2000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Providing and fixing 1.50mm(One point Fifty milimetre) thick PVC antistatic vinyl Flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	86.74	Sqm	950.00	Rupees Nine Hundred Fifty Only	Per Square Meter	82403.00
2	Providing and fixing wooven carpet (Unitex) of superior quality in all shade and colour of approved sample having 6.00mm(Six milimetre) thickness and 1400 grams weight per square meter laid on floor with approved adhasive complete in all respect including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	17.33	Sqm	700.00	Rupees Seven Hundred Only	Per Square Meter	12131.00
					Total		94534.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SHIMLA No. 107 TUS/11, 17584-85 dt 8-11-25

Rs 97370/-

9

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-						Estimated Cost:- 498000.00	
Name of Work :- Restoration of Rain Damages on Various road under Baldeyan Section (SH:-						Earnest Money :- 10,000.00	
Hiring of Excavator cum loader for removal of slips in various RD (1) Baldeyan to Manner in Km 0/00 to 12/915 (ii) Kogi to Seon in Km 0/000 to 3/700 and Jablanda to Kiarkoti in Km 0/00 to 8/200).(Under PDNA)						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader and Tipper for removal of slips Debris and drsssing of Berms including coat of fuel oil lubricants wages of operational staffs any repair package during operation will be carried out at his risk and cost at required location actual working will be accounted for payment and proper disposal slips / debris by the contractor will be insured and dumping site will be arranged by the contractor at his own cost of tipper or carriage out as per instructions/ direction of the Engineer-in-Charge.	1660.00	Cum	300.00	Rupees Three Hundred Only	Per Cubic metre	498000.00
						Total	498000.00

DINR No 108 TISN. 17505.06 dt 6-12-25

And its Rs 512940/-

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.

Executive Engineer
Shimla Division No. I.
HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.							
Name of Work :- A/R & M/O to Type-I to VI Qtrs At Mehli Shimla-09 (SH:- Repair of Toilet Kitchen, cup board , Painting and Distempering set No 1 Block no 03 Transit Accommodation Shimla).						Estimated Cost:- 98926.00	
						Earnest Money :- 2000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	0.80	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per cubic Metre	1000.00
2	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50(fifty) metres lead as per direction of Engineer-in-charge. (i) In cement mortar.	1.86	Cum	950.00	Rupees Nine Hundred Fifty Only	Per cubic Metre	1767.00
3	Distempering wooden boarding in lining of walss etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 110 mm dia.	5.67	Rmt	200.00	Rupees Two Hundred Only	Per Running Meter	1134.00
4	Providing and fixing high pressure PVC spigot and socket, waste and ventilating pipes ISI marked including fixing with approved adhesive etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 110 mm dia.	4.00	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	1400.00
4 ii	(ii) 75 mm dia.	2.00	Rmt	300.00	Rupees Three Hundred Only	Per Running Meter	600.00
5	Providing and fixing PVC plain bend ISI marked including fixing with approved adhesive etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 110 mm dia.	2.00	Nos	300.00	Rupees Three Hundred Only	Each	600.00
5 ii	(ii) 75 mm dia.	2.00	Nos	275.00	Rupees Two Hundred Seventy Five Only	Each	550.00
6	Providing and fixing PVC door bend with oval access door, insertion rubber washer 3 mm thick bolts and nuts ISI marked complete including fixing with approved adhesive etc. including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) 110 mm dia.	1.00	Nos	250.00	Rupees Two Hundred Fifty Only	Each	250.00
6 ii	(iii) 75 mm dia.	1.00	Nos	200.00	Rupees Two Hundred Only	Each	200.00

7	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:2:4 (one cement : two coarse sand) : four graded stone aggregate 20 mm (twenty milimetre) nominal size)	0.65	Cum	6500.00	Rupees Six Thousand Five Hundred Only	Per cubic Metre	4225.00
8	Providing and fixing G.I pipes complete with G.I fittings and clamps including cutting chases and making good the all including carriage of materials within all leads and lifts and as per the direction of Engineer-in-Charge. (i) 15mm dia.	3.00	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	1050.00
9	Providing and laying 1st quality Ceramic glazed wall tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:3 (1 Cement : 3 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7.50	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Meter	9000.00
10	Providing and laying Ceramic glazed floor tiles of size 300x600 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	5.50	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter	6325.00
11	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	20.55	Sqm	1350.00	Rupees One Thousand Three Hundred Fifty Only	Per Square Meter	27743.00
12	Providing and fixing 19mm thick water proof commercial board in shelves/shutters box for cup board with butt joints & fixing with nails & screws etc complete) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	6.45	Sqm	850.00	Rupees Eight Hundred Fifty Only	Per Square Meter	5483.00
13	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre) thick	6.45	Sqm	600.00	Rupees Six Hundred Only	Per Square Meter	3870.00
14	Providing and fixing square edges cover fillets (beading) 19mmx6mm (Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge. (i) 1st class teak wood.	18.40	Rmt	65.00	Rupees Sixty Five Only	Per Running Meter	1196.00

15	Providing and fixing Stainless steel handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125mm	12.00	Nos	150.00	Rupees One Hundred Fifty Only	Each	1800.00
16	Providing and fixing magnetic Catchers ISI marked with necessary screws etc complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	12.00	Nos	50.00	Rupees Fifty Only	Each	600.00
17	Applying priming coat over new wood and wood based surfaces after and including prepering the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge. (a) Ready mixed paint brushing wood primer pink.	41.72	Sqm	40.00	Rupees Forty Only	Per Square Meter	1669.00
18	Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enemal paint.	41.72	Sqm	70.00	Rupees Seventy Only	Per Square Meter	2920.00
19	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	72.52	Sqm	12.00	Rupees Twelve Only	Per Square Meter	870.00
20	Applying Birla white wall care putty over plaster surface after thoroughly brushing the surface free from mortar drops, dust, loose materials and other foreign matters sand papered smooth to give final matter finish to the surface complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	72.52	Sqm	60.00	Rupees Sixty Only	Per Square Meter	4351.00
21	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	100.5	Sqm	45.00	Rupees Forty Five Only	Per Square Meter	4523.00
22	Applying priming coat over new steel & other metal surfaces after & including preparing the surface by thoroughly cleaning oil grease dirt and other foreign matter and scoured with wire brushes fine steel wool scrapers and sand paper . (i) With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/steel works including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	80.00	Sqm	65.00	Rupees Sixty Five Only	Per Square Meter	5200.00
23	Providing and Fixing vitrious china wash down water closet. (Europen Tyep-WC Pain) including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge. (i) Ordiny closet.	1.00	Nos	3000.00	Rupees Three Thousand Only	Each	3000.00
24	Providing and fixing plastic seat (Solid / Hollow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (1)SOLID TYPE (a) White plastic seat and cover.	1.00	Nos	600.00	Rupees Six Hundred Only	Each	600.00

25	Providing and fixing wall mixer for hot or cold water including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos	3500.00	Rupees Three Thousand Five Hundred Only	Each	3500.00
26	Providing and fixing 15mm mixer for kitchen sink with top / bottom swinging spout. including carriage of materials in all leads as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos	3500.00	Rupees Three Thousand Five Hundred Only	Each	3500.00
					Total		98926.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

21/11/2019 715/17628-29 of 8-12-25

Net to 101894/-

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 97,650.00		
Name of Work :- Restoration of Rain Damages on various roads under Mashobra Sub Division.					Earnest Money :- 2,000.00		
(SH:- Hiring of Excavator cum loader for Removal of snow in various RDs Fagu Section). (i) Bangapani to Chatog in Km. 0/00 to 2/800. (ii) Cheog to Dharech in Km. 0/00 to 7/400.					Time:- One Month		
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minimum Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minimum 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	93.00	Hour	1050.00	Rupees One Thousand Fifty Only	Per Hours	97650.00
						Total	97650.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No..176303/ Dated ...8-12-25 Amount to Rs..1,00,579/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,840.00		
Name of Work :- Restoration of Rain Damages on various road under Mashobra Sub Division.					Earnest Money :- 2,000.00		
(SH:- Removal of solidified snow spreading of cursher sand including transportation of labour/material by Hiring P.V.T labour under Mashobra Section. (i) Mashobra to Bhakhality in Km. 0/00 to 17/840, (ii) Kufri to Chaid road in Km. 0/00 to 1/765. (iii) Dak Bangla to Gharech in Km. 0/00 to 6/615).					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of snow:- Removal of snow from road surface height up to 1.5 meters, Removal of solidified snow spreading of crusher sand including transportation of labour/material by Hiring P.V.T labour including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge Solidified snow.	384.00	Cum	260.00	Rupees Two Hundred Sixty Only	Per Cubic Meter	99840.00
						Total	99840.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 17606-07 Dated 8.12.25 Amount to Rs. 1,02,835/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,750.00		
Name of Work :- Restoration of Rain Damages on various roads under Mashobra Sub Division. (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs Mashobra Section). (i) Mashobra to Bhakhality in Km. 0/00 to 17/840. (ii) Kufri to Chaid in KM. 0/00 to 1/765. (iii) Dak Bangla to Gharech in Km. 0/00 to 6/615).					Earnest Money :- 2,000.00		
					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	95.00	Hour	1050.00	Rupees One Thousand Fifty Only	Per Hours	99750.00
						Total	99750.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 1759495 Dated 8-10-25 Amount to Rs. 102,742/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,580.00		
Name of Work :- Restoration of Rain Damages on various road under Mashobra Sub Division.					Earnest Money :- 2,000.00		
(SH:- Removal of solidified snow spreading of cursher sand including transportation of labour/material by Hiring P.V.T labour under Mashobra Section. (i) Fagu to Cheog road in Km. 0/00 to 5/600. (ii) Bangapani to Chatog in Km. 0/00 to 2/800. (iii) Cheog to Dharech in Km. 0/00 to 7/400).					Time:- One Month		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of snow:- Removal of snow from road surface height up to 1.5 meters, Removal of solidified snow spreading of crusher sand including transportation of labour/material by Hiring P.V.T labour including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge Solidified snow.	383.00	Cum	260.00	Rupees Two Hundred Sixty Only	Per Cubic Meter	99580.00
						Total	99580.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 1760405, Dated 8.12.25 Amount to Rs. 1,02,567/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 250328.00	
Name of Work :- Restoration of Rain damages on Kamyana to Paoba road Km 0/00 to 0/700 (SH:- C/O R/Wall at Rd 0/435 to 0/443).						Earnest Money :- 5000.00	
undn PDNA 2013						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	24.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	7800.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical	3.68	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	1472.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: five sand: Ten graded stone agg.40mm nominal size).	3.68	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	13984.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(one cement:four sand:eight graded stone aggregate 20mm(Twenty milimetre) nominal size).	48.08	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Meter	221168.00
5	Providing weep holes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	16.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running metre	2880.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	2.88	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	3024.00
					Total		250328.00

SNR No 123 TDM. 1762-21 dt 8-12-25 Amt 257838/-

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 99,970.00		
Name of Work :- Restoration of Rain Damages on various road under Mashobra Sub Division.					Earnest Money :- 2,000.00		
(SH:- Removal of solidified snow spreading of cursher sand including transportation of labour/material by Hiring P.V.T labour under Mashobra Section. (i) Shimla to Mandi in Km. 6/00 to 22/00. (ii) Baldeyan to Dharampur in Km. 0/00 to 10/00. (iii) Baldeyan to Shanel in Km. 0/00 to 4/700.					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of snow:- Removal of snow from road surface height up to 1.5 meters, Removal of solidified snow spreading of crusher sand including transportation of labour/material by Hiring P.V.T labour including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge Solidified snow.	384.50	Cum	260.00	Rupees Two Hundred Sixty Only	Per Cubic Meter	99970.00
						Total	99970.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 17608-09 Dated 8.12.25 Amount to Rs. 1,02,869/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 4,08,528.00

NAME OF WORK:- Restoration of Rain Damaged Kasumpti Panthaghatti road in Km. 1/330 to 2/385. (SH:- Construction of Breast Wall between at RD 2/340 to 2/350). (Under PDNA).

Earnest Money :- 8,200.00

Time:- One Month.

Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	30.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	9750.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.40	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4560.00
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:5:10 (One cement : Five coarse sand) : Ten graded stone aggregate 40 mm nominal size)	12.00	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	45600.00


4	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	40.50	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	218700.00
5	Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	36.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	6480.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	12.60	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	13230.00
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge. (i) Mild steel and Medium Tensile steel bars.	150.00	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilo-gram	15750.00
8	Disposal of muck /denris/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	41.40	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	25668.00
9	Stone soling properly hand packed filling interstices with Kharanja stone and including watering and ramming consolidating with hand durmet complete under floor to the requisite gradient and camber including spreading watering and rolling of binding materials complete as per HP PWD specification 100mm spread thickness (finished work including materials and labour) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.10	Cum	1300.00	Rupees One Thousand Three Hundred Only	Per Cubic Metre	1430.00
10	Construction of hill side drain in accordance with the requirement of specification true to lines and grades dimesions and other particulars as per drawing and Technical Specification Clause 1606.1 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge (i) Plain cement concrete M10 grade.	1.10	Cum	5600.00	Rupees Five Thousand Six Hundred Only	Per Cubic Metre	6160.00
11	Square rubble masonry with hard stone in superstructure above plinth level and upto floor five level including leveling up with cement concrete 1:6:12 (One cement: Six Coarse sand : Twelve graded stone aggregate 20mm nominal size) at window sills, ceiling level and the like including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge	7.20	Cum	6000.00	Rupees Six Thousand Only	Per Cubic Metre	43200.00

12	Demolishing stone rubble masonry manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.(i)In cement mortar	14.40	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre	18000.00
	Quoted rates Percentage in figures					Total	408528.00
	Quoted rates Percentage in words						
						G.Total	

(T/S No. 176223 Dated 8-12-25 Amount to Rs. 4,20,784/-)

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 2,06,386.00	
Name of Work :- Restoration of Rain Damages on Mashobra to Bhakhelty road in Km. 0/00 to 18/300. (SH: 67)						Earnest Money :- 4,100.00	
Construction of Create Wall at RD 7/855 to 7/866). (Under PDNA)						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No. of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety neasures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	3250.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	11200.00
3	Providing and laying of boulder apron laid in wire crates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	62.00	Cum	3028.00	Rupees Three Thousand Twenty Eight Only	Per Cubic Meter	187736.00

4	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	4.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	4200.00
						Total	206386.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

(T/S No. 1762425 Dated 8-12-25 Amount to
Rs. 2,12,578/-)

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:- 4,85,788.00		
NAME OF WORK:- Restoration of Rain Damaged Kasumpti Panthaghatti road in Km. 1/330 to 2/385. (SH:- Construction of Breast Wall between at RD 2/280 to 2/292). (Under PDNA).					Earnest Money :- 9,700.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	36.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	11700.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	13.68	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	5472.00


3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:5:10 (One cement : Five coarse sand) : Ten graded stone aggregate 40 mm nominal size)	14.40	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	54720.00
4	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size)	48.60	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	262440.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	36.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	6480.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	15.12	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	15876.00
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level including carriage of materials in all leads and lifts as per directions of the Engineer-in-charge. (i) Mild steel and Medium Tensile steel bars.	150.00	Kgs.	105.00	Rupees One Hundred Five Only	Per Kilo-gram	15750.00
8	Disposal of muck /denris/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	49.68	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	30802.00
9	Stone soling properly hand packed filling interstices with Kharanja stone and including watering and ramming consolidating with hand durnet complete under floor to the requisite gradient and camber including spreading watering and rolling of binding materials complete as per HP PWD specification 100mm spread thickness (finished work including materials and labour) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.32	Cum	1300.00	Rupees One Thousand Three Hundred Only	Per Cubic Metre	1716.00

10	Construction of hill side drain in accordance with the requirement of specification true to lines and grades dimesions and other particulars as per drawing and Technical Specification Clause 1606.1 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge (i) Plain cement concrete M10 grade.	1.32	Cum	5600.00	Rupees Five Thousand Six Hundred Only	Per Cubic Metre	7392.00
11	Square rubble masonry with hard stone in superstructure above plinth level and upto floor five level including leveling up with cement concrete 1:6:12 (One cement: Six Coarse sand : Twelve graded stone aggregate 20mm nominal size) at window sills, ceiling level and the like including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge	8.64	Cum	6000.00	Rupees Six Thousand Only	Per Cubic Metre	51840.00
12	Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.(i)In cement mortar	17.28	Cum	1250.00	Rupees One Thousand Two Hundred Fifty Only	Per Cubic Metre	21600.00
						Total	485788.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	

(T/S No. 17626/27 Dated 8-12-25 Amount to Rs. 500,362/-)

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 97,650.00	
Name of Work :- Restoration of Rain Damages on various roads under Mashobra Sub Division.						Earnest Money :- 2,000.00	
(SH:- Hiring of Excavator cum loader for Removal of snow in various RDs Fagu Section). (i)						Time:- One Month	
Fagu to Cheog in Km. 0/00 to 5/600.							
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	93.00	Hour	1050.00	Rupees One Thousand Fifty Only	Per Hours	97650.00
						Total	97650.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 1759293 Dated 8-12-25 Amount to Rs. 1,00,579/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 98,700.00	
Name of Work :- Restoration of Rain Damages on various roads under Mashobra Sub Division.						Earnest Money :- 2,000.00	
(SH:- Hiring of Excavator cum loader for Removal of snow in various RDs Baldeyan Section). (i) Shimla to Mandi road in Km. 6/00 to 22/00. (ii) Baldeyan to Dharampur road in Km. 0/00 to 10/00. (iii) Baldeyan to Shanel road in Km. 0/00 to 4/700).						Time:- One Month	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge.	94.00	Hour	1050.00	Rupees One Thousand Fifty Only	Per Hours	98700.00
						Total	98700.00

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 175909/1 Dated 8-12-25 Amount to Rs. 1,01,661/-)

Executive Engineer,
Shimla Division No. I,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.	Estimated Cost:- 483483.00
Name of Work :- R/O & R/D on Shoghi Mehli Junga Sadhupul road from Rd 12/375 to 48/925 (SH:- C/O R/Wall At RD 32/425 to 32/435) <i>YDNA</i>	Earnest Money :- 10000.00
	Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	33.70	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	10953.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.40	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	8160.00
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:3:6 (One cement: Five sand: Ten graded stone agg.20mm nominal size).	79.60	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Metre	429840.00
4	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10	4.80	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	18240.00

5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	45.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	8100.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	7.80	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	8190.00
				Total			483483.00

DNIT approved for Rs. 483483.00/- Only vide DNIT Register
 Sr.No. 115 the financial year 2025-26, (T/S No. 17610.11
 Dated. 8.12.25 Amount to Rs. 497988.00 /S Amount 497988.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 244200.00	
Name of Work :- R/O & R/D on Shoghi Mehli Junga Sadhupul road 12/375 to 48/925 (SH:- Removal of slips Dumped at between RD 15/500 to 15/600)						Earnest Money :- 4900.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Removal of slip Dedris and dressing of berms including coat of fuel oil lubricants wages of operational staffs any repair package during operation will be carried out at his risk and costly at required location actual working will be accounted for payment and proper disposal/slips/debris by the contractor will be insured and dumping site will be arranged by the contractor at his own cost of tipper or carriage out as per instructions/directions of the Engineer-in-Charge.	814.00	Cum	300.00	Rupees Three Hundred Only	Per cubic meter	244200.00
				Total			244200.00

SHIMLA No. 116 TIS No. 7612-13 clt 8-12-25

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Ant to Rs 2,51,526

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 245356.00	
Name of Work :- Reconstruction and restoration on old Kasumpti Junga road Km 0/00 to 11/020 (SH:- C/O R/Wall at RD 1/045 to 1/055).						Earnest Money :- 5000.00	
						Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1.	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.39	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5002.00

2.	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	12.15	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	4860.00
3	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (20mm aggregate.).	3.42	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per Cubic Metre	12996.00
4	Providing concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 20 mm aggregate.	45.81	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	210726.00

5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	15.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running Meter	2700.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	8.64	Cum	1050.00	Rupees One Thousand Fifty Only	Per Square Metre	9072.00
				Total			245356.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.						Estimated Cost:- 386704.00	
Name of Work :- Restoration of rain damages on Every sunny to Pagog Road Km 0/00 to 5/00 (SH:-C/O R/Wall at RD 3/110 to 3/118)						Earnest Money :- 8000.00	
						Time:- One Month.	
Sr. No	Description of Work /Item (S)	No.of Qty.		Estimated Rate		Unit	Amount
				In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	48.96	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	15912.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.40	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	1760.00

3	Providing and laying cement concrete 1:5:10 (1 cement :5sand :10 graded stone aggregate 40 mm nominal size) and cauring complete.	4.40	Cum	3800.00	Rupees Three Thousand Eight Hundred	Per Cubic Metre	16720.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) CC 1:4:8).	80.56	Cum	4300.00	Rupees Four Thousand Three Hundred Only	Per Cubic Metre	346408.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Granular materials	2.88	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	3024.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	16.00	Nos	180.00	Rupees One Hundred Eighty Only	Each	2880.00
					Total		386704.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
Shimla Division No.1,
HP PWD Shimla-3.