

Himachal Pradesh
Public Works Department

No. PW-KD- CTR- Tender-NIT/2025-2026- 22014-15 Dated: 21/8/26

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
HPPWD, Division Kasumpti
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .



Executive Engineer,
HPPWD., Division Kasumpti
Shimla.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division Kasumpti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1. Date of receipt of application for tender forms:-	30-01-2026 10:00 AM upto 12:00 PM
2. Dated of Issue /sale of tender forms:-	30-01-2026 12:00 PM upto 4:00 PM
3. Date of receipt of tender:-	31-01-2026 .up to 10:30 AM
4. Date of opening of tender:-	31-01-2026 up to 11:00 AM

Sr. No.	Name of Work	Estimate d cost	EMD(R s.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contract or
1	A/R & M/O various Type-I to VI Qtrs. of GAD at Kasumpti Shimla-9 (SH: - Repair work in Type-III Set No.72 under Parimahal Section.).	97966/-	1900/-	350/-	30 days	Class-D
2	Reconstruction & Restoration on Mashobra to Bhakhality road Km. 0/00 to 18/00 (SH: - C/O R/Wall at RD. 11/615 to 11/626 (Under PDNA).	494493/-	9800/-	350/-	30 days	Class-D
3	Restoration of Ever sunny to Pagog Road Km. 0/00 to 5/00 (SH:-Repair work of side V-Shape drain from RD 4/00 to 5/00). (Under PDNA).	464562/-	9300/-	350/-	30 days	Class-D
4	Restoration of Rain Damages on various road under Baldeyan Section (SH:- Hiring of Excavator-Cum-Loader for removal of slips in various (1) Shimla Mandi road in Km. 6/00 to 22/00 (2) Baldeyan to Dharampur road in Km. 0/00 to 10/00 (3) Craignano to Baldeyan road in Km. 0/00 to 2/300 (3) Seonthal to Kot road in Km. 0/00 to 2/00 (Under PDNA).	499800/-	10000/-	350/-	30 days	Class-D
5	A/R & M/O various Type-III & Type-VI GAD at Parimahal Kasumpti Shimla 09 (SH:- P/F PVC Flooring in Type-III Set No 81 and accessories etc under Parimahal Section).	96888/-	1900/-	350/-	30 days	Class-D
6	Preparation of FRA case C/O Link road from Kilde to Vill. Cheri Distt. Shimla (H.P) Km. 0/0 to 1/750 (Preparation of FRA case in all respect).	70000/-	1400/-	350/-	30 days	Class-D
7	C/O Ambulance road from Durgapur to Banredi Km. 0/00 to 3/00 (SH:- Formation cutting work at RD. 0/00 to 0/050).	99084/-	2000/-	350/-	30 days	Class-D
8	Reconstruction & Restoration on Mashobra to Bhakhality road Km. 0/00 to 18/00 (SH:- C/O R/Wall at RD. 11/900 to 11/913(Under PDNA).	498463/-	9800/-	350/-	30 days	Class-D
9	Reconstruction & Restoration on Baldeyan to Dharampur road Km. 0/00 to 10/00 (SH:- C/O R/Wall at RD. 0/210 to 0/216.50 (Under PDNA).	492707/-	9700/-	350/-	30 days	Class-D
10	Reconstruction & Restoration on Baldeyan to Dharampur road Km. 0/00 to 10/00 (SH:- C/O R/Wall at RD. 0/200 to 0/206.5 (Under PDNA).	498966/-	9800/-	350/-	30 days	Class-D
11	A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Parimahal Section Shimla-9).	97301/-	1900/-	350/-	30 days	Class-D
12	A/R & M/O to various Residential Qtrs. Under Kasumpti Sub-Division Shimla-9 (SH:- Supplying of material to Sub-Division No.VIII Parimahal Section Shimla-9).	98260/-	1900/-	350/-	30 days	Class-D
13	Restoration of Rain damages to Nav Bahar to Bhumia road Km. 0/00 to 2/185 (SH:- Restoration and repair of hill side protection wall due to rain damages at RD.0/425).	99877/-	2000/-	350/-	30 days	Class-D
14	Reconstruction of rain damages on Craignano to Baldeyan raod Km. 0/00 to 2/300 & Seonthal to Kot road Km. 0/00 to 2/00 (SH:- Unlined drain on Craignano to Baldeyan road Km. 0/00 to 2/300 & Seonthal to Kot road Km. 0/500 to 1/530).	96570/-	1800/-	350/-	30 days	Class-D
15	C/O Ambulance road from Chokhriya Dhar to Dhar Karewari Km.0/000 to 1/925(SH:- Removal of slips in between at RD 0/00 to 0/500 & unlined drain).	99710/-	2000/-	350/-	30 days	Class-D
16	C/O Link road from Rajhana to Kameshwar House. (SH:- Prepration of FRA Case in all respect).	70000/-	1400/-	350/-	30 days	Class-D
17	C/O Link road from Shoghi Bye Pass to Village Lamba Jubber Distt. Shimla (H.P) Km. 0/00 to 0/560 (SH:- Preparation of FRA Case in all respect).	70000/-	1400/-	350/-	30 days	Class-D
18	C/O Govt. Sr. Sec. School Building at Kiar Koti in Distt. Shimla (HP) (SH:- Preparation of Structural Drawing of Building thereof).	149000/-	3000/-	350/-	30 days	Class-D
19	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH:- C/O P.C.C.1:4:8 Retaining wall between RD. 11/915 to 11/922). (Under PDNA).	452213/-	9000/-	350/-	30 days	Class-D
20	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 10/427.50 to 10/430).(Under PDNA).	169046/-	3300/-	350/-	30 days	Class-D
21	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH: - C/O P.C.C 1:4:8 Retaining wall between RD 10/412.50 to 10/420) (Under PDNA).	496434/-	9900/-	350/-	30 days	Class-D



22	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH: - C/O P.C.C 1:4:8 Retaining wall between RD 10/405 to 10/412,50) (Under PDNA).	496731/-	9900/-	350/-	30 days	Class-D
23	R/O R/D on Koti to Satlai road Km. 0/000 to 15/000 (SH: - C/O P.C.C 1:4:8 Retaining wall between RD 8/506 to 8/510) (Under PDNA).	169699/-	3300/-	350/-	30 days	Class-D
24	R/O R/D on Janedghat to Dublu road Km.0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/980 to 9/985.50) (Under PDNA).	484432/-	9600/-	350/-	30 days	Class-D
25	R/O R/D on Janedghat to Dublu road Km.0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/985.50 to 9/991) (Under PDNA).	484599/-	9600/-	350/-	30 days	Class-D
26	R/O R/D on Janedghat to Dublu road Km.0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/995 to 9/998) (Under PDNA).	265985/-	5300/-	350/-	30 days	Class-D
27	R/O R/D on Janedghat to Dublu road Km.0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/991 to 9/995) (Under PDNA).	353416/-	7000/-	350/-	30 days	Class-D
28	Restoration of rain damages on Dharech Khagna to Kawanti road in Km. 0/00 to 8/700 (SH:- C/O Retaining wall at RD 4/590 to 4/605) (Under PDNA).	360420/-	7200/-	350/-	30 days	Class-D
29	Restoration of rain damages on Dharech Khagna to Kawanti road in Km. 0/00 to 8/700 (SH: - C/O Retaining wall at RD 4/590 to 4/605) (Under PDNA).	479925/-	9600/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumti HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

No.PW-SD-I/CB-Tender/2025-2026
Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Dsitt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

22/01/28

Dated :- 21-01-2026

Executive Engineer,
Division Kasumti.,
HPPWD. Shimla-3.

Executive Engineer,
Division Kasumti.,
HPPWD. Shimla.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 97966.00		
Name of Work :- A/R & M/O various Type-I to Type-VI Qtrs of GAD at Kasumpti, Shimla -171009 (SH:- Repair work in Type-III Set no 72 under Parimahal Section)				Earnest Money :- 1900.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate	Unit	Amount
				In figures	In words	
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	0.36	Cum	1150.00	Rupees One Thousand One Hundred Fifty	Per Cubic Metre
2	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) For thickness of tiles 10 mm to 25 mm	12.60	Sqm	50.00	Rupees Fifty Only	Per Square Meter
3	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Of area 3 sq. metres and below	1.00	Nos	300.00	Rupees Three Hundred Only	Each
4	Providing and laying cement concrete in retaining walls, return walls, (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (one cement : Three coarse sand) : six graded stone aggregate 20mm (twenty milimetre) nominal size.	0.09	Cum	5600.00	Rupees Five Thousand Six Hundred Only	Per Cubic Metre
4 ii	(i) 1:2:4 (one cement : Two coarse sand) : four graded stone aggregate 20mm (twenty milimetre) nominal size.	0.02	Cum	6400.00	Rupees Six Thousand Four Hundred Only	Per Cubic Metre
5	Providing and laying 1st quality Ceramic glazed wall tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	3.05	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Meter

6	Tile work in skirting, risers of steps and dado up to 2 m height over 12 mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointed with grey cement slurry @ 3.3 kg/sqm, including pointing in white cement mixed with pigment of matching shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	5.61	Sqm	1200.00	Rupees One Thousand Two Hundred Only	Per Square Meter	6732.00
7	Providing and fixing vitreous China wash down, water closet (European type, W.C. pan) with integral 'P' or 'S' trap including jointing the trap with soil pipe in cement mortar 1:1(1 cement : 1 sand) (Seat and over to be measured and paid for separately) including carriage of materials in all leads as per directions of the Engineer-in-Charge (i) Anglo Indian Universal Closet	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
8	Providing and fixing plastic seat (Solid / Hollow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (1) SOLID TYPE (a) White plastic seat and cover.	1.00	Nos.	1049.40	Rupees One Thousand Forty Nine and Paise Forty Only	Each	1049.00
9	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 10 litre capacity - White MAKE ESS ESS or Equivalent	1.00	Nos.	2400.00	Rupees Two Thousand Four Hundred Only	Each	2400.00
10	Providing and fixing hand faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	1050.00	Rupees One Thousand Fifty Only	Each	1050.00
11	Providing and fixing C.P. Brass Towel rail complete with C.P. Brass brackets fixed to wooden plugs with C.P. Brass screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	1.00	Nos.	1073.90	Rupees One Thousand Seventy Three and Paise Ninety Only	Each	1074.00
12	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	968.80	Rupees Nine Hundred Sixty Eight and Paise Eighty Only	Each	969.00
13	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	1100.00	Rupees One Thousand One Hundred Only	Each	1100.00

14	Providing and fixing chromium plated brass soap dish with C.P. Brass brackets fixed to wooden plug with C.P. Brass screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	2.00	Nos.	852.10	Rupees Eight Hundred Fifty Two and Paise Ten Only	Each	852.00
15	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore MAKE ESSCO	1.00	Nos.	950.00	Rupees Nine Hundred Fifty Only	Each	950.00
15 ii	(i) 15 mm nominal bore long body	1.00	Nos.	1100.00	Rupees One Thousand One Hundred Only	Each	1100.00
16	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore with 45 cm length	2.00	Nos.	220.00	Rupees Two Hundred Twenty Only	Each	440.00
17	Providing and fixing PVC waste pipe for wash basin & sink including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 32mm dia.	1.00	Nos	200.00	Rupees Two Hundred Only	Each	200.00
18	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	2252.80	Rupees Two Thousand Two Hundred Fifty Two and Paise Eighty Only	Each	2253.00
19	Providing and fixing C.P. brass angle cock/stop cock without nuts and pipe including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15mm(fifteen milimetre) dia	1.00	Nos	950.00	Rupees Nine Hundred Fifty Only	Each	950.00
20	Providing and fixing G.I pipes complete with G.I fittings and clamps including cutting chases and making good the all including carriage of materials within all leads and lifts and as per the direction of Engineer-in-Charge. (i) 50mm dia.	3.50	Rmt	280.00	Rupees Two Hundred Eighty Only	Per Running Meter	980.00
21	Providing and fixing G.I union in G.I pipe including cutting and threading the pipe and making long screws complete (New work) including carriage of materials in all leads and lifts as per direction of the Engineer-in-Charge. (i) 15 mm dia norminal bore.	1.00	Nos.	150.00	Rupees One Hundred Fifty Only	Each	150.00
22	Providing and fixing PVC reducer ISI marked including jointing with approved adhesive etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 110mmx90 mm dia	1.00	Nos	200.00	Rupees Two Hundred Only	Each	200.00

23	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm	1.00	Nos.	80.00	Rupees Eighty Only	Each	80.00
23 ii	(ii) 200x10 mm	1.00	Nos.	100.00	Rupees One Hundred Only	Each	100.00
24	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm	1.00	Nos.	80.00	Rupees Eighty Only	Each	80.00
25	Providing and fixing bright finished brass hard drawn hooks and eyes including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 200 mm	1.00	Nos.	60.00	Rupees Sixty Only	Each	60.00
26	Providing wood work in frames of doors, windows, clerestory, windows and other frames wrought, framed and fixed in position including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 2nd class deodar wood	0.005	Cum	100000.00	Rupees One Lakh Only	Per Cubic Metre	500.00
27	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge	1.00	Nos.	80.00	Rupees Eighty Only	Each	80.00
28	Providing and fixing 15mm mixer for kitchen sink with top / bottom swinging spout. including carriage of materials in all leads as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
29	Providing and fixing one hole basin mixing Faucet including carriage of materials in all leads as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
30	Providing and fixing wall mixing faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
31	Providing and fixing vitreous China wash basin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but excluding fittings with pedestal complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Flat back (i)550 x400mm.	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00

32	Providing and fixing 32 mm (thirty two milimetre) dia C.P. brass waste for wash basin or sink complete within all leads, lifts of materials and other incidentals including carriage of materials in all leads as per directions of the Engineer-in-Charge.	0.01:00	Nos.	600.00	Rupees Six Hundred Only	Each	600.00
33	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 40mm thick 2nd class deodar wood	1.00	Sqm	300.00	Rupees Three Hundred Only	Per Square Metre	300.00
34	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty (i) Float glass panes of nominal thickness 4 mm including carriage of materials in all leads as per directions of the Engineer-in-Charge. (weight not less than 10kg/sqm)	1.00	Sqm	900.00	Rupees Nine Hundred Only	Per Square Meter	900.00
34 ii	(ii) Frosted glass 4 mm thick	1.00	Sqm	1050.00	Rupees One Thousand Fifty Only	Per Square Meter	1050.00
35	Providing and fixing PVC corner shelves complete with C.P. brass brackets fixed to wooden plugs with C.P. brass screws complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge	1.00	Nos.	600.00	Rupees Six Hundred Only	Each	600.00
36	Providing and fixing wash basin with pedestal including carriage of materials in all leads as per directions of the Engineer-in-Charge.	1.00	Nos.	3500.00	Rupees Three Thousand Five Hundred Only	Each	3500.00
37	Providing and fixing 100 mm sand cast Iron grating for gully trap including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	150.00	Rupees One Hundred Fifty Only	Each	150.00
38	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre) thick	2.00	Sqm	1100.00	Rupees One Thousand One Hundred Only	Per Square Meter	2200.00
39	Providing and fixing square edges cover fillets (beading) 19mmx6mm(Nineteen milimetre into six milimetre) section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-In-Charge. (i) 1st class teak wood.	2.00	Rmt	120.00	Rupees One Hundred Twenty Only	Per Running Meter	240.00

40	Providing and fixing PVC waste pipe for wash basin & sink including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 32mm dia.	0.0100	Nos	150.00	Rupees One Hundred Fifty Only	Each	150.00
41	Disposal of muck /drenis/ excavated earth upto site approved by Municipal Corporation surrounding Shimla upto all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Cum	620.00	Rupees Six Hundred Twenty Only	Per Cubic Metre	620.00
42	Providing and fixing glass Corner including carriage of material within all leads and lifts as per direction of Engineer-in-charge.	1.00	Nos	1100.00	Rupees One Thousand One Hundred Only	Each	1100.00
43	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	650.00	Rupees Six Hundred Fifty Only	Each	650.00
44	Providing and fixing Stainless Steel Curtain rods of 20 mm dia including carriage of materials in all leads as per directions of the Engineer-in-Charge.	1.50	Rmt	350.00	Rupees Three Hundred Fifty Only	Per Running Meter	525.00
45	Providing and fixing ply wood lining with butt jointing and nails (frame work and cove fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. (i) 6mm (Six milimetre)thick	0.60	Sqm	1050.00	Rupees One Thousand Fifty Only	Per Square Meter	630.00
46	Applying priming coat over new wood and wood based surfaces after and including preparing the surface by thoroughly cleaning oil,grease,dirt and other foreign matter) sand papering and knotting including carriage of materials in all leads as per directions of the Engineer-in-Charge.	0.60	Sqm	35.00	Rupees Thirty Five Only	Per Square Meter	21.00
47	Painting two coats(excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt,dust and other foreign matter,sand papering & stoping including carriage of materials in all leads as per directions of the Engineer-in-Charge.(i) With white enamel paint.	0.60	Sqm	75.00	Rupees Seventy Five Only	Per Square Meter	45.00
48	Providing and fixing panelled glazed or panelled and glazed shutters for doors windows and clerestory windows. Including black enamelled iron butt hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 40mm thick (i)2nd class deodar wood.	1.79	Sqm	4800.00	Rupees Four Thousand Eight Hundred Only	Per Square Metre	8592.00


49	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 40mm thick 2nd class deodar wood.	3.179	Sqm	4200.00	Rupees Four Thousand Two Hundred Only	Per Square Metre	7518.00
50	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm	2.00	Nos.	80.00	Rupees Eighty Only	Each	160.00
51	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm	2.00	Nos.	80.00	Rupees Eighty Only	Each	160.00
52	Providing and fixing bright finished brass hard drawn hooks and eyes including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150 mm	2.00	Nos	60.00	Rupees Sixty Only	Each	120.00
53	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Old work (one or more coats)	150.00	Sqm	65.00	Rupees Sixty Five Only	Per Square Metre	9750.00
54	Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	90.00	Sqm	10.00	Rupees Ten Only	Per Square Metre	900.00
55	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth including carriage of materials in all leads as per directions of the Engineer-in-Charge.	60.00	Sqm	65.00	Rupees Sixty Five Only	Per Square Meter	3900.00

56	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work	30.00	Sqm	70.00	Rupees Seventy Only	Per Square Meter	2100.00
					Total		97966.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.



SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.

Name of Work :- Reconstruction & Restoration on Mashobra to Bhakhality road Km 0/00 to 18/00 (SH:- C/O R/wall at Rd 11/615 to 11/626(UNDER PDNA)

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	77.03	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	25034.75
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out uscful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.88	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1952.00


3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	4.88	Cum	3300.00	Rupees Three Thousand Three Hundred Only	Per Cubic Metre	16104.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	98.35	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per Cubic Metre	442575.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	1.55	cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1627.50
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	494493.25

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No dated Amounting to Rs.

Executive Engineer,
HPPWD Division
Kasumpti Shimla-3.



SCHEDULE OF QUANTITY..							
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 464562.00			
Name of Work :- Restoration of Every sunny to Pagog Road Km 0/00 to 5/00 (SH:- Repair work of side V Shape drain from RD 4/00 to 5/00) Under PDNA				Earnest Money :- 9,300.00			
Time:- One Month.							
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
In figures	In words						
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	40.50	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	16200.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:3:6 aggregate.	83.03	Cum	5400.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	448362.00
					Total		464562.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:-4,94,493.00	
Name of Work :- Reconstruction & Restoration on Mashobra to Bhakhality road Km 0/00 to 18/00 (SH:- C/O R/wall at Rd 11/615 to 11/626(UNDER PDNA)				Earnest Money :- 9800.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	77.03	Cum 325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	25034.75
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.88	Cum 400.00 Rupees Four Hundred Only	Per Cubic Metre	1952.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	4.88	Cum	3300.00	Rupees Three Thousand Threec Hundred Only	Per Cubic Metre	16104.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	98.35	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per Cubic Metre	442575.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	1.55	cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1627.50
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	494493.25


CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.

2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No dated Amounting to Rs.


Executive Engineer,
HPPWD Division
Kasumti Shimla-3.



SCHEDULE OF QUANTITY..						
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 464562.00		
Name of Work :- Restoration of Every sunny to Pagog Road Km 0/00 to 5/00 (SH:- Repair work of side V Shape drain from RD 4/00 to 5/00) Under PDNA				Earnest Money :- 9,300.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
In figures	In words					
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	40.50	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	16200.00
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:3:6 aggregate.	83.03	Cum	5400.00 Rupees Three Thousand Eight Hundred Only	Per cubic meter	448362.00
				Total		464562.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY


<p>Name of Work :- Restoration of Rain Damages on various road under Baldeyan section (SH:- Hiring of Excavator cum loader fro removal of slips in various (1) Shimla mandi road in km 6/00 to 22/00(2) Baldeyan to dharampur road in km 0/00 to 10/00 (3) Craignano to Baldeyan road in km 0/00 to 2/300 (4) Seonthal to kot road in km 0/00 to 2/00 (under PDNA)</p>				Estimated Cost: 4,99,800.00
				Earnest Money :- 10000.00
Time:- One Month.				
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit
			In figures	In words
I	Hiring of JCB excavator - cum - loader and tipper for removal of slips Debris and dressing of berms including coat of fuel oil lubricants wages of operational staffs any repair pacakge during operation will be carried out at his risk and costly at required location actual working will be accounted for payment and proper disposal slips / debris by the contractor will be insured and dumping site will be arranged by the contractor at his own cost of tipper or carriage out as per instructions/ directions of the Engineer -in - charge	1666.00	Cum 300.00	Rs three hundred only
				Per Cubic metre
				Total 499800.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
 2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm

T/s No dated Amounting to Rs.

Executive Engineer
 HPPWD Division
 Kasumpti Shimla-3.



SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :- A/R & M/O various Type -III & Type -VI GAD at Parimahal, Kasumpti , Shimla - 171009. (SH:- P/F PVC Flooring in Type-III set no 81 and accessories, etc under Parimahal Section.)				Estimated Cost:- 96888.00 Earnest Money :- 1900.00 Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Providing and fixing 1.50mm(One point Fifty milimetre) thick PVC antistatic vinyl Flooring plain or coloured, carbed or mosaic/metalled finish laid with approved adhesive on sub-floor (damp proofing treatment to be paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	36.77	Sqm	1050.00	Rupees One Thousand Fifty Only	Per Square Metre 38609.00
2	Tile work in skirting, risers of steps and dado up to 2 m height over 12 mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointed with grey cement slurry @ 3.3 kg/sqm, including pointing in white cement mixed with pigment of matching shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	17.76	Sqm	1150.00	Rupees One Thousand One Hundred Fifty Only	Per Square Meter 20424.00
3	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore	2.00	Nos.	950.00	Rupees Nine Hundred Fifty Only	Each 1900.00
4	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore with 45 cm length	2.00	Nos.	200.00	Rupees Two Hundred Only	Each 400.00
5	Providing and fixing PVC waste pipe for wash basin & sink including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 32mm dia.	2.00	Nos	200.00	Rupees Two Hundred Only	Each 400.00
6	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	1.00	Nos.	650.00	Rupees Six Hundred Fifty Only	Each 650.00

7	Providing and fixing C.P. brass angle cock/stop cock without nuts and pipe including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15mm(fifteen milimetre) dia	0.100	Nos	950.00	Rupees Nine Hundred Fifty Only	Each	950.00
8	Providing and fixing panelled glazed or panelled and glazed shutters for doors windows and clerestory windows. Including black enamelled iron butt hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 40mm thick (i)2nd class deodar wood.	1.89	Sqm	4500.00	Rupees Four Thousand Five Hundred Only	Per Square Metre	8505.00
9	Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)40mm thick 2nd class deodar wood	1.89	Sqm	4000.00	Rupees Four Thousand Only	Per Square Metre	7560.00
10	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm	4.00	Nos.	80.00	Rupees Eighty Only	Each	320.00
10 ii	(ii) 200x10 mm	4.00	Nos.	100.00	Rupees One Hundred Only	Each	400.00
11	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 125 mm	4.00	Nos.	80.00	Rupees Eighty Only	Each	320.00
12	Providing and fixing bright finished brass hard drawn hooks and eyes including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 200 mm	2.00	Nos.	50.00	Rupees Fifty Only	Each	100.00
13	Providing wood work in frames of doors,windows, clerestory,windows and other frames wrought,framed and fixed in position including carriage of mateirals in all leads and lifts as per directions of the Engineer-in-Charge.(i) 2nd class deodar wood	0.050	Cum	97000.00	Rupees Ninety Seven Thousand Only	Per Cubic Metre	4850.00

14	Providing and fixing 15mm mixer for kitchen sink with top / bottom swinging spouts including carriage of materials in all leads as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	4500.00	Rupees Four Thousand Five Hundred Only	Each	4500.00
15	Providing and fixing one hole basin mixing faucet including carriage of materials in all leads as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	3500.00	Rupees Three Thousand Five Hundred Only	Each	3500.00
16	Providing and fixing wall mixing faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. MAKE ESS ESS	1.00	Nos.	3500.00	Rupees Three Thousand Five Hundred Only	Each	3500.00
Total							96888.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.



 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D.,		Estimated Cost:- 70000.00			
Name of Work :- Preperation of FRA case C/O Link road from Kilte to Village Cheri, Dist Shimla (H.P) KM 0/0 to 1/750 (Preperation of FRA case in all respect)		Earnest Money :- 1400.00			
Time:- One Month.					
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Preparation of Geo refrence digital map and Collecting the data from proposed site including fild visits Preparation of Kml file, Geo coordinates along with making of Habitations to be benefited by construction of project and dumping area of proposed site. Making The allignment in soft and submission in hard copy.Preperation of Forest case(FRA) proposed road in Shimla- Sub Division-1 HPPWD Preperation of Folders complete in all respect and submmmit to the department as per the direction of Engineer- in- charge.	1.00	Job	70000.00	Rupees Seventy Thousand Only
				Total	70000.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:-99084.00
Name of Work :-C/O Ambulance road from Durgapur to Banredi Km 0/00 to 3/00 (SH:- Formation cutting work at Rd 0/00 to 0/050)				Earnest Money :- 2000.00
				Time:- One Month.
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit
			In figures	In words
1	Cutting in earth work in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	450.38	Cum 220.00	Rs Two Hundred and twenty only
				Per Cubic Metre
	TOTAL			99084.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.

T/s No dated Amounting to Rs.

2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before


 Executive Engineer
 Kasumpti Division
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :- Reconstruction & Restoration on Mashobra to Bhakhality road Km 0/00 to 18/00 (SH:- C/O R/wall at Rd 11/900 to 11/913(UNDER PDNA)				Estimated Cost:-4,98,463.00 Earnest Money :- 9800.00 Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	77.15	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	25073.75
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	7.18	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	2872.00


3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	7.18	Cum	3300.00	Rupees Three Thousand Three Hundred Only	Per Cubic Metre	23694.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	97.22	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per Cubic Metre	437490.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	41.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7380.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) <u>Granular material</u> .	1.86	cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	1953.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
					G.Total		498462.75

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No dated Amounting to Rs.

Executive Engineer,
HPPWD Division
Kasumpti Shimla-3.



SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:-4,92,707.00		
Name of Work :- Reconstruction & Restoration on Baldeyan to Dharampur road Km 0/00 to 10/00 (SH:- C/O R/wall at Rd 0/210 to 0/216.50 (UNDER PDNA)				Earnest Money :- 9700.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	81.77	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	26575.25
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.88	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1952.00


3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	6.55	Cum	3300.00	Rupees Three Thousand Three Hundred Only	Per Cubic Metre	21615.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	97.76	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per Cubic Metre	439920.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	0.91	cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	955.50
	Quated rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	498217.75

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No dated Amounting to Rs.

Executive Engineer,
HPPWD Division
Kasumpti Shimla-3.



SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :- Reconstruction & Restoration on Baldeyan to Dharampur road Km 0/00 to 10/00 (SH:- C/O R/wall at Rd 0/200 to 0/206.5 (UNDER PDNA)				Estimated Cost:-4,98,966.00	
				Earnest Money :- 9800.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	83.03	Cum 325.00	Rupees Three Hundred Twenty Five Only Per Cubic Metre	26984.75
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-l (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	4.95	Cum 400.00	Rupees Four Hundred Only Per Cubic Metre	1980.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (one cement: six sand: twelve graded stone aggregate 40mm nominal size).	4.95	Cum	3300.00	Rupees Three Thousand Three Hundred Only	Per Cubic Metre	16335.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:4:8 (One cement: Four sand: Eight graded stone aggregate 20 mm (Twenty millimetre) nominal size).	99.00	Cum	4500.00	Rupees Four Thousand Five Hundred Only	Per Cubic Metre	445500.00
5	Providing weapholes in brick masonry / stone masonry / plain reinforced concrete abutment, wing wall, return wall with 100 mm (One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material	0.92	cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	966.00
	Quated rates Percentage in figures						
	Quoted rates Percentage in words						
						G.Total	498965.75

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

Executive Engineer
HPPWD Division
Kasumpti Shimla-3.




SCHEDULE OF QUANTITY					
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.			Estimated Cost: Rs 97301.00		
Name of Work :- A/R and M/O to various Residential Qtrs. Under Kasumpti Sub Division Shimla-9. (SH:-)			Earnest Money :- 1900.00		
Supplying of material to Sub division no. VIII Parimahal Section Shimla-9).			Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Supplying of Black Nails size 20mm complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.00	Kgs.	280.00 Rupees Two Hundred Eighty Only	Per Kilo-gram 2800.00
2	Nails 20m	5.00	Kgs.	220.00 Rupees Two Hundred Twenty Only	Per Kilo-gram 1100.00
3	Nails 25m	5.00	Kgs.	220.00 Rupees Two Hundred Twenty Only	Per Kilo-gram 1100.00
4	Nails 40mm to 100mm	5.00	Kgs.	115.00 Rupees One Hundred Fifteen Only	Per Kilo-gram 575.00
5	C.P. iron sliding door bolt 200x16mm	12.00	Nos	330.00 Rupees Three Hundred Thirty Only	Each 3960.00
6	C.P. iron sliding door bolt 250x 16mm	10.00	Nos	380.00 Rupees Three Hundred Eighty Only	Each 3800.00
7	C.P. iron sliding door bolt 300x 16mm	8.00	Nos	450.00 Rupees Four Hundred Fifty Only	Each 3600.00
8	Iron door spring	8.00	Nos	395.00 Rupees Three Hundred Ninety Five Only	Each 3160.00
9	Hydraulic door closer (Heavy)	10.00	Nos	1250.00 Rupees One Thousand Two Hundred Fifty Only	Each 12500.00
10	Drawer lock (Godrej)	10.00	Nos	270.00 Rupees Two Hundred Seventy Only	Each 2700.00
11	C.P. Tel Mixer	6.00	Nos	4500.00 Rupees Four Thousand Five Hundred Only	Each 27000.00
12	PVC Seat Cover for EVOC.	4.00	Nos	897.00 Rupees Eight Hundred Ninety Seven Only	Each 3588.00
13	PVC Seat Cover for Anglo Indian with Hinges.	4.00	Nos	650.00 Rupees Six Hundred Fifty Only	Each 2600.00
14	S.S. Greeting 110mm (Heavy) with frame.	6.00	Nos	158.00 Rupees One Hundred Fifty Eight Only	Each 948.00
15	Gate Valve 20mm (Heavy).	3.00	Nos	650.00 Rupees Six Hundred Fifty Only	Each 1950.00
16	Glass Corner Shelf for Tuffon Glass with S.S. Railing & Brackets.	8.00	Nos	1890.00 Rupees One Thousand Eight Hundred Ninety Only	Each 15120.00
17	S.S Curton Rod 12" Long S.S. 304 Grade.	10.00	Nos	925.00 Rupees Nine Hundred Twenty Five Only	Each 9250.00
18	CP/ Gysen connection pipe 19"	5.00	Nos	310.00 Rupees Three Hundred Ten Only	Each 1550.00
					97301.00

DNIT approved for Rs.97301/- Only vide DNIT Register Sr.No..... the financial year 2025-26

T/s No 2.6/177-78 dated 8-1-26 Amounting to Rs.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are


Executive Engineer,
Shimla Division No.1,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY						
			Estimated Cost: Rs 98260.00			
			Earnest Money :- 1900.00			
			Time:- One Month.			
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	In words	Unit	Amount
			In figures			
1	P.V.C. Collar 90mm	10.00	Nos 210.00	Rupees Two Hundred Ten Only	Each	2100.00
2	P.V.C. Floor Trap 90mm	10.00	Nos 330.00	Rupees Three Hundred Thirty Only	Each	3300.00
3	C.P. Waste 32mm	4.00	Nos 250.00	Rupees Two Hundred Fifty Only	Each	1000.00
4	P.V.C. Ball valave for cistern	5.00	Nos 350.00	Rupees Three Hundred Fifty Only	Each	1750.00
5	P.V.C. handle for cistern	5.00	Nos 98.00	Rupees Ninety Eight Only	Each	490.00
6	Acrylic shelf 450mm	5.00	Nos 630.00	Rupees Six Hundred Thirty Only	Each	3150.00
7	Glass putty Asian	12.00	Kgs. 88.00	Rupees Eighty Eight Only	Per Kilo-gram	1056.00
8	Gate Hook 150mm (Heavy)	5.00	Nos 171.00	Rupees One Hundred Seventy One Only	Each	855.00
9	Spindle for bib cock/Mixer with washer.	8.00	Nos 245.00	Rupees Two Hundred Forty Five Only	Each	1960.00
10	G.I. Nipple 15x50mm Jindal Make	8.00	Nos 18.00	Rupees Eighteen Only	Each	144.00
11	C.P. Sink Waste 100mm Diamond make	4.00	Nos 250.00	Rupees Two Hundred Fifty Only	Each	1000.00
12	Acrylic Bathroom Corner Diamond make.	10.00	Nos 650.00	Rupees Six Hundred Fifty Only	Each	6500.00
13	Iron Door Hinges 100mm (Heavy)	12.00	Nos 40.00	Rupees Forty Only	Each	480.00
14	Iron Door Hinges 75mm (Heavy)	12.00	Nos 23.00	Rupees Twenty Three Only	Each	276.00
15	Brass sliding door bolt complete	4.00	Nos 1890.00	Rupees One Thousand Eight Hundred Ninety Only	Each	7560.00
16	Brass Non Return Valve 15mm	4.00	Nos 590.00	Rupees Five Hundred Ninety Only	Each	2360.00
17	PTMT Ball Cock 15mm with Ball complete (Heavy)	5.00	Nos 515.00	Rupees Five Hundred Fifteen Only	Each	2575.00
18	C.P Bib Cock Seeko Delux long body. Make Benson , Seeko make	12.00	Nos 1050.00	Rupees One Thousand Fifty Only	Each	12600.00
19	C.P. Bib Cock make Make Benson , Seeko make	12.00	Nos 940.00	Rupees Nine Hundred Forty Only	Each	11280.00
20	C.P. Angel Cock Make Make Benson , Seeko make	12.00	Nos 950.00	Rupees Nine Hundred Fifty Only	Each	11400.00
21	C.P. Angel Cock Make Make Benson , Seeko make	12.00	Nos 950.00	Rupees Nine Hundred Fifty Only	Each	11400.00
22	Pillor Cock Make Make Benson , Seeko make	12.00	Nos 940.00	Rupees Nine Hundred Forty Only	Each	11280.00
23	PVC Connection 24" Hot Wired Viking.	12.00	Nos 310.00	Rupees Three Hundred Ten Only	Each	3720.00
24	PVC fiber washer 15 mm	12.00	Nos 2.00	Rupees Two Only	Each	24.00
						98260.00

DNIT approved for Rs.98260/- Only Sr.No..... the financial year 2025-26
 T/s No 2067576 dated 8.1.2026 Amounting to Rs.

Executive Engineer
 Shimla Division No 1,
 H.P.P.W.D Shimla-3.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer.

SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Estimated Cost:-99,877.00		
Name of Work :-- Restoration of Rain damages to Nav bahar to bhumia road Km 0/00 to 2/185 (SH :- Restoration and repair of hill side protection wall due to rain damages at Rd 0/425.)					Earnest Money :-2000.00		
					Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.		Estimated Rate		Unit	
				In figures	In words		
1	Dismantling of existing strucurrdlike culverts , bridges retaing walls and other structure comprising of stone masonry , including diposal of unserviceable material and stacking the serviceabal material with all lift and lead of 1000 m as per technical specification clause 202 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Dry Rubble Masonary)	6.50	Cum	850.00	Rupees Eight Hundred Fifty Only	Per Cubic Metre	5525.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	6.21	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	2484.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	1.40	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	6440.00

4	STONE MASONARY: Random rubble masonry/polygonal rubble masonry(un-coursed/brought to courses) with hard stone of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (One cement:Six sand:twelve graded stone aggregate 20mm (twenty milimetre)nominal size) in cement mortar 1:6 (One cement: Six sand) in breast wall and retaining walls including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	7.20	Cum	4200.00	Rupees Four Thousand Two Hundred Only	Per Cubic Metre	30240.00
5	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:3:6(one cement:Three sand:Six graded stone aggregate 20mm(Twenty milimetre) nominal size).	9.42	Cum	5400.00	Rupees Five Thousand Four Hundred Only	Per Cubic Meter	50868.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	24.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4320.00
					Total	99877.00	
Quated rates Percentage in figures							
Quoted rates Percentage in words							
					G.Total		

CONDITION:-

T/S No. Dated Rs.

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 96570.00	
Name of Work :-Reconstruction of Rain damages on Craignano to Baldeyan road Km 0/00 to 2/300 & Seonthal to kot road km 0/00 to 2/00 (SH:- Unlined drain on Craignano to Baldeyan road km 0/00 to 2/300 & Seonthal to Kot road Km 0/500 to 1/530)				Earnest Money :- 1800.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per Technical specification Clause 307 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Mechanical Means)	3330.00	Rmt In figures	Rs Twenty nine only In words	Per Running Meter 96570.00
	Quated rates Percentage in figures				
	Quoted rates Percentage in words				
				G.Total	96570.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No dated Amounting to Rs

Executive Engineer,
Kasumpti Division
HP PWD Shimla-3.




SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 99,710.00		
Name of Work :- C/O Ambulance road from Chokhriya dhar to Dhar Karewari Km 0/000 to 1/925 (SH:- Removal of slips in between at RD 0/00 to 0/500 & unlined drain).				Earnest Money :- 2,000.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
4	Removal of land slides/slip clearance. Removal of land slide in hilly area in ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in a lift upto 1.5 meter and land upto 1000 meter as per technical specification 302.3.5 and 1611. The work shall be executed as per the direction of the Engineer-in-Charge.	285.00	Cum 300.00 Rupees Three Hundred Only	Per Cubic Meter	85500.00	
5	Construction of unlined surface drain of average cross-Section area 0.40 Sqm (zero point four zero square metre) in soil to specified lines, grades, levels and dimensions. Excavated material to be used in embankment with a lift upto 3m and lead of 50m (average lead 25m) as per Technical specification Clause 307 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (Mechanical Means)	490	Rmt 29.00 Rupees Twenty Nine Only	Per Running Meter	14210.00	
				Total	99710.00	
	Quated rates Percentage in figures					
	Quoted rates Percentage in words					
				G.Total		

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 70,000.00	
Name of Work :- Construction of link road from Rajhana to Kameshwar House. (SH:- Prepration of FRA Case in all respect).				Earnest Money :- 1,400.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
1	Collecting the data from site for road preparation of Kml. file Digital with Co-ordinates, Topo sheet and SHP file with preparation of 3 folders complete in all respect up to final approval as per Direction of Enginner-in-Charge.	1.00 Nos	70000.00 Rupees Seventy Thousand Only	Each	70000.00
				Total	70000.00
	Quated rates Percentage in figures				
	Quoted rates Percentage in words				
				G.Total	

(T/S No..... Dated Amount to
Rs.....).

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 70,000.00	
Name of Work :- Construction of link road from Shoghi Bye Pass to Village Lamba Jubber, Distt. Shimla (HP) Km. 0/00 to 0/560. (SH:- Preparation of FRA Case in all respect).				Earnest Money :- 1,400.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Collecting the data from site for road preparation of KmL file Digital with Co-ordinates, Topo sheet and SHP file with preparation of 3 folders complete in all respect up to final approval as per Direction of Enginner-in-Charge.	1.00	Nos	70000.00 Rupees Seventy Thousand Only	Each 70000.00
				Total	70000.00
	Quated rates Percentage in figures				
	Quoted rates Percentage in words				
				G.Total	

(T/S No..... Dated Amount to
Rs.....).

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.


SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D.,				Estimated Cost:- 1,49,000.00	
NAME OF WORK:- Construction of Govt. Senior Secondary School Building at Kiar Koti in Distt. Shimla (HP). (SH:- Preparation of Structural Drawing of Building thereof).				Earnest Money :- 3,000.00	
				Time:- Two Months.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Consultancy services for Proof checking of Detailed design, Structural drawings of Construction of Govt. Senior Secondary School Building at Kiar Koti in Distt. Shimla (HP) from competent authority such as NIT/IIT/PEC/NITTR in all respect and submitting the same to higher office for approval including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	1.00	Job	149000 Rupees One Lakh Forty Nine Thousand Only	Per Job 149000.00
					Total 149000.00
	Quated rates Percentage in figures				
	Quoted rates Percentage in words				
				G.Total	

(T/S No..... Dated Amount to
Rs.....).

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 452213.00

Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8

Earnest Money :- 9000.00

Retaining wall between RD 11/915 to 11/922). (Under PDNA)

Time:- One Month.


Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-(one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	24.85	Cum	325.00 Ruppes Three Hundred Twenty Five	Per cubic meter	8076.25

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	31.15	Cum	400.00	Rupees Four hundred	Per cubic meter	12460.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	3.92	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	14896.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	86.17	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	396382.00

5	Providing weepholes in brick masonry / stone masonry/ plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7, including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	42.28	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7610.40
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	12.18	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	12789.00
Total							452213.65

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 169046.00	
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 10/427.50 to 107430). (Under PDNA)				Earnest Money :- 3300.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	9.43	Cum	325.00 Rupees Three Hundred Twenty Five	Per cubic meter 3064.75

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.38	Cum	400.00	Rupees Four hundred	Per cubic meter	4552.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	1.43	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	5434.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	32.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	149500.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	11.59	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	2086.20

5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slope of 1(v).20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	11.59	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	2086.20
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	4.20	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	4410.00
Total							169046.95

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.


 Executive Engineer
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.		Estimated Cost:- 496434.00	
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8		Earnest Money :- 9900.00	
Retaining wall between RD 10/412.50 to 10/420).(Under PDNA)		Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate
		In figures	In words
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer-in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.28 Cum	Rupees Three Hundred Twenty Five Per cubic meter
			9191.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	34.13	Cum	400.00	Rupees Four hundred	Per cubic meter	13652.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	4.28	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	16264.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	95.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	439300.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	26.65	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4797.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR-2009 Item No.12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	12.60	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	13230.00
					Total	-	496434.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. **Estimated Cost:- 496731.00**

Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8) **Earnest Money :- 9900.00**

Retaining wall between RD 10/405 to 10/412.50).(Under PDNA) **Time:- One Month.**


Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.28	Cum	325.00 Rupees Three Hundred Twenty Five	Per cubic meter	9191.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	34.13	Cum	400.00	Rupees Four hundred	Per cubic meter	13652.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size.	4.28	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	16264.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size.	95.50	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	439300.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	28.30	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	5094.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No:12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	3000	12.60	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	13230.00
					Total		496731.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 169699.00			
Name of Work :- R/O R/D on Koti to Satlai road KM 0/000 to 15/000 (SH:- C/O P.C.C 1:4:8 Retaining wall between RD 8/506 to 8/510). (Under PDNA)				Earnest Money :- 3300.00			
				Time:- One Month.			
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	6.84	Cum	325.00 Rupees Three Hundred Twenty Five	Per cubic meter	2223.00	

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	11.64	Cum	400.00	Rupees Four hundred	Per cubic meter	4656.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	1.80	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	6840.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	32.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	147200.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One-hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	17.98	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	3236.40

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No 12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	4.00	5.28	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	5544.00
						Total		169699.40

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.			Estimated Cost:- 484435.00		
Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/980 to 9/985.50). (Under PDNA)			Earnest Money :- 9600.00		
			Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	27.72	Cum	325.00 Rupees Three Hundred Twenty Five	Per cubic meter 9009.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	34.87	Cum	400.00	Rupees Four hundred	Per cubic meter	13948.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	3.41	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	12958.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	94.33	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	433918.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	25.30	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4554.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR-2009 Item No.12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	18.509.57	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	10048.50
					Total		484435.50

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No. I,
 HP RWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3. Estimated Cost:- 484599.00

Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O) Earnest Money :- 9600.00

P.C.C Retaining wall between RD 9/985.50 to 9/991). (Under PDNA) Time:- One Month.


Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	27.72	Cum	325.00 Rupees Three Hundred Twenty Five	Per cubic meter	9009.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	34.87	Cum	400.00	Rupees Four hundred	Per cubic meter	13948.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	3.41	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	12958.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	94.33	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	433918.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	26.21	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4717.80

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No.12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	9.57	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	10048.50
					Total		484599.30

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No. I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..


Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3.		Estimated Cost:- 265985.00		
Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/995 to 9/998). (Under PDNA)		Earnest Money :- 5300.00		
		Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit
		In figures	In words	Amount
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	15.12	Cum 325.00 Rupees Three Hundred Twenty Five Per cubic meter	4914.00

2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	3.019.02	Cum	400.00	Rupees Four hundred	Per cubic meter	7608.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	1.86	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	7068.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	51.45	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	236670.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	23.58	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4244.40

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR-2009 Item No:12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	5.22	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	5481.00
					Total		265985.40

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.1,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY..

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.			Estimated Cost:- 353416.00		
Name of Work :- R/O R/D on Janedghat to Dublu road KM 0/000 to 15/000 (SH:- C/O P.C.C Retaining wall between RD 9/991 to 9/995). (Under PDNA)			Earnest Money :- 7000.00		
			Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
		In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in-charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	20.16	Cum 325.00 Rupees Three Hundred Twenty Five	Per cubic meter	6552.00


2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	25.36	Cum	400.00	Rupees Four hundred	Per cubic meter	10144.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:5:10 aggregate40 mm(fourty milimetre) nominal size).	2.48	Cum	3800.00	Rupees Three Thousand Eight Hundred Only	Per cubic meter	9424.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size).	68.60	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per cubic meter	315560.00
5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	24.60	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	4428.00

6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 HPSR 2009 Item No:12.14 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	6.96	Cum	1050.00	Rupees One Thousand fifty Only	Per cubic meter	7308.00
				-	Total		353416.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
Shimla Division No.1
HP PWD Shimla-3



SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Estimated Cost:- 3,60,420.00

Name of Work :- Restoration of Rain Damages on Dharech Khagna to Kawanti road in Km. 0/00 to 8/700.

Earnest Money :- 7,200.00

(SH:- Construction of Retaining Wall at RD 4/590 to 4/605). (Under PDNA)


Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	48.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	15600.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	8.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	3200.00

3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone agg.40mm nominal size).	8.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	27200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	65.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	299000.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	8.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	8400.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	39.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7020.00
	Quated rates Percentage in figures					Total	360420.00
	Quoted rates Percentage in words						
						G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No.I,
 HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.

Name of Work :- Restoration of Rain Damages on Dharech Khagna to Kawanti road in Km. 0/00 to 8/700.
(SH:- Construction of Retaining Wall at RD 1/150 to 1/158). (Under PDNA)


Estimated Cost:- 4,79,925.00
Earnest Money :- 9,600.00
Time:- One Month.

Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer-in-charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	39.00	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	12675.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	8.00	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	3200.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12 (one cement: six sand: twelve graded stone agg.40mm nominal size).	8.00	Cum	3400.00 Rupees Three Thousand Four Hundred Only	Per Cubic Metre	27200.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	92.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	423200.00
5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Granular material.	7.00	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	7350.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	35.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	6300.00
Quated rates Percentage in figures							Total 479925.00
Quoted rates Percentage in words							
							G.Total

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer
 Shimla Division No.I
 HP PWD Shimla-3.