

OFFICE OF
EXECUTIVE ENGINEER, SALOONI DIVISION HPPWD SALOONI
HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT SALOONI
Phone No. 01899-233287 Email: ee-slo-hp@nic.in
NOTING INVITING TENDER

Sealed item rate tender on form 6&8 are hereby invited by the Executive Engineer, Salooni Division HPPWD Salooni on behalf of the Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HPPWD. So as to reach in his office on or before **07.02.2026** to 11:00 AM and the same shall be opened on the same day at **11:30 AM**, in the presence of the intending Contractor or their authorized representatives if any. The tender form can be obtained from his office on cash payment (Non refundable) on **06.02.2026 upto 03.00 PM** and the application for issue of tender form shall be received on **06.02.2026 upto 04.00 P.M.** The earnest money in the form of FDR from nationalized bank in HP duly pledged in favour of the Executive Engineer, Salooni Division HPPWD Salooni must be accompanied with each tender. The tender form will be issued to contractor who giving proof of enlistment, GST, Conditional tenders and the tenders received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer, reserves the right to reject the tender without assigning any reason. Special care should be taken to write the rates both in figure and in words.

Sr. No.	Name of work	Estimated Cost	Earnest money	Cost of form	Time limit	Eligible Class
1.	Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 28/0 to 93/400 (SH: Construction of crate work Breast wall at R.D. 82/450 to 82/460)	95,380/-	2000/-	350/-	90 Days	D & C
2.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	98,880/-	2000/-	350/-	90 Days	D & C
3.	Restoration of rain damages on link road to Govt. Senior Secondary School Ligga K.M. 0/0 to 0/500 (SH: Construction of PCC Retaining wall at R.D. 0/096.25 to 0/099.35)	97,623/-	2000/-	350/-	90 Days	D & C
4.	Restoration of rain damages on Bhalei to Dhar road K.M. 0/0 to 3/500 (SH: Removal of slips between K.M. 0/0 to 3/500)	99,910/-	2000/-	350/-	90 Days	D & C
5.	Restoration of rain damages on Bindhokhi to Khundi Baag road K.M. 0/0 to 3/700 (SH: Construction of wire crate Breast wall at R.D. 1/615 to 1/625)	90,318/-	2000/-	350/-	90 Days	D & C
6.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 27/0)	99,910/-	2000/-	350/-	90 Days	D & C
7.	Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Construction of PCC Retaining wall at R.D. 4/847.40 to 4/851.10)	99,821/-	2000/-	350/-	90 Days	D & C
8.	Restoration of rain damages on Lachori to Seri road K.M. 0/0 to 8/500 (SH: Removal of slips between K.M. 0/0 to 8/500)	99,910/-	2000/-	350/-	90 Days	D & C
9.	Restoration of rain damages on Chhudra Tuhien road K.M. 0/0 to 2/225 (SH: Construction of PCC Retaining wall at R.D. 1/452.55 to 1/755.10)	98,419/-	2000/-	350/-	90 Days	D & C
10.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	96,820/-	2000/-	350/-	90 Days	D & C
11.	Construction of link road to village Dind K.M. 0/0 to 3/600 (SH: Improvement of curve at R.D. 0/660 to 0/752)	99,605/-	2000/-	350/-	90 Days	D & C

12.	Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Removal of slips between R.D. 0/00 to 7/040)	99,910/-	2000/-	350/-	90 Days	D & C
13.	Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 13/130 to 28/0 (SH: Construction of wire crate Breast wall at R.D. 21/940 to 21/950 i.e. 1 st Raw)	99,311/-	2000/-	350/-	90 Days	D & C
14.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	97,850/-	2000/-	350/-	90 Days	D & C
15.	Restoration of rain damages on Bhalei Matta Temple to village Athed road K.M. 0/0 to 6/0 (SH: Construction of PCC Retaining wall at R.D. 2/337.50 to 2/341.25)	97,612/-	2000/-	350/-	90 Days	D & C
16.	Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Removal of slips between R.D. 0/00 to 7/040)	97,850/-	2000/-	350/-	90 Days	D & C
17.	Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 28/0 to 93/400 (SH: Construction of crate work Breast wall at R.D. 82/470 to 82/480)	95,711/-	2000/-	350/-	90 Days	D & C
18.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	94,760/-	2000/-	350/-	90 Days	D & C
19.	Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Construction of PCC Retaining wall at R.D. 4/840 to 4/843.70)	99,834/-	2000/-	350/-	90 Days	D & C
20.	Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 13/130 to 28/0 (SH: Construction of wire crate Breast wall at R.D. 21/940 to 21/950 i.e. 3 rd Raw & 1 No. crate 4 th Raw)	94,574/-	2000/-	350/-	90 Days	D & C
21.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	95,790/-	2000/-	350/-	90 Days	D & C
22.	Restoration of rain damages on Bhalei Matta temple to village Saphan road K.M. 0/0 to 4/825 (SH: Removal of slips at R.D. 0/340 to 0/380, 0/720 to 0/750, 1/470 to 1/500, 2/160 to 2/180, 2/220 to 2/250 and 3/920 to 3/950)	99,788/-	2000/-	350/-	90 Days	D & C
23.	Restoration of rain damages on Bathri Sundla Langera J & K Boundary road to village Lamni K.M. 0/0 to 2/500 (SH: Removal of slips at R.D. 0/030 to 0/060, 0/110 to 0/150, 0/340 to 0/360, 0/630 to 0/660, 0/780 to 0/810, 1/030 to 1/050, 1/650 to 1/700 and 1/800 to 1/820)	99,450/-	2000/-	350/-	90 Days	D & C
24.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	96,820/-	2000/-	350/-	90 Days	D & C
25.	Restoration of rain damages on link road to village Ranjni K.M. 0/0 to 1/0 (SH: Construction of crate work Retaining wall at R.D. 0/720 to 0/730)	94,455/-	2000/-	350/-	90 Days	D & C
26.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	97,850/-	2000/-	350/-	90 Days	D & C
27.	Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Retaining wall at R.D. 18/894.90 to 18/897.33)	98,026/-	2000/-	350/-	90 Days	D & C

28.	Restoration of rain damages on link road to Kanhyandi Matta Mandir K.M. 0/0 to 5/950 (SH: Removal of slips between K.M. 0/0 to 5/950)	99,910/-	2000/-	350/-	90 Days	D & C
29.	Restoration of rain damages on Bhalei Matta temple to village Saphan road K.M. 0/0 to 4/825 (SH: Removal of slips between K.M. 0/0 to 4/825)	98,880/-	2000/-	350/-	90 Days	D & C
30.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	98,880/-	2000/-	350/-	90 Days	D & C
31.	Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Retaining wall at R.D. 18/890 to 18/892.40)	97,128/-	2000/-	350/-	90 Days	D & C
32.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	99,910/-	2000/-	350/-	90 Days	D & C
33.	Restoration of rain damages on Chhudra Tuhien road K.M. 0/0 to 2/225 (SH: Construction of PCC Retaining wall at R.D. 1/757.65 to 1/760.20)	98,453/-	2000/-	350/-	90 Days	D & C
34.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 27/0 (SH: Removal of slips at R.D. 18/330 to 18/370, 18/620 to 18/670, 19/060 to 19/110, 21/050 to 21/090, 23/240 to 23/290 and 26/590 to 26/630)	99,788/-	2000/-	350/-	90 Days	D & C
35.	Restoration of rain damages on Chouga to Khal road K.M. 0/0 to 13/705 (SH: Removal of slips between K.M. 0/0 to 13/705)	98,880/-	2000/-	350/-	90 Days	D & C
36.	Restoration of rain damages on Bhalei Matta Temple to village Athed road K.M. 0/0 to 6/0 (SH: Construction of PCC Retaining wall at R.D. 2/330 to 2/333.75)	97,875/-	2000/-	350/-	90 Days	D & C
37.	Restoration of rain damages on Chhudra to Thuin road K.M. 0/0 to 2/225 (SH: Removal of slips at R.D. 0/390 to 0/430, 0/645 to 0/675, 1/015 to 1/030, 1/080 to 1/105 and 1/910 to 1/946)	99,304/-	2000/-	350/-	90 Days	D & C
38.	Restoration of rain damages on link road to village Ranjni K.M. 0/0 to 1/0 (SH: Construction of crate work Retaining wall at R.D. 0/700 to 0/710)	94,116/-	2000/-	350/-	90 Days	D & C
39.	Restoration of rain damages on Bhalei Matta temple to village Athed road K.M. 0/0 to 6/0 (SH: Removal of slips between K.M. 0/0 to 6/0)	99,910/-	2000/-	350/-	90 Days	D & C
40.	Restoration of rain damages on Bihali Bachuni Chhamber Katara road K.M. 0/0 to 11/100 (SH: Removal of slips between K.M. 0/0 to 11/100)	98,880/-	2000/-	350/-	90 Days	D & C
41.	Construction of link road to village Dind K.M. 0/0 to 3/600 (SH: Improvement of curve at R.D. 0/810 to 0/825 and 1/210 to 1/287)	99,861/-	2000/-	350/-	90 Days	D & C
42.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	99,910/-	2000/-	350/-	90 Days	D & C
43.	Restoration of rain damages on Bindhokhi to Khundi Baag road K.M. 0/0 to 3/700 (SH: Construction of wire crate Retaining wall at R.D. 1/135 to 1/155)	91,471/-	2000/-	350/-	90 Days	D & C
44.	Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Removal of slips between K.M. 13/130 to 28/0)	99,910/-	2000/-	350/-	90 Days	D & C

45.	Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)	98,880/-	2000/-	350/-	90 Days	D & C
-----	--	----------	--------	-------	------------	-------

TERMS AND CONDITIONS:-

1. The contractor should produce a copy of enlistment /renewal at time of application.
2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor /firm have his registration and GST No., the copy of Pan Number same be attached with the application.
4. The earnest Money shall be deposited duly pledged in favour of Executive Engineer, Salooni Division HPPWD Salooni and cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. The contractor /firms are requested to insert the rate of each item in works as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reasons at any stage.


Executive Engineer,
Salooni Division
HPPWD Salooni.

No. PW/SD/GA/Contract/Tender/2025-2026- 13 673-722.

Dated: -30 /01/2026

Copy forwarded to:-

1. The F.C-Cum-Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information, please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (Kangra Zone) HPPWD Dharamshala.
4. The Superintending Engineer, 7th Circle HPPWD Dalhousie.
5. The Executive Engineer (IT Cell) office of Engineer-in-Chief HPPWD Shimla for uploading the NIT on the Departmental website.
6. All the Assistant Engineers under Salooni Division.
7. All the Contractor working under this Division.
8. H.D.M./Supdt./Acctt. of this office.
9. Notice Board.


Executive Engineer,
Salooni Division
HPPWD Salooni.

OFFICE OF
EXECUTIVE ENGINEER, SALOONI DIVISION HPPWD SALOONI
HIMACHAL PRADESH, PUBLIC WORKS DEPARTMENT SALOONI
Phone No. 01899-233287 Email: ee-slo-hp@nic.in

CERTIFICATE

Certified that tender of works, as called vide this office letter No. PW/SD/GA/Contract/tender/2025-2026- 13 673-7⁸⁹ Dated: 30/11/2026 are emergent nature in exigency of public interest.


Executive Engineer,
Salooni Division
HPPWD Salooni.


DNIT				Estimated cost	95380.00		
Name of work:- Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 28/0 to 93/400 (SH: Construction of crate work Breast wall at R.D. 82/450 to 82/460)				SH: Earnest money	2000.00		
S.N	Description of Item	Quantity	Rate	Unit	In Words	Time limit	Amount
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes to level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankments for Grade improvements and disposal of all useful material to acquired width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures.. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases., including carriage of materials with in all leads and lifts. The rate is including octroi, royalty, Malkana,Tol tax, sale tax, GST or other taxes imposed by the Government. The land for dumping sites shall be arranged by the contractor himself and nothing extra shall be paid on this account.	48.30	194.50 Per Cubic Metre	Rupees One Hundred Ninety Four And Paise Fifty Only	9394.00		
2	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	5.60	564.55 Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Five Only	3161.00		
3	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters into hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in - Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, malkana, toll tax sale tax or other taxes imposed by the Government	31.25	2650.40 Per Cubic Metre	Rupees Two Thousand Six Hundred Fifty And Paise Forty Only	82825.00		
Total					Rupees Ninety Five Thousand Three Hundred Eighty Only		95380.00

DNIT No for the year 2025-26

DNIT cleared and approved for ₹ 95,380/- only


Executive Engineer
Salooni Division
HPPWD Salooni

(Rupees Ninety five thousand Three hundred eighty) only

DNT				Estimated cost		98880.00	
Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)				Earnest money		2000.00	
S. N.	Description of Item			Time limit		90 days	
	Quantity	Rate	Unit	In Words		Amount	
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	96.00	1030.00	Per Hours	Rupees Thousand Only	One Thirty	98880.00
Rupees Ninety Eight Thousand Eight Hundred Eighty Only				Total	98880.00		


Unit No for the year 2025-26


Executive Engineer
Salooni Division
HPPWD Salooni

DNT checked and approved for ₹ 98880/- only
Rupees Ninety eight Thousand Eight Hundred Eighty) only

DNIT					Estimated cost	97623.00
Construction of PCC Retaining wall at R.D. 0/096.25 to 0/099.35)					Earnest money	2000.00
S. N.					Time limit	90 days
Description of Item					Unit	In Words
Quantity					Amount	
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	6.23	501.20	Per Cubic Metre	Rupees Five Hundred One And Paise Twenty Only	
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	14.45	6120.90	Per Cubic Metre	Rupees Six Thousand One Hundred Twenty And Paise Ninety Only	
3	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	3.16	1210.20	Per Cubic Metre	Rupees One Thousand Two Hundred Ten And Paise Twenty Only	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v):2(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	7.00	318.60	Each	Rupees Three Hundred Eighteen And Paise Sixty Only	
Total						97623.00
Rupees Ninety Seven Thousand Six Hundred Twenty Three Only						

DNIT NO. For the year 2025-26
 DNIT checked and approved for ₹ 97623.00/only
 (Rupees Ninety Seven Thousand Six Hundred Twenty Three)only.


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT					
Name of work:- Restoration of rain damages on Bhalei to Dhar road K.M. 0/0 to 3/500 (SH: Removal of slips between K.M. 0/0 to 3/500)			Estimated cost		
S. N.	Description of Item	Quantity	Rate	Unit	In Words
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfaction of Engineer-in Charge any loss to the public/ private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Per Hours	Rupees One Thousand Thirty Only
					Total 99910.00
Rupees Ninety Nine Thousand Nine Hundred Ten Only					

DNIT No for the year 2025-26


DNIT checked and approved for ₹ 99910/- only

(Rupees Ninety Nine Thousand Nine Hundred Ten) only

Executive Engineer
Salooni Division
HPPWD Salooni

Name of work:- Restoration of rain damages on Bindhokhi to Khundi Baag road K.M. 0/0 to 3/700 (SH: Construction of wire crate Breast wall at R.D. 1/615 to 1/625)					DNIT	Estimated cost	90318.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit	90 days
						Earnest money	2000.00
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes to level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankments for grade improvements and disposal of all useful material to acquired width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures.. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases., including carriage of materials with in all leads and lifts. The rate is including octroi, royalty, Maikana, Toll tax, sale tax, GST or other taxes imposed by the	14.10	194.50	Per Cubic Metre	Rupees One Hundred Ninety Four And Paise Fifty Only	2742.00	
2	Earth work in excavation for all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	5.60	564.50	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only	3161.00	
3	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, maikana, toll tax sale tax or other taxes imposed by the Government.	31.20	2705.60	Per Cubic Metre	Rupees Two Thousand Seven Hundred Five And Paise Sixty Only	84415.00	
Total					Rupees Ninety Thousand Three Hundred Eighteen Only	90318.00	

DNIT No. --- For the Year 2025-26
 DNT Checked & approved for Rs. 90,318/- only
 (Rs. Ninety Thousand Three Hundred Eighteen Only)


 Executive Engineer
 Salooni Division
 HPPWD Salooni

UNIT NO for the year 2025-26

DO IT checked and approved for ₹ 99,910/- only
Crupes Ninety Nine thousand Nine Hundred Ten) only

Executive Engineer
Salooni Division
HPPWD Salooni

**Executive Engineer
Salooni Division
HPPWD Salooni**

DNIT Name of work:- Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Construction of PCC Retaining wall at R.D. 4/847.40 to 4/851.10)				Estimated cost Earnest money	99821.00 2000.00
S. N.	Description of Item	Quantity	Rate	Unit In Words	Time limit Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and M.O.R.D technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift, including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	8.31	564.50 Per Cubic Metre Rupees Five Hundred Sixty Four And Paise Fifty Only		46911.00
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification clauses 802, 803, 1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi, royalty, Malkana, Toll tax, GST or any other taxes imposed by the Government.	17.24	5170.80 Per Cubic Metre Rupees Five Thousand One Hundred Seventy And Paise Eighty Only		89145.00
3	Providing weep holes in brick masonry/stone masonry/ plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of (IV): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	7.00	291.60 Each Rupees Two Hundred Ninety One And Paise Sixty Only		2041.00
4	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	3.33	1184.50 Per Cubic Metre Rupees One Thousand One Hundred Eighty Four And Paise Fifty Only		3944.00
Total				99821.00	
DNIT NO for the year 2025-26					
DNIT checked and approved for ₹ 99,821 only (Rupees Ninety Nine Thousand Eight Hundred Twenty One Only)					
 Executive Engineer Salooni Division HPPWD Salooni					

DNIT				Estimated cost	99910.00	
Name of work:- Restoration of rain damages on Lachori to Seri road K.M. 0/0 to 8/500 (SH: Removal of slips between K.M. 0/0 to 8/500)				Earnest money	2000.00	
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/provate property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonsinility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Per Hours	Rupees Thousand Only	99910.00
Rupees Ninety Nine Thousand Nine Hundred Ten Only				Total	99910.00	

DNIT No for the year 2025-26
 DNIT chaled and approved for ₹ 99910/only
 (Rupees Ninety Nine Thousand Nine hundred Ten) only

Executive Engineer
 Salooni Division
 HPPWD Salooni

S. N.	Description of Item	DNIT		Estimated cost	98419.00	
		Quantity	Rate	Unit	In Words	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm (one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	8.12	491.85	Per Cubic Metre	Rupees Four Hundred Ninety One And Paise Eighty Five Only	3994.00
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M O R D technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes or/royalty Malkana,Toll tax, GST or any other taxes imposed by the Government	14.99	5992.40	Per Cubic Metre	Rupees Five Thousand Nine Hundred Ninety Two And Paise Forty Only	89826.00
3	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.22	1210.20	Per Cubic Metre	Rupees One Thousand Two Hundred Ten And Paise Twenty Only	2587.00
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall (with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ vertex) with slope of 1 (v): 2(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government	6.00	318.60	Each	Rupees Three Hundred Eighteen And Paise Sixty Only	1912.00
				Total	98419.00	

Rupees Ninety Eight Thousand Four Hundred Nineteen Only

DNIT NO

DNIT checked and approved for ₹ 98,419/only

Rupees Ninety Eight Thousand Four Hundred Nineteen only


Executive Engineer
Salooni Division
HPPWD Salooni

DNIT					Estimated cost	96820.00
Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)					Earnest money	2000.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	94.00	1030.00 Per Hours	Rupees Thousands Only	One Thirty Rupees Ninety Six Thousand Eight Hundred Twenty Only	96820.00
					Total	96820.00

D NIT No. For the year 2025-26
 D NIT checked and approved for ₹ 96820.00 (only)
 (Rupees Ninety Six Thousand Eight Hundred Twenty) only


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT				Estimated cost	99605.00	
Time limit				Earnest money	2000.00	
In Words				90 days		
S. N.	Description of Item	Quantity	Rate	Unit	Amount	
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes to level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankments for grade improvements and disposal of all useful material to acquired width of the road or on approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures.. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases., including carriage of materials with in all leads and lifts. The rate is including octroi, royalty, Malkana, Toll tax, sale tax, GST or other taxes imposed by the Government. The land for dumping sites shall be arranged by the contractor himself and nothing extra shall be paid on this account.	373.26	266.852	Per Cubic Metre	Rupees Two Hundred Sixty Six And Paise Eighty Five Only	99605.00
Rupees Ninety Nine Thousand Six Hundred Five Only				Total	99605.00	

DNIT NO for the year 2025-26

DNIT checked and approved for ₹ 99,605/-only
 Rupees Ninety Nine Thousand Six Hundred Five only

*Executive Engineer
 Salooni Division
 HPPWD Salooni*

DNIT					Estimated cost	99910.00
Name of work:- Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Removal of slips between R.D. 0/00 to 7/040)					Earnest money	2000.00
S. N.	Description of Item	Quantity	Rate	Unit	Time limit	90 days
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire satisfaction of Engineer- in Charge any loss to the public/provate property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Per Hours	Rupees Thousand Only	One Thirty
Rupees Ninety Nine Thousand Nine Hundred Ten Only					Total	99910.00

DNIT No for the year 2025-26
 DNIT checked and approved for ₹ 99910.00/- only

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni

(Rupees Ninety Nine Thousand Nine Hundred Ten Only)

DNIT					Estimated cost	99311.00
Time limit					Earnest money	2000.00
S. N.	Description of Item			Unit	In Words	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	Quantity 45.60	Rate 564.50 Per Cubic Metre	Unit Rupees Five Hundred Sixty Four And Paise Fifty Only Rupees Metre	In Words 25741.00	Amount
2	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4836 in 100 mm x100mm (hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in - Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, malkana, toll tax sale tax or other taxes imposed by the Government.	27.39	2686.00 Per Cubic Metre	Rupees Two Thousand Six Hundred Eighty Six Only Rupees Metre	Total 73570.00	
Rupees Ninety Nine Thousand Three Hundred Eleven Only					Total	99311.00

DNIT No for the year 2025-26
DNIT checked and approved for ₹ 99311 / only

Executive Engineer
Salooni Division
HPPWD Salooni

Rupees Ninety Nine Thousand Three Hundred Eleven) only

DNIT					Estimated cost	97850.00
Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)					Earhest money	2000.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 15.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	95.00	1030.00	Per Hours	Rupees Thousand Only	90 days
					One Thirty	97850.00
					Total	97850.00

D NIT NO. For the year 2025-26
 D NIT checked and approved for ₹ 97850.00/-only
 (Rupees Ninety Seven Thousand Eight Hundred Fifty) only.

Executive Engineer
 Saloni Division
 HPPWD Saloni

Name of work:- Restoration of rain damages on Bholei Matta Temple to village Athed road K.M. 0/0 to 6/0 (SH: Construction of PCC Retaining wall at R.D. 2/337.50 to 2/341.25) S. N.		DNIT		Estimated cost	97612.00		
		Quantity	Rate	Unit	In Words	Time limit	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including dressing materials within all leads, lifts and other incidentals.	10.29	564.50	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only	90 days	5809.00
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	17.48	4969.90	Per Cubic Metre	Rupees Four Thousand Nine Hundred Sixty Nine And Paise Ninety Only		86874.00
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	8.00	291.40	Each	Rupees Two Hundred Ninety One And Paise Forty Only		2331.00
4	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.25	1153.70	Per Cubic Metre	Rupees One Thousand One Hundred Fifty Three And Paise Seventy Only		2595.00
		Total	97610.00				

KRNT No. - - - for the year 2025-26
(Our Checked & approved for Rs.
Rs. Ninety Seven Thousand Six Hundred

Executive En

Executive Engineer

HPPWD Saloon

DNIT					Estimated cost	97850.00
Name of work:- Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Removal of slips between R.D. 0/00 to 7/040)					Earneast money	2000.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonsinility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	95.00	1030.00	Per Hours	Rupees Thousand Only	97850.00
Rupees Ninety Seven Thousand Eight Hundred Fifty Only					Total	97850.00

DNIT No for the year 2025-26

DNIT checked and approved for ₹ 97850/- only

(Rupee Ninety Seven Thousand Eight Hundred Fifty) only

Executive Engineer
Salooni Division
HPPWD Salooni

DNIT					Estimated cost	95711.00
S. N.	Description of Item	Quantity	Rate	Unit	Time limit	Amount
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes to level as shown on the drawing and as directed by the Engineer-in-Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankments for grade improvements and disposal of all useful material to acquired width of the road or on approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures.. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases., including carriage of materials with in all leads and lifts. The rate is including octroi, royalty, Malkana, Toll tax, sale tax, GST or other taxes imposed by the Government. The land for dumping sites shall be arranged by the contractor himself and nothing extra shall be paid on this account.	50.00	194.50 Per Cubic Metre	Rupees One Hundred Ninety Four And Paise Fifty Only	90 days	2000.00
2	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	5.60	564.55 Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Five Only	3161.00	
3	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, malkana, toll tax sale tax or other taxes imposed by the Government	31.25	2650.40 Per Cubic Metre	Rupees Two Thousand Six Hundred Fifty And Paise Forty Only	82825.00	
Total					95711.00	

DNIT No for the year 2025-26

DNIT checked and approved for ₹ 95711/only

Executive Engineer
Salooni Division
HPPWD Salooni

Rs. Ninety five Thousand Seven Hundred Eleven Only

DNIT				Estimated cost	94760.00	
Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)				Earnest money	2000.00	
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	92.00	1030.00	Per Hours	Rupees Thousand Only	94760.00
				Total	Rupees Ninety Four Thousand Seven Hundred Sixty Only	
					94760.00	

DnIT No for the year 2025-26

(Signature)
Executive Engineer

Salooni Division
HPPWD Salooni

DnIT
Checked and approved for ₹ 94760/- only

(Rupees Ninety four Thousand Seven Hundred Sixty) Only

DNIT						Estimated cost	99834.00		
Name of work:- Restoration of rain damages on Hutta Ligga Ladwah road K.M. 0/0 to 7/040 (SH: Construction of PCC Retaining wall at R.D. 4/840 to 4/843.70)						Earnest money	2000.00		
S. N.	Description of Item			Quantity	Rate	Unit	In Words	Time limit	90 days
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock , hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	9.49	564.50	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only			5357.00	
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	17.24	5170.70	Per Cubic Metre	Rupees Five Thousand One Hundred Seventy And Paise Seventy Only			89143.00	
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	7.00	291.60	Each	Rupees Two Hundred Ninety One And Paise Sixty Only			2041.00	
4	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.78	1184.50	Per Cubic Metre	Rupees One Thousand One Hundred Eighty Four And Paise Fifty Only			3293.00	
Rupees Ninety Nine Thousand Eight Hundred Thirty Four Only						Total	99834.00		

DNIT No for the year 2025 - 26

DNIT checked and approved for ₹ 99834 /only


Executive Engineer
Salooni Division
HPPWD Salooni

(Rupees Ninety Nine Thousand Eight Hundred Thirty four /only

Name of work:- Restoration of rain damages on Bathri Sundla Langera J & K Boundary road K.M. 13/130 to 28/0 (SH: Construction of wire crate Breast wall at R.D. 21/940 to 21/950 i.e. 3rd Raw & 1 No. crate 4th Raw)		DNIT		Estimated cost	94574.00		
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit	Amount
1	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters into hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, maikana, toll tax sale tax or other taxes imposed by the Government.	35.21	2686.00	Per Cubic Metre	Rupees Two Thousand Six Hundred Eighty Six Only	90 days	94574.00
						Total	94574.00

D NIT NO. For the year 2025-26
D NIT checked and approved for ₹ 94574.00
(Rupees Ninety Four Thousand Five Hundred Seventy Four) only

**Executive Engineers
Salooni Division
HPPWD Salooni**

Thousand Five Hundred Seventy Four Only
(E.C.)
Executive Engineer
Salooni Division
HPPWD Salooni

Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)		DNIT		Estimated cost		95790.00	
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Earnest money	
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	93.00	1030.00	Per Hours	Rupees Thousand Only	95790.00	2000.00

DNIT				
Name of work:- Restoration of rain damages on Bhalei Matta temple to village Saphan road K.M. 0/0 to 4/825 (Sl: Removal of slips at R.D. 0/340 to 0/380, 0/720 to 0/750, 1/470 to 1/500, 2/160 to 2/180, 2/220 to 2/250 and 3/920 to 3/950)		Estimated cost	99788.00	
S. N.	Description of Item	Quantity	Rate	Unit
1	Removal of landslide in all classification of soil and ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in all leads and lifts or as directed by Engineer- in Charge as per technical specification 302.3.5 and 1611 any damages to the private property is the responsibility of the contractor. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	1108.75	90.00	Per Cubic Metre
				Total 99788.00

D NIT No. For the year 2025 - 26
 D NIT checked and approved for ₹ 99788.00 only
 (Rupees Ninety Nine Thousand Seven Hundred Eighty Eight) only

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT			
S. N.	Description of Item	Quantity	Rate
1	Removal of landslide in all classification of soil and ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in all leads and lifts or as directed by Engineer- in Charge as per technical specification 302.3.5 and 1611 any damages to the private property is the responsibility of the contractor. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	1105.00	90.00 Per Cubic Metre
Total			99450.00

D NIT NO. For the year 2025-26
D NIT checked and approved for ₹ 99450.00/- only
(Rupees Ninety Nine Thousand Four Hundred Fifty) only.

Executive Engineer
Salooni Division
HPPWD Salooni

Rupees Ninety Nine Thousand Four Hundred Fifty Only

DNIT				Estimated cost	96820.00
to 36/500)				Earnest money	20000.00
				Time limit	90 days
S. N.	Description of Item	Quantity	Rate	Unit	In Words
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/provate property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonsinility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	94.00	1030.00	Per Hours	Rupees One Thousand Only
					Thirty
					96820.00
				Total	96820.00

D NIT NO. For the year 2025-26
 D NIT Checked and approved $\text{₹} 96820.00$ | only
 (Rupees Ninety Six Thousand Eight Hundred Twenty) only

R. Salooni
 Executive Engineer
 Salooni Division
 HPPWD Salooni

D NIT					Estimated cost	94455.00	
Retaining wall at R.D. 0/720 to 0/730)					Earnest money	2000.00	
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing in sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	20.60	564.55 Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Five Only		11630.00	
2	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters into hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in -Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, maikana, toll tax sale tax or other taxes imposed by the Government.	31.25	2650.40 Per Cubic Metre	Rupees Two Thousand Six Hundred Fifty And Paise Forty Only		82825.00	
Rupees Ninety Four Thousand Four Hundred Fifty Five Only					Total	94455.00	

D NIT NO. For the year 2025-26
 D NIT Checked and approved at ₹ 94455.00 /only
 (Rupees Ninety Four Thousand Four Hundred Fifty Five) only.

Kiran
 Executive Engineer
 Salooni Division
 HPPWD Salooni

Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)		DNIT			
S. N.	Description of Item	Quantity	Rate	Unit	In Words
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/provate property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonisibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	95.00	1030.00	Per Hours	Rupees One Thousand Thirty Only
					Total 97850.00

D NIT NO. For the year 2025-26
 D NIT checked and akpeoved for ₹ 97850.00/only
 (Rupees Ninety Seven Thousand Eight Hundred Fifty) only

K. Salooni
 Executive Engineer
 Salooni Division
 HPPWD Salooni

Name of work:- Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Retaining wall at R.D. 18/894.90 to 18/897.33)		DNIT		Estimated cost	98026.00
S. N.	Description of Item	Quantity	Rate	Unit	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift, including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	10.13	564.50	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	17.64	4961.10	Per Cubic Metre	Rupees Four Thousand Nine Hundred Sixty One And Paise Ten Only
3	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.19	991.15	Per Cubic Metre	Rupees Nine Hundred Ninety One And Paise Fifteen Only
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	9.00	291.40	Each	Rupees Two Hundred Ninety One And Paise Forty Only
					Total 98026.00
Rupees Ninety Eight Thousand Twenty Six Only					

D NIT No. For the year 2025 -26
 D NIT checked and approved for ₹ 98026.00/only
 (Rupees Ninety Eight Thousand Twenty Six) only.

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni

D.N.T				Estimated cost	99910.00	
Name of work:- Restoration of rain damages on link road to Kanhyandi Matta Mandir K.M. 0/0 to 5/950 (SH: Removal of slips between K.M. 0/0 to 5/950)				Earrest money	2000.00	
S. N.	Description of item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Hours	Rupees Thousand Only	99910.00
						Total 99910.00

Rupees Ninety Nine Thousand Nine Hundred Ten Only

Executive Engineer
Salooni Division
HPPWD Salooni

D.N.T No for the year 2025-26

D.N.T checked and approved for ₹ 99910/- only

(Rupees Ninety Nine Thousand Nine Hundred Ten) only

Unit No for the year 2025-26

DNIT checked and approved for ₹ 98880/only

Rupees Ninety eight Thousand eight hundred eighty/-

Executive Engineer
Salooni Division
HPPWD Saloon

Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)				DNIT	
S. N.	Description of Item	Quantity	Rate	Unit	Estimated cost
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/provate property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonsinility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	96.00	1030.00	Per Hours	98880.00
				Rupees Thousand Only	One Thirty Only
				Time limit	90 days
				Earnest money	2000.00
				Total	98880.00
				Rupees Ninety Eight Thousand Eight Hundred Eighty Only	

DNIT No for the year 1985-86
DNIT checked and approved for ₹ 98880/- only

(Rupees Ninety eight Thousand eight Hundred eight) only

**Executive Engineer
Salooni Division
HPPWD Salooni**

DNIT Name of work:- Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Construction of PCC Retaining wall at R.D. 18/890 to 18/892.40)					Estimated cost 2000.00
S. N.	Description of Item	Quantity 10.01	Rate 564.50 Per Cubic Metre	Unit Rupees Five Hundred Sixty Four And Paise Fifty Only	In Words Rupees Five Hundred Sixty Four And Paise Fifty Only
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.				
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5.10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	17.42	4961.10 Per Cubic Metre	Rupees Four Nine Hundred Sixty One And Paise Ten Only	86422.00
3	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.16	991.15 Per Cubic Metre	Rupees Nine Hundred Ninety One And Paise Fifteen Only	2141.00
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	10.00	291.40 Each	Rupees Two Hundred Ninety One And Paise Forty Only	2914.00
Total					97128.00
Rupees Ninety Seven Thousand One Hundred Twenty Eight Only					

DNIT No. For the year 2025 - 26
 DNIT checked and approved Rs 97128.00/- only
 (Rupees Ninety Seven Thousand One Hundred Twenty Eight Only)

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT

Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)		DNIT			
S. N.	Description of Item	Quantity	Rate	Unit	In Words
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Per Hours	Rupees Thousand Only
					One Thirty
					99910.00
				Total	99910.00

DNIT No. For the year 2025-26
 DNIT checked and approved for ₹ 99910.00 / only
 (Rupees Ninety Nine Thousand Nine Hundred Ten) only


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT						Estimated cost	98453.00
Retaining wall at R.D. 1/757.65 to 1/760.20)						Earnest money	2000.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit	90 days
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	8.19	491.85	Per Cubic Metre	Rupees Four Hundred Ninety One And Paise Eighty Five Only	4028.00	Amount
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	14.99	5992.40	Per Cubic Metre	Rupees Five Thousand Nine Hundred Ninety Two And Paise Forty Only	89826.00	
3	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.22	1210.20	Per Cubic Metre	Rupees One Thousand Two Hundred Ten And Paise Twenty Only	2687.00	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v) 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-In-Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	6.00	318.60	Each	Rupees Three Hundred Eighteen And Paise Sixty Only	1912.00	
Rupees Ninety Eight Thousand Four Hundred Fifty Three Only						Total	98453.00

DNIT NO for the year 2025-26

DNIT checked and approved for ₹ 98,453/only

(Rupees Ninety eight Thousand four hundred fifty three) only

K
Executive Engineer
Salooni Division
HPPWD Salooni

DNIT				
S. N.	Description of Item	Quantity	Rate	Estimated cost
				Time limit
1	Removal of landslide in all classification of soil and ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in all leads and lifts or as directed by Engineer- in Charge as per technical specification 302.3.5 and 1611 any damages to the private property is the responsibility of the contractor. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	1108.75	90.00 Per Cubic Metre	Earnest money 9000.00 90 days Rupees Ninety Only 99788.00
				Total 99788.00

DNIT NO. For the year 2025- 26
 DNIT checked and approved for ₹ 99788.00 Only
 (Rupees Ninety Nine Thousand Seven Hundred Eighty Eight Only)

(
 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT			
Name of work:- Restoration of rain damages on Chouga to Khal road K.M. 0/0 to 13/705 (SH: Removal of slips between K.M. 0/0 to 13/705)		Estimated cost	98880.00
S. N.	Description of Item	Time limit	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/ private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	96.00 1030.00 Hours	Per Thousands Only
			Rupees One Thirty 98880.00
			Total 98880.00

Rupees Ninety Eight Thousand Eight Hundred Eighty Only

DNIT No for the year 2025-26
DNIT checked and approved for ₹ 98880/only



Executive Engineer
Salooni Division
HPPWD Salooni

(Rupees Ninety eight Thousand eight Hundred Eighty) only

DNIT						Estimated cost	97875.00
Time limit						SH: Earnest money	2000.00
Amount						90 days	
S. N.	Description of Item	Quantity	Rate	Unit	In Words		
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	10.29	564.50 Per Cubic Metre	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only	5809.00	
2	Providing and laying Mechanically mixed and vibrated concrete for plain / reinforced concrete nominal mix 1:5:10 (one cement is to five sand is to ten graded crushed stone aggregate 40 millimeter (forty millimeter) nominal size in or under water and curing complete for 14 (fourteen) days, in open foundations for all type of structures and the like drain etcetera including pumping or bailing out water (surface and sub soil water) dewatering for all depths and any quantum of water including removal of slush which may arise at the time of laying under water complete for all heights / depths including the cost of form work complete as per drawings and M.O.R.D. technical specification Clauses 802,803,1202 and 1203 or as directed by the Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals. The rate includes octroi,royalty,Malkana,Toll tax, GST or any other taxes imposed by the Government.	17.48	4969.90 Per Cubic Metre	Rupees Two Hundred Ninety One And Paise Forty Only	Four Nine Hundred Sixty Nine And Paise Ninety Only	86874.00	
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe (Finolex/ Vertex) with slope of 1 (v): 20(H) towards drainage face complete as per drawing and MORD technical specification section 700 and 1200 including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect and as per the direction of Engineer-in-Charge. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	8.00	291.40 Each	Rupees Two Hundred Ninety One And Paise Forty Only	2331.00		
4	Backfilling behind retaining wall/breast wall complete as per drawing and technical specification clause 1204.3.8 in granular material within all leads and lift of material as per direction of Engineer-in-Charge and other incidentals. The rate is including royalty, Malkana,Toll tax, GST or other taxes imposed by the Government.	2.48	1153.70 Per Cubic Metre	Rupees One Thousand One Hundred Fifty Three And Paise Seventy Only	2861.00		
Total						97875.00	

Rupees Ninety Seven Thousand Eight Hundred Seventy Five Only

DNIT No. - - - For the Year 2025-26
 O/NIT Checked & approved for Rs. 97,875/- only.
 (Rs. Ninety Seven thousand Eight Hundred
 Seventy five only.)


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNIT				
S. N.	Description of Item	Quantity	Rate	Estimated cost
1	Removal of landslide in all classification of soil and ordinary rock not requiring blasting by mechanical means including cutting and trimming of slopes and disposal of cut material with in all leads and lifts or as directed by Engineer- in Charge as per technical specification 302.3.5 and 1611 any damages to the private property is the responsibility of the contractor. The rate is including royalty, Malkana, Toll tax, GST or other taxes imposed by the Government.	1103.38	90.00 Per Cubic Metre	99304.00 Rupees Ninety Only
				Total 99304.00
Rupees Ninety Nine Thousand Three Hundred Four Only				

DNIT No. For the year 2025-26
 DNIT checked and approved for ₹ 99304.00/only
 (Rupees Ninety Nine Thousand Three Hundred Four) only

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni


DNIT					Estimated cost	94116.00
Earnest money					2000.00	
Time limit					90 days	
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	20.00	564.55 Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Five Only		11291.00
2	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 250.3 and as per direction of the Engineer - in - Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, malkana, toll tax sale tax or other taxes imposed by the Government.	31.25	2650.40 Per Cubic Metre	Rupees Two Thousand Six Hundred Fifty And Paise Forty Only		82825.00
Total					Rupees Ninety Four Thousand One Hundred Sixteen Only	94116.00

DNIT No. For the year 2025-26
 DNIT checked and approved for ₹ 94116.00/-
 (Rupees Ninety Four Thousand One Hundred Sixteen) only


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNT				
Name of work:- Restoration of rain damages on Bhalei Matta temple to village Athed road K.M. 0/0 to 6/0 (SH: Removal of slips between K.M. 0/0 to 6/0)			Estimated cost	99910.00
S. N.	Description of item	Quantity	Rate	Time limit
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00 Per Hours	Rupees Thousand Only One Thirty
				Total 99910.00

DNT NO. For the year 2025-26
 DNT checked and approved date ₹ 99910.00/- only
 (Rupees Ninety Nine Thousand Nine Hundred Ten) only


 Executive Engineer
 Salooni Division
 HPPWD Salooni

DNT				Estimated cost	98880.00	
Name of work:- Restoration of rain damages on Bihali Bachuni Chhambher Katara road K.M. 0/0 to 11/100 (SH: Removal of slips between K.M. 0/0 to 11/100)				Earnest money	2000.00	
S. N.	Description of item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute resonability of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	96.00	1030.00	Per Hours	Rupees Thousand Only	98880.00
				Total		
				98880.00		

Rupees Ninety Eight Thousand Eight Hundred Eighty Only

DNT for the year 2025-26

Executive Engineer
Salooni Division
HPPWD Salooni

DNT checked and approved for ₹ 98880/- only

Rupees Ninety eight Thousand eight Hundred eighty only

Name of work:- Construction of link road to village Dind K.M. 0/0 to 3/600 (SH: Improvement of curve at R.D. 0/810 to 1/210 to 1/2 87)	DNIT	Estimated cost	99861.00			
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes to level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 300 and 1600 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of un-useful material for filling in road ways, camber, embankments for grade improvements and disposal of all useful material to acquired width of the road or on approved dumping sites through all modes of transporation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures.. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him in all cases, including carriage of materials with in all leads and lifts. The rate is including octroi, royalty, Malkana, Toll tax, sale tax, GST or other taxes imposed by the Government. The land for dumping sites shall be arranged by the contractor himself and nothing extra shall be paid on this account.	331.95	300.83	Per Cubic Metre	Rupees Three Hundred And Paise Eighty Three Only	99861.00

Rupees Ninety Nine Thousand Eight Hundred Sixty One Only

Total 99861.00

DNIT NO for the year 2025-26

DNIT checked and approved for ₹ 99,861/- only

Rupees Ninety Nine Thousand Eight Hundred Sixty One Only

(Signature)
Executive Engineer
Salooni Division
HPPWD Salooni

Name of work:- Restoration of rain damages on Sundla Girjindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)		DNIT	
S. N.	Description of Item	Quantity	Rate
		Unit	In Words
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00 Per Hours
			Rupees Thousand Only
			One Thirty
			99910.00
			Amount
			90 days
			Time limit
			2000.00
			Earnest money
			99910.00
			Estimated cost

DniT No for the year 2025-26

DNIT checked and approved for 299910/only

(Rupees Ninety Nine Thousand Nine Hundred Ten) only

Executive Engineer
Salooni Division
HPPWD Salooni (P)

Name of work:- Restoration of rain damages on Bindhokhi to Khundi Baag road K.M. 0/0 to 3/700 (SH: Construction of wire crate Retaining wall at R.D. 1/135 to 1/155)				DNIT		Estimated cost	91471.00
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Time limit	2000.00
						90 days	90 days
1	Earth work in excavation for all type of road structure such as retaining walls, breast walls, culverts, drains and parapets etcetera in all type of classification of soil, comprising of ordinary soil, ordinary rock, hard rock chiseling / wedging out rocks (where blasting is prohibited) as per drawings and MORD technical specification clause 305.1 and as per the directions of the Engineer-in-Charge including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal of materials upto any lead and upto any lift including dressing of sides and bottom and back filling in trenches with excavated suitable / approved materials to the original surface in layers not exceeding 150mm one hundred fifty millimeters) compacted thickness including shoring and strutting and pumping and bailing out water (surface and sub soil water) upto any depth and any quantum of water including cleaning of slush which may arise out during dewatering as per directions of Engineer-in-Charge including carriage of materials within all leads, lifts and other incidentals.	12.50	564.50	Per Cubic Metre	Rupees Five Hundred Sixty Four And Paise Fifty Only	7056.00	7056.00
3	Providing and laying boulder apron laid in wire crate with 4mm dia G.I. wire confirming to IS 280 and IS 4826 in 100 mm x100mm (hundred millimeters) mesh(woven diagonally) including 10%for laps & joints laid with stone boulders weighing not less than 40kg (forty kilogram) each in toe walls as per drawing and MORD technical specifications clause 2503 and as per direction of the Engineer - in - Charge including carriage of materials within all leads and lifts and other incidental. The rate also includes octroi,royalty, maikana, toll tax sale tax or other taxes imposed by the Government.	31.20	2705.60	Per Cubic Metre	Rupees Two Thousand Seven Hundred Five And Paise Sixty Only	84415.00	84415.00
Total				Rupees Ninety One Thousand Four Hundred Seventy One Only		91471.00	

DNIT No. - - - For the year 2025-26
 DNT Checked & approved for Rs. 91471/only
 (Rs. Ninety One Thousand Four Hundred
 Seventy One Only)

Executive Engineer
 Salooni Division
 HPPWD Salooni

Name of work:- Restoration of rain damages on Bathri Sundla Langera J&K Boundary road K.M. 13/130 to 28/0 (SH: Removal of slips between K.M. 13/130 to 28/0)		DNIT		Estimated cost	99910.00		
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount	
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	97.00	1030.00	Hours	Rupees Thousand Only	99910.00	

DNIT			Estimated cost	98880.00		
Name of work:- Restoration of rain damages on Sundla Girijindoo road K.M. 0/0 to 36/500 (SH: Removal of slips between R.D. 18/0 to 36/500)			Earliest money	2000.00		
S. N.	Description of Item	Quantity	Rate	Unit	In Words	Amount
1	Hiring of Excavator cum Loader for removal of landslide slip clearance in all kind of soil and disposal of all excavated earth or un serviceable material from the road surface up to any leads and lifts and all heights and depths as per the direction and entire statisification of Engineer- in Charge any loss to the public/private property or any accident etc. happened during the course of hiring period/execution shall by the absolute responsibility of the owner which shall have to be fully compensated by the contractor in all cases. The fuel and operational staff for machinery will be provided by the owner. The daily log book will be maintained at site which should be duly verified by the Engineer- in Charge. It is ensured that slip removal not less then 17.00 cum per hours to be lifted and snow not less then 15.00 cum per hour to be lifted with in a lead of 200 metre.	96.00	1030.00	Per Hours	Rupees Thousand Only	98880.00

Rupees Ninety Eight Thousand Eight Hundred Eighty Only

Total 98880.00

D NIT No. For the year 2025-26
 D NIT checked and approved for ₹ 98880.00/- only
 (Rupees Ninety Eight Thousand Eight Hundred Eighty) only

(Signature)
 Executive Engineer
 Salooni Division
 HPPWD Salooni