

Himachal Pradesh
Public Works Department

No. PW-KD- CTR- Tender-NIT/2025-2026- 22856-57 Dated: 02 - 02 - 2026

To

The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
HPPWD, Division Kasumti
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .


Executive Engineer,
HPPWD., Division Kasumti
Shimla.

HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS

Executive Engineer B&R Division Kasumti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

1. Date of receipt of application for tender forms:-	09-02-2026 10:00 AM upto 12:00 PM
2. Dated of Issue /sale of tender forms:-	09-02-2026 12:00 PM upto 4:00 PM
3. Date of receipt of tender:-	10-02-2026 .up to 10:30 AM
4. Date of opening of tender:-	10-02-2026 up to 11:00 AM

Sr. No.	Name of Work	Estimated cost	EMD(Rs.)	Cost of Tender (Rs.)	Time Limit	Eligible class of Contractor
1	Restoration of rain damages Elysium to Devidhar road Km. 0/00 to 8/00 (SH:- C/O R/Wall at RD. 2/075 to 0/086.50 (Under PDNA).	478985/-	9800/-	350/-	30 days	Class-D
2	Restoration & Rain Damages on Baldeyan to Dharampur road in Km. 0/00 to 10/00 (SH:- Improvement & Cutting of back spot in Km. 2/500 to 2/560 and 2/810 to 2/900 and 2/950 to 2/980 Fagu to Cheog road Km. 0/00 to 5/600 (SH:- Widening of road at various RDs 4/500 to 4/560 (Under PDNA).	478500/-	9600/-	350/-	30 days	Class-D
3	Restoration of rain damages on Cheog to Dharech road in Km. 0/00 to 7/00 (SH:- Cutting & widening of road at various RD. C/O Breast wall at RD. 6/795 to 6/802) (Under PDNA).	427720/-	8600/-	350/-	30 days	Class-D
4	Restoration of rain damages on Eversunny to Pagog road Km. 0/00 to 5/000 (SH:- C/O Retaining wall at RD. 3/353 to 3/360) (Under PDNA).	352513/-	6500/-	350/-	30 days	Class-D
5	A/R & M/O on Nauti to Thiala road Km. 0/000 to 7/300 (SH:- Improvement /Widening of road cutting of Black spot in Km. 0/000 to 0/295 (Under PDNA).	484612/-	9700/-	350/-	30 days	Class-D
6	Restoration of Eversunny to Pagog road Km. 0/00 to 5/00 (SH:- Repair work side drain from Km. 3/00 to 4/00 (Under PDNA).	493024/-	9500/-	350/-	30 days	Class-D
7	Restoration of rain damages on Shimla to Mandi road Km. 6/00 to 22/00 (SH:- C/O B/Wall at RD 15/105 to 15/130) (Under PDNA).	494463/-	9889/-	350/-	30 days	Class-D

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumti HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,
Division Kasumti,
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026

Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Ositt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Dated : 02-02-2026

Executive Engineer,
Division Kasumti,
HPPWD. Shimla.

SCHEDULE OF QUANTITY


					Estimated Cost:- 4,78,985.00
Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.					Earnest Money :- 9800.00
Name of Work :- Restroation of Rain Damages Elysium to devidhar road km 0/00 to 8/00 (SH:- C/O R/wall at Rd 2/075 to 0/086.50(Under PDNA)					Time:- One Month.
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils. including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property. human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	28.75	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre 9344.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Rock blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	25.19	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre 10076.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10 (One cement: Five sand: Ten graded stone agg.40mm nominal size).	5.52	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre 20424.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate20 mm(Twenty milimetre) nominal size).	89.81	Cum	4600.00 Rupees Four Thousand Six Hundred Only	Per Cubic Metre 413126.00

5	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Granular material.	14.49	Cum	1050.00	Rupees One Thousand Fifty Only	Per Cubic Metre	15215.00
6	Providing weepholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full width of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	60.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	10800.00
	Quoted rates Percentage in figures						
	Quoted rates Percentage in words					G.Total	478985.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

T/s Nodated Amounting to Rs.



Executive Engineer,
HPPWD Division
Kasumpur Shimla-3.

SCHEDULE OF QUANTITY.

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 478500.00	
Name of Work :- Restoration & Rain Damages on Baldeyan to Dharampur road in Km 0/00 to 10/00 (SH:- Improvement & cutting of back spof in km 2/500 to 2/560 and 2/810 , 2/900 and 2/950 to 2/980 Fagu to Cheog road road Km 0/00 to 5/600 (SH:- Widening of road at various Rds 4/500 to 4/560.(Under PDNA)				Earnest Money :- 9600.00	
				Time:- One Month.	
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount
			In figures	In words	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1650.00	Cum	290.00 Rupees Two Hundred Ninety Only	Per Cubic Metre 478500.00
				Total	478500.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

DRAFT SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,27,720.00					
Name of Work :- Restoration of Rain Damages on Cheog to Dhreach road in Km. 0/00 to 7/00. (SH:-				Earnest Money :- 8,600.00					
Cutting & Widening of road at various at RD, Consturction of Breast Wall at RD 6/795 to 6/802). UNDER Time:- One Month.									
PDNA									
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate		Unit	Amount			
			In figures	In words					
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). The recovery for stones, whether use full or not for 93.30cum (Ninety three point Thirty cubic metre) @ 300/-only(Rupees three hundred only) per cubic metre shall be effected on prorata basis in all circumstances. All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	933.00	Cum	320.00	Rupees Three Hundred Twenty Only	Per Cubic Metre	298560.00		
2	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	16.00	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre	5200.00		

3	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer-in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and stones shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	3.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre	1200.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:6:12(One cement: six sand: twelve graded stone	3.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre	10200.00
5	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone	24.00	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre	110400.00
6	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred milimetres) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	12.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	2160.00
	Quated rates Percentage in figures					Total	427720.00
	Quoted rates Percentage in words						
						G.Total	

DNIT approved for Rs. 4,27,720/- Only (Rupees Four Lac Twenty seven Thousand Seven Hundred Twenty only) vide DNIT Register Sr.No 371. the financial year 2025-26. (T/S No. 211565 Dated

14-26. Amount to Rs. 4,27,720/- only

Executive Engineer,
Shimla Division No.1,
HP PWD Shimla 3.

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER Kasumpti DIVISION, H.P.P.W.D., SHIMLA-3.		Estimated Cost:- 3,52,313.00	
Name of Work :- Restoration of Rain Damages on Ever sunny to Pagog road Km 0/00 to 5/000 (SH:- C/O Retaining wall at Rd 3/353 to 3/360(Under PDNA)		Earnest Money :- 6500.00	
		Time:- One Month.	

Sr. No	Description of Work / Item (S)	No. of Qty.	Estimated Rate		Unit	Amount
			In figures	In words		
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private propriety, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	39.48	Cum	325.00 Rupees Three Hundred Twenty Five Only	Per Cubic Metre	12831.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-1 (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	3.85	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre	1540.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) Cement Mortar 1:5:10(One cement: five sand: ten graded stone agg.40mm nominal size).	3.85	Cum	3700.00 Rupees Three Thousand Seven Hundred Only	Per Cubic Metre	14245.00

4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:4:8(One cement:Four sand:Eight graded stone aggregate 20 mm(Twenty millimetre) nominal size)	66.36	Cum	4800.00	Rupees Four Thousand Eight Hundred Only	Per Metre	Cubic	3.18528.00	
6	Backfilling behind abutment, wing wall and return wall complete as per drawings and technical specification clause 1204.3.8 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Granular material.	2.52	Cum	1050.00	Rupees One Thousand Fifty Only	Per Metre	Cubic	2649.00	
7	Providing weep holes in Breast wall/Retaining wall on stone masonry with 100mm (One hundred millimetre)& P.V.C. pipe with slop of 1:20 to wards the face complete as per drawing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	14.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per metre	Running	2520.00	
	Quoted rates Percentage in figures								
	Quoted rates Percentage in words						G.Total	352313.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use

T/s No. 2256364 Dated 28.1.26 Amounting to Rs.

3,62,883/-


Executive Engineer
Kasumpti Division
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 4,84,612.00		
Name of Work :- A/R & M/O on Nauti to Thaila road Km 0/000 to 7/300 (SHE:- Improvement / Widening of road cutting of Black spot in Km 0/000 to 0/295 (Under PDNA).				Earnest Money :- 9,700.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer- in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	1538.45	Cum 315.00 Rupees Three Hundred Fifteen Only	Per Cubic Metre	484612.00	
					Total	484612.00
	Quated rates Percentage in figures					
	Quoted rates Percentage in words					
					G.Total	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.

SCHEDULE OF QUANTITY

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. Name of Work :-Restroation of Eversunny to Pagog road km 0/00 to 5/00 (SH:- Repair work side drain from km 3/00 to 4/00 Under PDNA)				Estimated Cost:- 493024.00 Earnest Cost :- 9500.00 Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate In figures	Unit	Amount	
1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	39.30	Cum	400.00 Rupees Four Hundred Only	Per Cubic Metre 15720.00	
2	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a) Cement Mortar 1:3:6(one cement:Three sand:Six graded stone aggregate 20mm(Twenty millimetre) nominal size).	76.88	Cum	5800.00 Rupees Five Thousand Eight Hundred Only	Per Cubic Meter 445904.00	
3	Providing and laying of boulder apron laid in wire crates with 4mm dia G1 wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 per cent extra for laps and joints laid with stone boulders weighing not less than 25 Kg. (twenty five) kilograms each as per drawing and technical specifications Clause 1301 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.	10.37	Cum	3028.00 Rupees Three Thousand Twenty Eight Only	Per Cubic Meter 31400.00	
Quated rates Percentage in figures						
Quoted rates Percentage in words					G.Total 493024.00	

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

DNIT approved for Rs. 493024/- Only vide DNIT Register Sr.No. 413 the
T/s No dated Amounting to Rs.

Executive Engineer
Kasumpti Division
HPPWD Shimla-3.


SCHEDULE OF QUANTITY.

Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3.				Estimated Cost:- 494463.00		
Name of Work :- Restoration of rain damages on Shimla to Mandi road Km 6/00 to 22/00 (SH:- C/o B/wall at RD 15/105 to 15/130) (Under PDNA).				Earnest Money :- 9889.00		
				Time:- One Month.		
Sr. No	Description of Work / Item (S)	No.of Qty.	Estimated Rate	Unit	Amount	
1	Cutting and disposal of earth work in by mechanical in all heights and depths in all kinds of soils, including saturated soils comprising of pick work, jumper work and blasting work both in soft and hard rock with chiseling and wedging out of rock (where blasting is prohibited) and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site., according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site as per satisfaction of Engineer-in -charge through all modes of transportation including head load ,animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All the surplus excavated earth to be dumped at dumping site(dumping sites will be arranged by the contractor on his own cost). Any loss to the public and private property, human being, machinery during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	62.50	Cum	325.00	Rupees Three Hundred Twenty Five Only	Per Cubic Metre 20313.00
2	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools eqipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private property during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges.	10.00	Cum	400.00	Rupees Four Hundred Only	Per Cubic Metre 4000.00
3	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:6:12 (40 mm aggregate)	10.00	Cum	3400.00	Rupees Three Thousand Four Hundred Only	Per Cubic Metre 34000.00
4	Providing and laying concrete for plain/reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 and 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(a)PCC 1:4:8 aggregate20 mm(Twenty milimetre) nominal size.	93.25	Cum	4600.00	Rupees Four Thousand Six Hundred Only	Per Cubic Metre 428950.00

5	Providing weapholes in brick masonry / stone masonry /plain reinforced concrete abutment, wing wall, return wall with 100 mm(One hundred millimetre) dia PVC pipe extending through the full with of the structures with slop of 1(v):20(H) towards drawing face complete as per drawing and technical specification clauses 614, 709, 1204.3.7 including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge.	40.00	Rmt	180.00	Rupees One Hundred Eighty Only	Per Running meter	7200.00
						Total	
							494463.00

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


Executive Engineer,
Shimla Division No.I,
HP RWD Shimla-3.