

HIMACHAL PRADESH
PUBLIC WORK DEPARTMENT

No. PW/DT/TA/ NIT /2025-26-

11491

Dated:- 17-2-2026

To,

The Executive Engineer
IT Cell Nirman Bhawan Nigam Vihar
HP PWD Shimla

Subject:_

Regarding NIT for uploading on HP PWD website .

Enclosed please find herewith the Notice inviting tender Notice along with schedule of quantity for uploading on HP PWD website. This is for your kind information and necessary action at your end please.

Encls:- 19 Nos copy of Schedule of quantity.

Executive Engineer
Tanda Division HP PWD
Nagrota Bagwan

CERTIFICATE

Certified that the tenders of works, called vide
this office letter No. PW-DT-NIT-2025-26- 11472- 11506 Dated:- 17-2-26
are urgent nature.


Executive Engineer
Tanda Division HP PWD
at Nagrota Bagwan

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT**

Sealed item rate tender on form No. 6 & 8 are hereby invited by the **Executive Engineer, HP PWD Division Tanda** at Nagrota Bagwan on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HP PWD (B & R) whose registration stood renewed as per revised rules so as to reach in his office on or before on 28.02.2026 up to 11:00 A.M. And the same shall be opened on the same day at 04:00 P.M. in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on 27.02.2026 up to 4:00 P.M and the application for issue of tender form shall be received on 26.02.2026 up to 12:00 noon. The applications for issue of tender forms accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates/Saving Account of the Post Office /Time Deposit account/FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP PWD Division Tanda at Nagrota Bagwan

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for 120 days.

Sr. No.	Name of work	Estimated Cost	Earnest Money	Time limit
1	Repair of Main Boy Hostel at Dr. R.P. Govt. Medical College Tanda in distt. Kangra HP Deposit Work (SH: Providing and applying water proofing in corridors and open terrace area).	97875.00	2000.00	One Month
2	Restoration of rain damages on link road Massal to Sakra Basti road km 0/00 to 1/500 in Distt. Kangra HP SDP/2023/401 (SH: Repair of cement concrete pavement at various Rds)	199742.00	4000.00	Two Months
3	Repair of Playground in Gram Panchayat Ramehar in Tehsil Nagrota Bagwan, Distt. Kangra HP SDF/2025/1689 (SH: Construction of Surface dressing in ground).	149500.00	3000.00	Two Months
4	Construction of Retaining wall alongwith path near Sarat at Tikkal Pallu Gadrana Danoa in Distt. Kangra HP VKV/2025/1082 (SH: Construction of Boundary wall with Gate etc).	144208.00	2900.00	Two Months
5	Construction of link road Thehru Har to sakreh Thana in Distt. Kangra HP SDP/2025/139 (SH: Providing and laying cement concrete pavement in km 0/645 to 0/693).	149533.00	3000.00	Two Months
6	Construction of Retaining Wall near govt. Middle School Bag Gulehar in Distt. Kangra HP VKV/2025/555 (SH: Construction of Boundary wall with Gate etc).	199211.00	4000.00	Two Months
7	Restoration of rain damages on link road Kalru to Naryalkar km 0/00 to 1/500 in Distt. Kangra HP Under SDF DC Deposit Construction of 900mm dia hume pipe culvert at RDs 0/435 and 0/850).	192132.00	3850.00	Two Months
8	Restoration of rain damages due to laying of Water Supply lines on various roads under HP PWD Baroh Sub-Division Km 0/00 to 1/500 in Distt. Kangra HP under SDF DC Deposit (SH: Repair of 900mm dia Hume pipe culvert at Rd 0/700 and approaches on link road Kalru to Naryalkar).	170141.00	3450.00	Two Months
9	Construction of road from main road to the house of Sh. Vikram Singh Tika Bari (Luhna) in District Kangra HP Deposit Work (SH: Providing and laying G-III & cement concrete at Rd 0/00 to 0/050 VKV/2025/1079).	149728.00	3000.00	Two Months
10	Specail repair of Govt. I.T.I. building at Sarotari in Distt. Kangra HP Deposit work (SH: Providing and applying painting work etc).	99362.00	2000.00	Two Months
11	Construction of link road from NH 88 to Gujjar Basti in District Kangra HP Deposit work (SH: Providing and laying G-III & cement concrete at Rd 0/00 to 0/050 SDP/2025/126).	149728.00	3000.00	Two Months
12	Construction of Sarai of Gram Sudhar Sabha Bhatti in Distt. Kangra HP Deposit work under VKV/2024/1078 (SH: Construction of steel truss shed etc).	178011.00	5350.00	Two Months
13	Balance work of Food Bridge to Connect village Ocha in Tehsil Nagrota Bagwan District Kangra HP Under PDNA (SH: Providing and laying concrete work steel work etcetera)	499587.00	10000.00	Three Months
14	Construction of link road to Harijan Basti at Palra in District Kangra HP Under SDP/2014/94 (SH: Providing and laying cement concrete pavement road in km 0/00 to 0/030)	99793.00	2000.00	Two Months
15	Construction of Playground at Tika Gadiara Bajau in G.P. ustehar in District Kangra HP under VKV/2023/1468 (SH: Construction of Breast wall).	99873.00	2000.00	One Months
16	A/R & M/O of HP PWD Rest House at Dadh in District Kangra HP (SH: Providing and applying painting work granite work and CPVC pipe work etc).	99630.00	2000.00	Two Months
17	Restoration of rain damages on link road Malan to Gujehra km 0/00 to 4/00 in Tehsil Nagrota Bagwan Distt. Kangra HP (SH: Construction of cement concrete above pista and parapets at RD 0/370 to 0/490 SDP/2025/1681).	131414.00	2650.00	Two Months
18	Restoration of rain damages on link road Tangh Uthiragan Ramehar B aldhari Jassour road km 0/00 to 6/600 in District Kangra HP (SH: Construction of 100 mtrs Span RCC and steel grating culvert at Rd 2/700 SDP/2025/1691).	149954.00	3000.00	Two Months
19	Restoration of rain damages on link road to village Bamnehar Tikkal Sukrehar km 0/00 to 0/250 in Tehsil Nagrota Bagwan Distt. Kangra HP (SH: Construction of Edge wall at RD 0/032 to 0/083.50 SDF/2025/1690).	127275.00	2550.00	Two months

Terms & Conditions:-


1. The contractor/firm should be registered as or dealer GST No.
2. The intending contractor / firm have to produce the copy of latest enlistment and renewal enlisted in HPPWD.
3. If any of the date mentioned above happened to be Gazetted Holidays the same shall be processed on next working day.
4. The Executive Engineer reserves the right to accept/reject any tender/application or all tenders without assigning any reason
5. The Contractor will have to submit affidavit along with application for issue of tender form
6. Next tender will be issued only after completion of previous works in hand.

HIMSUCHANA AVAM & JAN SAMPARK


No.PW/NBD/TA/Tender/NIT/2025-26- 11492-11506 Dated/ 17-2-2026

Copy to the following for information and necessary action:-

1. The Chief Engineer (KZ), HPPWD, Dharamshala
2. The Executive Engineer IT Cell Shimla HP PWD Shimla
3. The Superintending Engineer, 5th Circle, HPPWD, Palampur
4. The Deputy Commissioner, Kangra at Dharamshala
5. All the S.E.s under North Zone
6. The Sub-Divisional Officer(C) Nagrota Bagwan
7. All the Assistant Engineer under this Division
8. The Drawing /Accounts Branch in this office
9. Notice Board


 Executive Engineer
 H.P.P.W.D. Tanda Division
 at Nagrota Bagwan

(On behalf of Governor of Himachal Pradesh)


 Executive Engineer
 H.P.P.W.D. Tanda Division
 at Nagrota Bagwan

Schedule of Quantity

ESTIMATED COST: - ₹ 97875.00
 EARNEST MONEY: - ₹ 2000.00
 TIME LIMIT: : ONE MONTH

Name of Work:- Repair of Main Boy Hostel at Dr. R.P. Govt. Medical College Tanda in Distt. Kangra (H.P.) (Deposit Work)

Sub Head:- Providing and applying water proofing in corridors and open terrace area.

Sr. No	Description Of Item	Quantity	Rate		Unit	Amount
			In fig	In words		
1	Providing and laying water proofing of Reinforced cement concrete (RCC) slab with liquicrete 151 as Acrylic Polymade binding with cement, providing Fibre mesh and liquicrete RTU as Two components Acrylic base Modified cementation water proofing coat system complete and ornamental moulding in side of gutter complete as directed by Engineer- In-charge, including entire carriage of material within all leads, lits and other incidentals.	130.50	Square metres		Per Square metre	—
						Total:-

*Executive Engineer,
 HPWD Division,
 Tanda at Nagrota Bagwan.*

Schedule of Quantity

NAME OF WORK :-

Restoration of rain damages on link road Massal to Sakra Basti Km 0/000 to 1/500 in Distt. Kangra (H.P.) (SDP/2023/401).

SUB HEAD :-

Repair of cement concrete pavement at various RDs.

S. No.

Description of items

1

2 Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.

Quantity

In fig.

In words

3

4

5

6

7

33.57

Cubic

metres

Unit

Amount

Per

cubic

metre

ESTIMATED COST:- ₹ 199742.00
EARNEST MONEY :- ₹ 4000.00

TIME LIMIT :- TWO MONTHS

TOTAL :-

SCHEDULE OF QUANTITY

NAME OF WORK :- Repair of Playground in Gram Panchayat Ramnagar in Tehsil Nagrota Bagwan, Distt. Kangra (H.P.) SDF/2025/1689
SUB-HEAD :- Construction of Wire Crates work.

S. No.	Description of items	Quantity		Rate		Unit	Amount
		In fig.	In words	3	4		
1	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, up to any lead and lift complete as directed by the Engineer-in-charge, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	10000.00	Square metres	6	7	Per Square metre	149500.00
							3000.00
							146500.00
							TWO MONTHS

TOTAL :-	


 Executive Engineer,
 H.P.P.W.D., Division,
 Tanda at Nagrota Bagwan.

Draft Schedule of Quantity

ESTIMATED COST: - ₹ 144208.00
 EARNEST MONEY: - ₹ 2900.00
 TIME LIMIT: : TWO MONTHS

NAME OF WORK : - Construction of Retaining wall alongwith path near Sarat at Tikka Pallu Gadrana (Danoa) in Distt. Kangra (H.P.). (VKV/2025/1082).
SUB-HEAD : - Construction of Boundary wall with Gate etc;

S. No.	Description of items	Quantity		Rate		Unit	Amount
		3	4	In fig.	In words		
1	Excavation work by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP-PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	5.37		Cubic meters	Per cubic metre	6	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shutting - All work up to plinth level 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40 mm (Forty millimetres) nominal size as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	1.19		Cubic meters	Per cubic metre	6	7
3	Random rubble masonry/polygonal rubble masonry (uncoursed/brought to courses) with hard stones of approved quality in foundation and plinth including leveling up with cement concrete 1:6:12 (One cement : Six sand : Twelve graded stone aggregate 20mm (Twenty millimeters) nominal size at plinth level in cement mortar 1:6 (One cement : Six sand) complete within all leads, lifts of materials and other incidentals.	5.37		Cubic metres	Per cubic metre	6	7
4	Providing and laying autoclaved aerated cement blocks masonry with 150mm/230mm/300 mm thick AAC blocks in super structure above plinth level up to floor V level with RCC band at sill level and Intel level with approved block laying polymer modified adhesive mortar all complete (The payment of RCC band and reinforcement shall be made for separately), including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	10.26		Cubic meters	Per cubic metre	6	7
5	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers Hot finished welded type tubes etc; complete and as per direction of Engineer- Incharge, including entire carriage of materials within all leads, lifts and other incidentals.	329.02		Kilograms	Per square metre	6	7
6	15mm (Fifteen millimetre) thick cement plasters in single coat on rough side of brick/concrete/stone walls for interior plastering upto all floor level including arises, internal rounded angles, chamfers and or rounded angles not exceeding 80mm in girth and finished even and smooth with cement mortar 1:6 (One cement : Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	38.43		Square metres	Per square metre	6	7
7	Finishing walls with 100% (One hundred percent) Premium acrylic emulsion paint having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicon additives complete in New work (Two or more coats applied @ 1.43 litre/ 10 sqm. Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, entire satisfaction and as directed by the Engineer-in-charge.	37.43		Square metres	Per square metre	6	7
TOTAL:-							


Executive Engineer
 HP-PWD Division
 Tanda at Nagrota Bagwad

Schedule of Quantity

<u>NAME OF WORK</u> :-	Construction of link road Thehru Har to Sakreah Thana in Distt. Kangra (H.P.) (SDP/2025/139).	<u>ESTIMATED COST</u> :-	₹ 149533.00
<u>SUB HEAD</u> :-	Providing and laying cement concrete pavement in Km 0645 to 0693	<u>EARNEST MONEY</u> :-	₹ 3000.00
<u>TIME LIMIT</u> :	TWO MONTHS		

<u>S. No.</u>	<u>Description of items</u>	<u>Quantity</u>	<u>Rate</u>	<u>Unit</u>	<u>Amount</u>
		<i>In fig.</i>	<i>In words</i>		
		3	4	5	6
1	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming. Stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (per ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interslices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	10.25	Cubic metres	Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	21.60	Cubic metres	Per cubic metre	
					TOTAL :-


 Executive Engineer,
 H.P.P.W.D., Division,
 Tanda at Nagrota Bagwan.

Schedule of Quantity

NAME OF WORK :-	Construction of Retaining wall near Govt. Middle School Bag Gulehar in Distt. Kangra (H.P.), (VKV/2025/555).	ESTIMATED COST :-	₹ 199211.00
SUB-HEAD :-	Construction of Boundary wall with Gate etc;	EARNEST MONEY :-	₹ 4000.00
TIME LIMIT :	TWO MONTHS		

S. No.	Description of items	Quantity	Rate	Unit	Amount
		In sqft.	In words		
		3	4	5	6
1	Excavation work by mechanical means (Hydraulic excavator) manual means in foundation trenches or drains (not ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead complete as per drawing and HP;PWD technical specifications and as directed by Engineer-in-charge including carriage of material within all leads, lifts and other incidentals.	9.73		Per cubic meters	7
2	Providing and laying in position cement concrete of specified grade including the cost of centring and shuttering - All work up to plinth level 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40 mm (Forty millimetres) nominal size as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	1.41		Per cubic metre	
3	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and baulies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in Foundation footings, bases of columns and mass concrete within all leads, lifts of materials and other incidentals as per approved drawing, design and as directed by the Engineer-in-Charge.	4.08		Per square metres	
4	Providing form work with steel plates of 3.15mm (Three decimal one five millimeters) thick, welded with angle iron in frames of 30x30x5mm (Thirty into Thirty into Five millimeters), so as to give a fair finish including centring, shuttering strutting and propping etc, with wooden battens and baulies for all heights/depths of propping and centring below supporting floor to ceiling and removal of the same for in-situ reinforced concrete and plain concrete work in columns, pillar, piers, abutments, post and struts including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	5.28		Per square metre.	
5	Providing and laying autoclaved aerated cement blocks masonry with 150mm/230mm/300 mm thick AAC blocks in super structure above plinth level up to floor V level with RCC band at sill level and lintel level with approved block laying polymer modified adhesive mortar all complete (The payment of RCC band and reinforcement shall be made for separately), including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	16.55		Per cubic meters	

6	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: with cement concrete work 1:2:4 (One Cement : Two Sand : Four graded stone aggregate 20 mm (Twenty millimetres) nominal size) and curing complete excluding cost of form work etc: including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge.	1.28	Cubic metres	Per cubic metre
7	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: with cement concrete work 1:1½:3 (1 cement : One and half coarse sand) : Three graded stone aggregate 20 mm nominal size) and curing complete excluding cost of form work etc; including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge.	0.05	Cubic metres	Per cubic metre
8	Providing Tor steel reinforcement of Thermo Mechanically Treated bars of grade Fe-500D of Tata Tiscon/Sail for reinforced cement concrete work including bending, binding, cutting, straightening and placing in position complete including cost of binding wires complete upto all floor levels including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	192.00	Kilograms	Per kilogram
9	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers Hot finished welded type tubes etc; complete and as per direction of Engineer- Incharge, including entire carriage of materials within all leads, lifts and other incidentals.	224.14	Kilograms	Per square metre
10	Providing and fixing 4mm thick ACP sheet cladding with necessary aluminium frame cleats and shall be fixed to the masonry/RCC walss with necessary clamps, galvanised M.S. brackets and anchor fasters and all joints of ACP sheet must be sealed with approved sealant of approved colour complete as per the instruction of Engineer-incharge (Base members of steel work shall be measured and paid for separately) including necessary fitting complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	5.64	Square metres	Per square metre
11	Providing and fixing 8mm thick (mirror polished and machine cut edge) Granite stone of any colour and shade stone tile work for wall lining upto 10 m height with special adhesive over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement with an admixture of pigment to match the stone shade; including carriage of material within all leads, lifts and other incidentals and as directed by the Engineer-in-charge.	3.60	Square metres	Per square metre
12	Providing and fixing 300x16mm (Three hundred into Sixteen millimetres) size aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	2	Numbers	each

13 Providing and fixing 250x16mm (Three hundred into Sixteen millimetres) size aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	2	each
14 Providing and fixing 125mm (One hundred twenty five millimetres) size aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete including carriage of material within all leads, lifts and other incidentals and further as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	6 Numbers	Each
15 15mm (Fifteen millimetre) thick cement plasters in single coat on rough side of brick/concrete/stone walls for interior plastering upto all floor level including arises, internal rounded angles, chamfers and or rounded angles not exceeding 80mm in girth and finished even and smooth with cement mortar 1:6 (One cement : Six sand) above plinth level to floor all level complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	66.29 Square metres	Per square metre
16 Finishing walls with 100% (One hundred percent) Premium acrylic emulsion paint having VOC less than 50 gm/litre and UV resistance as per IS 15489:2004, Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicon additives complete in New work (Two or more coats applied @ 1.43 litre/ 10 sqm. Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, entire satisfaction and as directed by the Engineer-in-charge.	66.29 Square metres	Per square metre
17 Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm (Zero point ninety liter / Ten square metre) over an under coat of primer applied @ 0.80 ltr/ 10 sqm (Zero point eighty liter / Ten square metre)of approved brand and manufacture including carriage of materials as directed by the Engineer-in-Charge, within all leads, lifts and other incidentals.	3.00 Square metres	Per Square metre
TOTAL :-		

SCHEDULE OF QUANTITY

NAME OF WORK:-


Restoration of rain damages on link road Kalru to Naryalkar Km 0/000 to 1/500 in Distt. Kangra (H.P.). (Under SDF DC Deposit).

SUB HEAD:-

Construction of 900mm dia Hume Pipe culvert at RDs 0/435 and 0/850

ESTIMATED COST:-	₹ 191232.00
EARNEST MONEY:-	₹ 3850.00
TIME LIMIT :-	TWO MONTHS

Sr. No.	Description	Quantity	Rate		Unit	Amount
			In fig.	in words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	35.22	3	Per cubic meter	6	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete and as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	2.59	4	Per cubic meter	6	7
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	14.89	5	Per cubic meter	6	7
4	Providing and laying non-pressure NP2 class R.C.C. hume pipes 900mm (Nine hundred millimetre) dia with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (One cement : Two fine sand) including testing of joints etc; complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	15.00	4	Per running metre	6	7
5	Filling available excavated earth (excluding rock) intrenches or embankment in layers (each layer should not exceed 15 cm), with intermediate layer of compacted earth (Soil density of 98%) after every four layers of compacted depth of fly ash, sides & top layer of filling shall be done with earth having total minimum compacted thickness 30 cm or as decided by Engineer-in-charge, including compacting each layer by rolling/ramming and watering, all complete as per drawing and direction of Engineer -in - charge as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	49.20	5	Per running metre	6	7
TOTAL:-						


Executive Engineer,
H.P.P.W.D Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

Sl

Sl

N

NAME OF WORK:-


Restoration of rain damages due to laying of Water supply lines on various roads under HPPWD Baroh Sub-Division

(Under SDF DC Deposit).

SUB HEAD:-

Repair of 900mm dia Hume Pipe culvert at RD 0700 and approaches on link road Kahr to Naryalkar.

Sr. No.	Description	Quantity	Rate		Unit	Amount	
			In fig.	in words			
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	24.77	Cubic metres	Per cubic metre			
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering .Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete and as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	0.65	Cubic metres	Per cubic metre			
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	6.83	Cubic metres	Per cubic metre			
4	Construction of embankment with approved materials obtained from borrow pits with a lift upto 1.5m (One point five meters) transport to sill spreading grading to required slope and compacted to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000m (One thousand meters) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	30.00	Cubic metres	Per cubic metre			
5	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	25.92	Cubic metres	Per cubic metre			
6	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 as directed by the Engineer-Incharge including carriage of materials within all heads, lifts and other incidentals.	12.00	Running metres	Per running metre			
7	Backfilling with granular material behind abutment, wing wall and return wall complete as per drawings and technical specification Clause 1204.3.8, granular material as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	6.24	Cubic metres	Per cubic metre			
<i>TOTAL:-</i>							


Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

ESTIMATED COST:- ₹ 17041.00
EARNEST MONEY:- ₹ 3450.00
TIME LIMIT :- TWO MONTHS
TIME LIMIT :- TWO MONTHS
TIME LIMIT :- TWO MONTHS

SCHEDULE OF QUANTITY

NAME OF WORK:- Construction road from main road to the house of Sh. Vikram Singh Tika Bari (Luhna) in District Kangra, (H.P.). Deposit work
SUB-HEAD:- Providing and laying G-III & cement concrete at RD 0/000 to 0/050. **VKV/2025/1079**

Sr No.	Description of items	Quantity	RATES		Unit	Amount
			In fig	In words		
1	Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III size [75mm(seventy five millimeters) compacted thickness] to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point eighteen) cubic metres per 10 Sqm (per ten square metres) and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications Clause No. 405 and as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidental.	6.63			Per cubic metre	
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	22.88	Cubic metres		Per cubic metre	
						TOTAL :-


 Executive Engineer,
 H.P.P.W.D. Division,
 Tanda at Nagrota Bagwan.

947 for 2025-26

ESTIMATED COST:-
 EARNEST MONEY:-
 TIME LIMIT :
 Rs. 3/-
 Rs. TWO MO

149/-

Schedule of Quantity

NAME OF WORK :- Spacial repair to Govt. I.T.I. Building at Sarotari in Distt. Kangra (H.P.) DEPOSIT WORK
SUB-HEAD :- *Providing and applying painting work etc.*

No.	Description of items	Quantity	In fig	In words	Rate	Unit	Amount
1	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade Old work (Two or more coats applied @ 1.43 ltr/ 10 sqm) over existing cement paint surface complete and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	2	3	4	5	6	7

~~Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.~~

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK:- Construction link road from NH-88 to Gujjar Basti in District Kangra, (H.P.). **Deposit work**

SUB-HEAD :-

Providing and laying G-III & cement concrete at RD 0/000 to 0/050. **SDP/2025/126**

ESTIMATED COST:- **Rs.** 149728.
EARNEST MONEY :- **Rs.** 3000.
TIME LIMIT : **TWO MONT**

Sr No.	Description of items	Quantity		RATES		Unit	Amount
		1	2	3	4	5	6
1	Providing, laying, spreading and compacting stone aggregate size 53mm to 22.4mm (fifty three millimeter to twenty two point four millimeter) Grading-III size [75mm(seventy five millimeters) compacted thickness] to water bound macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber, applying and brooming, stone screening type-B of size 11.2mm (eleven point two millimetres) nominal size at the rate of 0.18cum (zero point eighteen) cubic metres per 10 Sqm (per ten square metres) and to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications Clause No. 405 and as per direction of Engineer-in-Charge including carriage of material within all leads, lifts and other incidental.			6.63		Cubic metres	Per cubic metre
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:2:4 (One cement; two sand; four graded broken/crushed stone aggregate 20mm (Twenty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	22.88	Cubic metres			Per cubic metre	
TOTAL :-							

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

Schedule of Quantity

Sr. No.	Description	Quantity	Rate		Unit	Amount
			in fig.	in words		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	1.30	Cubic meters	6	Per cubic metre	7
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:5:10 (One cement : Five coarse sand : Ten graded stone aggregate 40 mm (Forty millimetres nominal size) as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	0.32	Cubic metres	Per cubic metre	Per cubic metre	2
3	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing with 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	0.52	Cubic metres	Per cubic metre	Per cubic metre	5
4	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete as per drawing and HP.PWD technical specifications including carriage of material within all leads, lifts and other incidentals.	980.93	Kilogram	Per kilogram		
5	Providing and fixing 0.60mm (Zero decimal Six Zero millimetres) thick prepainted sheet in roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating to back coat of polyester of 5 (Five) microns over 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimetres) diametres with prepainted limpet and rubber washers complete with all accessories as required as directed by the Engineer- Incharge, including carriage of materials within all leads, lifts and other incidentals	31.36	Square metres	Per square metre		
6	Providing and fixing ridges or hips 60cm (Sixty centimeters) over all with 0.60mm (Zero point Sixty millimeters) thick prepainted sheet roofing with hot dipped metallic zinc coated sheet with top coat of regular modified polyester (RNP) organic coating of 20 (Twenty) microns over 5 (Five) microns primer coating to back coat of polyester of 5 (Five) microns over 5 (Five) microns primer coating including fixing with prepainted iron J or L hooks, bolts and nuts 6mm (Six millimeters) diametres with prepainted G.I. limpet and bitumen washers complete with all accessories as required complete and as directed by the Engineer-in-charge including carriage of material within all leads, lifts of materials and other incidentals	7.00	Running metres	Per running metre		

NAME OF WORK:- Construction of Sarai of Gram Sudhar Sabha Bhatti in Distt. Kangra (H.P.), Deposit Work (under VKV/2024/1078)

SUB HEAD:-

Construction of steel truss shed etc;

ESTIMATED COST: - ₹ 178011.00
EARNEST MONEY: - ₹ 5350.00
TIME LIMIT : - TWO MONTHS

7	Supplying, filling, spreading & leveling stone boulders of under floor wherever required thickness complete and as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	3.36	Cubic meters	Per cubic metre
8	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering ,Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	3.36	Cubic metres	Per cubic metre
9	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/ 10 sqm (Zero point ninety liter / Ten square metre) over an under coat of primer applied @ 0.80 ltr/ 10 sqm (Zero point eighty liter / Ten square metre)of approved brand and manufacture including carriage of materials as directed by the Engineer-in-Charge, within all leads, lifts and other incidentals.	31.36	Square metres	Per Square metre

Executive Engineer,
H.P.P. ~~W.D.~~ Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

Sr No.	Description of items	Quantity	RATES	Unit	Amount	
		3	4	5	6	7
			In <i>sqft</i>	In <i>words</i>		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	25.07	Cubic metres	Per cubic metre		
2	Providing and laying mechanically mixed and vibrated Reinforced Cement Concrete in super-structure for all type of structure using cement concrete grade M-25 (M-Twenty five) 1:1.5:3 (one cement : one point five sand : three graded crushed stone aggregate) designed mix with cement contents not less than 400 Kgs (Four hundred kilograms) per cubic metre with 20mm (Twenty millimetres) nominal size graded crushed stone aggregate as per drawing and M.O.R.D. technical specification for Rural Roads Clause 800, 1205.4 and 1205.5 including the cost of form work and curing complete but excluding the cost of reinforcement for reinforced concrete work in bed block, dirt wall and deck slab complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	25.76	Cubic meters	Per cubic metre		
3	Providing and laying mechanically mixed and vibrated reinforced cement concrete Grade-M-30 (M-Thirty) designed mix with cement contents not less than 430 kgs. (four hundred thirty kilograms) per cubic meter with 20mm (twenty millimeter) nominal size graded crushed stone aggregate in Wearing Coat including cost of reinforcement for reinforced concrete work form work and curing complete in culverts, as per drawing and MORD technical specification section 800, 900, 1000 and 1400 and as per the direction and entire satisfaction of Engineer-In-Charge including carriage of materials with in all leads, lifts and other incidentals. The rate is inclusive of octroi, royalty, Malkana, Toll tax, sale tax, GST and any other taxes imposed by the Government.	4.68	Cubic metres	Per cubic metre		

4	Providing and laying mechanically mixed and vibrated reinforced cement concrete grade M-30 (M-thirty) designed mix with cement contents not less than 407 Kgs(Four hundred seven kilograms) per cubic metre with 20mm(Twenty milimetres) nominal size graded crushed stone aggregate (extra cement as per design mix above the minimum cement contents specified shall not be paid extra) in approach slab including cost of form work and reinforcement complete as per drawings and MORD technical specifications section 800, 900, 1000 & 1400 and as directed by the Engineer-In-charge including carriage of material within all leads, lifts and other incidentals. The rate is including octroi, royalty, Malkhana, toll tax, GST and any other taxes imposed by the Government.	1.91	Cubic metres	Per cubic metre
5	Structural steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	1080.20	Kilograms	Per kilogram

TOTAL:-

Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

NAME OF WORK:- Construction of link road to Harijan Basti at Palra in Distt. Kangra (H.P.). (Under SDP/2014/94).

SUB HEAD:-

Providing and laying cement concrete pavement road in Km 0/000 to 0/030

ESTIMATED COST:- ₹ 99793.00
EARNEST MONEY:- ₹ 2000.00
TIME LIMIT :- TWO MONTHS

Sr. No.	Description	Quantity	Rate	Unit	Amount	
		In fig.	in words			
1	2	3	4	5	6	7
1	Earth work in surface excavation not exceeding 30cm depth but excluding 1.5m width but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto any lead, as directed by Engineer-in-Charge, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	90.00	Square metres	Per square metre		
2	Preparation and consolidation of sub grade with power road roller of 8 to 12 tonne capacity after excavating earth to an average of 22.5 cm depth, dressing to camber and consolidating with road roller including making good the undulations etc. and re-rolling the sub grade and disposal of surplus earth with upto any lead completed as per HP.PWD specifications including entire carriage of materials within all leads and lifts and other incidentals.	90.00	Square metres	Per square metre		
3	Providing, laying, spreading and compacting stone aggregate of size 53mm to 22.4mm (Fifty three millimeter to Twenty two point four millimeter) Grading-III size [75mm (seventy five millimeters) compacted thickness] to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty-Hundred) K.N. static roller in stages to proper grade and camber applying and brooming, stone screening type-A of size 13.2mm (thirteen point two millimetres) nominal size at the rate of 0.22 cum (zero point Twenty two) cubic metres per 10 sqm (pert ten square metres) and binding material at the rate 0.06 cum (zero point zero six cubic metre) to fill up the interstices of coarse aggregate, watering and compacting to the required density as per technical specifications clause No. 405 and as per drawing and HP.PWD technical specifications, as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	3.15	Cubic metres	Per cubic metre		
4	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	13.50	Cubic metres	Per cubic metre		
TOTAL:-						

Executive Engineer,
H.P.P.W.D Division,
Tanda at Nagrota Bagwan.

SCHEUDLE OF QUANTITY

NAME OF WORK:- Construction of Playground at Tika Gadiara Bajaun in G.P. Ustehar in District Kangra, (H.P.). **Under V.K.V/2023/1468**

SUB-HEAD:- Construction of Breast wall.

Sr No.	Description of items	Quantity	RATES			Unit	Am
			In fig	In words	6		
1	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within a any lead as directed by the Engineer-in-charge, within all leads, lifts and other incidentals as per specifications, approved drawing, design and as directed by the Engineer-in-charge.	2	3	4	5	6	Per cubic metre
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level cement concrete 1:5:10 (One cement; five sand; ten graded broken/crushed stone aggregate 40mm (Forty millimetres) nominal size mechanically mixed and curing complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	22.71	Cubic metres			Per cubic metre	
3	Providing weepholes in brick masonry/stone masonry, plain/reinforced concrete abutment, wing wall, return wall with 100 mm dia PVC pipe extending through the full width of the structures with slope of 1(V):20(H) towards drawing face complete as per drawing and technical specifications clauses 614, 709, 1204.3.7 complete including carriage of material within all leads, lifts and other incidentals as per specifications, approved drawing, design, specifications and as directed by the Engineer-in-charge.	17.00	Running metre			Per running metre	
TOTAL:-							


Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

ESTIMATED COST: - ₹
EARNEST MONEY: - ₹
TIME LIMIT : TWO

NAME OF Annual repair and maintenance of H.P.P.W.D. Rest House at Dadh in District Kangra, (H.P.).
SUB-HEAD:- Providing and applying painting work, Granite work and CPVC pipe work etc.

Sl No	Description of items	Quantity	RATES		Unit
			In fig	In words	
1	Providing and applying white cement based putty of Birla J K. average thickness 1mm (One millimetre) thick, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete, as directed by the Engineer-in-charge, including carriage of materials within all leads, lifts and other incidentals.	12.72	3	Per square metre	6
2	Finishing walls with 100% (One hundred percent) Premium acrylic emulsion paint having VOC less than 50 gm/litre (Fifty grams per liter) and UV resistance as per IS 15489-2004. Alkali & fungal resistance, dirt resistance exterior paint of required shade (Company Depot Tinted) with silicone additives complete. New work (Two or more coats applied @ 1.43 litre/ 10 sqm (One point four three litre per ten square metre) Over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm (Zero point nine zero litre per ten square metre) complete including carriage of material with in all leads, lifts and other incidentals as per drawing, design and specifications, as per the direction and entire satisfaction of Engineer-in-Charge.	12.72	4	Per square metre	7
3	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade Old work (Two or more coats applied @ 1.43 litre/ 10 sqm) over existing cement paint surface complete, as per specifications, drawing and design complete, as directed by the Engineer-in-charge upto floor all levels including carriage of material within all leads, lifts and other incidentals.	390.25	5	Per square metre	8
4	Painting two coats (excluding priming coat) on new wood and wood based surface under coat with enamel and finishing coating with flat oil paint, brushing to give an even shade including cleaning of all dirt, dust and other foreign matter, sand papering and stopping. With paint other than white complete as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	218.74	6	Per Square metre	9
5	Painting with oil type wood preservative of approved brand and manufacture. Old work (one or more coats) complete as per HPPWD technical specification complete in either direction as per the satisfaction of Engineer-in-charge including all taxes imposed by the government and including entire carriage of material and as directed by the Engineer-in-charge, within all leads, lifts and cost of all other incidentals.	56.06	7	Per Square metre	10
6	Providing and fixing 18mm (Eighteen millimetres) thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20mm (Twenty six millimetres) thick base cement mortar 1:4 (One cement : Four coarse sand), joints treated with white cement, mixed with matching pigment including single/double moulding, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete upto all floor level including carriage of material within all leads, lifts and other incidentals, as per approved specifications architectural drawing, design and as directed by the Engineer-in-charge.	11.51	8	Per Square metre	11
7	Providing and fixing 20 mm nominal outer dia Pipes Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete and as per drawing and HPPWD technical specifications, as directed by the Engineer-in-charge including carriage of materials within all leads, lifts and other incidentals.	75.00	9	Per running metre	12
TOTAL :-					


Executive Engineer,
H.P.P.W.D. Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

Sr. No.	Description	Quantity		Rate		Unit	Amount
		1	2	3	4		
1	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:4:8 (One Cement : Four coarse sand) : Eight graded stone aggregate 40 mm (Forty millimetres) nominal size as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	30.21	Cubic meters			Per cubic metre	

TOTAL:-

*Executive Engineer,
H.P.D.W.D. Division,
Tanda at Nagrota Bagwan.*

NAME OF WORK:-
SUB HEAD:-

Restoration of rain damages on link road Malan to Gujehra Km 0/000 to 4/000 in Tehsil Nagrota Bagwan, Distt. Kangra (H.P.).
Construction of cement concrete above pista and parapets at RD 0/370 to 0/490 (SDF/2025/1681).

ESTIMATED COST: - ₹ 131414.
EARNEST MONEY: - ₹ 2650.
TIME LIMIT : - TWO MONTHS

SCHEDULE OF QUANTITY

NAME OF WORK:-	Restoration of rain damages on link road Tangh Uthragran Ramnagar Baldhar Jassour road Km 0/000 to 6/600 in Dist. Kangra (H.P.).	ESTIMATED COST:-	₹ 149954.00
SUB HEAD:-	Construction of 1.00 mtrs span RCC and Steel grating culvert at RD 2700 (SDF/2025/169).	EARNEST MONEY:-	₹ 3000.00
TIME LIMIT	:-	TWO MONTHS	
Sr. No.	Description	Quantity	Rate
1	Excavation work by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5m (One point five metre) in width or 10 sqm (Ten square metre) on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m (One point five metre), including getting out the excavated soil and disposal of surplus excavated soils as directed, within any lead including entire carriage of materials within all leads, lifts and other incidentals.	2	3 In fig. 4 in words 5
2	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering. Plain cement concrete 1:3:6 (One Cement : Three coarse sand : Ten graded stone aggregate 20 mm (Twenty millimetres) nominal size complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	1.58 Cubic metres	18.90 Cubic metres
3	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (One Cement : Two coarse sand : Four graded stone aggregate 20mm (Twenty millimetres) nominal size complete as per HPPWD technical specification and within all leads, lifts and other incidentals as per approved drawing, design and as directed by the Engineer-in-charge.	9.72 Cubic metres	9.72 Cubic metres
4	Providing and laying reinforced cement concrete in superstructure as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5 - (m-25) All work up to plinth level : - 1:1.5:3 (One cement : One and Half coarse sand): Three graded stone aggregate 20mm (Twenty millimetres nominal size complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	1.70 Cubic metres	1.70 Cubic metres
5	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto all plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more as directed by the Engineer-Incharge including carriage of materials within all leads, lifts and other incidentals.	170.70 Kilograms	170.70 Per kilo gram
6	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works complete as per drawing and HP.PWD technical specifications and as directed by Engineer-Incharge including carriage of material within all leads, lifts and other incidentals.	497.58 Kilogram	497.58 Per kilo gram
TOTAL:-			

Executive 
Engineer,
H.P.P.W.D Division,
Tanda at Nagrota Bagwan.

SCHEDULE OF QUANTITY

Executive Engineer,
H.P.R.W.D. Division,
Tanda at Nagrota Bagwan.