

Himachal Pradesh
Public Works Department

No. PW-KD- CTR- Tender-NIT/2025-2026-

23095-96

Dated:-

4/2/28

To


The Executive Engineer (IT Cell)
Nigam Vihar Shimla.

Subject :- Publication of Tender Notice.

Jai Hind


Enclosed please find herewith the tender Notice of work as given in the Notice Inviting tender for uploading on department website as per notification Pr. Secy. (PW) to the Govt. of Himachal Pradesh letter No. PBW (B)A(3)1/2024 dated Shimla-2 the 03-01-2024 and PWD-B-A0(3)/8/2025- 300858 dated 09-10-2025 as the works mentioned in the tender notice are urgent in nature and in public interest.

DA:- Notice Inviting Tender & Schedule of Quantity and Certificate.


Executive Engineer,
HPPWD, Division Kasumpti
Shimla.

Copy forwarded to for further necessary action please.

1. The Superintending Engineer 4th Circle HPPWD Shimla .


Executive Engineer,
HPPWD., Division Kasumpti
Shimla.

**HIMACHAL PRADESH
PUBLIC WORKS DEPARTMENT
NOTICE INVITING TENDERS**

Executive Engineer B&R Division Kasumpti HPPWD Shimla for the following works on behalf of the Government of Himachal Pradesh from the eligible contractors enlisted in HPPWD, so as to reach in the office as per time schedule given below:-

- | | |
|--|-----------------------------------|
| 1. Date of receipt of application for tender forms:- | 12-02-2026 10:00 AM upto 12:00 PM |
| 2. Dated of Issue /sale of tender forms:- | 12-02-2026 12:00 PM upto 4:00 PM |
| 3. Date of receipt of tender:- | 13-02-2026 .up to 10:30 AM |
| 4. Date of opening of tender:- | 13-02-2026 up to 11:00 AM |

| Sr. No. | Name of Work | Estimate d cost | EMD(R s.) | Cost of Tender (Rs.) | Time Limit | Eligible class of Contract or |
|---------|--|-----------------|-----------|----------------------|------------|-------------------------------|
| 1 | Restoration of rain damages on Elysium to Devidhar road Km. 0/000 to 8/000 (SH:- Hiring of Excavator Cum-Loader for removal of snow in various RDs | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 2 | Restoration of rain damages on Shimla Mandi road in Km. 6/00 to 22/00 (SH:- Hiring of Excavator Cum-loader for removal of snow in various RDs. | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 3 | Restoration of rain damages on Baldeyan to Dharampur road in Km 0/00 to 10/000 (SH:- Hiring of Excavator Cum-loader for removal of snow in various RDs. | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 4 | Restoration of rain damages on Bhatta Kuffer to Chamyaana road (AIMSS IGMC Phase-II) Km. 0/000 to 2/400 (SH:- Hiring of Excavator cum-Loader for removal of snow in various RDs. | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 5 | Restoration of rain damages on various road under Mashobra Section. (SH:- Hiring of Excavator-Cum-Loader for removal of snow in various RDs. | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 6 | Restoration of rain damages on Tipra to Patgehar road in Km. 6/885 to 14/930 (SH:- Supplying and stacking of crusher sand for smooth flow of traffic in snow bound area various RDs). | 99000/- | 2000/- | 350/- | 30 days | Class-D |
| 7 | C/O link road from Cheyad Pump station to Majhar Shakimu Km. 0/00 to 1/700 (SH:-Preparation of Geo referenced Digital Map and collection data for FRA. | 70000/- | 1500/- | 350/- | 30 days | Class-D |
| 8 | C/O link road from Budil Nallah to Nag Devta Chyeyad Mandir via Budil Village Km. 0/00 to 1/760 (SH:- Preparation of Geo reference Digital Map and collection data for FRA. | 70000/- | 1500/- | 350/- | 30 days | Class-D |
| 9 | A/R & M/O various Type-I to Type-VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Interlocking paver blocks in lawn area with Type-III set No. 106 to 113 and P/F tile in type-III set No. 19 Under Kasumpti Sub-Division . | 98622/- | 2000/- | 350/- | 30 days | Class-D |
| 10 | A/R & M/O to Rest House at Junga Shimla (SH:- Providing and fixing at site furnishing items curtains, curtain roads covers dining table cover etc at Junga rest House at Shimla). | 99884/- | 2000/- | 350/- | 30 days | Class-D |
| 11 | A/R & M/O various Type-III & Type IV GAD at Parimahahal Kasumpti Shimla-9 (SH:- Covering of balcony Providing & fixing cup board in Type-III set No. 13 Under Kasumpti Section). | 99957/- | 2000/- | 350/- | 30 days | Class-D |
| 12 | A/R & M/O various Residential Qtrs. Under Sub-Division No.VIII Kasumpti Shimla (SH:- White washing and Distempering in Type-III 34 other due/on vacation sets under Kasumpti Sub-Division). | 98106/- | 2000/- | 350/- | 30 days | Class-D |
| 13 | C/O link road from Shoghi Bye Pass to Village Lamba Jubber Distt. Shimla (HP) Km. 0/00 to 0/560 (SH:- Prepration of FRA Case in all respect). | 70000/- | 1400/- | 350/- | 30 days | Class-D |
| 14 | A/R & M/O various Type-I to Type-VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Checkered tiles outside Type-IV 33 to 38 under Kasumpti section). | 87256/- | 1750/- | 350/- | 30 days | Class-D |
| 15 | A/R & M/O Various Type-I to Type-VI GAD Qtrs. at Kasumpti Shimla-9 (SH:- P/L Checkered tiles in front side of PWD enquiry Kasumpti Section). | 88278/- | 1750/- | 350/- | 30 days | Class-D |
| 16 | Restoration of rain damages on Mashobra to ramnagri in Km. 0/00 to 5/300 and Mashobra to Carignano in Km. 0/00 to 4/00 (SH:- Hiring of Excavator-Cum-Loader for removal of Snow). | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 17 | Restoration of rain damages on Sanjaulli to Dhalli Bye Pass road in Km. 0/000 to 3/786 (SH:- Supplying and Stacking of Crusher sand for smooth flow of traffic in snow bound area various RDs). | 99000/- | 2000/- | 350/- | 30 days | Class-D |
| 18 | Restoration of rain damages on Sanjaulli to Dhalli Bye Pass road in Km. 0/000 to 3/786 (SH:- Hiring of Excavator -Cum-Loader for removal of snow in various RDs). | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 19 | Preparation of Forest Diversion case under FCA 1980 C/O Ambulance road from Panthaghati to Lamba Jubbar via Kuffer HERI Km. 0/000 to 0/430. | 70000/- | 1500/- | 350/- | 30 days | Class-D |
| 20 | Restoration of rain damages on Bhattakuffer to Chamayana road (AIMSS IGMC Phase-II) Km. 0/000 to 2/400 (SH:- Supplying and Stacking of Crusher sand for | 99825/- | 2000/- | 350/- | 30 days | Class-D |

| | | | | | | |
|----|--|---------|--------|-------|---------|---------|
| | smooth flow of traffic in snow bound area various RDs). | | | | | |
| 21 | Restoration of rain damages on Mashobra to Bhakhali in Km. 0/00 to 17/840. (SH:-Hiring of Excavator-Cum-Loader for removal of snow in various RDs. | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 22 | Restoration of rain damages on Mashobra to Bhakhali in Km. 0/00 to 17/840. (SH:-Hiring of Excavator-Cum-Loader for removal of snow in various RDs. | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 23 | C/O Link road from Kanola to Chhabalari Km. 0/00 to 4/00 (SH:- Preparation of Geo referenced Digital Map and collection data for FRA Km. 0/00 4/00). | 70000/- | 1500/- | 350/- | 30 days | Class-D |
| 24 | Restoration of rain damages on Shimla Mandi road in Km. 6/00 to 22/00 (SH:-Hiring of Excavator-Cum-Loader for removal of snow in various RDs. | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 25 | Restoration of rain damages on Bhatta Kuffer to Chackrial road in Km. 0/000 to 2/00 (SH:- Supplying and stacking of Crusher sand for smooth flow of traffic in snow bound area various RDs). | 97900/- | 2000/- | 350/- | 30 days | Class-D |
| 26 | Restoration of rain damages on Tipra to Patgehar road in Km. 6/885 to 14/930. (SH:- Hiring of Excavator-Cum-Loader for removal of snow in various RDs. | 98700/- | 2000/- | 350/- | 30 days | Class-D |
| 27 | Restoration of rain damages on Fagu to Cheog in Km. 0/00 to 5/600 and Talai to Dhena in Km. 0/00 to 5/600 Talai Kadhara road in Km. 0/00 to 2/085 (SH:- Hiring of Excavator-Cum-Loader for Removal of Snow). | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 28 | Restoration of rain damages on Cheog to Dharech road in Km. 0/00 to 7/400 and Banga Pani to Chatog road in Km. 0/00 to 3/00 (SH:- Hiring of Excavator-Cum-Loader for removal of Snow). | 99750/- | 2000/- | 350/- | 30 days | Class-D |
| 29 | Restoration of rain damages on Dak Bangla to Gharech road in Km. 0/00 to 6/700 and Kufri to Chair road in Km. 0/00 to 1/900 (SH:- Hiring of Excavator-Cum-Loader for removal of snow). | 99750/- | 2000/- | 350/- | 30 days | Class-D |

It is certified that the above works are required to be carried out immediately being emergent nature of work in public interest.

The tender documents shall be issued only to those contractor/Firm who fulfill the following documents with the application.

1. The valid enlistment/Registration of contractor in Appropriate Class.
2. Permanent account No. (PAN NO).
3. G.S.T No.
4. Earnest Money in the shape of National saving certificate/time deposit account in the any of the post office in HP. F.D.R from any Nationalized Bank duly pleaded in favour of the Executive Engineer Division Kasumpti HPPWD Shimla.
5. The earnest & cost of tender form for the above works should be submitted with the application for the purchase of the tender form. The application received without earnest money & cost of tender form shall summarily be rejected.
6. The officer of the tender shall remain valid up to 75 days after the opening of tender.
7. Ambiguous/telephonic /conditional tenders or tender by fax/E mail shall not be considered and will be summarily be rejected.
8. Executive Engineer reserve the right to reject or cancel any or all tenders without assigning any reasons.
9. If the date given above happens to be holiday the same shall be processed on next working day.
10. The Contractor/firms must quote their rates in words as well as in figures failing which EXN reserve the right to accept/reject any or all tenders.
11. The tender forms shall not be issued to those contractors/firms whose previous performance is not found satisfactory and who have not executed the previous awarded works within the stipulated period of completion.
12. One contractor shall not have more than two major works in hand at a time.
13. Work should be completed by the contractor within stipulated period.

Executive Engineer,
Division Kasumpti.,
HPPWD. Shimla-3.

No.PW-SD-I/CB-Tender/2025-2026-

Copy forwarded to:-

1. Copy to the Deputy Commissioner Shimla Distt. Shimla.
2. Copy to the Executive Engineer Shimla Division No-III HPPWD Shimla.
3. Copy to the Sub Divisional Magistrate (U) Shimla.
4. Copy to the Sub Divisional Magistrate (R) Shimla.
5. Copy to Municipal committee Shimla Distt. Shimla.
6. Copy to Block Development officer Mashobra Distt. Shimla.
7. All the Assistant Engineers under this Division, HPPWD Shimla-3.
8. Superintendent / HDM /DAO.
9. Notice Board.

Executive Engineer,
Division Kasumpti.,
HPPWD. Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------------------|--------------------------------|--------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | Estimated Cost:- 98,700.00 | | | |
| Name of Work :- Restoration of Rain Damages on Elysium to Devidhar road Km 0/000 to 8/000 | | | | Earnest Money :- 2,000.00 | | | |
| (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | Time:- One Month | | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 99,750.00 | |
| Name of Work :- Restoration of Rain Damages on Shimla Mandi road in Km. 6/00 to 22/00 | | | | | | Earnest Money :- 2,000.00 | |
| (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips. Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximun usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour. other wise number of | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|--------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 99,750.00 | | |
| Name of Work :- Restoration of Rain Damages on Baldeyan to Dharampur road in Km. 0/00 to 10/000. (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 98,700.00 | |
| Name of Work :- Restoration of Rain Damages on Bhattakufer to Chamyana road(AIMSSIGMC Phase-II) Km 0/000 to 2/400 (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximun usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.


 Executive Engineer,
 HP PWD Division
 Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|-------------|------|----------------|--------------------------------|--------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 98,700.00 | | |
| Name of Work :- Restoration of Rain Damages on various road under Mashobra Section. (| | | | | Earnest Money :- 2,000.00 | | |
| (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximun usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|-----|----------------|--------------------------------------|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA- | | | | | | Estimated Cost:- 99,000.00 | |
| Name of Work :-Restoration of Rain Damages on to Tipra to Patgehar road in Km. 6/885 to 14/930. (SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area various Rds). | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harenig and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge. | 90.00 | Cum | 1100.00 | Rupees One Thousand One Hundred Only | Per Cubic Meter | 99000.00 |
| | | | | | | Total | 99000.00 |

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.

Executive Engineer
HP PWD Division
Kasumpti Shimla

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION , H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-70000.00 | |
|--|---|------------|----------|----------------|--------------------------|--------------------------|----------|
| Name of Work :- C/O link road from Cheyad Pump station to Majhar Shakimu Km 0/00 to 1/700 (SH:- | | | | | | Earnest Money :- 1500.00 | |
| Preparation of Geo referenced Digital Map and collection data for FRA | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Preparation of Geo reference digital map and collecting of the data for proposed site including field visit preparation of KMI files with Geo coordinates along with marking of habitations to be benefited by construction of project and dumping area of proposed site . Making the aligement in soft copy and submission in hard copy . Processing the case for preparation of forest diversion under forest conservation ACT 2006 (FRA for short) including preparation of revenue paper for land acquire in thee projects & collection of other field data and all relevant document formats mandatory required to be attached with thee case as per latest requirement of of ministry of environment and forest conservation Govt of India letter No. 11-9/98 FC (PT) dated 3 rd august 2009 dehrudun after getting the joint inspection of site including computer typing of six copy to the case biniding complete and gating in through from DFO including all the observation if raised at any time by any office and to pursue and resubmit the same by neatly and accuately filling in all the formats documents online submission rectifying observations and receiving approvals in all respects as per the direction and complete citification of user Agency and forest Department the rates are inclusive of octop royalty malkans tool GST or other taxes imposed by the government including carriage of all equipments with in all leads and lifts as per direction of Engineer - in charge . | 1.00 | per case | 70000.00 | Rs Seventy thousand only | Per Job | 70000.00 |
| Quoted rates Percentage in words | | | | | | | |
| G.Total | | | | | | | 70000.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

T/s No 22815-16 dated 30-1-26 Amounting to Rs. 72100/-

Executive Engineer,
Kasumpti Division
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|----------|----------------|--------------------------|--------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION , H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-70000.00 | |
| Name of Work :- C/O link road from Budil Nallah to Nag Devta Chyeyad mandir via Budil Village Km0/00 to 1/760 (SH:- Preparation of Geo referenced Digital Map and collection data for FRA | | | | | | Earnest Money :- 1500.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Preparation of Geo reference digital map and collecting of the data for proposed site including field visit preparation of KMI files with Geo coordinates along with marking of habitations to be benefited by construction of project and dumping area of proposed site . Making the aligement in soft copy and submission in hard copy . Processing the case for preparation of forest diversion under forest conservation ACT 2006 (FRA for short) including preparation of revenue paper for land acquire in thee projects & collection of other field data and all relevant document formats mandatory required to be attached with thee case as per latest requirement of of ministry of environment and forest conservation Govt of India letter No. 11-9/98 FC (PT) dated 3 rd august 2009 dehrudun after getting the joint inspection of site including computer typing of six copy to the case biniding complete and gating in through from DFO including all the observation if raised at any time by any office and to pursue and resubmit the same by neatly and accuately filling in all the formats documents online submission rectifying observations and receiving approvals in all respects as per the direction and complete citification of user Agency and forest Department the rates are inclusive of octop royalty malkans tool GST or other taxes imposed by the government including carriage of all equipments with in all leads and lifts as per direction of Engineer - in - charge . | 1.00 | per case | 70000.00 | Rs Seventy thousand only | Per Job | 70000.00 |
| | Quoted rates Percentage in words | | | | | | |
| G.Total | | | | | | | 70000.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual

T/s No. 22817-18 dated 30-1-26 Amounting to Rs. 72100/-

Executive Engineer
Kasumpti Division
HP PWD Shimla-3.

SCHEDULE OF QUANTITY


| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA HPPWD DIVISION Kasump SHIMLA- | | | | | | Estimated Cost:- 98622.00 | |
|--|--|------------|-----|----------------|---|---------------------------|----------|
| Name of Work :- A/R & M/O various Type -I to Type- VI GAD Qtrs at Kasumpti Shimla -9 (SH:- P/L | | | | | | Earnest Money :-2000.00 | |
| Interlocking Paver blocks in lawn area with type-III Set No.106 to 113 and P/F Tile in type-III Set No.19 Under Kasumpti Sub Division). | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 10.72 | Cum | 400.00 | Rupees Four Hundred Only | Per Cubic Metre. | 4288.00 |
| 2 | Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802,803,1202 & 1203 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Nominal mix 1:3:6 (one cement : three sand:six graded stone agg. 20mm (twenty milimeter). | 3.40 | Cum | 5500.00 | Rupees Five Thousand Five Hundred Only | Per Cubic Metre | 18700.00 |
| 3 | Disposal of excavated earth work by debris material upto site on approved dumping siteapproved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 10.72 | Cum | 620.00 | Rupees Six Hundred Twenty Only | Per Cubic Metre | 6646.00 |
| 4 | Providing and Laying of Interlocking Concrete Block Pavements having thickness 40 mm (forty milimeter) as per drawings and Technical Specification Clause 1504.(M-30) (Grade-thirty) as per IRC SP:63-2018.including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge | 14.80 | Sqm | 1,450.00 | Rupees One Thousand Four Hundred Fifty Only | Per Square metre | 21460.00 |

| | | | | | | | |
|----|---|-------|------|---------|---|------------------|----------|
| 5 | Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm (twenty milimetre) thick cement mortar 1:4 (One cement : four coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge.(i) Size of tile 600x600mm (six hundred into six hundred milimetre) | 13.90 | Sqm | 1450.00 | Rupees One Thousand Four Hundred Fifty Only | Per Square Metre | 20155.00 |
| 6 | Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand). | 4.70 | Sqm | 250.00 | Rupees Two Hundred Fifty Only | Per Square Meter | 1175.00 |
| 7 | Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 2.52 | Sqm | 1400.00 | Rupees One Thousand Four Hundred Only | Per Square Meter | 3528.00 |
| 8 | Tile work in skirting, risers of steps and dado up to 2 m height over 12 mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointed with grey cement slurry @ 3.3 kg/sqm, including pointing in white cement mixed with pigment of matching shade including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 9.00 | Sqm | 1450.00 | Rupees One Thousand Four Hundred Fifty Only | Per Square Metre | 13050.00 |
| 9 | Providing and fixing vitreous China wash down, water closet (European type. W.C. pan) with integral 'P' or 'S' trap including jointing the trap with soil pipe in cement mortar 1:1(1 cement : 1 sand) (Seat and over to be measured and paid for separately) including carriage of materials in all leads as per directions of the Engineer-in-Charge | 1.00 | Nos. | 3000.00 | Rupees Three Thousand Only | Each | 3000.00 |
| 10 | Providing and fixing plastic seat (Solid / Hollow type) and cover for wash down water closet with C.P. Brass hinges and rubber buffers including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (1)SOLID TYPE (a) White plastic seat and cover. | 1.00 | Nos | 900.00 | Rupees Nine Hundred Only | Each | 900.00 |
| 11 | Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 10 litre capacity - White MAKE ESS ESS or Equivalent | 1.00 | Nos. | 2400.00 | Rupees Two Thousand Four Hundred Only | Each | 2400.00 |
| 12 | Providing and fixing hand faucet including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 1.00 | Nos. | 1000.00 | Rupees One Thousand Only | Each | 1000.00 |
| 13 | Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore | 1.00 | Nos. | 1050.00 | Rupees One Thousand Fifty Only | Each | 1050.00 |
| 14 | Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15 mm nominal bore with 45 cm length | 1.00 | Nos. | 220.00 | Rupees Two Hundred Twenty Only | Each | 220.00 |

| | | | | | | | |
|----|--|------|-----|---------|--------------------------------|------|-----------------|
| 15 | Providing and fixing C.P. brass angle cock/stop cock without nuts and pipe including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 15mm(fifteen milimetre) dia | 1.00 | Nos | 1050.00 | Rupees One Thousand Fifty Only | Each | 1050.00 |
| | | | | | Total | | 98622.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 HPPWD Division,
 Kasumpti Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|-------------|-----|----------------|--|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER H.P.P.W.D. Division Kasumpti SHIMLA- | | | | | | Estimated Cost:- 99,884.00 | |
| Name of Work :- A/R & M/O to Rest House at Junga Shimla (SH:- Providng and fixing at site furnishing items | | | | | | Earnest Money :- 2,000.00 | |
| Curtains, Curtain rods,Sofa Covers Dining table cover etc at Junga Rest House at Shimla). | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Providing and fixing curtain of superior quality cloth as per approved sample of D-Décor make 500 gsm including quality of cloth,design and shade etc of specified length andd standard width 48 " including stiching complete in all respect and as per the direction of the Engineer in charge having following size :- Stiched Curtain having length 2.60 metres. | 28.00 | Nos | 2150.00 | Rupees Two Thousand One Hundred Fifty Only | Each | 60200.00 |
| 2 | Providing and fixing curtain of superior quality cloth as per approved sample of D-Décor make 500 gsm including quality of cloth,design and shade etc of specified length andd standard width 48 " including stiching complete in all respect and as per the direction of the Engineer in charge having following size :- Stiched Curtain having length 2.05 metres. | 8.00 | Nos | 1850.00 | Rupees One Thousand Eight Hundred Fifty Only | Each | 14800.00 |
| 3 | Providing and fixing Ess-Ess Curtain rod 25 mm dia with brackets and firncls and required number of curtain rings with screws etc.Complete including carriage of materials in all leads and lifts and as per the direction of the Engineer-in-Charge. | 31.00 | Rmt | 450.00 | Rupees Four Hundred Fifty Only | Per Runing | 13950.00 |
| 4 | Providing at site loose sofa cover of superior/fine quality of different size complete including carriage of materials in all leads and lifts and as per the direction of the Engineer-in-charge. | 32.00 | Nos | 312.00 | Rupees Three Hundred Twelve Only | Each | 9984.00 |
| 5 | Providing at site PVC dining sofa cover complete including carriage of materials in all leads and lifts and as per the direction of the Engineer -in-Charge. | 1.00 | Nos | 950.00 | Rupees Nine Hundred Fifty Only | Each | 950.00 |
| | | | | | | Total | 99884.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer
HPPWD Division,
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--|------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-1, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:-99957.00 | | |
| Name of Work :- A/R & M/O various Type-III & Type-IV GAD at Parimahat, Kasumpti, Shimla-9. (SH:- | | | | | Earnest Money :-2000.00 | | |
| Covering of balcony , Providing & Fixing cup board in Type -III set No 13 under Kasumpti section) | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Steel work welded in built up sections, framed work including cutting, hoisting fixing in position and applying a priming coat of red lead paint including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) In gratings, framed guards bars ladders, railing, brackets and similar work. in Or as per the direction of the Engineer-in-Charge. | 90.00 | Kg | 105.00 | Rupees One Hundred Five Only | Per kilo gramme | 9450.00 |
| 2 | supplying and fixing M.S. welded mesh 25x25x3mm to wood or steel members in partitions etc including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 3.60 | Sqm | 600.00 | Rupees Six Hundred Only | Per Square Metre | 2160.00 |
| 3 | Painting two coat (excluding priming coat) on previously painted steel and other metal surfaces with enamel paint brushing to give an even shade including cleaning the surface of all dirt,dust and other foreign matter including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint | 3.60 | Sqm | 70.00 | Rupees Seventy Only | Per Square Metre | 252.00 |
| 4 | Providing and fixing copper fittings (Iron) (i) butt hinges 75x47x1.70 mm | 2.00 | No | 100.00 | Rupees One Hundred Only | Each | 200.00 |
| 5 | Providing and fixing Oxidized MS sliding door bolts with nuts and screws etc complete (i) 250x16 mm | 2.00 | No | 250.00 | Rupees Two Hundred Fifty Only | Each | 500.00 |
| 6 | Providing and fixing oxidised M.S tower bolts (berrel type) anodized trans parent or dyed to required shade and colour with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i)150x10mm | 4.00 | Nos | 100.00 | Rupees One Hundred Only | Each | 400.00 |
| 7 | Providing and fixing polycarbonated sheet 2.00mm thick in lining with galvanised self driven screws complete with all accessories as required including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 15.93 | Sqm. | 2150.00 | Rupees Two Thousand One Hundred Fifty Only | Per Square Metre | 34250.00 |
| 8 | Providing and fixing bright finished steel handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm | 8.00 | Nos | 150.00 | Rupees One Hundred Fifty Only | Each | 1200.00 |

| | | | | | | | |
|----|--|-------|-----|---------|---|-------------------|----------|
| 9 | Repair to plaster in patches of 2.50 square meter under and upto 10 to 15mm thick including cutting the patch in proper shape and re-plastering the surface of wall including disposal to the dumping ground with a lead of 20 metres with including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) Cement Mortar 1:5(One cement: Five sand). | 4.50 | Sqm | 270.00 | Rupees Two Hundred Seventy Only | Per Square Meter | 1215.00 |
| 10 | Providing and fixing 19mm thick water proof commercial board in shelves/box for cup board with butt joints & fixing with nails & screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 18.27 | Sqm | 1375.00 | Rupees One Thousand Three Hundred Seventy Five Only | Per Square meter | 25121.00 |
| 11 | Providing and fixing 0.80mm thick coloured or plain lamination sheet (sunmica) on boards/ply wood sheets with approved adhesive and nails etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 5.94 | Sqm | 950.00 | Rupees Nine Hundred Fifty Only | Per Square meter | 5643.00 |
| 12 | Providing and fixing ply wood lining with but jointing and nails (frame work and cover fillets to be measured and paid for separately) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 6mm thick. | 4.05 | Sqm | 700.00 | Rupees Seven Hundred Only | Per Square meter | 2835.00 |
| 13 | Providing and fixing square edges cover fillets (beading) 19mmx6mm section i/c mitring at junctions with wood screws and nails complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) 1st class deodar wood | 33.90 | Rmt | 70.00 | Rupees Seventy Only | Per Running Meter | 2373.00 |
| 14 | Providing and fixing bright finished brass ball catcher 10 mm dia including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 9.00 | Nos | 50.00 | Rupees Fifty Only | Each | 450.00 |
| 15 | Providing and fixing bright finished steel handles with screws etc. complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm | 9.00 | Nos | 150.00 | Rupees One Hundred Fifty Only | Each | 1350.00 |
| 16 | Applying priming coat over new wood and wood based surfaces after and i/c preparing the surface by thoroughly cleaning oil, grease dirt and other foreign matter sand papering and knotting including carriage of material in all leads and lifts as per direction of the Engineer-in-charge.(a)Ready mixed paint brushing wood primer pink. | 22.32 | Sqm | 35.00 | Rupees Thirty Five Only | Per Square meter | 781.00 |
| 17 | Painting two coats (excluding coat) on new wood and wood based surface with enamel paint to give an even shade including cleaning the surface of dirt, dust and other foreign matter, sand papering & stopping including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (a) With white enamel paint. | 22.32 | Sqm | 70.00 | Rupees Seventy Only | Per Square meter | 1562.00 |

| | | | | | | | |
|----|---|-------|-----|---------|--|------------------|----------|
| 18 | Providing and fixing wire gauge shutters using galvanised M.S. wire gauge of I.S. gauge designation 85 G. with wire of dia 0.56 mm for doors windows and clerestorey windows including bright finished black enamelled iron hinges with necessary screws including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 40mm thick 2nd class deodar wood | 1.85 | Sqm | 4500.00 | Rupees Four Thousand Five Hundred Only | Per Square Metre | 8325.00 |
| 19 | Providing and fixing oxidised M.S. tower bolts complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 150x10mm | 2.00 | Nos | 75.00 | Rupees Seventy Five Only | Each | 150.00 |
| 20 | Providing and fixing oxidised handles with screws etc complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 100mm | 12.00 | Nos | 145.00 | Rupees One Hundred Forty Five Only | Each | 1740.00 |
| | Quoted rates Percentage in figures | | | | | | |
| Y | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | 99957.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standards.

T/s No. 22001-02 dated 20-1-26 Amounting to Rs. 102,957/-

Executive Engineer
Kasumpti Division
HP PWD Shimla

SCHEDULE OF QUANTITY

| SCHEDULE OF QUANTITY | | | | | Estimated Cost:-98106.00 | | |
|--|--|-------------|-----|----------------|--------------------------------|------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION H.P.P.W.D., SHIMLA-3. | | | | | Earnest Money :- 2000.00 | | |
| Name of Work :- A/R & M/O various Residential quarters under Division No - VIII, Kasumpti Shimla (SH:- White washing and Distemping in Type - III 34 other due / on vacation sets under Kasumpti sub Division) | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Distemping with oil bound washable distemper of approved brand and manufacture and of required shade on undecorated wall surfaces to give an even shade. Old work (one or more coats) including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 200.00 | Sqm | 53.00 | Rupees Fifty Three Only | Per Square Metre | 10600.00 |
| 2 | Wall painting (One coat) with plastic emulsion paint of approved brand and manufacture on undecorated wall surfaces to give an even shade including thoroughly brushing the surface free from mortar droppings and other foreign matter and sand papered smooth including applying of putty as required for making the surface including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 300.00 | Sqm | 80.00 | Rupees Eighty Only | Per Square Metre | 24000.00 |
| 3 | Removing dry or oil bound distemper, water proofing cement paint and the like by scraping and sand papering the wall surface smooth including necessary repairs to scratches complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 170.00 | Sqm | 10.00 | Rupees Ten Only | Per Square Metre | 1700.00 |
| 4 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete including carriage of materials in all leads and lifts as per the directions of the Engineer-in-Charge. | 180.00 | Sqm | 60.00 | Rupees Sixty Only | Per Square Meter | 10800.00 |
| 5 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including carriage of materials in all leads as per directions of the Engineer-in-Charge. (i) One or more coats on old work | 258.55 | Sqm | 65.00 | Rupees Sixty Five Only | Per Square Meter | 16806.00 |
| 6 | Finishing wall with weather proof exterior grade emulsion of approved design (Apexultima Protek) or its equaluried on undecorated wall surfaces (two coats) to give an even shade and final finish after thoroughly leaning the surface to remove all dirt, dust and other foreign matter etc. including sand paper smooth complete including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 230.00 | Sqm | 120.00 | Rupees One Hundred Twenty Only | Per Square Meter | 27600.00 |
| 7 | Melamine polishing on wood work (two or more coat) including cariage of materials in all leads and lifts as per directions of Engineerr- in - Charge | 22.00 | Sqm | 300.00 | Rupees Three Hundred Only | Per Square Meter | 6600.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | 98106.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before .

T/s No dated Amounting to Rs.

Executive Engineer
Kasumpti Division
H.P.W.D Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|-----|----------------|------------------------------|----------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 70,000.00 | | |
| Name of Work :- Construction of link road from Shoghi Bye Pass to Village Lamba Jubber, Distt. Shimla (HP) Km. 0/00 to 0/560. (SH:- Prepration of FRA Case in all respect). | | | | | Earnest Money :- 1,400.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Collecting the data from site for road preparation of Kml. file Digital with Co-ordinates, Topo sheet and SHP file with preparation of 3 folders complete in all respect up to final approval as per Direction of Enginner-in-Charge. | 1.00 | Nos | 70000.00 | Rupees Seventy Thousand Only | Each | 70000.00 |
| | | | | | | Total | 70000.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | | | | | | G.Total | |

(T/S No..... Dated Amount to Rs.....).

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.

Executive Engineer,
Shimla Division No.I,
HP PWD Shimla-3.


(14)

| SCHEDULE OF QUANTITY.. | | | | | | | |
|--|---|-------------|-----|----------------|--|---------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 87256.00 | |
| Name of Work :- A/R & M/O various type -I to Type-VI GAD Q'tres at Kasumpti, Shimla -9 Shimla-17099. (SH:- P/L Checkerred tiles outside Type-IV 33 to 38 under Kasumpti section) | | | | | | Earnest Money :- 1750.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix) | 5.20 | Cum | 1250.00 | Rupees One Thousand Two Hundred Fifty Only | Per cubic Metre | 6500.00 |
| 2 | Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size) | 2.60 | Cum | 5400.00 | Rupees Five Thousand Four Hundred Only | Per cubic Metre | 14040.00 |
| 3 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the HP.PWD. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required). All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 5.20 | Cum | 400.00 | Rupees Four Hundred Only | Per cubic Metre | 2080.00 |
| 4 | Disposal of excavated earth work by debris material upto site on approved dumping site approved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 7.80 | Cum | 620.00 | Rupees Six Hundred Twenty Only | Per cubic Metre | 4836.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--|------------------|----------|
| 5 | P/F Checkerred tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 (1 cement :6 sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of following Shade (i) MEDIUM | 52.00 | Sqm | 1150.00 | Rupees One Thousand One Hundred Fifty Only | Per Square Meter | 59800.00 |
| | | | | | Total | | 87256.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.



 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

| SCHEDULE OF QUANTITY.. | | | | | | | |
|--|---|------------|-----|----------------|--|---------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 88278.00 | |
| Name of Work :- A/R & M/O various type -I to Type-VI GAD Qtrs at Kasumpti, Shimla -9 Shimla-17099. | | | | | | Earnest Money :- 1750.00 | |
| (SH:- P/L Checkerred tiles in frontside of PWD enquiry Kasumpti section) | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. (i) Nominal concrete 1:4:8 or richer mix (i/c equivalent design mix) | 4.60 | Cum | 1250.00 | Rupees One Thousand Two Hundred Fifty Only | Per cubic Metre | 5750.00 |
| 2 | Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. (i) 1:3:6 (One cement : Three coarse sand) : Six graded stone aggregate 20 mm nominal size) | 2.30 | Cum | 5400.00 | Rupees Five Thousand Four Hundred Only | Per cubic Metre | 12420.00 |
| 3 | Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom and back filling with approved material. Hard Roack blasting prohibited and their intermediate classification of soils including, dewatering wherever required, setting of to the required lines, levels as shown on the drawing and directed by the Engineer -in-charge at site, according to the H.P.P.W.D. specification of 1990 (one thousand nine hundred ninety) volume-I (one) and sorting out useful and unuseful material and transportation of the unuseful material for disposing at dumping site (To be arranged by the contractor) including payment of prescribed charges of dumping to the owner of dumping site as per satisfaction of Engineer-in-Charge through all modes of transportation including head load, animal load or mechanical means along with its leveling fine dressing and with all kinds of labour, machineries, tools equipments and safety measures and incidentals necessary to complete the work by mechanical means and labour (if required).All useful material such as stones, shingles aggregate and slates shall be properly stacked at site to the maximum possible extent in all leads and lifts through all modes of transportation the usefull stones as per the direction of the Engineer-in-Charge. Any loss to the public and private propriety during the course of execution and disposal of serviceable and unserviceable materials shall be the absolute responsibility of the contractor and shall have to be duly compensated by him in all respects including all incidental charges. | 16.80 | Cum | 400.00 | Rupees Four Hundred Only | Per cubic Metre | 6720.00 |
| 4 | Disposal of excavated earth work by debris material upto site on approved dumping site approved by M.C. including carriage of materials in all leads and lifts as per directions of the Engineer-in-Charge. | 6.90 | Cum | 620.00 | Rupees Six Hundred Twenty Only | Per cubic Metre | 4278.00 |

| | | | | | | | |
|---|--|-------|-----|---------|--|------------------|----------|
| 5 | P/F Checkerred tiles hydraulic compressed 20 mm thick of specified sizes laid in floors, treads of steps and landings on a bed of 25 mm average thickness of cement mortar 1:6 (1 cement :6 sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles (Wherever required) including rubbing and polishing complete with tiles of flowing Shade (i) MEDIUM | 51.40 | Sqm | 1150.00 | Rupees One Thousand One Hundred Fifty Only | Per Square Meter | 59110.00 |
| | | - | | | Total | | 88278.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of indian standars.


 Executive Engineer,
 Shimla Division No.I,
 HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 99,750.00 | |
| Name of Work :- Restoration of Rain Damages on Mashobra to Ramnagri in KM. 0/00 to 5/300 and Mashobra to Carignano in KM 0/00 to 4/00.(SH:- Hiring of Excavator cum loader for Removal of snow). | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.


(T/S No. 2259394 Dated 28.1.26. Amount to Rs. 1,02,742/-)

Executive Engineer
HPPWD Division,
Kasumpti Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|------------|-----|----------------|--------------------------------------|-----------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA | | | | | Estimated Cost:- 99,000.00 | | |
| Name of Work :-Restoration of Rain Damages on Sanjauli to Dhalli Bye pass road in Km 0/000 to 3/786 .(SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area various Rds). | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harening and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge. | 90.00 | Cum | 1100.00 | Rupees One Thousand One Hundred Only | Per Cubic Meter | 99000.00 |
| | | | | | | Total | 99000.00 |

CONDITIONS:


1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.


 Executive Engineer,
 HP PWD Division
 Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|-------------|------|----------------|--------------------------------|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 99,750.00 | |
| Name of Work :- Restoration of Rain Damages on Sanjauli to Dhalli Bye pass road in Km 0/000 to 3/786 . (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.


 Executive Engineer
 HP PWD Division
 Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|--|-------------|----------|----------------|------------------------------|---------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:-70000.00 | | |
| Name of Work :- Preparation of Forest Diversion case under FCA 1980 Construction of Ambulance road from Panthaghatti to lamba jubbar via kuffer HERI km 0/000 to 0/430 | | | | | Earnest Money :- 1500.00 | | |
| | | | | | Time:- One Month. | | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Preparation of forest diversion case under forest conservation ACT - 1980 including preparation of revenue papers of land falling on the road alignment and collection of other held date. All relevant documents / formats mandatory required would be attached with the case as per latest requirement of ministry of Environment and forest conservation Govt of India after getting the joint inspection including computer typing in 6 copies bunding complete and getting it through from HPPWD sub div kasumpti office of range officer mashobra office of DFO shimla conservator of forest department shimla including attending all the observations, if same by neatly and accurately filling in all the formats / documents complete in all respects as per direction and complete satisfaction of HP. PWD and forest department. | 1.00 | per case | 70000.00 | Rupees Seventy Thousand Only | Per Job | 70000.00 |
| | Quoted rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | G.Total | | | | | | 70000.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before actual use on work and any or all of the material which are available as per Indian standard in the market should confirm to bureau of Indian standards.


T/s No. 2238687 dated 27-1-26 Amounting to Rs. 71400/-

Executive Engineer,
Kasumpti Division
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|---|--|------------|-----|----------------|--------------------------------------|-----------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA- | | | | | Estimated Cost:- 99,825.00 | | |
| Name of Work :-Restoration of Rain Damages on Bhattakufer to Chamyana road(AIMSSIGMC Phase-II) Km 0/000 to 2/400(SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area various Rds). | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harening and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge. | 90.75 | Cum | 1100.00 | Rupees One Thousand One Hundred Only | Per Cubic Meter | 99825.00 |
| | | | | | | Total | 99825.00 |

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.


 Executive Engineer,
 HP PWD Division
 Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|-------------|------|----------------|--------------------------------|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 98,700.00 | |
| Name of Work :- Restoration of Rain Damages on Mashobra to Bhakhality in Km. 0/00 to 17/840. . (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No. of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|------|----------------|--------------------------------|--------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 99,750.00 | | |
| Name of Work :- Restoration of Rain Damages on Mashobra to Bhakhality in Km. 0/00 to 17/840.. (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

SCHEDULE OF QUANTITY

| Tender Inviting Authority : EXECUTIVE ENGINEER KASUMPTI DIVISION , H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:-70000.00 | |
|---|---|------------|----------|----------------|------------------------------|--------------------------|----------|
| Name of Work :- C/O link road from Kanola to Chhabalari km 0/00 to 4/00 (SH:- Preparation of Geo referenced Digital Map and collection data for FRA km 0/00 to 4/00) | | | | | | Earnest Money :- 1500.00 | |
| | | | | | | Time:- One Month. | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Preparation of Geo reference digital map and collecting of the data for proposed site including field visit preparation of KMI files with Geo coordinates along with marking of habitations to be benefited by construction of project and dumping area of proposed site . Making the aligement in soft copy and submission in hard copy . Processing the case for preparation of forest diversion under forest conservation ACT 2006 (FRA for short) including preparation of revenue paper for land acquire in thee projects & collection of other field data and all relevant document formats mandatory required to be attached with thee case as per latest requirement of of ministry of environment and forest conservation Govt of India letter No. 11-9/98 FC (PT) dated 3 rd august 2009 dehrudun after getting the joint inspection of site including computer typing of six copy to the case biniding complete and gating in through from DFO including all the observation if raised at any time by any office and to pursue and resubmit the same by neatly and accuately filling in all the formats documents online submission rectifying observations and receiving approvals in all respects as per the direction and complete citification of user Agency and forest Department the rates are inclusive of octop royalty malkans tool GST or other taxes imposed by the government including carriage of all equipments with in all leads and lifts as per direction of Engineer - in - charge . | 1.00 | per case | 70000.00 | Rupees Seventy Thousand Only | Per Job | 70000.00 |
| | Quated rates Percentage in figures | | | | | | |
| | Quoted rates Percentage in words | | | | | | |
| | G.Total | | | | | | 70000.00 |

CONDITION:-

1. Rates should be quoted for all heights including all leads and lifts.
2. Sample of all the material to be used on work shall be got approved from the Engineer-in-Charge in advance before

T/s No. 2238889 dated 27-1-26 Amounting to Rs. 72100/-

Executive Engineer
Kasumpti Division
HP PWD Shimla-3.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 98,700.00 | |
| Name of Work :- Restoration of Rain Damages on Shimla Mandi road in Km. 6/00 to 22/00 | | | | | | Earnest Money :- 2,000.00 | |
| (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:


1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

Executive Engineer,
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|-----|----------------|--------------------------------------|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA- | | | | | | Estimated Cost:- 97,900.00 | |
| Name of Work :-Restoration of Rain Damages on Bhatta Kuffer to Chackrial road in Km 0/000 to 2/00.(SH:- Supplying and Stacking of Crusher Sand for smooth flow of traffic in snow bound area various Rds). | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Supplying and stacking at site of work clean crusher sand which should be hard durable chemically inert, clean and free from adherent coating particles of miscashells and organic matters and should not contained impurities, such as iron pyrites, alkalies, salt laminated or other material which from quality of and adversely its harenig and strength duability or the appearance of the mortar. The amount of deleterious sub stances shall not exceed 4% case of day fine silt and fine dust complete in all respect of stacks as per instructions of the Engineer-in-Charge. | 89.00 | Cum | 1100.00 | Rupees One Thousand One Hundred Only | Per Cubic Meter | 97900.00 |
| | | | | | | Total | 97900.00 |

CONDITIONS:

1. The crusher sand should be supply from approved quarry.
2. Measurement will be made as per PWD., specification.


 Executive Engineer,
 HP PWD Division
 Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|----------------------------|-----------------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 98,700.00 | |
| Name of Work :- Restoration of Rain Damages on to Tipra to Patgehar road in Km. 6/885 to 14/930. (SH:- Hiring of Excavator cum loader for Removal of snow in various RDs | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximun usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 94.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 98700.00 |
| | | | | | | Total | 98700.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.


Executive Engineer
HP PWD Division
Kasumpti Shimla

| SCHEDULE OF QUANTITY | | | | | | | |
|---|---|------------|------|----------------|--------------------------------|-----------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 99,750.00 | | |
| Name of Work :- Restoration of Rain Damages on Fagu to Cheog in Km. 0/00 to 5/600 and Talai to Dehna in Km. 0/00 to 5/600, Talai Kadharab road in Km. 0/00 to 2/085. (SH:- Hiring of Excavator cum loader for Removal of snow). | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 2257980 Dated 28-1-26 Amount to Rs. 627.42/-)


Executive Engineer,
HPPWD Division,
Kasumpti Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|---|------------|------|----------------|--------------------------------|-----------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | Estimated Cost:- 99,750.00 | | |
| Name of Work :- Restoration of Rain Damages on Cheog to Dharech road in KM. 0/00 to 7/400 and Banga Pani to Chatog road in KM. 0/00 to 3/00 (SH:- Hiring of Excavator cum loader for Removal of snow). | | | | | Earnest Money :- 2,000.00 | | |
| | | | | | Time:- One Month | | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in-case any damage took place, the contractor is liable for it. All salvaged materials such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burns, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 2258/82 dated 28.1.26. Amount to Rs. 10,2742/-)

Executive Engineer
HPPWD Division,
Kasumpt Shimla.

| SCHEDULE OF QUANTITY | | | | | | | |
|--|--|------------|------|----------------|--------------------------------|----------------------------|----------|
| Tender Inviting Authority : EXECUTIVE ENGINEER SHIMLA DIVISION No-I, H.P.P.W.D., SHIMLA-3. | | | | | | Estimated Cost:- 99,750.00 | |
| Name of Work :- Restoration of Rain Damages on Dak Bangla to Gharech road in Km. 0/00 to 6/700 and Kufri to Chair road in KM. 0/00 to 1/900.(SH:- Hiring of Excavator cum loader for Removal of snow). | | | | | | Earnest Money :- 2,000.00 | |
| | | | | | | Time:- One Month | |
| Sr. No | Description of Work / Item (S) | No.of Qty. | | Estimated Rate | | Unit | Amount |
| | | | | In figures | In words | | |
| 1 | Hiring of JCB excavator-cum-loader (JCB) including P.O.L charges, machinery of any minor or major accidents and other damages to private and Govt. property occur during working hour is the whole responsibility of contractor, shifting charges and other ancillary equipments as required at site of work for removal of slips/snow in all heights in all kind of soil such as kankar, mooram shingle, boulders decomposed or soft variety of soil such as spade work, jumper work, soft rock hard rock including their intermediate classification of soil including mechanical transportation of necessary. Removal of slips, Debries with minimum capacity of 45.00 Cum. Per Hour, Minium Six hours per day. The disposal of this un-serviceable materials has to be done in the required width of the road to avoid damaged to the properties of the people or in case any damage took place, the contractor is liable for it. All salvaged materialls such quarried stone shall belong to the department and maximum usefull quantities of stone from removal of slips shall have to be neatly stacked along road side on road burms, minium 30.00 Cubic metre of cutting earth work. Minimum 150.00 cubic metre of removal of slips and 300.00 cubic metre removal of snow shall be done by the machine in one hour, other wise number of hour shall be reduced accordingly. The work shall have to be carried out as per Ministry of Transport as per instructions/ direction of the Engineer-in-Charge. | 95.00 | Hour | 1050.00 | Rupees One Thousand Fifty Only | Per Hours | 99750.00 |
| | | | | | | Total | 99750.00 |

CONDITION:

1. All the P.O.L. Charges shall be borne by the contractor.
2. All the repair /maintenance of machineries shall be borne by the contractor.
3. For any minor /Major repair or any accident /damaged shall be the whole responsibility of contractor.
4. Any damages or loss to Govt./Private property during course of work shall have to be make good by the contractor.

(T/S No. 2253-84 Dated 28.1.26... Amount to Rs. 10,27.42/-)

Executive Engineer,
HPPWD Division,
Kasumpti Shimla