



**OFFICE OF**  
Executive Engineer Jaisinghpur Division HPPWD Jaisinghpur Himachal Pradesh  
Works Department Jaisinghpur 176095 Phone No. 01894-228030

**"CERTIFICATE"**

Certified that the tenders are being called in exigency of works of public interest vide this office letter No. PWD/JSD/TA/NIT/ 2025-26- 12329-38 dated 23/03/2026.

Executive Engineer  
Jaisinghpur Division  
HP.PWD., Jaisinghpur.



**OFFICE OF**  
Executive Engineer Jaisinghpur Division HPPWD Jaisinghpur Himachal Pradesh  
Works Department Jaisinghpur 176095, Telephone No. 01894-228030,  
Email [ee-jaipwd-hp@gov.in](mailto:ee-jaipwd-hp@gov.in)

**"NOTICE INVITING TENDERS"**

Sealed percentage rate tender on form No. 6 & 8 are hereby invited by the Executive Engineer, HP.PWD., Division Jaisinghpur on behalf of Governor of Himachal Pradesh for the following work from the approved and eligible contractors enlisted in HPPWD (B&R) whose registration stood renewed as per revised rules so as to reach in his office on or before on **28.03.2026 up to 11:00 A.M.** and the same shall be opened on the same day at **11:30 A.M.** in the presence of intending contractors or their authorized representatives. The tender form can be obtained from his office on cash payment (non refundable) on **27.03.2026 up to 4:00 PM** and the application for issue of tender form shall be received on **27.03.2026 up to 11:00 AM.** The applications for issue of tender forms should be accompanied with enlistment letter or renewal letter and the earnest money in the shape of National Saving Certificates / Saving Account of the Post Office / Time Deposit account / FDR in Himachal Pradesh duly pledged in favour of Executive Engineer, HP.PWD., Division Jaisinghpur.

The conditional tender and the tender received without earnest money will summarily be rejected. The offer of the tender shall be kept open for **75 days**:-

| Sr. No. | Name of Work  | Estimated Cost (Rs.) | EMD    | Time limit | Cost of tender form |
|---------|---|----------------------|--------|------------|---------------------|
| 1       | A/R & M/O Tinbar to Jaisinghpur road KM 0/00 to 18/300 (SH:- Repair of Pot Hole / Patch work between KM 0/0 to 18/300) <b>MMRRY</b> | 351125/-             | 7100/- | One month  | 350/-               |

**Terms & Conditions:-**

1. The contractors will have to produce a copy of enlistment / renewal of valid class at time of application / tender form.
2. The contractors will have to produce a copy of GST, EPF and PAN.
3. The contractors are directed to insert the rate / percentage both in figures and words.
4. The tenders forms will not be issued to those contractors who have not completed their previous works / commitments or whose performance is not found satisfactory.
5. The Executive Engineer reserves the right to reject / cancel any or all the tenders without assigning any reason.

Executive Engineer  
Jaisinghpur Division  
HP.PWD., Jaisinghpur.  
On behalf of Governor of Himachal Pradesh)

No.PWD/JSPR/CB/Tenders/2025-26-

12329-38

Dated:


23/03/2026

Copy to the following for information and necessary action:-

1. The Chief Engineer (K.Z.) HP.PWD., Dharamshala.
2. The Superintending Engineer, 5<sup>th</sup> Circle. HPPWD, Palampur.
3. The Executive Engineer (IT) O/O E-in-C, HP.PWD., Shimla.
- 4-6. All the Assistant Engineers under this Division.
- 7-8. The Drawings / Accounts Branch in this office.
9. N.I.T. Register.
10. Notice Board.

Executive Engineer  
Jaisinghpur Division  
HP.PWD., Jaisinghpur.

| SCHEDULE OF QUANTITY   |   |            |            |  |                  |                  |
|--|---|------------|------------|--|------------------|------------------|
| Name of work :-A/R & M/O Tinbar to Jaisinghpur road Km 0/00 to 18/300 (SH:- Repair of Pot Hole / patch work between Km 0/00 to 18/300) (MMRRY) |   |            |            | Estimated cost Rs.                         |                  | 351125.00        |
|  |   |            |            | Earnest Money Rs.                          |                  | 7100.00          |
|  |   |            |            | Time Limits                                |                  | One month        |
| S. N.  | Description of Item   | Quantity   | Rate       |  | Unit             | Amount           |
|  |   |            | In Figures | In Word                                    |                  |                  |
| 1  | Providing laying spreading and compacting by mechanical means 75 mm (seventy five millimetre) compacted thickness broken /crushed stone aggregate of size 63mm to 45mm (sixty three millimetre to forty five millimetre) Grading-II to water bound Macadam specification including spreading in uniform thickness using template, hand packing, rolling with three wheel 80-100 (eighty to one hundred ) K.N. static roller in stages to proper grade and camber including applying and brooming, stone screening type-B of size 11.2mm (eleven decimal two millimetre) nominal size at the rate of 0.20 cum (zero point two zero cubic metre) per ten square metre and binding material at the rate of 0.06 (zero decimal zero six) cubic metre per ten square metre to fill up the interstices of coarse aggregate, watering and compacting to the required density as per drawing and M.O.R.D. technical specifications section 400 and as per the directions of Engineer-in-Charge including carriage of material within all leads, lifts and other incidentals.The rate is including octroi, royalty, Malkana, toll tax, GST or other taxes imposed by the Government  | 7.50       | 2150.00    | Rupees Two Thousand One Hundred Fifty Only | Per Cubic Metre  | 16125.00         |
| 2  | Repairing of pot holes and removal of loose material trimming of sides by providing with Bitumen Vg-10(ten) tack coat at the rate of 0.30 kg. (zero point thirty kilograms) per Square metre,Open grades premix carpet of 20mm ( twenty millimeter) thickness composed of 13.2mm ( thirteen decimal two millimeter) to 5.6mm ( five decimal six millimeter) aggregate @ 0.27 cum (zero decimal twenty seven cubic metres ) mixed with using penetration grade bitumen VG-10(ten) @ 14.60 kg (fourteen point sixty kilogram) per ten square of road surface required line grade and level and seal coat sealing the voids in a bituminous surface laid to specified level grade and cross fall using type-B as per M.O.R.D. technical specification clause 510 premixed with 6.8 kg ( six point eight) kilogram bitumen vg-10 (ten) 0.06 ( zero point zero six) cubic metre of fine aggregate per 10 Sqm. (Ten square metre) heated in mini hot mix plant and laying manually of mixed material and rolling with power road roller 8-10 ( eight to ten capacity) and as per directions of Engineer - in- Charge including hauling /carriage of materials to various location through all modes of transportation all leads, lifts and other incidental complete in all respect.The rate is including octroi, royalty, GST, toll tax, or other taxes imposed by the Government. | 1000.00    | 335.00     | Rupees Three Hundred Thirty Five Only      | Per Square metre | 335000.00        |
| <b>Total</b>   |   |            |            |  |                  | <b>351125.00</b> |
| Quoted Rate (in Figures) Percentage  |   | Excess (+) |            |  | %                |                  |
| G.Total in Figures   |   | Less (-)   |            |  | %                |                  |
| G.Total in Words   |   |            |            |  |                  |                  |

  
 Executive Engineer  
 Jaisinghpur Division  
 HPPWD Jaisinghpur