



Office of
Executive Engineer B&R Division HP.PWD. Joginder Nagar
Himachal Pradesh Public Works Department, Mandi-175015
Phone & Fax No. 01908-222033 E-Mail:- ee-jog-hp@nic.in

"NOTICE INVITING TENDER"

Sealed item rate tender for the following works are hereby invited by the Executive Engineer, B&R Division HP.PWD., Joginder Nagar District Mandi (H.P) from the eligible contractors of the appropriate class registered in HP PWD as per revised enlistment rules so as to reach in the office of under signed on **09-04-2026** up to 11:30 A.M. and will be opened on the same day at (12:00 noon) in the presence of intending contractors. The tender application will be received in this office on **07-04-2026** up to 10:00 A.M. to 12:30 P.M. and tender form can be had from this office on **08-04-2026** from 2:30 P.M. to 5:00 P.M. The earnest money as shown against each in the shape of F.D.R. of any bank in Himachal Pradesh duly pledged in the name of the under signed must accompany with each tender. The tender form will be issued to contractor giving proof of enlistment, GST. Conditional tender and tender received without earnest money will be out rightly rejected. The offer of the tender shall be kept open for 75 days. The Executive Engineer reserves the right to reject any or all the tenders without assigning any reasons.

The draft NIT and other specifications and conditions of the tender can be seen by the contractors in the office of the under signed on any working day during the office hours.

Sr. No.	Name of work	Amount put to tender/ Estimated cost	Earnest Money	Cost of tender form	Eligible Class of Contractor	Time
1	R/O Restoration of Rain Damages on link road to Village Batdhar road km 0/0 to 4/0 (SH: Construction of PCC Retaining wall at Km 0/0/85 to 0/0/90) NDF deposit SID:NDF/2020/83	Rs. 83,788/-	Rs. 1,700/-	Rs. 350/-	Class "D"	Two Months
2	R/O Restoration of Rain Damages on Petu Nallah to Gaduhi road km 0/0 to 1/500 (SH: Construction of PCC Retaining wall at RD 1/310 to 1/313 under NDF deposit SID:NDF/2023/1325	Rs. 88,081/-	Rs. 1,800/-	Rs. 350/-	Class "D"	Two Months
3	R/O Restoration of Rain damages on Majharnu Siyuri road km 0/0 to 2/00 GP Ner Gharwasra (SH: Construction of PCC Retaining wall at Km along with Pusta at Rd 0/250 to 0/253) under NDF deposit SID:NDF/2023/634	Rs. 1,18,876/-	Rs. 2,400/-	Rs. 350/-	Class "D"	Two Months
4.	R/O Restoration of Rain Damages on ZimZima to Fegru Dhundha Suhi road Km 0/0 to 1/500 (SH: Construction of Retaining wall at Rd 1/200 to 1/207) under NDF deposit SID:NDF/2023/1335	Rs. 89,536/-	Rs. 1,800/-	Rs. 350/-	Class "D"	Two Months
5.	R/O Restoration of Rain Damages on link road to Village Pipli Km 0/00 to 1/600 in GP. Pipli (SH: Repair of pot holes at km 1/00 to 1/200 under NDF deposit SID:NDF/2023/1333	Rs. 89,034/-	Rs. 1,800/-	Rs. 350/-	Class "D"	Two Months
6.	R/O Restoration of Rain Damages on Har Kumharda road km 0/0 to 2/0 GP Kass. (SH: Construction of Retaining wall at Km 0/435 to 0/438) under NDF deposit SID:NDF/2023/93	Rs. 48,956/-	Rs. 1,000/-	Rs. 350/-	Class "D"	Two Months
7.	Restoration of rain damages on Bihun Kund Sajehar road km. 0/0 to 7/500 (SH: - Construction of PCC protection /Retaining Wall house of Sh. Rajesh Kumar Village Chanehar P.O Bihun Tehsil Joginder Nagar Distt. Mandi (H.P.) at RD 0/420 to 0/422 under SDF deposit SID:SDF/2023/289.	Rs. 98,401/-	Rs. 2,000/-	Rs. 350/-	Class "D"	Three Months
8.	R/O Restoration of rain damages on Devi ka Nallah Jarl Joun road km. 0/0 to 2/100 (SH:- Construction of Wire Crated Retaining wall at km 1/210 to 2/11.80 under SDF deposit SID:SDF/2023/283	Rs. 68,909/-	Rs. 1,400/-	Rs. 350/-	Class "D"	Two Months
9	R/o Restoration of rain damages on Dol Khadihar Raktal road km 0/0 to 8/660 (SH:- Construction of wire Crated Retaining wall along with pusta at RD 1/075 to 1/080 under NDF deposit SID: NDF/2023/89	Rs. 1,86,645/-	Rs. 3,700/-	Rs. 350/-	Class "D"	Three Months
10	R/O Restoration of Rain Damages on Suja Sandral road km 0/0 to 1/00 (SH:- Re-grading of road at km 0/215 to 0/224, edge wall at km 0/225 & U-Shape drain at Km 0/195 to 0/230 under SDF Deposit SID:SDF/2023/274).	Rs. 49,547/-	Rs. 1,000/-	Rs. 350/-	Class "D"	Three Months
11	R/O Restoration of Rain Damages on Darkoti to Nichla Bhadyara road Km 0/0 to 8/600 (SH: Construction of edge/retaining wall at km 5/010 to 5/015.40 under NDF deposit SID: NDF/2024/28.	Rs. 58,854/-	Rs. 1,200/-	Rs. 350/-	Class "D"	Three Months
12	R/O Restoration of Rain Damages on Brij Mandi Devgarh road Km 0/0 to 3/00 (SH:- Construction of Breast wall at Km 0/465 to 0/469.90 under NDF Deposit SID:NDF/2023/97	Rs. 89,993/-	Rs. 1,800/-	Rs. 350/-	Class "D"	Two Months

1. Certified that tender of above works are being called of emergent nature in exigency of public interest

Terms and conditions:-

1. The contractor should produce a copy of enlistment / renewal letter at time of application.
2. Executive Engineer reserves the right to reject/cancel any or all the tenders without assigning any reasons.
3. The contractor/Firm shall have his registration and GST No, the copy of same be attached with the application.
4. The earnest money shall be deposited duly pledged in favour of Executive Engineer B&R Division HPPWD., Joginder Nagar & cost of tender form for the above works should be submitted with the application for the purchase of the tender forms. The application received without earnest money & cost of tender form shall summarily be rejected.
5. No tender form will be issued to the contractor without producing the work done certificate from the Executive Engineer concerned.
6. The contractor/firms are requested to insert the rate of each item in words as well as in figures failing which XEN reserves the right to accept/reject any tender without assigning any reason at any stage.
7. The tender shall be issued to those contractors who have not more than two works in hand.

Executive Engineer,
B&R Division HP PWD.,
Joginder Nagar.
District Mandi (HP) for on behalf of
Governor of Himachal Pradesh
Ph. 01908-222033

No. PW-JND-B&R-EA-I/NIT/Press/2026-27- 34951-35000

Dated:- 12/03/26

1. Copy to the F.C. Cum Principal Secretary (PW) to the Govt. of Himachal Pradesh Shimla-2 for favour of information please.
2. The Engineer-in-Chief, HPPWD, Shimla.
3. The Chief Engineer (MZ), HPPWD, Mandi.
4. The Superintending Engineer, Joginder Nagar Circle HPPWD, Joginder Nagar.
5. All the Assistant Engineer working under this Division.
6. All the Contractor working under this Division.
7. Drawing Branch in this office.
8. Notice Board.
9. The Computer Cell office of the Engineer-in-Chief, HPPWD, Shimla for uploading the NIT on the Departmental website.

Executive Engineer,
B&R Division HP PWD.,
Joinder

E.No-508

704

SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain Damage on link road to Village Batdhar road km. 0/0 to 4/0 (SH: Construction of Pec Retaining Wall at km. 0/085 to 0/090) Ndf deposit SID: NDF 2020/83. GP Nauhli		Estimate Cost: 83,788.00 Earnest Money: 1,700.00 Time Limit : Two Months		AMOUNT		
Sr. No.	Description of work	No. or Qty.	Unit	Rate	Words	
				Figures	Rs.	P
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	4.00	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	2,592.00
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	11.75	Per cubic metre	6,211.25	Rupees Six Thousand Two Hundred Eleven And Paise Twenty Five Only	72,982.00
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time excluding GST.	6.00	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise	6,895.00

704

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.	4.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,319.00
Total						83,788.00

*Debit Schedule of Quantity approved for F 83,788/-
(Eight Three thousand seven hundred Eighty Eight)
only/-*

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

EoNo - 504

SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain Damage on Petu Nallah to Gaduhi road km. 0/0 to 1/500, ~~Madhya~~
 (SH: Construction of Pcc Rafining Wall at RD 1/310 to 1/313 under NDF deposit SID: NDF/2023/1325

Sr. No.	Description of work	No. or Qty.	Unit	Rate		Two Months AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	5.01	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	3,246.00
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	12.51	Per cubic metre	6,139.10	Rupees Six Thousand One Hundred Thirty Nine And Paise Ten Only	76,800.00
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.	9.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	2,967.00

705

705

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.	4.41	Each	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise Ten Only	5,068.00
	Total					88,081.00

*Draft Schedule of Quantity approved for ₹ 88,081/-
(Eighty Eight Thousand Eight one) only/-*

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

706

706

E.No- 505

DNED/DRAFT SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain damages on Majharnu Siyri road km 0/0 to 2/00 GP Ner Gharwasra
(SH: Construction of PCC Retaining Wall along with pusta at RD 0/250 to 0/253 under NDF deposit SID : NDF/2023/634)

Estimate Cost: 1,18,876.00
Earnest Money: 2,400.00
Time Limit : Two Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	6.30	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	4,082.00
2	Providing and laying concrete for plain / reinforced concrete in open foundations complete as per drawing and technical specification clauses 802,803,1202 & 1203. Plain cement concrete nominal mix 1:4:8 (one cement : four sand : eight graded stone aggregate 40mm (forty millimetre) nominal size) complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time excluding GST.	8.70	Per cubic metre	6,483.60	Rupees Six Thousand Four Hundred Eighty Three And Paise Sixty Only	56,407.00
3	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	8.79	Per cubic metre	6,068.80	Rupees Six Thousand Sixty Eight And Paise Eighty Only	53,345.00

706

Sl. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time excluding GST.	3.24	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise	3,723.00
5	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST	4.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,319.00
Total						1,18,876.00

*Draft Schedule of Quantity approved for F 1,18,876/-
(one lac Eighteen Thousand Eight Hundred Seventy
Six) only /-*

~~Executive Engineer~~
B & R Division HP.PWD,
Joginder Nagar

E-10-503

SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain Damage on Zimzima to Fegru Dhundha Suhi road km. 0/0 to 1500
(SH: Construction of Retaining Wall at RD 1/200 to 1/207) under NDF deposit SID: NDF/2023/1335/

Sr. No.	Description of work	No. or Qty.	Unit	Rate		Estimate Cost: Earnest Money: Time Limit :	AMOUNT Rs. P
				Figures	Words		
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	4.40	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	89,536.00 1,800.00	2,851.00
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water, dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	12.93	Per cubic metre	6,088.50	Rupees Six Thousand Eighty Eight And Paise Fifty Only		78,724.00
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time excluding GST.	5.78	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise		6,642.00

707

J-4

707

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time excluding GST.	4.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,319.00
Total						89,536.00

Draft Schedule of Quantity approved for 89,536/- (Eighty Nine Thousand Five Hundred Thirty Six) only/-

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

EoNo-507

J-5

708

DNIT/DRAFT SCHEDULE OF QUANTITY

Name of Work : R/O Restoration of rain damages on link road to village Pipli km 0/00 to 1/600 in GP.Pipli (SH: Repair of pot holes at km 1/00 to 1/200 under NDF deposit SID:NDF/2023/1333)

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT	
				Figures	Words	Rs.	P
1	Repair to pot holes and removal of loose material, trimming of sides, cleaning of surface by providing tack coat with bitumen VG-10 @ 0.30 kg (zero point three kilogramme) per Sqm, 20 mm thick pre-mix carpet with Bitumen VG-10 @ 1.46 kg (One point four six kilogramme) per Sqm and seal coat type B with bitumen VG-10 @ 0.68 kg (zero point six eight kilogramme) per Sqm and technical specification clause 1904.2, 503 and 508.1. The rate including hauling /carriage of materials to various location through all modes of transportation in all leads, lifts and other incidental complete in all respect. The rate is inclusive all taxes levy by the government time to time including GST.	214.21	Per square metre	415.64	Rupees Four Hundred Fifteen And Paise Sixty Four Only	89,034.00	1,800.00
Total						89,034.00	

708

Draft Schedule of Quantity approved for P 8910341 - (Eight Nine Hundred Thirty four) only /-

~~Executive Engineer~~
B & R Division HP.PWD,
Joginder Nagar

E.No - 506

J-6

709

SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain damages on Har Kumarhrda road km 0/0 to 2/0 GP kass. (SH: Construction of Retaining wall at km 0/435 to 0/438) under NDF deposit SID: NDF /2023/93		Estimate Cost: Earnest Money: Time Limit :				
Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	2.85	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	1,847.00
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	7.05	Per cubic metre	6,139.10	Rupees Six Thousand One Hundred Thirty Nine And Paise Ten Only	43,281.00
3	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time excluding GST.	1.61	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise Ten Only	1,850.00

709

5	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge. The rate is inclusive all taxes levy by the government time to	6.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,978.00
	Total					48,956.00

*Debit Schedule of Quantity approved for ₹ 48,956/-
(Four Eight Thousand Nine Hundred Fifty Six)
only/-*

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

DNIT/DRAFT SCHEDULE OF QUANTITY

No. of Work : R/O restoration of rain damages on Bihun Kund Sajehar road km.0/0 to 7/500
 (SH: Construction of protection/retaining wall to house of Sh. Rajesh Kumar village Chanehar PO. Bihun Tehsil
 Jogsinder Nagar Dist. Mandi(HP) at km. 0/420 to 0/422 (under Deposit SID:SDF/2023/289.)

Estimate Cost: 98,401.00
 Earnest Money: 2,000.00
 Time Limit : Three Months

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
1	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	6.40	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	4,147.00
2	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls, in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	14.54	Per cubic metre	6,139.35	Rupees Six Thousand One Hundred Thirty Nine And Paise Thirty Five Only	89,266.00
3	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time including GST.	3.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	989.00

Sl. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentials. The rate is inclusive all taxes levy by the government time to time including GST.	3.48	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise Ten Only	3,999.00
	Total					98,401.00

*Draft schedule of quantity approved for
₹ 98401/- only (₹ Ninety eight thousand four
hundred one) only*

[Signature]
Executive Engineer
B & R Division HP.PWD,
Joginder Nagar

E.No-509

J-8

711

DNIT/DRAFT SCHEDULE OF QUANTITY

St. No.		Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
					Figures	Words	
Name of Work : R/O Restoration of rain damages on Devi Ka Nallah Jarl Joun road km.0/0 to 2/100 (SH: Construction of wire crafted retaining wall at km 1/210 to 1/211.80 under SDF DepositSID: SDF/2023/283)							
Estimate Cost: 68,909.00 Earnest Money: 1,400.00 Time Limit : Two Months							
1		Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	3.11	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	2,015.00
2		Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time including GST.	3.24	Per cubic metre	7,673.30	Rupees Seven Thousand Six Hundred Seventy Three And Paise Thirty Only	24,861.00
3		Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diameter G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighing not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time including GST.	9.84	Per Cubic metre	4,045.15	Rupees Four Thousand Forty Five And Paise Fifteen Only	39,804.00

711

Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time including GST.	1.94	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise Ten Only	2,229.00
Total					68,909.00

Draft schedule of quantity approved for ₹ 68,909 only (₹ Sixty eight thousand nine hundred nine) only

[Signature]
 Executive Engineer
 B & R Division HPPWD
 Joginder Nagar (H.P.)

E.No - 510

7-9

710

DNIT/DRAFT SCHEDULE OF QUANTITY

Sr. No.		Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
					Figures	Words	
Name of Work : R/O Restoration of rain damages on Dol Khadihar Raktal road km.0/0 to 8/660 (SH: Construction of wire crated retaining wall along with pusta at km 1/075 to 1/080 under NDF Deposit SID: NDF/2023/89)							
							Estimate Cost: 1,86,645.00 Earnest Money: 3,700.00 Time Limit : Three Months
1		Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	10.00	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	6,480.00
2		Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	12.50	Per cubic metre	6,176.65	Rupees Six Thousand One Hundred Seventy Six And Paise Sixty Five Only	77,208.00
3		Providing and laying of boulder apron laid in wire crates with 4mm (four millimetre) diametre G.I. wire conforming to IS: 280 and IS: 4826 in 100mm x 100mm (one hundred millimetre into one hundred millimetre) mesh (woven diagonally) including 10% (ten percent) extra for laps and joints laid with stones boulders weighting not less than 25 Kg. (twenty five kilogram) each as per drawing and technical specifications clause 1301 complete within all leads, lifts, carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time including GST.	23.43	Per Cubic metre	4,057.30	Rupees Four Thousand Fifty Seven And Paise Thirty Only	95,063.00

710

Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals. The rate is inclusive all taxes levy by the government time to time including GST.	6.87	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise Ten Only	7,894.00
Total					1,86,645.00

*Draft schedule of quantity approved for 2186 GST
(One lac eighty six thousand six hundred forty five) only.*

*Executive Engineer
B & R Division HP.PWD,
Joginder Nagar*

EoNo - 512

713

DNT/DRAFT SCHEDULE OF QUANTITY

Sr. No.		Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
					Figures	Words	
<p>Name of Work : R/O restoration of rain damages on Suja Sandral road km.0/0 to 1/00 (SH: Re-grading of road at km. 0/215 to 0/224, edge wall at km.0/220 to 0/225 & U-shape drain at Km. 0/195 to 0/230 (under SDF Deposit SID:SDF/2023/274.)</p>							
1		Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Recovery for usefull stone of 1.92 cum @ 300/- per cum shall be effected from the contractor bill on pro-rata basis for the quality of cutting in earth work executed. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time including GST.	24.03	Per cubic metre	289.60	Rupees Two Hundred Eighty Nine And Paise Sixty Only	6,959.00
2		Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	3.82	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	2,475.00

713

Description of work

Sl. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
3	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arise at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORd technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	4.50	Per cubic metre	5,963.10	Rupees Five Thousand Nine Hundred Sixty Three And Paise Ten Only	26,834.00
4	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and technical specifications clause 802, 803, 1202 & 1203. Plain cement concrete Grade M-10 complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time including GST.	1.80	Per cubic metre	7,377.30	Rupees Seven Thousand Three Hundred Seventy Seven And Paise Thirty Only	13,279.00
	Total					49,547.00

*Draft schedule of quantity approved for
₹ 49,547/- (₹ Forty nine thousand five hundred
forty seven only)*

Executive Engineer

B & R Division HP.PWD,

Joginder Nagar

EoNo-5/3

714

DNIT/DRAFT SCHEDULE OF QUANTITY

Sr. No.		Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
					Figures	Words	
		Time of Work : R/O restoration of rain damages on Darkoti to Nichla Bhadyara road km.0/0 to 8/600 (SH: Construction of edge/retaining wall at km. 5/010 to 5/015.40 (under NDF Deposit SID:NDF/2024/28.)				Estimate Cost: Earnest Money: Time Limit :	58,854.00 1,200.00 Three Months
1		Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	2.86	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only	1,853.00
2		Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORd technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	8.21	Per cubic metre	6,237.70	Rupees Six Thousand Two Hundred Thirty Seven And Paise Seventy Only	51,212.00
3		Back filling behind abutment wing wall and return wall complete as per Drawing and technical specifications clause 1204.3.8 Granular material complete within all leads, lifts carriage of material and other incidentals.The rate is inclusive all taxes levy by the government time to time including GST.	3.89	Per cubic metre	1,149.10	Rupees One Thousand One Hundred Forty Nine And Paise	4,470.00

714

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time including GST.	4.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,319.00
	Total					58,854.00

*Draft schedule of quantity approved for ₹ 58,854/-
Ct Fifty eight thousand eight hundred fifty four only*

~~Executive Engineer~~
B & R Division HP.PWD,
Jogindgar Nagar

Co No - 514

715

SCHEDULE OF QUANTITY

Name of Work: R/O Restoration of rain Damage on Brij Mandi Devgarh road km 0/0 to 3/00 (SH: Construction of Breast at km 0/465 to 0/469.90 under NDF Deposit SID: NDF/2023/97		Estimate Cost: Earnest Money: Time Limit :		AMOUNT	
Sr. No.	Description of work	No. or Qty.	Unit	Rate	Rs. P
				Figures	Words
1	Excavation in soil in hilly area in all heights and depths and in all kind of soil by all means including saturated soil comprising of ordinary soil, soft rocks, hard rocks, chiseling/ wedging out of rock (where blasting is prohibited) and their intermediate classification of soil, setting out true to the required line, grades, width cutting and trimming of side slopes and level as shown on the drawing and as directed by the Engineer-in- Charge at site according to the M.O.R.D. technical specification section 1000 & 300 and sorting out useful materials and stacking the same in all leads and lifts in acquired width of the road and transportation of useful material for filling in road ways, camber, embankments for grade improvements and disposal of all surplus material at approved dumping sites through all modes of transportation including head load or animals transport or mechanical means along with its leveling fine dressing and hauling /carriage of machineries, materials, tools equipments and safety measures. Any loss to the public / private property during the course of execution shall be the absolute responsibility of the contractor which shall have to be duly compensated by him at his own cost. The rate is inclusive all taxes levy by the government time to time including GST.	7.10	Per cubic metre	201.75	Rupees Two Hundred One And Paise Seventy Five Only
2	Earth work in excavation for structures in all depths as per drawing and M.O.R.D.technical specification section 300 & 1600 including setting out, construction of shoring and bracing, removal of stumps and other deleterious materials and disposal in all lead and lift including dressing of sides and bottom and back filling in trenches with excavated Suitable materials. All work of rock cutting by blasting shall be carried out by taking all necessary precautions against soil erosion, damage to hill side, water pollution etc. and to protect stability of hill side rock shall be excavated with chiseling and wedging out rock (where blasting is prohibited). All earth work in cutting/excavation including rock excavation shall be carried out true to lines grades, side slopes, width, camber super elevation and level as shown on the drawings or as directed by the Engineer-in-Charge, hauling and stacking of materials useful for construction at suitable sites and safe disposal of unsuitable cut materials in specified manner, filling of unevenness and finishing the road to specified dimension or as directed by the Engineer-in-Charge. If the foundation of the structure is in an area with stagnant water or water is met with in the excavation due to spring seepage, rain and other causes it shall be removed by suitable diversion, bailing out or pumping as directed and the area of the foundation or embankment shall be kept dry. Any loss to the public or private property during the course of excavation shall be the whole responsibility of the contractor which shall have to be duly compensated by him at his own cost .The rate is inclusive all taxes levy by the government time to time including GST.	5.89	Per cubic metre	648.00	Rupees Six Hundred Forty Eight Only
					3,817.00

715

Sr. No.	Description of work	No. or Qty.	Unit	Rate		AMOUNT Rs. P
				Figures	Words	
3	Providing and laying cement concrete 1:5:10(one cement: five sand:ten graded crushed / broken stone aggregate 40 mm (forty millimeters) nominal size) plums and curing complete including the cost of form work in Retaining walls Breast walls , in or under water complete including, pumping or bailing out water ,dewatering removal of slush as required at site which may arisen at the time of laying under water complete for all heights/depths including cost of form work as per drawings and MORD technical specifications section 800, 900,1200 & 1600 and as per the direction of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals .The rate is inclusive all taxes levy by the government time to time including GST.	13.59	Per cubic metre	6,090.20	Rupees Six Thousand Ninety And Paise Twenty Only	82,766.00
4	Providing weep holes in brick masonry/stone masonry/plain or reinforced concrete abutment, wing wall, return wall with 100mm (one hundred millimeter) dia P.V.C. pipe extending through the full width of the structures with slope of 1 (v): 20(H) towards drainage face complete as per drawing and M.O.R.D.technical specification clauses 614, 709 & 1206.6 and as per the directions of Engineer-in-Charge including carriage of material within all leads and lifts and other incidentals and to the entire satisfaction of the Engineer-in-Charge .The rate is inclusive all taxes levy by the government time to time including GST.	6.00	Each	329.65	Rupees Three Hundred Twenty Nine And Paise Sixty Five Only	1,978.00
Total						89,993.00

*Draft schedule of quantity approved for 89993/-
C/E Eighty nine thousand nine hundred ninety three only*

Executive Engineer
B & R Division HP.PWD,
Joginder Nagar